



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**99629 - Dextran Sulphate Sodium Salt 500 (DSS 500)
ex. Leuconostoc Sp. for molecular biology -
[9011-18-1]**

Batch No

4163978

Analysis Date

05-Dec-2022

Date of Manufacture

December 2022

Expiry Date/Re-Test Date

December 2027

Molecular Weight

~ 500000

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Powder	Powder
Solubility (Turbidity) 1% aq. solution	Clear	Clear
Average Molecular weight	made from Dextran 500 KDa	Passes
Chloride (Cl)	max. 0.01%	Passes
Iron (Fe)	max. 0.0005%	Passes
Heavy Metals (Pb)	max.0.0005%	Passes
DNase, RNase, Protease	Not detected	Not detected
Not for medicinal use		

FRM/82/11/4/99629 Rev No. 2 Date 20/07/2021

Prepared by Amruta

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.