



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

**Product**

**79661 - Hydrochloric Acid 0.05N Aq. Solution -  
[7647-01-0]**

**Batch No**

**4943715**

**Analysis Date**

06-Aug-2022

**Date of Manufacture**

August 2022

**Expiry Date/Re-Test Date**

August 2024

**Molecular Formula**

HCl

**Molecular Weight**

36.46

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Concentration	0.04975 - 0.05025N	0.05017N

FRM/82/11/2/79661 Rev No. 1 Date 08/20/2018

Prepared by Neena

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)