



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	32227 - n-Butyl Chloride (1-Chlorobutane) extrapure, 99% - [109-69-3]
Batch No	6001566
Analysis Date	08-May-2024
Date of Manufacture	May 2024
Expiry Date/Re-Test Date	May 2029
Molecular Formula	C4H9Cl
Molecular Weight	92.58

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.70%
Density (g/ml) @ 20°C	0.880-0.883	0.883
Refractive Index (20°C)	1.401-1.402	1.402
Boiling Point	77-78°C	77-78°C

FRM/82/11/2/32227 Rev No. 1 Date 16/05/2023

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.