



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

**Product** **93630 - Albumin Bovine (pH 7) fraction V Cohn Analog (Bovine Serum Albumin, BSA), 96% - [9048-46-8]**

**Batch No** **6414772**

**Analysis Date** 24-Aug-2023

**Date of Manufacture** August 2023

**Expiry Date/Re-Test Date** August 2028

Test Parameters	Standards	Actual Results
Appearance (Colour)	Pale yellow to greenish yellow	Pale yellow
Appearance (Form)	Crystalline compound	Crystalline compound
Solubility (Turbidity) 5% aq. solution	Clear	Clear
Solubility (Colour) 5% aq. solution	Pale yellow to greenish yellow	Pale yellow
Assay	min. 96%	98.7%
pH (1% aq. solution)	6.0 - 7.0	7.0
A 1% aq.		
@280nm	6.34 - 6.60	6.40
Nitrogen (N)	min. 15.4%	15.79%
Water (KF)	max. 5%	0.6%
DNase, RNase, Protease	Not detected	Not detected

FRM/82/11/4/93630 Rev No. 2 Date 23/09/2020

Prepared by **Dhanashree**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.