SISCO RESEARCH LABORATORIES PVT. LTD. www.srichem.com	Certificate of Analysis	
Product	47014 - Arsenazo III Free Acid (High Purity) extrapure AR, 85% - [1668-00-4]	
Batch No Analysis Date Date of Manufacture	<b>7027488</b> 21-Oct-2023 October 2023	
Expiry Date/Re-Test Date	October 2028	
Molecular Formula Molecular Weight	C22H18As2N4O14S2 776.37	
Test Parameters	Standards	Actual Results
Appearance (Colour)	Brown to very dark brown and black	Very dark brown
Appearance (Form)	Powder	Powder
Absorption maxima	569 - 576 nm	575.5
Absorbance (A) of 1% solution (pH 10.0) in a 1cm cell	300 - 450	329.2

min. 85%

FRM/82/11/4/47014 Rev No. 3 Date 30/06/2022

Assay (UV)

In compliance with the standard specifications of SRL

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road, Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800 Prepared by Komal

1/1

Plant Site 2 : H-4, MIDC, Taloja - 410 208, Maharashtra, India

85.2%

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company