



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product **43172 - Gelatin Powder Special ex. Porcine (Type B),
120g Bloom BactoBio for bacteriology - [9000-70-8]**

Batch No **7260913**
Analysis Date 25-Oct-2023
Date of Manufacture October 2023
Expiry Date/Re-Test Date October 2026

Test Parameters	Standards	Actual Results
Appearance (Colour)	Light yellow, granular powder	Complies
Clarity of solution	Clear to very slightly opalescent	Complies
Solubility	Solubility at 12% : Aqueous solution is clear at 55°C and also after autoclave at 15lbs pressure at 121°C for 15 minutes	Complies
pH	4.5 - 6.3 (1% a.q) at 55°C	5.76, Complies
Gel strength	~ 120g Bloom	Complies
Stability (After autoclaving)	Light amber, clear to very slightly opalescent	Complies
Loss on drying	<= 16.0%	11.40%, Complies
Ash	< 3.25%	Complies
Sulphur dioxide	< 0.02%	Complies
Nitrogen (N)	~ 15.0% -16.0%	Complies
Cultural Response	Inoculate and incubate at 37°C for 18-48 hours or upto 2 weeks for the gelatinase tests with the following organisms	
Organism	Bacillus subtilis ATCC 6633	
Inoculum (cfu) 10-100	Growth : Good, Gelatinase activity : Positive	Complies
Organism	Clostridium sporogenes ATCC 11437	
Inoculum (cfu) 10-100	Growth : Good, Gelatinase activity : Positive	Complies
Organism	Escherichia coli ATCC 25922	
Inoculum (cfu) 10-100	Growth : Good, Gelatinase activity : Negative	Complies

FRM/82/11/3/43172 Rev No. 2 Date 22/06/2021

Prepared by Shikha

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.