



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	18871 - CBI Supplement
Batch No	7701304
Analysis Date	28-Jul-2022
Date of Manufacture	July 2022
Expiry Date/Re-Test Date	July 2024

Test Parameters	Standards	Actual Results
Appearance (Colour)	White, fine powder.	Complies
Solubility	Completely soluble in ethanol.	Complies
Cultural Response	Inoculate and incubate at $35 \pm 2^{\circ}\text{C}$ for upto 48 hours. (Aseptically add the rehydrated contents of 1 vial as per direction) Growth observed on Clostridium Botulinum Isolation Agar, Base (40980).	
Organism	Clostridium botulinum ATCC 25763	
Inoculum (cfu) 10-100	Growth : Good. Lecithinase : Positive (Opaque zone around the colony)	Complies

FRM/82/11/3/18871 Rev No. 1 Date 03/08/2023

Prepared by Shikha

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.