



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	98158 - Kojibiose extrapure, 99% - [2140-29-6]
Batch No	7904763
Analysis Date	11-May-2022
Date of Manufacture	May 2022
Expiry Date/Re-Test Date	May 2027
Molecular Formula	C ₁₂ H ₂₂ O ₁₁
Molecular Weight	342.30

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off - white	White
Appearance (Form)	Powder	Powder
Solubility (Turbidity) 0.5% aq. solution	Clear	Clear
Solubility (Colour) 0.5% aq. solution	Colourless	Colourless
Assay	min. 99%	99%

FRM/82/11/4/98158 Rev No. 1 Date 12/05/2022

Prepared by **Sonali**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.