



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

| | |
|---------------------------------|---|
| Product | 11049 - Furfurylamine pure, 98% - [617-89-0] |
| Batch No | 8122701 |
| Analysis Date | 02-Nov-2021 |
| Date of Manufacture | November 2021 |
| Expiry Date/Re-Test Date | November 2026 |
| Molecular Formula | C ₅ H ₇ NO |
| Molecular Weight | 97.12 |

| Test Parameters | Standards | Actual Results |
|-------------------------|-------------|----------------|
| Appearance (Clarity) | Clear | Clear |
| Appearance (Colour) | Pale yellow | Pale yellow |
| Appearance (Form) | Liquid | Liquid |
| Assay (GC) | min. 98% | 99.90% |
| Density (g/ml) @ 20°C | 1.090-1.100 | 1.090 |
| Refractive Index (20°C) | 1.489-1.490 | 1.489 |
| Boiling Range | 144-146°C | 144-146°C |

FRM/82/11/2/11049 Rev No. 1 Date 12/23/2019

Prepared by **SudhanPatil**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015 Certified Company](#)