SISCO RESEARCH LABORATORIES PVT. LTD.	Certificate of Analysis	
Product	83438 - Charcoal Activated (280) extrapure AR, ACS, ExiPlus, Multi-Compendial - [7440-44-0]	
Batch No Analysis Date Date of Manufacture Expiry Date/Re-Test Date Atomic Formula Atomic Weight	9023822 11-May-2024 May 2024 May 2029 C 12.01	
Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of USP, BP, Ph.Eur	Passes
Appearance (Colour)	Black	Black
Appearance (Form)	Fine powder	Fine powder
pH (2 % aq. suspension)	6.0 - 9.0	6.36
MB value	min. 280 mg/g	280 mg/g
Loss on drying	max. 10%	1.0%
Sulphated Ash	max. 4%	1.3%
Chloride (CI)	max. 0.1%	Passes
Iron (Fe)	max. 0.05%	Passes

FRM/82/11/4/83438 Rev No. 2 Date 06/10/2016

In compliance with the standard specifications of SRL

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road, Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800 Prepared by Priti

Plant Site 2 : H-4, MIDC, Taloja - 410 208, Maharashtra, India

1/1

This COA has been generated electronically and it is valid without signature.

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company