



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>67317 - Hygromycin B (HGR), 90% - [31282-04-9]</b>
<b>Batch No</b>	<b>9409400</b>
<b>Analysis Date</b>	14-Aug-2023
<b>Date of Manufacture</b>	August 2023
<b>Expiry Date/Re-Test Date</b>	August 2028
<b>Molecular Formula</b>	C <sub>20</sub> H <sub>37</sub> N <sub>3</sub> O <sub>13</sub>
<b>Molecular Weight</b>	527.52

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off - white	Off - white
Appearance (Form)	Powder	Powder
Assay	min. 90%	96.50%
Potency	min. 1000 µg/mg	1396 µg/mg
Not for medicinal use		

FRM/82/11/4/67317 Rev No. 1 Date 02/18/2019

Prepared by **Prajakta**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.