




**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

2024 25 CATALOGUE INTERNATIONAL




- General Laboratory Chemicals & Solvents
- Bioreagents, Biochemicals & Speciality Fine Chemicals
- Animal Cell Culture
- Nanopowders & Carbon Nanotubes (CNTs)
- Dehydrated Culture Media Products
- BioLit® DNA & Protein Tools and Kits
- Laboratory Accessories

endless **PROCESS** of science...



Quality Policy



We, at Sisco Research Laboratories Pvt. Ltd., shall always strive to provide the best quality Laboratory Reagents and Biochemicals, Microbiological Culture Media, Supplements & Kits, and BioLit™ range of protein and DNA tools required for teaching, research, analysis and manufacture of high quality products for better quality of life.

We shall always maintain and upgrade our products and services to meet the highest International Quality Standards.

It is our constant endeavor to achieve maximum customer satisfaction by implementing an efficient customer relationship management system to meet the requirements and expectations of our valued customers.

To achieve our goals, we have instituted a quality management system conforming to ISO 9001:2015, ISO 17025:2017, CE Certification for our Microbiology range of products and an FDA Approval for select range of Pharmacopoeial products; and are firmly committed to continually improving its effectiveness through technological advancement, enhancement of skills, cultivation of a suitable work environment and dedicated team work



An ISO 9001:2015 Company

From the desk of the
Chairman



**Dear Scientists, Researchers
and Trade Partners**

It is my honor to introduce you to our latest range of products, meticulously designed to meet the exacting standards of modern research.

Our expansive catalog of over 9000 items encompasses chemicals, biochemicals, culture media, DNA tools, and laboratory accessories, all such offerings that provide you with unparalleled resources to propel your scientific endeavors forward.

It is our 50th year of existing, having modest beginnings since 1974. In this span of time, we have recognized the pivotal role that superior-quality research chemicals play in your investigations. It is our solemn pledge to continue to furnish you with the tools requisite for transformative discoveries and breakthroughs of profound consequence.

The Global Laboratory Chemicals Market is also due to an exciting growth era, expected to surge to USD 5.37 billion by 2030, a remarkable CAGR of 5.2%. We intend to remain steadfast in support of your evolving needs with innovative solutions and cutting-edge technologies.

As you navigate through the catalogue, I extend my sincere wishes for a productive and enriching exploration. May our products serve as catalysts for your scholarly pursuits.

With the utmost respect and anticipation of our continued collaboration,

A handwritten signature in blue ink that reads 'S.K. Agarwal' with a stylized flourish at the end.

S. K. Agarwal

Chairman
1st April 2024



Quality Control



Quality control facilities in our manufacturing plants

- Anaerobic Culture Jars
- Analytical Balances
- Antibiotic Zone Reader
- Atomic Absorption Spectrophotometer (AAS)
- Autoclaves
- Bacteriological Incubator
- B.O.D. Incubator
- Calorimeter
- Conductivity Meters
- Colony Counter
- Cyclomixer
- Electrophoresis Equipments
- FTIR Spectrophotometer
- Gas Chromatograph (w/Head space)
- Gel-Strength Indicator
- High Speed Centrifuges
- HPLC Instrument
- Hot Air Ovens
- IR Spectrophotometer
- Karl-Fischer Apparatus
- Kjeldhal's Apparatus
- Lab Furnace
- Laminar Air Flow Bench

- Melting Point Apparatus
- Micro-Ovens
- Microscopes
- pH Meters
- Polarograph
- Potentiometric Titrator
- Refractive Index Apparatus
- Rotary Flask Shaker
- TLC Equipments
- Transilluminator
- Turbidometer

- UV Cabinet
- UV Spectrophotometers
- Viscometer
- other support instruments

It is the precise instrumental, chemical, biochemical and microbiological analysis which enables **SRL** to guarantee that its products shall always meet the highest international standards.




Contents

	15	Part A General Laboratory Chemicals & Solvents
Part B Bioreagents, Biochemicals & Speciality Fine Chemicals	73	
	145	Part B1 Animal Cell Culture
Part C Nanopowders & Carbon Nanotubes (CNTs) (Carbon Nanotubes, Nanodispersants and Nanodispersions, Nanowires, Nanofilms and Nanopowders)	149	
	157	Part D Dehydrated Culture Media • Product Listing • Media Supplements • ChroMed™ • Media Kits
Part E BioLit® • DNA & Protein Tools	197	
	225	Part L Laboratory Accessories

International Business



You will find the **SRL** brand in 6 different regions around the world and in more than 100 countries. Our main motive has always been to provide our products to customers in different corners of the world, wherever there is an industry or an institution that is working on improving the quality of our lives through research, innovation, quality control and manufacturing. Having more than 40 authorized agents and distributors and more than 100 trade partners, **SRL** is always on the lookout to make brighter and long lasting partnerships with companies that have a similar goal in mind, i.e. to be the best in their business. Before we appoint trade partners, we make it a point to conduct systematic checks to ensure that our partners are in a position to offer better sales support and post-sales services to their valued customers who choose an **SRL** product. We welcome new partnerships for growth and prosperity.



Our global reach

Europe & Eurasia

- Austria
- Azerbaijan
- Belgium
- Bulgaria
- Cyprus
- Czech Republic
- Denmark
- Finland
- France
- Germany
- Greece
- Hungary
- Ireland
- Italy
- Malta
- Moldova
- Netherlands
- Norway
- Poland
- Portugal
- Russia
- Spain
- Sweden
- Switzerland
- Turkey
- Turkmenistan
- United Kingdom
- Uzbekistan

Africa

- Benin
- Botswana
- Chad
- Cameroon
- Djibouti
- Ethiopia
- Ghana
- Kenya
- Madagascar
- Malawi
- Mali
- Mauritius
- Mozambique
- Namibia
- Nigeria
- Rwanda
- Seychelles
- South Africa
- Tanzania
- Uganda
- Zambia
- Zimbabwe

Middle East

- Bahrain
- Egypt
- Jordan
- Kuwait
- Lebanon
- Morocco
- Oman
- Qatar
- Saudi Arabia
- Tunisia
- United Arab Emirates

Central Asia

- Bangladesh
- Bhutan
- Kazakhstan
- Maldives
- Nepal
- Srilanka
- Tajikistan

North & South America

- Argentina
- Brazil
- Canada
- Chile
- Costa Rica
- Ecuador
- Guatemala
- Jamaica
- Mexico
- Peru
- Trinidad & Tobago
- Venezuela
- United States of America

East Asia & Pacific

- Australia
- Brunei
- Burma
- Cambodia
- China
- Fiji
- Indonesia
- Japan
- Laos
- Malaysia
- Mongolia
- New Zealand
- Philippines
- Singapore
- South Korea
- Thailand
- Vietnam



overseas customers can reach us at export@srlchem.com

Depots



Hyderabad

123/124, Murthy Building,
Prashanti Nagar, Kukatpally,
Hyderabad 500 072.
Telangana, India.
Telefax: +91-40-2307 0166
e-mail: hyderabad@srlchem.com

Chennai

Plot No.: 8B,
Self Help Industrial Estate,
Keeelkattalai, Kovilambakkam,
Chennai 600 117,
Tamil Nadu, India.
Telephone: +91-9962005587 /
+91-44-22682215
Email: chennai@srlchem.com

Delhi

69/6A, (Part A)
Rama Road Industrial Area,
Najafgarh Road,
New Delhi 110 015, India.
Tele Fax: +91-11-4591 4530
Email: delhi@srlchem.com

Mumbai

Raj Rajeshwari Logistic Park,
Gala No. 3-8, Bldg.No. B-4,
Behind Mini Punjab Grill,
Vehale, Bhatala,
Bhiwandi 421 302,
Maharashtra, India.
Telephone: +91-93229 31625 /
96191 47231
Email: bhiwandi@srlchem.com

Kolkata

46, N.S.C. Bose Road,
P.O. Malancha Mahinagar,
District: South 24 Paraganas,
Before Malancha Bazaar
Kolkata 700 145,
West Bengal, India.
Telephone: +91-8334800445
Email: kolkata@srlchem.com



Administrative Office:
608-B, Satellite Gazebo,
Near Solitaire Corporate Park,
Andheri Ghatkopar Link Road,
Chakala, Andheri (East), Mumbai 400 099. India
Tel.: +91-22-4268 5800
E-mail: marketing@srlchem.com

Website: www.srlchem.com



Label Explanation



for Laboratory & Research Chemicals

<p>Sisco Research Laboratories Pvt. Ltd. Plant Site 2: H-4, MIDC, Talaja - 410 208, Maharashtra, India. ☎ +91-22-42685800. email: customercare@srlchem.com</p> <p>Net Content: 100 g</p>  <p>Batch No: Mfg. Date:</p> <p><small>Important: No Liability accepted for accidents arising in handling or use. *Packed for servicing industry (including industrial quality control laboratories academic and research institutions universities etc.)</small></p>	<p>35825 (1944318) [151-21-3]</p> <p>Sodium Lauryl Sulphate High purity (sodium dodecyl sulphate, SDS)</p> <p>C₁₂H₂₅SO₄Na M.W. 288.38</p>  <p>www.srlchem.com</p>	<p>Specifications</p> <p>Assay min 99.5% pH(1% aq soln) 6.0-7.5 A10% aq. 210nm max 0.1 220nm max 0.06 230nm max 0.04 260nm max 0.02</p> <p>Maximum Limits of Impurities</p> <p>Loss on drying 1% Chloride (Cl) 0.01% Iron (Fe) 0.0001% Phosphate(PO₄) 0.0001% Heavy metals (Pb) 0.0002%</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">For Laboratory Use Only</p>
--	---	---

for Dehydrated Culture Media, Ingredients, Supplements & Kits


<p>Sisco Research Laboratories Pvt. Ltd. Plant Site 1: D-88/2, MIDC, Turbhe-400705, New Mumbai, India. ☎ +91-22-42685800. email: customercare@srlchem.com</p> <p></p> <p>Net Content : 100 gms</p> <p>Received on dt : _____</p> <p>Opened on dt : _____</p> <p>Batch No : Mfg. Date : Best Before :</p> <p><small>Important: No Liability accepted for accidents arising in handling or use. *Packed for servicing industry (including industrial quality control laboratories academic and research institutions universities etc.)</small></p>	<p>REF 76875 (MM 011)</p> <p>MacConkey Agar</p> <p>For the selective isolation, cultivation and differentiation of coliforms and enteric pathogens based on the ability to ferment lactose.</p>  <p>www.srlchem.com</p>	<p>Composition</p> <table border="0"> <tr><td>Peptone</td><td>17.00</td></tr> <tr><td>Agar</td><td>13.50</td></tr> <tr><td>Lactose</td><td>10.00</td></tr> <tr><td>Sodium chloride</td><td>5.00</td></tr> <tr><td>Bile salts</td><td>1.50</td></tr> <tr><td>Proteose peptone</td><td>3.00</td></tr> <tr><td>Neutral Red</td><td>0.03</td></tr> <tr><td>Crystal Violet</td><td>0.001</td></tr> </table> <p>Final pH at 25°C : 7.1 ± 0.2 Formula standardized/adjusted to meet performance criteria.</p>	Peptone	17.00	Agar	13.50	Lactose	10.00	Sodium chloride	5.00	Bile salts	1.50	Proteose peptone	3.00	Neutral Red	0.03	Crystal Violet	0.001	<p>Directions :</p> <ul style="list-style-type: none"> • Add 50.03 gm powder to distilled/ deionized water. • Bring volume to 1.0 liter and mix thoroughly. • Gently heat and bring to boiling. • Autoclave at 15 psi pressure at 121°C for 15 minutes. <p style="writing-mode: vertical-rl; transform: rotate(180deg);">For Laboratory Use Only</p>
Peptone	17.00																		
Agar	13.50																		
Lactose	10.00																		
Sodium chloride	5.00																		
Bile salts	1.50																		
Proteose peptone	3.00																		
Neutral Red	0.03																		
Crystal Violet	0.001																		

for BioLit™ DNA & Protein Tools

 **BioLit™**
92972(BLL001) 50 µg
lot:5416089

BioLit™
ladders, markers & vectors

92972 (BLL001)
ProxiO 100bp DNA Ladder



Sisco Research Laboratories Pvt. Ltd.
Registered Office: 01, M.C. Road, Andheri, E3,
Mumbai 400 059, India. ☎ +91 22 4268 5800.
email: customercare@bioliteam.com

Description :
(This product includes Ex Orange DNA Loading Dye)

The 100bp ladder is ideal for determining the size of double-stranded DNA from 100 to 1500 base pairs. The ladder consists of 11 linear double-stranded fragments. The 500bp fragment is present at increased intensity to allow easy identification. All fragments are precisely quantified and mixed during the production. For 5 µl loading, all fragments except 500bp are 40ng. The 500bp fragment is 100ng. This ladder is pre-mixed with loading dye and is ready to use.

Recommended Loading: 5 µl/Lane

Concentration:
Spiral Bands: 100ng/µl
Other Bands: 40ng/µl

Active Electrophoresis Condition:
8cm, 1% Agarose Gel, 0.5xTBE, 5V/cm, 1h

Contents (µg):
100, 200, 300, 400, 500, 600, 700, 800, 900, 1,000, 1,500

Min Concentration: 10ng/µl

Storage : 1 year at room temperature for long term preservation please store at 20°C.

Website

Consistently we follow in all aspects of our products and services continues even more comprehensively on our website. Some of the most revolutionary information we offer,

1. Interactive Product Pages

- Technical product specifications & print-ready Product Data sheets
 - (containing technical & application for each product)
- LIVE Stock Checks
 - Check the stocks of your desired product packing in real time at each of our
 - Manufacturing Sites
 - Distribution Depots
- Avail prices in more than 17 Global Currencies
- Access to H.S. Codes & MSDS of all products

2. Quick Links for viewing and downloads

- Product search by keywords, CAS, application, grade
- Certificate of Analysis (COA)
- Material Safety Data Sheet (MSDS)
- Latest Catalog Download
- Technical Product Brochures
- Picture gallery for product packaging

3. Online Transactions

- Get quotations
- Place Orders
- Ask us a Technical Query
- Apply for a position with us

4. Locate your nearest SRL Stockists & Distributor

- Indian Stockist network provided City-wise & State-wise
- Global Distributors provided country-wise

5. Multi-Lingual Display

- Read content in more than 80 Global languages of your preference



6. News and Information

- Follow our developments and road shows
- Path-breaking research developments in the Bioscience industry
- Latest SRL product offerings and highlights

7. Regulatory Certifications, now available online.

- Click and Download our
- ISO 9001-2015 Quality Management Certificate
 - FDA (Food & Drug Association) Certificate
 - CE (European Conformity) Certificate
 - GMP (Good Manufacturing Practices) Certificate

www.srlchem.com is ideal for researchers, scientists and customers who are always looking for new molecules, product information and availabilities at the click of a button!

Order your
CD today...



It's **FREE!**



No part of this book may be reproduced by any mechanical, photographic or electronic process or in the form of a phonographic audio/audio visual recording, nor may it be stored in a retrieval system, transmitted or otherwise copied for public or private use, without written permission from the publisher.

Trademarks owned by Sisco Research Laboratories Pvt Ltd

Registered Trademarks

SRL[®] **Bio-Indenta[®]** **BioLit[®]** **SafeDye[™]** **ChroMed[®]**
Seralose[®] **FluroBronze[®]** **Seralite[®]** **Serabeads[®]** **ExiPlus[®]**

"All trademarks mentioned in the catalogue other than those mentioned here, are not property/owned by Sisco Research Laboratories Pvt. Ltd. (SRL)"

Grades of Purity

SRL products adhere to highest grades of quality. However, we understand that our multiple grades may tend to overlap and disorient users. The explanations below give an approximate representation of the **SRL** grades and most closely suited applications of our products.

AAS	Products for Atomic Absorption Spectroscopy specially suited for AAS instrumentation.
ACS/AR/Reagent Grade	Complying with the specifications of American Chemical Society (ACS) reference manuals/ANALAR specifications, for critical laboratory analysis and quality production applications.
Dried/Specially Dried	Containing highly reduced water content for 'anhydrous' reactions, synthesis and assay studies.
Cell Culture	Low endotoxin products specially suited for cell culture DNA, RNA, Genetics applications.
Electronic Grade	Very low ionic impurities and suited for electronics and high-end applications.
ExiPlus[™]	Complying with the compendial specifications of USP (United States Pharmacopoeia) or BP (British Pharmacopoeia) or Ph.Eur (European Pharmacopoeia) or all. For production, quality control and laboratory applications.
Extrapure	Purified grade suited for general laboratory or synthesis.
GC-HS	For Gas Chromatography assay. Suited for use in GC instrumentation with Head Space.
High Purity/Ultrapur	Having very high levels of assay/purity (typically 3N (99.9%), 4N (99.99%), 5N (99.999%) or more) as compared to similar products in their class/category. Specially synthesized and purified for critical applications with low elemental impurities.
HPCL/UV	For High Pressure Liquid Chromatography or Ultra Violet Spectroscopy. Suited for use in HPLC or UV instrumentation.
Microbiology/Bacteriology	For microbiological application and bacteriological studies.
Microscopy	Typically dyes, stains and indicators (powders and solutions) used for microscopy and histological applications.
Molecular Biology	For molecular biology, cell culture, tissue culture, genetics, and all such applications, tested 'non-detected' for DNase, RNase and Protease.
NMR Spectroscopy	Solvents for NMR studies suited to most advanced NMR instrumentation.
OAS	Organic Analytical Standard for reference studies.
Pure/Technical/Practical/Grade	General, commercial grade for synthesis and routine applications.
OAS/CHR/Reference Standard Grade	Organic Analytical Standard/Chromatographically Harmonized Reagent to be used as in reference studies as an analytically pure standard.
Scintillation	Ideal for scintillation studies.
Tissue Culture	Ideal for plant tissue culture application & studied.

For Pharmaceutical Grade Labelled Products

IP	Indian Pharmacopoeia.
BP	British Pharmacopoeia.
USP-NF	United States Pharmacopoeia & The National Formulary.

For Dehydrated Culture Media

Harmonized	Dehydrated media prepared as mentioned in ICH Guidelines.
Bacteriology	For microbiological application and bacteriological studies.
BactoBio/Bacto	For microbiological preparation and cell culture media.
(I/P)	Dehydrated media prepared as mentioned in IP (Indian Pharmacopoeia).
(U/P)	Dehydrated media prepared as mentioned in USP (United States Pharmacopoeia).
(B/S)	Dehydrated media prepared as mentioned in BIS (Bureau Of Indian Standards).
(I)	Dehydrated media prepared as mentioned in ISO (International Standards Organization) Guidelines.



Production Capabilities



We invite you to tour and audit our plant and discuss any queries with our technical team

Our Bulk Manufacturing facilities follow cutting edge bio-techniques for producing many of our specialized products in bulk volumes. Multi-purpose process vessels and unit operations ensure consistent high quality batch-after-batch in a timely manner.



Our production facilities include –

- SS & Glass-lined Reactors with distillation columns
- All Glass Reactors
- SS Centrifuges
- SS Nutsche Filters
- SS Sparkler Filters
- SS Pulverizers, Sifters and Blenders
- Vacuum Tray Dryers
- SS Rotocone Vacuum Dryers, etc.

To support these unit operations, our utilities include –

- Chilled Brine Plant
- Cooling Water and Chilled Water Plant
- Boiler and Oil Heating System
- High Pressure Vacuum System
- Micron-filter Air Purification System
- DM Water Plant, Nitrogen Plant, Scrubbers, etc.

Contact info@srchem.com for more info.

Keeping strong the  quality promise.



Developing bulk specialty chemicals and customized new molecules in compliance with your in-house specifications supported by complete tech-packs.

Today, **SRL** is not only known for its high quality laboratory chemicals, but it is also been recognized as an important supplier of various fine chemicals as raw materials. Our company is manufacturing reagents and powders in bulk scale to meet the critical requirements of several industries that we serve. As a supplier of key technologies, we want to grow along with our customers in the pharmaceutical and biopharmaceutical industries. This expansion of capacity and modernization is our response to the growing global demand for and high requirements placed on quality and product safety for final pharmaceutical and biopharmaceutical formulations. SRL has an extensive product range and supports its customers in all phases of the drug manufacturing process, from research, quality control and commercial production, through to providing service in concrete safety and regulatory issues.

SRL's Bulk Manufacturing and Custom Synthesis (BMCS) business has broadened its production at our Talaja MIDC site to include existing and new bulk fine chemicals which are being manufactured at commercial scales. Production of the raw materials have been on since 2011 at this site and complements the existing offering of highly regulated active and non-active pharmaceutical ingredients manufactured here. Most of the products manufactured at the Talaja MIDC bulk plant facility meet and exceed IP, BP, USP & Ph. Eur regulation; follow Current Good Manufacturing Practices (cGMPs) for biopharmaceutical production; and comply with International Consortium for Innovation and Quality in Pharmaceutical Development.



Target Audience:

- Active Pharmaceutical Ingredients (API) (Human & Veterinary)
- Antibodies
- Biosimilars
- Biocides, Insecticides & Crop Sciences
- Bio-Fermentation (Upstream & Downstream)
- Blood Plasma
- Diagnostic Kit
- Excipients & Intermediates (Organic & Inorganic)
- Formulations (New & Generic)
- Home Care & Sanitation
- Hormones
- Injectables
- Neutraceuticals
- Peptides
- Personal Care Products
- Protein Purification
- Vaccines (Human & Veterinary)
- Carboxylation
- Cryogenic Reaction
- Cyclization
- Cyclo Addition (4 + 2, 4 + 3) Reaction
- Dehydration
- Esterification
- Formylation
- Friedel – Craft
- Grignard Reaction
- Heck Reaction
- Hydrochloride preparation
- Iodination
- Ion exchange Reactions
- Jones Oxidation
- Lithiation Chemistry
- Mignonac Reaction
- Mitosonobu Esterification
- Nitration
- Nitrosation
- Oximation
- Pachmann Condensation
- Perkin Reaction
- Sandmeyer Reaction
- Sonogashira Coupling
- Sulfonation
- Suzuki Coupling
- Swern Oxidation
- Williamson's Ether Synthesis
- Writing-Homer Reaction

Reaction Capabilities:

- Acid Chloride Preparations
- Aldol & Crossed Aldol Reaction
- Assymmetric Reduction
- Bromination



We offer:

The BMCS division at the MIDC Taloja facility include difficult-to-source materials available from research to commercial-scale volumes. The program takes advantage of **SRL**'s purification, re-crystallization and distillation competencies to manufacture a short list of catalog products in the commercial product segment.

You will find our ExiPlus grade of products that are complying to the compendia specifications of Indian Pharmacopoeia (IP), British Pharmacopoeia (BP), United States Pharmacopoeia (USP), National Formulary (NF) and European Pharmacopoeia (Ph. Eur). We are well versed in providing these products for production requirements. Alternately, our highly researched ACS and AR grades are anyway much better and stringent in their impurity limits and are also being used as raw materials in various industries. We also are highly skilled in providing additional value through quality documentation packages, readily-available inventory and multiple batches to support customer qualification activities

Tech-packs:

SRL not only provides the raw materials through its BMCS program, but we also cater to the strict documentation requirements which our customers ask. Since the last decade, India has become a hub for the regulated as well as the non-regulated pharmaceutical markets, and to serve them we offer complete vendor questionnaire documents with all the technical, commercial and ethical information that we can provide.

* Document support:

- Aflatoxin free statement
- Allergen free certificate
- Brief description of manufacturing locations, capabilities
- Certificate of analysis (COA) / Method of analysis (MOA)
- Company Organogram
- Dioxan free certificate
- GC, HPLC, NMR graphs
- Gluten free certificate
- Kosher & Halal certificate
- Latex free statement
- List of equipment and instrumentation
- Material safety data sheet (MSDS)
- Melamine free certificate
- Metal catalyst statement
- Microbial contamination certificate
- Quality management certificate (QMS)
- Residual solvent & impurity profiling
- Route of synthesis (ROS) / Process flow chart
- Stability data
- TSE/BSE Declaration
- Vendor Questionnaire (VQ)

Post Sales Support:

We at **SRL** take special care to value our customers with utmost seriousness post-sales. Customers requiring additional services of more document support, pre-shipment sampling for repeat orders, production planning for scale-up and addressing non-conformity issues are some of the areas which we address. In times of product rejections due to storage or any other issues, we provide a complete CAPA (Corrective And Preventive Action) analysis document and such documents are recorded for future product improvements.

Today we provide a helping hand to the world's top 100 pharmaceutical companies to file successful ANDA (Abbreviated New Drug Application) filings in both regulated and non-regulated markets. We are ready to partner with you, so do get in touch with us on marketing@srlchem.com



* Document support provided depends on individual product and its chemistry. Not all documents are available for all BMCS products.



ExiPlus Range

(Products confirming to the reagent specifications of USP, BP & Ph. EUR)

ExiPlus range of products has been carefully designed to meet the requirements of scientists working in the manufacture of drugs, active pharmaceutical ingredients, bio-pharmaceutical & nutraceutical products in semi-bulk or bulk scale. ExiPlus products are the safest and most reliable products to meet the needs of students, researchers working in quality control, research and development laboratories in premier institutions all over the world.

Offering more than 300 ExiPlus World-class reagents and biochemicals, that are manufactured in compliance with the reagent specifications of various pharmacopeia such as United States Pharmacopeia (USP), British Pharmacopeia (BP), European Pharmacopeia (Ph.Eur).

Take the ExiPlus advantage, why loose a good chance:

- ExiPlus for use as an excipient
- ExiPlus for use as an active pharmaceutical ingredient
- ExiPlus for use in biopharmaceutical production
- ExiPlus for use in nutraceutical production
- ExiPlus for use in critical research and development

The quality of our raw materials and our extensive documentation support enable you to do your work quickly and cost-effectively. With ExiPlus SRL provides its customers with a high level of safety in QC, R&D and production activities. We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request.

ExiPlus will simplify your life so let's make life simple.



ACS Grade Reagents

(Products confirming to the reagent specifications set by the American Chemical Society Committee)

Our ACS grade of reagents and chemicals are manufactured and tested to meet the specifications set by the American Chemical Society (ACS) Committee on Analytical Reagents. The specifications listed in this catalog are based on the ACS Reagent Chemicals Tenth Edition.

SRL offers more than 200 reagents and chemicals complying with ACS grade reagent specifications of very high quality for use in laboratory for both quality control in academics and industries. They are superior grade reagents that are contaminant-free that are being preferred world-wide because of the stringent specifications set by the American Chemical Society (ACS) committee. Many customers of SRL want to purchase an ACS grade product instead of an AR grade product, however both grades of products are considered to be superior for routine analytical testing applications.

Some common Application of ACS grade products:

- ACS reagents for industrial cleaning purposes
- ACS reagents for routine quality control
- ACS reagents for chemical process development
- ACS reagents for commercial scale-up of manufacture
- ACS reagents for analytical applications wherein UV absorption is not critical
- ACS reagents for the metal & steel industry

We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request. We provide many products in various pack sizes and also at affordable prices so that students and scientists can benefit from the ultrapure purity of the ACS grade reagent manufactured, tested and packed for the most stress-free and reliable experience.

Come and try our ACS grade, because it's worth it!

**Part A - General Laboratory Chemicals & Solvents**

Ammonium Hexafluorophosphate	Dodecane	Polyvinylpyrrolidone K25 (Povidone, PVP K-25)
Azocarmine G (C.I. 50085) for histology	Eosin Blue (C.I. No. 45400)	Polyvinylpyrrolidone K90 (Povidone, PVP K-90)
tert-Butyl Acetate (TBAC)	Ferric Ammonium Oxalate Trihydrate	Salicylic Acid ACS, ExiPlus
Butyl Propionate	Ferric Chloride Anhydrous ExiPlus	Sodium Benzoate ExiPlus
Calcium Phosphate Dibasic Anhydrous	Ferric Phosphate	Sodium Citrate Dibasic Sesquihydrate
Calcium Phosphate Dibasic Dihydrate	Guanidine Hydrochloride (GHC) ExiPlus	Sodium Hydroxide Flakes
Ceramide ex. Chicken Egg	Iodophor	Sodium Hypochlorite Solution
Chloroform-d (w/o TMS, Stab w/ Ag) for NMR spectroscopy	Isooctane Fuel Grade for HPLC & UV Spectroscopy	Sodium Percarbonate
Chloroform-d (with 0.03% TMS, Stab w/ Ag) for NMR spectroscopy	Isopropanol (IPA) Dried	Sodium Peroxide ACS
Chloroform-d (with 1% TMS, Stab w/ Ag) for NMR spectroscopy	L-Leucine extrapure, ExiPlus	Sodium Phosphate Dibasic Dihydrate ExiPlus
Cupric Sulphate Anhydrous	D-Maltose Monohydrate ExiPlus	Tetrabutylammonium Fluoride (TBAF) 1M Soln. in THF
Cupric Sulphate Anhydrous ExiPlus	Melamine	Tetraheptyl Ammonium Bromide (THAB) for HPLC
Cuprous Chloride ACS	Methyl Isopropyl Ketone (MIPK)	Tetramethylammonium Hydroxide 25% aqueous solution, VLSI Semiconductor Grade
L-Cystine ExiPlus	N-Methyl-2-Pyrrolidone (NMP) VLSI Semiconductor Grade	Tiron Monohydrate
Diiodomethane (Stabilized with copper wire)	Mixed Cresol	Triethyl Citrate
Diisopropanolamine (DIPOA)	b-Naphthol	Water Distilled
Dimethyl Sulphoxide (DMSO) ULSI Semiconductor Grade	Oleic Acid	Zinc Metal Granules, 3-8 mm
Propylene Glycol Monomethyl Ether 2-Acetate (MPA)	Paraffin Wax w/ Ceresin Blocks	Zinc Metal Granules, 10-12mm
	Perchloric Acid ACS, for Diamond Industry	
	Polyethylene Glycol 10000 (PEG 10000)	

Part B - Bioreagents, Biochemicals & Specialty Fine Chemicals

ACES Buffer	Cyanuric Chloride	O,O-Diethyl Dithiophosphate
L-Alaninamide Hydrochloride	Cyanogen Bromide Solution (5.0M in Acetonitrile)	1,5-Difluoro-2,4-Dinitrobenzene (DFDNB)
N-Allylthiourea	1,10-Decanediol	N,N-Dimethyl-L-Phenylalanine
2-Amino-2-Methyl-1,3-Propanediol (AMPD Buffer)	Dextran ex. Leuconostoc Sp. - Tech 70 (65-75)	2-Ethylaniline
Azomethine H Monosodium Salt	Dichloro[1,1'-bis(di-t-Butylphosphino)Ferrocene]Palladium(II)	Furfural
Bis(Dibenzylideneacetone) Palladium	Dichloro(1,2-bis(Diphenylphosphino)Ethane) Palladium (II)	Z-Glycyl-L-Proline-4-Nitroanilide (Z-Gly-Pro-4-Nitroanilide)
1,1'-Bis(Diphenylphosphino)Ferrocene Palladium(II) Dichloride	Dichloro(1,3-bis(Diphenylphosphino)Propane) Palladium(II)	2-Heptanone (Methyl-n-Amyl Ketone, MAK)
1,1'-Bis(Diphenylphosphino)Ferrocene-Palladium(II) Dichloride-Dichloromethane Complex	Dichloro[1,4-bis(Diphenylphosphino)Butane]Palladium(II)	Hexaammine Cobalt (III) Chloride
Bis(Tricyclohexylphosphine) Palladium(II) Dichloride	Dichloro-[1,3-bis(Diisopropylphenyl)-2-Imidazolidinylidene]-(3-Chloropyridyl) Palladium(II)	Hygromycin B (HGR Solution)
Bis(Triphenylphosphine) Dichloropalladium (II)	1,4-Dichloro-2-Butyne	Kanamycin Acid Sulphate (KS)
Cacotheline Monohydrate	Dichlorobis(Triphenylphosphine)Palladium(II)	Kanamycin Acid Sulphate (KS) for tissue culture
Cadaverin Dihydrochloride	Diethyl bis(hydroxymethyl)malonate	N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium Solution)
Caffeic Acid	Diethyl Chlorophosphate	(Sarkosyl Sodium Solution)
Cefotetan Disodium Salt		Linoleic Acid (Free Acid)
Cesium Iodide		Meldrum's Acid
Cesium Nitrate		MES19: ICP Calibration Standard for Petroleum Mix 1
a-Chymotrypsin ex. Porcine		MES20: ICP Calibration Standard for EPA 6020



MES21: ICP 21 Calibration Standard
 MES22: ICP 19 Calibration Standard
 MES23: ICP 29 Calibration Standard
 MES24: ICP Environmental Calibration Standard A
 MES25: ICP Calibration Standard for EPA 6010
 MES26: ICP Water Pollution Standard 1
 MES27: ICP Common & Transition Elements Standard (1000 µg/mL)
 L-Methionine Sulfoximine (MSX)
 4-Methoxy-2,3,6-Trimethyl Benzaldehyde
 Mucin ex. Porcine Stomach, Type III

Niobium Chloride ultrapure
 2-Nitrocyclohexanone
 3,4-Dinitrophenol
 Palmitic Acid
 Palmitoyl Chloride
 Pectinase ex. Aspergillus Niger
 Phenyl Isothiocyanate (PITC) for HPLC & Sequencing
 Phleomycin (PLM) Solution
 Phytosphingosine Hydrochloride
 Poly-L-Lysine Hydrobromide (PLL HBr)
 Poly-D-Lysine Hydrobromide (PDL HBr)

Poly-e-L-Lysine Hydrochloride (PLL HCl)
 Protamine Sulfate for molecular biology
 Pyrazinamide
 Silicon Metal powder
 Simazine
 Spectinomycin Dihydrochloride Pentahydrate
 Styrene Monomer (Stab w/ tBC)
 N-Succinimidyl Ferrocenecarboxylate
 Syringic Acid
 p-Toluidine specially purified
 2,2,2-Trichloroethanol
 Tris(Dibenzylideneacetone)Dipalladium-Chloroform Adduct

Part B1 - Animal Cell Culture

ACES Buffer
 Blastidicin S HCl Solution in HEPES Buffer
 Cephalexime Sodium Salt (CFT)
 L-Leucine for cell culture, 99%, Endotoxin (BET) 1EU/ml
 Phleomycin (PLM) ex. Streptomyces verticillus

Part C - Nanopowders & Carbon Nanotubes

Formamidinium Bromide
 Formamidinium Iodide
 Methylammonium Bromide
 Methylammonium Iodide

Part E - BioLit (DNA & Protein Tools)

Taq Mix (2X) (PCR Master Mix (2X))(w/ Tracking Dye)
 QuickRxn BamHI (20U/mcl)
 QuickRxn KpnI (20U/mcl)

Part D - Dehydrated Culture Media

Actidione Agar Base w/o Actidione
 Aleksandrow Agar
 Ampicillin Dextrin Agar Base
 Ampicillin Dextrin Broth Base
 Ampicillin Dextrin Selective Supplement
 Anaerobic Blood Agar Base
 Andrade Lactose Peptone Water
 Andrade Peptone Water
 Andrade Peptone Water BioVeg
 Aspergillus Differentiation Medium Base
 Bacteroides Bile Esculin (BBE) Agar Base
 Bile Salts Technical for bacteriology
 Brain Heart CC Agar
 Bryant and Burkey Agar
 Bryant and Burkey Medium
 CAL Agar (Cellobiose Arginine Lysine Agar)

Charcoal Agar w/ Niacin
 Clostridium Difficile Agar Base
 Dichloran Glycerol Medium Base
 Dichloran Medium Base w/ Rose Bengal
 Doyle's Antibiotic Supplement
 Doyle's Enrichment Broth Base
 Doyle's Enrichment Broth Base BioVeg
 IMViC Test Kit (Pre-Weighed Media) w/ Reagents
 Kanamycin Esculin Azide Broth Base
 KG Agar Base
 Peptone BioVeg Sterile for bacteriology (Gamma Irradiated)
 R2A Agar BioVeg
 Tryptone Agar BioVeg
 Tryptose Cycloserine Dextrose Agar Base


QuickRxn Sall
 QuickRxn SmaI (20U/mcl)
 QuickRxn XhoI (20u/mcl)
 Onion Root Tip Mitosis Kit (Teaching)
 BioLit Plasmid DNA Extraction Miniprep Kit (Research)

Part L - Laboratory Accessories

PAP Pen Mini (Hydrophobic Barrier Pen, 1mm, Blue)
 PAP Pen Regular (Hydrophobic Barrier Pen, 3mm, Blue)

Part A

General Laboratory Chemicals & Solvents





Amino Acids

- L-Alanine
- L-Arginine
- L-Asparagine Monohydrate
- L-Cysteine
- L-Cystine
- L-Glutamic Acid
- L-Lysine (free base) Anhydrous
- L-Proline
- L-Serine
- L-Threonine
- L-Tryptophan
- L-Tyrosine
- L-Valine

Antibiotics

- Ampicillin Sodium Salt (AMP-Na)
- Blasticidin S Hydrochloride
- Carbenicillin Disodium Salt
- Chloramphenicol (CFP)
- β -Cyclodextrin, base (BCD)
- Cycloheximide
- Erythromycin
- G-418 Sulphate (Geneticin)
- Gentamicin Sulphate (GM)
- Hygromycin B (HGR)
- Kanamycin Monosulphate (KM)
- Streptomycin Sulphate
- Tetracycline Hydrochloride (TC)

Buffers

- Glycine
- HEPES Buffer
- HEPES Sodium Salt
- Imidazole
- MES Hydrate Buffer
- PIPES Buffer
- Sodium Acetate Trihydrate

Carbohydrates & Derivatives

- Agar powder
- D-Fructose
- Gelrite Gellan Gum
- Lactose Monohydrate
- D-Maltose
- D-Mannose
- D-Ribose
- D-Sorbitol Powder
- Sucrose
- D-Trehalose Dihydrate

Dyes, Stains & Indicators

- Acridine Orange hemi (Zinc Chloride) Salt
- Alcian Blue
- Alizarin Red S
- DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride)
- New Methylene Blue N Zinc Chloride Double Salt
- Toluidine Blue O
- Trypan Blue
- Thiazolyl Blue Tetrazolium Bromide (MTT)

Enzyme Substrates

- 5-Bromo-4-Chloro-3-Indolyl-b-D Galactopyranoside (X-Gal)
- 5-Bromo-4-Chloro-3-Indolyl-B-D Glucuronide Cyclohexylammonium Salt
- 5-Bromo-4-Chloro-3-Indolyl-b-D Glucopyranoside (X-Glu, X-Glc)
- 5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP)
- Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT)

Inorganic Reagents

- Ammonium Chloride
- Ammonium Sulphate
- Calcium Chloride Dihydrate
- Ferrous Sulphate
- Magnesium Chloride Anhydrous
- Magnesium Chloride Hexahydrate
- Magnesium Sulphate Heptahydrate
- Potassium Acetate
- Potassium Chloride
- Potassium Dihydrogen Orthophosphate
- Potassium Phosphate Dibasic Anhydrous
- Potassium Sulphate
- Silver Nitrate
- Sodium Bicarbonate
- Sodium Chloride
- Sodium Phosphate Monobasic Anhydrous
- Zinc Chloride
- Zinc Sulphate Heptahydrate

Organic Reagents

- Adenine Sulphate
- Citric Acid Anhydrous
- Ferric Citrate Trihydrate
- Glutathione Oxidized (GSSG)
- Glutathione Reduced (GSH)
- Lactic Acid
- Polysorbate 20 (Tween 20)
- Putrescine Dihydrochloride
- Urea

Plant Growth Regulators

- Abscisic Acid
- DICAMBA (3,6-Dichloro-2-Methoxybenzoic Acid; 3,6-Dichloro-o Anisic Acid)
- 2,4-Dichlorophenoxyacetic Acid (2,4-D)
- EDTA Disodium Salt Dihydrate
- Gibberellic Acid (Ga3)
- Indole-3-Acetic Acid (IAA)
- Indole-3-Butyric Acid (IBA)
- Kinetin
- Naphthalene-1-Acetic Acid extrapure
- Thidiazuron (TDZ)
- Zeatin mixed Isomers

Proteins & Enzymes

- Albumin Bovine (pH 6.5-7.5) fraction V for tissue culture (Bovine Serum Albumin, BSA), 98%
- r-Albumin Human - Type LL ex. Yeast, 99% (Low Lipid)
- r-Albumin Human - Type Standard ACF ex. Plants, 97% (Animal Component Free)
- r-Albumin Human - Type EG ex. Yeast, 99% (Excipient use)
- r-Albumin Human - Type LE ex. Yeast, 98% (Low Endotoxin)
- r-CRP ex. E.Coli (Recombinant C-reactive protein)
- r-Insulin ex. Human
- r-Trypsin 1x Solution with EDTA in Phosphate Buffer for cell culture (AOF), 150U/ml
- r-Trypsin - Type Standard ACF ex. Porcine, 800U/mg

Vitamins

- L-Ascorbic Acid (Vitamin C)
- D-Biotin (Vitamin H)
- Folic Acid (Vitamin M)
- Inositol (Vitamin B8)
- Thiamine Hydrochloride (Vitamin B1 hydrochloride)
- DL-a-Tocopherol Acetate (Vitamin E Acetate)
- Vitamin B12 (Cyanocobalamin)





Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
95237 [60-35-5]	Acetamide pure, 98%	500 Gms	11.19	12972 ↓ [666-52-4]	Acetone-d6 for NMR spectroscopy, 99.5 Atom %D	10 ml	142.13
81658 [103-84-4]	Acetanilide extrapure, 99%	500 Gms	12.50	75185 ↓ [666-52-4]	Acetone-d6 (with 1% TMS) for NMR spectroscopy, 99.5 Atom %D	10 ml	148.05
68175 [103-84-4]	Acetanilide ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	500 Gms	17.77	49967 [75-05-8]	Acetonitrile (ACN) extrapure, 99%	500 ml 2500 ml 25 Ltr	8.82 39.22 361.64
18439 [64-19-7]	Acetic Acid 1N Aq. Solution	1000 ml	8.03	84578 [75-05-8]	Acetonitrile (ACN) extrapure AR, 99.5%	500 ml 2500 ml	9.21 41.19
72690 [64-19-7]	Acetic Acid 2.5M Aq. Solution	1000 ml	8.55	82745 [75-05-8]	Acetonitrile (ACN) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	10.79 43.03
90868 [64-19-7]	Acetic Acid Glacial extrapure, 99.5%	500 ml 2500 ml 25 Ltr	3.16 14.48 118.44	90135 [75-05-8]	Acetonitrile (ACN) GC-HS, 99.9%	250 ml 500 ml 1000 ml	9.08 13.69 25.66
85801 [64-19-7]	Acetic Acid Glacial ACS, 99.9%	500 ml 2500 ml	3.42 16.45	58209 [75-05-8]	Acetonitrile (ACN) for HPLC & UV Spectroscopy, 99.9%	500 ml 2500 ml	12.11 49.09
93602 [64-19-7]	Acetic Acid Glacial ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	3.82 17.77	24899 [75-05-8]	Acetonitrile (ACN) Gradient grade for HPLC, 99.9%	1000 ml 2500 ml	25.66 55.80
73215 [64-19-7]	Acetic Acid Dried, 99.9%, water 0.05%	500 ml 1000 ml	5.00 9.74	62006 [75-05-8]	Acetonitrile (ACN) for molecular biology, 99.9%	250 ml 500 ml	9.48 14.21
32532 [64-19-7]	Acetic Acid for HPLC, 99.9%	500 ml 1000 ml 2500 ml	6.84 12.90 27.64	62076 [75-05-8]	Acetonitrile (ACN) for DNA synthesis, 99.9%	1000 ml 2500 ml	29.35 69.22
59788 [64-19-7]	Acetic Acid Glacial for molecular biology, 99.9%	100 ml 500 ml	6.84 21.06	26483 ↓ [2206-26-0]	Acetonitrile-d3 for NMR spectroscopy, 99.8 Atom %D	10 Gms	171.08
31566 [67-64-1]	Acetone pure, 99%	500 ml 2500 ml 25 Ltr	3.55 14.48 131.60	67418	Aceto Orcein	100 ml	5.79
66951 [67-64-1]	Acetone extrapure, 99%	500 ml 2500 ml	3.75 15.13	15873 [98-86-2]	Acetophenone extrapure, 99%	500 ml 2500 ml	9.08 39.87
15168 [67-64-1]	Acetone ACS, 99.5%	500 ml 2500 ml	4.08 16.45	22506 [98-86-2]	Acetophenone extrapure AR, 99.5%	500 ml 2500 ml	11.19 46.98
27648 [67-64-1]	Acetone ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 ml 2500 ml	4.47 17.77	96169 [123-54-6]	Acetylacetone extrapure, 99%	500 ml 2500 ml	11.84 52.64
35007 [67-64-1]	Acetone Dried, 99%, water 0.005%	500 ml 2500 ml	5.00 19.74	24212 [123-54-6]	Acetylacetone extrapure AR, 99.5%	250 ml 1000 ml	7.90 23.03
89140 [67-64-1]	Acetone GC-HS, 99.9%	250 ml 500 ml 1000 ml	5.92 9.21 13.82	39522 [3244-88-0]	Acid Fuchsin (C.I. No. 42685, Acid Violet 19, Fuchsin S, Fuchsin Acid, Rubine S)	25 Gms 100 Gms 500 Gms	8.55 28.43 142.13
11340 [67-64-1]	Acetone for HPLC & UV Spectroscopy, 99.9%	500 ml 1000 ml 2500 ml	6.58 10.53 20.40	50190 [123334-10-1]	Acid Fuchsin Calcium Salt (Acid Rubin), 60% (C.I. No. 42685) (Acid Magenta, Rubin S)	25 Gms 100 Gms	47.51 173.98
12312 [67-64-1]	Acetone electronic grade, 99.9%	1000 ml 2500 ml	11.19 25.00	22794 ↓ [79-06-1]	Acrylamide extrapure, 99%	500 Gms 5 Kg 25 Kg	5.53 46.06 197.40
55245 [67-64-1]	Acetone VLSI Semiconductor Grade, 99.5%	1000 ml 2500 ml	78.96 177.66	15657 ↓ [79-06-1]	Acrylamide 3x cryst. extrapure AR, 99.9%	100 Gms 500 Gms 1 Kg 5 Kg	9.21 28.95 50.01 171.08
27498 [67-64-1]	Acetone for molecular biology, 99.8%	500 ml 2500 ml	7.24 28.95				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
61346 [79-06-1]	Acrylamide 3x cryst. for molecular biology, 99.9%	100 Gms	10.53	50683 [56-41-7]	L-Alanine ExiPlus, Multi-Compendial, 99%	100 Gms	9.74
		500 Gms	39.48			500 Gms	31.58
		1 Kg	59.22			5 Kg	230.30
29787 [79-06-1]	Acrylamide 40% aq. solution for molecular biology	250 ml	39.48		meets compendial specs of USP, BP		
		500 ml	71.06	87279	Alberts Stain A Solution	125 ml	2.11
24263	Acrylamide / Bis-acrylamide Premix Powder, Ratio 19:1	30 Gms	15.00			500 ml	5.40
		200 Gms	78.57	35652	Alberts Stain B Solution	125 ml	2.11
10762	Acrylamide / Bis-acrylamide Premix Powder, Ratio 29:1	30 Gms	15.00			500 ml	5.40
		200 Gms	78.57	17996 [63393-96-4]	Aliquat 336, 88% (Tricaprylylmethylammonium chloride)	250 ml	17.11
74379	Acrylamide / Bis-acrylamide Premix Powder, Ratio 37.5:1	30 Gms	15.00			1000 ml	72.38
		200 Gms	78.57			2500 ml	171.08
67394	30% Acrylamide / Bis-acrylamide Mix Solution (Ratio 29:1)	100 ml	14.48			25 Ltr	1579.20
		500 ml	55.27	43805 [97-59-6]	Allantoin ExiPlus, 98.5% (5-Ureidohydantoin, Glyoxylic Acid Diureide)	100 Gms	6.58
92035	40% Acrylamide / Bis-acrylamide Mix Solution (Ratio: 37.5:1)	100 ml	14.48			500 Gms	26.32
		500 ml	55.27			5 Kg	243.46
60452 [79-10-7]	Acrylic Acid (Stabilized) pure, 99%	500 ml	10.40	99564 [2244-11-3]	Alloxan Monohydrate extrapure, 98% (2,4,5,6-Tetraoxypyrimidine, 5,6-Dioxuracil)	10 Gms	4.87
		2500 ml	49.74			25 Gms	10.66
41666 [107-13-1]	Acrylonitrile (Stabilized) pure, 99%	500 ml	7.76			100 Gms	39.48
		2500 ml	33.95	19093 [107-18-6]	Allyl Alcohol extrapure, 99%	500 ml	12.11
60064 [124-04-9]	Adipic Acid pure, 99%	500 Gms	7.63			2500 ml	57.64
				69098 [107-11-9]	Allylamine pure, 99% (2-Propen-1-Ylamine, 3-Amino-1-Propene)	25 ml	7.90
38573 [124-04-9]	Adipic Acid ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	9.21			100 ml	13.16
						250 ml	26.32
19661 [9002-18-0]	Agar powder regular grade for bacteriology	100 Gms	13.55	45953 [124-02-7]	Diallylamine extrapure, 99%	100 ml	15.79
		250 Gms	29.22			500 ml	57.90
		500 Gms	56.06	73056 [106-95-6]	Allyl Bromide pure, 98% (3-Bromo-1-Propene)	250 ml	32.90
		1 Kg	110.54			500 ml	63.17
		5 Kg	537.32	92459 [107-05-1]	Allyl Chloride pure, 98% (3-Chloro-1-Propene)	500 ml	5.26
85473 [9002-18-0]	Agar powder for tissue culture	100 Gms	18.42			2500 ml	19.74
		250 Gms	32.24	45262 [8007-69-0]	Almond Oil pure	500 ml	89.62
		500 Gms	61.46	54568 [142-03-0]	Aluminium Acetate Basic Hydrate (Aluminium Subacetate) extrapure, 98% (Aluminum Hydroxide Acetate Hydrate)	100 Gms	15.53
		5 Kg	583.38			500 Gms	37.90
				64132 [7784-26-1]	Aluminium Ammonium Sulphate Dodecahydrate pure, 99% (Ammonium Alum, Alum Ammonia, Ammonium Aluminium Sulphate)	500 Gms	3.42
24970 [9002-18-0]	Agar powder Bacto grade	100 Gms	21.58	83147 [7784-26-1]	Aluminium Ammonium Sulphate Dodecahydrate extrapure AR, 99.5% (Ammonium Alum, Alum Ammonia, Ammonium Aluminium Sulphate)	500 Gms	4.87
		500 Gms	86.07				
26741 [8001-99-8]	Ajowan Seed Oil extrapure (Ajwain Oil)	100 ml	16.98	61315 [7784-26-1]	Aluminium Ammonium Sulphate Dodecahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Ammonium Alum, Alum Ammonia, Ammonium Aluminium Sulphate) meets compendial specs of USP	500 Gms	5.26
		500 ml	70.14			5 Kg	51.32
48863 [107-95-9]	β-Alanine extrapure CHR, 99%	25 Gms	3.95	93606	Aluminium AAS Standard Solution in 1N HCl (Traceable to NIST)	100 ml	21.06
		100 Gms	13.29			250 ml	34.22
		1 Kg	113.57	90015 [7784-13-6]	Aluminium Chloride Hexahydrate pure, 97%	500 Gms	9.87
71178 [56-41-7]	L-Alanine extrapure CHR, 99%	100 Gms	7.11				
		500 Gms	23.69				
		1 Kg	43.43				
		5 Kg	190.82				
71777 [56-41-7]	L-Alanine for tissue culture, 99%	100 Gms	8.55				
		500 Gms	28.95				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
23700 [7784-13-6]	Aluminium Chloride Hexahydrate extrapure AR, 99%	500 Gms	10.53	11820 [569-58-4]	Aluminon extrapure (Aurintricarboxylic Acid Ammonium Salt, ATA, Ammonium Aurintricarboxylate)	10 Gms 25 Gms	5.53 12.63
35543 [21645-51-2]	Aluminium Hydroxide Gel extrapure AR, ExiPlus, Multi-Compendial meets compendial specs of IP	500 Gms 5 Kg	5.53 47.38	55745 [915-67-3]	Amaranth (Acid Red 27) (C.I. 16185), 85-95%	25 Gms 100 Gms 1 Kg	2.37 8.29 72.38
12283 [555-31-7]	Aluminium Isopropoxide (powder) extrapure, 98% (AIP, Aluminum Isopropylate, Aluminum Triisopropoxide, 2-Propanol Aluminium Salt)	500 Gms 5 Kg	11.19 107.91	57432 [83-07-8]	4-Aminoantipyrine (Ampyrone) extrapure AR, 99% (4-Amino-2,3-Dimethyl-1-Phenyl-3-Pyrazolin-5-One)	25 Gms 100 Gms 250 Gms	15.66 56.59 138.18
57395 [7429-90-5]	Aluminium Metal powder, 99%, -325 mesh	500 Gms	9.74	82623 [60-32-2]	6-Aminocaproic Acid extrapure, 99% (6-Aminohexanoic Acid)	25 Gms 100 Gms 500 Gms	15.66 49.74 241.62
92309 [7784-27-2]	Aluminium Nitrate Nonahydrate extrapure, 98%	500 Gms 5 Kg	5.00 42.11	85996 [60-32-2]	Aminocaproic Acid IP (6-Aminohexanoic Acid, 6-Aminocaproic Acid IP)	1 Kg 5 Kg	421.12 1974.00
19302 [7784-27-2]	Aluminium Nitrate Nonahydrate ACS, 98.5%	500 Gms	10.53	99093 [60-32-2]	Aminocaproic Acid BP, 98.5-101% (6-Aminohexanoic Acid, 6-Aminocaproic Acid BP)	1 Kg 5 Kg	421.12 1974.00
58095 [24304-00-5]	Aluminium Nitride (AlN) pure, 98%, ~635 mesh	5 Gms 50 Gms 250 Gms	39.48 53.69 252.67	50445 [60-32-2]	Aminocaproic Acid USP, 98.5-101% (6-Aminohexanoic Acid, 6-Aminocaproic Acid USP)	1 Kg 5 Kg	473.76 2105.60
66289 [1344-28-1]	Aluminium Oxide Activated (Acidic) (Alumina)	500 Gms 5 Kg 25 Kg	7.11 67.77 325.32	78719 [1336-21-6]	Ammonia Solution extrapure AR, 25% (Ammonium Hydroxide 25%)	500 ml 2500 ml 25 Ltr	2.76 8.42 78.96
71461 [1344-28-1]	Aluminium Oxide Activated (Acidic) (Alumina) ExiPlus, Multi-Compendial meets compendial specs of USP, BP	500 Gms 5 Kg	7.37 71.85	14388 [1336-21-6]	Ammonia Solution extrapure AR, 30% (Ammonium Hydroxide 30%)	500 ml 2500 ml 25 Ltr	3.29 9.34 85.54
34321 [1344-28-1]	Aluminium Oxide Activated (Basic) (Alumina)	500 Gms 5 Kg 25 Kg	5.66 52.77 248.99	44683 [631-61-8]	Ammonium Acetate extrapure AR, 98%	500 Gms	4.08
61492 [1344-28-1]	Aluminium Oxide Activated (Basic) (Alumina) ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	500 Gms 5 Kg	6.05 54.61	62778 [631-61-8]	Ammonium Acetate ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP, Ph.Eur	500 Gms	4.47
39882 [1344-28-1]	Aluminium Oxide activated (Neutral) (Alumina)	500 Gms 5 Kg 25 Kg	5.92 55.67 265.44	78844 [631-61-8]	Ammonium Acetate for HPLC, 99%	500 Gms	8.29
62690 [1344-28-1]	Aluminium Oxide G (Neutral) (Alumina G)	500 Gms 5 Kg	7.90 74.62	37829 [631-61-8]	Ammonium Acetate for molecular biology, 98%	100 Gms 500 Gms	4.08 11.45
34641 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate extrapure, 99% (Potash Alum, Potassium Aluminium Sulphate)	500 Gms 2.5 Kg	3.16 13.42	26757 [1066-33-7]	Ammonium Bicarbonate extrapure AR (Ammonium Hydrogen Carbonate), 99%	500 Gms 5 Kg	3.68 35.53
42889 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate ACS, 99.5% (Potash Alum, Potassium Aluminium Sulphate)	500 Gms 2.5 Kg	3.68 17.37	38586 [7789-09-5]	Ammonium Dichromate pure, 98% (Ammonium Bichromate)	500 Gms 5 Kg	11.58 111.86
42550 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate ACS, ExiPlus, Multi-Compendial, 99.5% (Potash Alum, Potassium Aluminium Sulphate) meets compendial specs of USP, BP	500 Gms 2.5 Kg	4.28 21.06	67077 [7789-09-5]	Ammonium Dichromate extrapure AR, ACS, 99.5% (Ammonium Bichromate)	500 Gms 5 Kg	12.63 121.73
53016 [7784-31-8]	Aluminium Sulphate Octadecahydrate extrapure, 98%	500 Gms	2.90	13664 [1341-49-7]	Ammonium Bifluoride pure, 98%	500 Gms 5 Kg	8.55 72.38
				95407 [31886-41-6]	Ammonium Bismuth Citrate extrapure AR, 43-46% Bi	100 Gms 500 Gms	9.21 36.85
				46813 [12124-97-9]	Ammonium Bromide pure, 99%	500 Gms 5 Kg	14.48 138.18



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
40553 [16774-21-3]	Ammonium Ceric Nitrate extrapure AR, 99% (Ammonium Cerium (IV) Nitrate, Ceric Ammonium Nitrate)	100 Gms	14.48	27858 [540-69-2]	Ammonium Formate extrapure AR, 98% (Formic Acid Ammonium Salt)	500 Gms	4.87		
		250 Gms	31.98			5 Kg	42.11		
42077 [16774-21-3]	Ammonium Ceric Nitrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ammonium Cerium (IV) Nitrate, Ceric Ammonium Nitrate) meets compendial specs of BP	100 Gms	19.21	50504 [540-69-2]	Ammonium Formate extrapure AR, ExiPlus, Multi-Compendial, 98% (Formic Acid Ammonium Salt) meets compendial specs of BP, Ph.Eur	500 Gms	5.40		
		250 Gms	39.87			5 Kg	46.06		
42725 [16774-21-3]	Ammonium Ceric Nitrate 0.05N Solution	500 ml	4.87	14969 [16941-11-0]	Ammonium Hexafluorophosphate extrapure, 95% (Ammonium Hexafluorophosphate V, Ammonium Phosphorus Hexafluoride)	5 Gms	23.69		
23757 [10378-47-9]	Ammonium Ceric Sulphate Dihydrate ACS, 99% (Ammonium Cerium (IV) Sulphate Dihydrate)	100 Gms	21.19			25 Gms	78.96		
		500 Gms	58.96			100 Gms	197.40		
25103 [12125-02-9]	Ammonium Chloride ACS, 99.5%	500 Gms	3.82	51775 [12027-06-4]	Ammonium Iodide extrapure, 99%	50 Gms	26.32		
		5 Kg	35.53			100 Gms	48.69		
		25 Kg	170.82			250 Gms	111.86		
96452 [12125-02-9]	Ammonium Chloride ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	4.47	23185 [7803-55-6]	Ammonium Metavanadate extrapure, 98%	100 Gms	11.84		
						500 Gms	43.43		
16992 [12125-02-9]	Ammonium Chloride for molecular biology, 99.5%	500 Gms	8.69	15068 [7803-55-6]	Ammonium Metavanadate extrapure AR, 99%	100 Gms	13.82		
35309 [12125-02-9]	Ammonium Chloride for tissue culture, 99.5%	500 Gms	4.21			500 Gms	46.06		
		5 Kg	39.48	94314 [7803-55-6]	Ammonium Metavanadate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	100 Gms	15.27		
11505 [3458-72-8]	Ammonium Citrate Tribasic (Triammonium Hydrogen Citrate) extrapure AR, 98.5%	500 Gms	9.87			500 Gms	48.69		
		5 Kg	92.12	69429 [12054-85-2]	Ammonium Molybdate Tetrahydrate pure, 98% (Ammonium Heptamolybdate)	100 Gms	21.06		
35442 [1185-57-5]	Ammonium Ferric Citrate pure, 16.5-22.5% (Ammonium Iron (III) Citrate)	500 Gms	7.90			10299 [12054-85-2]	Ammonium Molybdate Tetrahydrate extrapure AR, 99% (Ammonium Heptamolybdate)	250 Gms	51.98
		5 Kg	75.67	500 Gms	81.59				
63571 [7783-83-7]	Ammonium Ferric Sulphate Dodecahydrate extrapure, 98% (Ammonium Iron (III) Sulphate Dodecahydrate, Ferric Alum)	500 Gms	4.08	82615 [12054-85-2]	Ammonium Molybdate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ammonium Heptamolybdate) meets compendial specs of USP, BP, Ph.Eur	100 Gms	23.69		
						250 Gms	56.59		
29168 [7783-83-7]	Ammonium Ferric Sulphate Dodecahydrate extrapure AR, ACS, 99% (Ammonium Iron (III) Sulphate Dodecahydrate, Ferric Alum)	500 Gms	4.87	32910 [27546-07-2]	Ammonium Dimolybdate extrapure, 99%, 56.5% Mo	500 Gms	90.80		
						100 Gms	26.32		
89944 [7783-85-9]	Ammonium Ferrous Sulphate Hexahydrate extrapure, 98% (Diammonium Iron (II) Sulphate Hexahydrate)	500 Gms	2.90	85044 [7785-20-8]	Ammonium Nickel Sulphate Hexahydrate pure, 98% (Diammonium Nickel (II) Sulphate Hexahydrate)	500 Gms	21.06		
		1 Kg	5.13			55517 [7785-20-8]	Ammonium Nickel Sulphate Hexahydrate extrapure AR, 98% (di-Ammonium nickel (II) sulphate hexahydrate)	500 Gms	31.58
		5 Kg	24.21					500 Gms	4.61
61732 [7783-85-9]	Ammonium Ferrous Sulphate Hexahydrate extrapure AR, ACS, 99% (Diammonium Iron (II) Sulphate Hexahydrate)	500 Gms	4.34	85084 [6009-70-7]	Ammonium Oxalate Monohydrate extrapure, 98%	500 Gms	5.00		
		5 Kg	39.87			72913 [6009-70-7]	Ammonium Oxalate Monohydrate extrapure AR, 99%	500 Gms	5.79
11605 [13826-83-0]	Ammonium Fluoroborate pure, 98% (Ammonium fluoroborate, Ammonium tetrafluoroborate)	100 Gms	6.58	53621 [6009-70-7]	Ammonium Oxalate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur			500 Gms	5.79
		500 Gms	18.42						
49813 [12125-01-8]	Ammonium Fluoride pure, 98%	500 Gms	12.50	82381 [7727-54-0]	Ammonium Persulphate (APS) pure, 98% (Ammonium Peroxodisulphate)	500 Gms	5.00		
38431 [12125-01-8]	Ammonium Fluoride ACS, 98%	500 Gms	14.48			5 Kg	45.67		
		25142 [540-69-2]	Ammonium Formate pure, 98% (Formic Acid Ammonium Salt)	500 Gms	4.54				
5 Kg	39.48								



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
84569 [7727-54-0]	Ammonium Persulphate (APS) extrapure AR, 99% (Ammonium Peroxodisulphate)	500 Gms 5 Kg	5.53 46.98	82126 [7783-20-2]	Ammonium Sulphate for molecular biology, 99.5% (Ammonium Sulfate)	250 Gms 500 Gms 5 Kg	9.48 18.56 171.21
29534 [7727-54-0]	Ammonium Persulphate (APS) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ammonium Peroxodisulphate) meets compendial specs of BP, Ph.Eur	500 Gms 5 Kg	5.92 57.25	95876 [3164-29-2]	Ammonium Tartrate Dibasic pure, 99%	500 Gms	31.58
28575 [7727-54-0]	Ammonium Persulphate (APS) for electrophoresis, 99% (Ammonium Peroxodisulphate)	25 Gms 100 Gms	2.90 8.95	56357 [3164-29-2]	Ammonium Tartrate Dibasic extrapure AR, 99%	250 Gms 500 Gms	22.37 39.48
65553 [7727-54-0]	Ammonium Persulphate (APS) for molecular biology, 99% (Ammonium peroxodisulphate)	25 Gms 100 Gms 500 Gms	3.16 7.90 25.66	81016 [1762-95-4]	Ammonium Thiocyanate ACS, 99%	500 Gms	9.08
30468 [7783-28-0]	Ammonium Phosphate Dibasic extrapure ACS, 98% (Diammonium Hydrogen Orthophosphate)	500 Gms 5 Kg	6.84 65.80	70158 [1762-95-4]	Ammonium Thiocyanate ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	9.48
65984 [7783-28-0]	Ammonium Phosphate Dibasic extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% (Diammonium Hydrogen Orthophosphate) meets compendial specs of USP, Ph.Eur	500 Gms 5 Kg	7.76 75.01	67550 [123-92-2]	Amyl Acetate pure, 98% (Isoamyl Acetate)	500 ml 2500 ml	7.37 25.27
61563 [7722-76-1]	Ammonium Phosphate Monobasic extrapure AR, 99% (Ammonium Dihydrogen Orthophosphate)	500 Gms 5 Kg	6.58 63.83	28605 [71-41-0]	n-Amyl Alcohol (1-Pentanol) pure, 99%	500 ml 2500 ml	11.19 50.01
58611 [7722-76-1]	Ammonium Phosphate Monobasic extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ammonium Dihydrogen Orthophosphate) meets compendial specs of USP	500 Gms 5 Kg	7.50 72.38	31906 [71-41-0]	n-Amyl Alcohol (1-Pentanol) extrapure AR, ACS, 99%	500 ml 2500 ml	14.48 56.59
24678 [7722-76-1]	Ammonium Phosphate Monobasic for HPLC, 99%	500 Gms	15.79	83344 [28983-56-4]	Aniline Blue (water soluble) (Methyl Blue) (Acid Blue 93)	25 Gms 100 Gms	9.21 31.98
96648 [5108-96-3]	Ammonium Pyrrolidine Dithiocarbamate (APDC) extrapure, 98.5% (1-Pyrrolidinecarbodithioic Acid Ammonium Salt, Ammonium pyrrolidinecarbodithioate, PDC)	10 Gms 25 Gms	30.27 67.12	22285 [62-53-3]	Aniline extrapure AR, 99.5%	500 ml 2500 ml	7.37 33.69
50012 [7773-06-0]	Ammonium Sulphamate (High Purity) ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	6.58 31.72	46774 [142-04-1]	Aniline Hydrochloride pure, 99%	250 Gms 500 Gms	9.34 16.58
62419 [7773-06-0]	Ammonium Sulphamate (High Purity) extrapure AR, 99.5%	100 Gms 500 Gms	8.55 39.09	69980 ✓ [542-16-5]	Aniline Sulphate pure, 98% (Aminobenzene, Phenylamine, Benzenamine)	250 Gms 500 Gms	10.26 19.08
88064 [7783-20-2]	Ammonium Sulphate ACS, 99.5% (Ammonium Sulfate)	500 Gms 5 Kg 25 Kg	3.29 25.66 126.73	36381 [104-94-9]	p-Anisidine pure, 98% (4-Aminoanisole, 4-Methoxyaniline)	100 Gms 500 Gms	3.29 11.84
88004 [7783-20-2]	Ammonium Sulphate for tissue culture, 99.5%	500 Gms 5 Kg	3.42 25.66	41010 [120-12-7]	Anthracene extrapure, 99%	25 Gms 100 Gms 500 Gms	11.05 34.74 162.53
26339 [7783-20-2]	Ammonium Sulphate ACS, ExiPlus, Multi-Compendial, 99.5% (Ammonium Sulfate) meets compendial specs of USP, IP, BP, Ph.	500 Gms 5 Kg	3.55 28.43	61273 [120-12-7]	Anthracene (High Purity) scintillation grade, 99.7% (Anthracene extrapure scintillation grade)	25 Gms 100 Gms 250 Gms	20.40 76.33 187.00
				78531 [84-65-1]	Anthraquinone pure, 98% (9,10-Anthraquinone, Anthradione)	25 Gms 500 Gms	4.47 13.16
				97400	Antimony AAS Standard Solution in 2N HCl (Traceable to NIST)	100 ml 250 ml	21.06 34.22
				66105 [7440-36-0]	Antimony Metal Lumps, 98%	100 Gms	11.84
				12042 [7440-36-0]	Antimony Metal Powder extrapure, 99%, -200 mesh	250 Gms	31.45
				67577 [7440-36-0]	Antimony Metal Ingots ultrapure, 99.999%	10 Gms 25 Gms	73.30 150.68
				47448 [28300-74-5]	Antimony Potassium Tartrate Hemihydrate pure, 98%	250 Gms 500 Gms	16.32 30.40
				83896 [28300-74-5]	Antimony Potassium Tartrate Hemihydrate extrapure AR, 99.5%	100 Gms 500 Gms	8.16 33.43



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
60274 [10025-91-9]	Antimony Trichloride pure, 98%	100 Gms	9.87	84025 [56-84-8]	L-Aspartic Acid extrapure CHR, 99%	100 Gms	5.26
		500 Gms	44.74			500 Gms	19.74
63365 [10025-91-9]	Antimony Trichloride extrapure AR, 99%	100 Gms	10.79			1 Kg	31.58
		500 Gms	46.72			5 Kg	144.76
97628 [10025-91-9]	Antimony Trichloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	13.95	81245 [56-84-8]	L-Aspartic Acid ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms	6.05
		500 Gms	50.01			1 Kg	35.53
37157 [1309-64-4]	Antimony Trioxide extrapure, 99%	100 Gms	9.21	78087 [2465-27-2]	Auramine O (C.I. No. 41000, Basic Yellow 2)	25 Gms	2.24
		500 Gms	32.90			100 Gms	5.79
98063 [1309-64-4]	Antimony Trioxide extrapure AR, 99%	100 Gms	10.53	500 Gms	21.32		
		500 Gms	36.85				
82829 [1345-04-6]	Antimony Trisulfide pure, 98%	500 Gms	48.30	41574 [25641-18-3]	Azocarmine G (C.I. 50085) for histology (Acid Red 101, Rosinduline)	5 Gms	7.90
24766 [68425-36-5]	Arachis Oil pure (Peanut Oil)	250 ml	16.84	25 Gms	22.37		
		500 ml	26.85				
66637 [74-79-3]	L-Arginine (free base) extrapure CHR, 99%	100 Gms	7.90	16411 [67-52-7]	Barbituric Acid extrapure, 99% (2,4,6-Trihydroxypyrimidine, Malonylurea)	100 Gms	10.53
		1 Kg	65.80	500 Gms	39.48		
		5 Kg	309.26				
16178 [74-79-3]	L-Arginine for tissue culture, 99%	100 Gms	9.48	21154 [67-52-7]	Barbituric Acid extrapure AR, 99% (2,4,6-Trihydroxypyrimidine, Malonylurea)	25 Gms	4.47
		1 Kg	70.14			100 Gms	17.77
17863 [74-79-3]	L-Arginine (free base) ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	25 Gms	3.95	10013 [543-80-6]	Barium Acetate extrapure, 98%	500 Gms	13.16
		100 Gms	11.58	5 Kg	118.44		
		1 Kg	78.96	16985 [543-80-6]	Barium Acetate ACS, 99%	500 Gms	17.11
		5 Kg	361.90	5 Kg	157.92		
55453 [1119-34-2]	L-Arginine Hydrochloride extrapure CHR, 99%	100 Gms	7.90	45569 [543-80-6]	Barium Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 Gms	19.74
		1 Kg	63.17				
		5 Kg	276.36				
23006 [50-81-7]	L-Ascorbic Acid extrapure AR, 99.7% (Vitamin C)	100 Gms	2.63	56009	Barium AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	100 ml	21.06
		500 Gms	7.90			250 ml	34.22
		5 Kg	73.70				
40704 [50-81-7]	L-Ascorbic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7% (Vitamin C) meets compendial specs of BP	100 Gms	3.29	32005 [7791-28-8]	Barium Bromide Dihydrate extrapure, 98%	500 Gms	25.00
		500 Gms	9.21	35145 [513-77-9]	Barium Carbonate pure, 98.5%	500 Gms	9.87
		5 Kg	86.86			5 Kg	95.41
14116 [50-81-7]	L-Ascorbic Acid for molecular biology, 99.7% (Vitamin C)	25 Gms	3.16	58434 [513-77-9]	Barium Carbonate extrapure AR, 99%	500 Gms	11.84
		100 Gms	5.92	66323 [513-77-9]	Barium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 Gms	13.82
		500 Gms	11.84				
32488 [50-81-7]	L-Ascorbic Acid for tissue culture, 99.7% (Vitamin C)	100 Gms	5.92	78118 [10326-27-9]	Barium Chloride Dihydrate pure, 99%	500 Gms	3.95
		500 Gms	16.45	5 Kg	34.22		
12535 [5743-28-2]	L-Ascorbic Acid Calcium Salt Dihydrate extrapure, 99% (Calcium-L-Ascorbate Dihydrate)	100 Gms	11.84	68554 [10326-27-9]	Barium Chloride Dihydrate ACS, 99%	500 Gms	5.00
		500 Gms	46.06	5 Kg	47.38		
65265 [134-03-2]	L-Ascorbic Acid Sodium Salt extrapure, 99% (Sodium-L-Ascorbate, Vitamin C Sodium Salt)	100 Gms	5.00	92996 [10326-27-9]	Barium Chloride Dihydrate ACS, Exiplus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	5.53
		500 Gms	24.35	5 Kg	51.32		
64848 [617-45-8]	DL-Aspartic Acid extrapure CHR, 99%	100 Gms	7.37	49669 [10294-40-3]	Barium Chromate extrapure, 98%	500 Gms	9.87
		500 Gms	34.22	86732 [7787-32-8]	Barium Fluoride pure, 97%	500 Gms	11.84
		1 Kg	59.22				
				85499 [12230-71-6]	Barium Hydroxide Octahydrate pure, 98%	500 Gms	3.95
				5 Kg	36.85		
				43469 [12230-71-6]	Barium Hydroxide Octahydrate extrapure AR, 98%	500 Gms	5.66



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
84482 [12230-71-6]	Barium Hydroxide Octahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP, Ph.Eur	500 Gms	7.63	31332 [1076-43-3]	Benzene-d6 for NMR spectroscopy, 99.5 Atom %D	10 ml	125.02
10290 [10022-31-8]	Barium Nitrate extrapure, 98%	500 Gms 5 Kg	7.90 73.70	27094 [121-54-0]	Benzethonium Chloride extrapure, 98% (Hyamine 1622, (Diisobutylphenoxyethoxyethyl)dimethyl benzylammonium Chloride, Phemerol Chloride)	25 Gms 100 Gms 250 Gms	10.53 31.58 65.80
88030 [10022-31-8]	Barium Nitrate ACS, 99%	500 Gms	11.19	36805 [65-85-0]	Benzoic Acid pure, 99%	500 Gms 5 Kg	5.79 46.06
80355 [7727-43-7]	Barium Sulphate extrapure, 97%	500 Gms 5 Kg	3.55 31.58	64239 [65-85-0]	Benzoic Acid ACS, 99.5%	500 Gms 5 Kg	9.48 89.49
90115 [7727-43-7]	Barium Sulphate extrapure AR, 98%	500 Gms 5 Kg	5.40 51.32	10105 [65-85-0]	Benzoic Acid ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms 5 Kg	18.42 157.92
40251 [7727-43-7]	Barium Sulphate extrapure AR, ExiPlus, Multi-Compendial, 98% meets compendial specs of Ph.Eur	500 Gms 5 Kg	6.32 59.22	56626 [93-97-0]	Benzoic Anhydride pure, 98%	100 Gms 500 Gms	23.69 98.70
24031 [8012-89-3]	Bees Wax pure	500 Gms	10.53	56518 [119-53-9]	Benzoin extrapure, 99%	100 Gms 250 Gms	6.58 10.13
82949	Benedict's Reagent Quantitative	500 ml 2500 ml	5.00 23.03	51448 [119-61-9]	Benzophenone extrapure, 99% (Diphenylketone)	500 Gms 5 Kg	7.90 76.33
35003	Benedict's Reagent Qualitative	500 ml 2500 ml	3.68 9.87	42810 [119-61-9]	Benzophenone ExiPlus, Multi-Compendial, 99% (Diphenylketone) meets compendial specs of USP, BP, Ph.Eur	500 Gms	9.21
92118 [13022-78-9]	Bentonite pure (Aluminium Silicate Hydrate)	500 Gms 5 Kg	2.90 27.37	98101 [95-14-7]	Benzotriazole pure, 97%	100 Gms 250 Gms 1 Kg	5.92 11.84 39.48
37278 [100-52-7]	Benzaldehyde pure, 99%	500 ml 2500 ml 25 Ltr	6.58 28.95 236.88	92300 [100-51-6]	Benzyl Alcohol extrapure, 99%	500 ml 1000 ml 2500 ml 25 Ltr	6.58 11.84 26.32 250.04
34087 [100-52-7]	Benzaldehyde extrapure AR, 99%	500 ml 2500 ml	8.16 32.90	97005 [100-51-6]	Benzyl Alcohol extrapure AR, 99%	500 ml 1000 ml 2500 ml	8.16 13.82 28.95
82149 [100-52-7]	Benzaldehyde extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 ml 2500 ml	9.87 36.85	84758 ① [100-51-6]	Benzyl Alcohol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7%, aldehyde 100ppm meets compendial specs of USP, Ph.Eur	500 ml 2500 ml	13.69 52.64
43648 [68391-01-5]	Benzalkonium Chloride (BKC), 50% soln in water	500 ml 5 Ltr	5.53 42.11	84199 [120-51-4]	Benzyl Benzoate pure, 99%	500 ml 2500 ml	9.21 42.11
87688 [55-21-0]	Benzamide pure, 98%	100 Gms 500 Gms	3.95 15.79	28482 [100-44-7]	Benzyl Chloride extrapure, 99%	500 ml 2500 ml	6.19 24.87
99515 [71-43-2]	Benzene extrapure (Sulphur free), 99%	500 ml 2500 ml 25 Ltr	2.76 11.19 107.91	41322 [5892-10-4]	Bismuth (III) Carbonate Basic pure, 80% (Bismuth Subcarbonate)	100 Gms	14.87
16410 [71-43-2]	Benzene ACS, 99.5%	500 ml 2500 ml	3.29 13.42	51451 [7787-60-2]	Bismuth (III) Chloride pure, 99% (Bismuth Trichloride)	100 Gms 500 Gms	24.61 55.27
58857 [71-43-2]	Benzene ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	3.68 15.53	82797 [99-26-3]	Bismuth (III) Gallate Basic ExiPlus, Multi-Compendial, 52-57% (Bismuth Subgallate, Gallic Acid Bismuth Basic Salt) meets compendial specs of USP	100 Gms 500 Gms	18.42 78.96
95582 [71-43-2]	Benzene GC-HS, 99.9%	500 ml 1000 ml	6.58 12.50				
36823 [71-43-2]	Benzene for HPLC & UV Spectroscopy, 99.8%	500 ml 1000 ml	5.00 9.21				
69981 [71-43-2]	Benzene Dried, 99.7%, water 0.005%	1000 ml	10.13				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
80053 [7440-69-9]	Bismuth Metal Lumps, 99.5%	100 Gms	8.55	82076 ✓	Bouins Picro Formal Fixing Solution (Bouins Fluid & Reagent)	100 ml	3.16		
		500 Gms	32.90			500 ml	8.16		
24008 [7440-69-9]	Bismuth Metal Ingots ultrapure, 99.99%	10 Gms	23.69	98188 [3844-45-9]	Brilliant Blue FCF (Erioglaucine Disodium Salt) (C.I. No. 42090, Acid Blue 9, Alphazurine FG)	25 Gms	6.58		
		50 Gms	78.96			100 Gms	23.69		
72217 [7440-69-9]	Bismuth Metal Powder extrapure, 99%, -325 mesh	100 Gms	21.06			500 Gms	78.96		
29444	Bismuth AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	100 ml	21.06	49617 [633-03-4]	Brilliant Green (CI No. 42040)	25 Gms	3.16		
		250 ml	34.22			100 Gms	9.21		
72918 [10035-06-0]	Bismuth (III) Nitrate Pentahydrate extrapure, 98% (Bismuth Trinitrate Pentahydrate)	100 Gms	6.97	93883 [9002-92-0]	Brij-30® (Polyethylene Glycol Dodecyl Ether, Brij-L4)	500 ml	16.45		
		500 Gms	30.27			1000 ml	30.27		
19737 [10035-06-0]	Bismuth (III) Nitrate Pentahydrate extrapure AR, 98.5% (Bismuth Trinitrate Pentahydrate)	100 Gms	8.55	89429 [9002-92-0]	Brij-35® (Main Component) (Polyoxyethylene Lauryl Ether, Brij-L23)	250 Gms	9.87		
		500 Gms	38.16			500 Gms	17.11		
84869 [10035-06-0]	Bismuth (III) Nitrate Pentahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98.5% (Bismuth Trinitrate Pentahydrate) meets compendial specs of BP, Ph.Eur	100 Gms	9.48	97698 [9002-92-0]	Brij-35® (30% Aq. solution) (Polyoxyethylene Lauryl Ether, Brij-L23)	100 ml	8.03		
		500 Gms	42.11			500 ml	12.77		
89049 [1304-76-3]	Bismuth (III) Oxide extrapure, 99% (Dibismuth Trioxide)	100 Gms	9.21	43808 [9004-95-9]	Brij-58® (Polyethylene Glycol Cetyl Ether, Cetomacrogol 1000, C16H20)	500 Gms	15.79		
		500 Gms	32.90			64062 [76-60-8]	Bromocresol Green (BCG) extrapure AR	5 Gms	10.00
32915 [1304-85-4]	Bismuth (III) Nitrate Basic extrapure AR, 79% BiNO3 (Bismuth (III) Subnitrate, Bismuth (III) Oxynitrate)	100 Gms	13.82	25 Gms	39.48				
		500 Gms	55.27	100 Gms	131.60				
18473 [7787-68-0]	Bismuth (III) Sulphate pure, 90% (Bismuth Trisulphate)	100 Gms	9.87	500 Gms	592.20				
		500 Gms	42.11	52512 [76-60-8]	Bromocresol Green (BCG) ACS, ExiPlus, Multi-Compendial	5 Gms	10.79		
17798 [108-19-0]	Biuret extrapure AR, 97% (Allophanic Acid Amide, Carbamoylurea)	25 Gms	15.13			25 Gms	43.43		
		100 Gms	53.96	100 Gms	144.76				
18952 [10043-35-3]	Boric Acid extrapure, 99.5%	500 Gms	4.61	500 Gms	631.68				
		5 Kg	43.43	11456 [62625-32-5]	Bromocresol Green Sodium Salt (water soluble) ACS (3',3'',5',5-Tetrabromo-m-Cresolsulfonp hthalein Sodium Salt)	5 Gms	9.21		
80266 [10043-35-3]	Boric Acid extrapure AR, 99.5%	500 Gms	6.58			25 Gms	38.69		
		5 Kg	58.17	17375 [115-40-2]	Bromocresol Purple	5 Gms	3.95		
61871 [10043-35-3]	Boric Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	7.24			25 Gms	13.42		
		5 Kg	65.80	24836 [62625-30-3]	Bromocresol Purple Sodium Salt for molecular biology (5,5-Dibromo-o-Cresolsulfonphthalein Sodium Salt)	5 Gms	3.95		
22311 [10043-35-3]	Boric Acid for molecular biology, 99.5%	250 Gms	7.76			25 Gms	9.87		
		500 Gms	12.90	55551 [115-40-2]	Bromocresol Purple ACS, ExiPlus, Multi-Compendial	5 Gms	5.13		
		1 Kg	23.95			25 Gms	15.13		
64765	Boron AAS Standard Solution in H2O (Traceable to NIST)	100 ml	21.06	meets compendial specs of BP, Ph.Eur					
		250 ml	34.22	77644 [75-25-2]	Bromoform extrapure, 98% (Tribromomethane)	250 ml	92.12		
52519 ⚠ [109-63-7]	Boron Trifluoride Diethyl Etherate pure, 45-50% BF3 (Boron Trifluoride Ethyl Etherate)	250 ml	14.48			44669 [75-25-2]	Bromoform Specially Purified extrapure, 99% (Tribromomethane)	250 ml	98.70
		500 ml	23.69	11458 [115-39-9]	Bromophenol Blue extrapure AR			5 Gms	2.90
		2500 ml	111.86					25 Gms	10.66
25529 [1303-86-2]	Boron Trioxide Anhydrous (Boric Anhydride) extrapure AR, 98.5% (di-Boron Trioxide, Boric Oxide)	100 Gms	23.69	100 Gms	31.58				
		250 Gms	46.06	500 Gms	144.76				
		1 Kg	157.92	93676 [115-39-9]	Bromophenol Blue ACS, ExiPlus, Multi-Compendial	5 Gms	3.68		
24167 [1303-86-2]	Boron Trioxide Anhydrous Granular (Boric Anhydride) extrapure, 97%, -60 mesh (di-Boron Trioxide, Boric Oxide)	100 Gms	20.40			25 Gms	12.90		
		250 Gms	36.85			100 Gms	34.22		
		500 Gms	68.43	meets compendial specs of BP, Ph.Eur					



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
42888 [16574-43-9]	Bromopyrogallol Red extrapure AR (Dibromopyrogallolsulfonphthaleine)	1 Gms	10.79	83903 [71-36-3]	n-Butyl Alcohol (1-butanol, n-butanol) GC-HS, 99.9%	250 ml	5.26
		5 Gms	42.11			1000 ml	14.48
		10 Gms	80.67				
48214 [76-59-5]	Bromothymol Blue	5 Gms	4.61	43706 [71-36-3]	n-Butyl Alcohol (1-butanol, n-butanol) for HPLC & UV Spectroscopy, 99.9%	500 ml	6.58
		25 Gms	15.13			1000 ml	12.50
		100 Gms	53.96	95725 [78-92-2]	sec-Butyl Alcohol extrapure, 99% (2-Butanol, sec-Butanol)	500 ml	5.92
		500 Gms	250.04			2500 ml	23.03
72752 [76-59-5]	Bromothymol Blue ACS, ExiPlus, Multi-Compendial	5 Gms	5.26	58308 [78-92-2]	sec-Butyl Alcohol extrapure AR, 99.5% (2-Butanol, sec-Butanol)	25 Ltr	215.17
		25 Gms	16.45			500 ml	6.58
		100 Gms	57.90	2500 ml	25.93		
	meets compendial specs of BP, Ph.Eur			99336 [78-92-2]	Sec-Butyl Alcohol extrapure AR, ExiPlus, Multi-Compendial, 99.5% (2-Butanol, sec-Butanol) meets compendial specs of BP, Ph.Eur	500 ml	7.24
44798 [76-59-5]	Bromothymol Blue Solution	100 ml	1.84			2500 ml	28.69
		500 ml	5.53				
45899	Buffer solution pH 4	500 ml	4.61	21835 [75-65-0]	tert-Butyl Alcohol extrapure, 99% (2-Methyl-2-Propanol Trimethyl Carbinol)	500 ml	3.42
97409	Buffer solution pH 7	500 ml	4.61			2500 ml	14.48
		25 Ltr	131.60				
52031	Buffer solution pH 9.2	500 ml	4.61	70816 [75-65-0]	tert-Butyl Alcohol extrapure AR, 99.5% (2-Methyl-2-Propanol Trimethyl Carbinol)	500 ml	3.95
						2500 ml	15.79
		74887 [2386-54-1]	Butane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	15.79	41609 [75-65-0]	Tert-Butyl Alcohol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (2-Methyl-2-Propanol Trimethyl Carbinol) meets compendial specs of USP
		100 Gms	57.38	2500 ml	18.42		
		250 Gms	140.68				
99919 [2386-54-1]	Butane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	15.79	90248 [75-65-0]	tert-Butyl Alcohol for HPLC, 99.7%	250 ml	7.24
		100 Gms	57.38			1000 ml	14.48
		250 Gms	140.68				
28118 [123-86-4]	Butyl Acetate pure, 99%	500 ml	4.61	76035 [109-73-9]	n-Butylamine pure, 99%	500 ml	5.92
		2500 ml	18.42			2500 ml	26.32
		25 Ltr	171.08				
80870 [123-86-4]	Butyl Acetate extrapure AR, 99.5%	500 ml	5.92	54997 [109-73-9]	n-Butylamine extrapure AR, 99%	500 ml	7.63
		2500 ml	22.37			2500 ml	32.90
30389 [123-86-4]	Butyl Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	6.84	12302 [75-64-9]	tert-Butylamine pure, 99%	500 ml	7.90
		2500 ml	25.66			2500 ml	35.53
	meets compendial specs of USP, BP, Ph.Eur			55005 [75-64-9]	tert-Butylamine extrapure AR, 99.5%	500 ml	9.21
78487 [123-86-4]	Butyl Acetate GC-HS, 99.9%	250 ml	9.21			2500 ml	42.11
		500 ml	16.45	60004 ✓ [25013-16-5]	Butylated Hydroxyanisole (BHA) ExiPlus, Multi-Compendial, 98% (2-tert-Butyl-4-Methoxyphenol) meets compendial specs of USP, BP	100 Gms	11.19
		1000 ml	28.95			500 Gms	34.48
47364 [141-32-2]	n-Butyl Acrylate pure, 99%	500 ml	7.24				
		2500 ml	32.90	32227 [109-69-3]	n-Butyl Chloride (1-Chlorobutane) extrapure, 99%	500 ml	10.53
90527 [540-88-5]	tert-Butyl Acetate (TBAC) extrapure, 99%	500 ml	15.79			2500 ml	51.32
		2500 ml	65.14	95594 [109-69-3]	n-Butyl Chloride (1-Chlorobutane) for HPLC & UV Spectroscopy, 99.5%	500 ml	36.85
19147 [71-36-3]	n-Butyl Alcohol (1-butanol, n-butanol) pure, 99%	500 ml	2.90			2500 ml	68.43
		2500 ml	14.48				
		25 Ltr	131.60	38033 [128-37-0]	Butylated Hydroxytoluene (BHT) pure, 99% (2,6-di-tert-Butyl-p-Cresol)	500 Gms	12.24
72768 [71-36-3]	n-Butyl Alcohol (1-butanol, n-butanol) extrapure AR, 99.5%	500 ml	3.68			5 Kg	117.65
		2500 ml	17.11	82010 [128-37-0]	Butylated Hydroxytoluene (BHT) ExiPlus, Multi-Compendial, 99% (2,6-di-tert-Butyl-p-Cresol) meets compendial specs of BP	500 Gms	13.29
15612 [71-36-3]	n-Butyl Alcohol (1-butanol, n-butanol) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	500 ml	4.34			5 Kg	129.10
		2500 ml	20.40	32701 [1948-33-0]	tert-Butyl Hydroquinone (TBHQ) extrapure AR, 98%	250 Gms	18.03
						2.5 Kg	172.13



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
79927 [1634-04-4]	tert-Butyl Methyl Ether pure, 98%	500 ml	4.47	98002 [1306-23-6]	Cadmium Sulphide Orange extrapure, 99%	100 Gms	6.58
		2500 ml	18.42			500 Gms	21.06
		25 Ltr	157.92				
19465 [1634-04-4]	tert-Butyl Methyl Ether extrapure AR, 99.5%	500 ml	5.26	22905 [1306-23-6]	Cadmium Sulphide Orange ultrapure, 99.995%	5 Gms	52.64
		2500 ml	22.37			25 Gms	118.44
65701 [1634-04-4]	tert-Butyl Methyl Ether extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	500 ml	6.32	19267 [58-08-2]	Caffeine anhydrous pure, 98%	100 Gms	10.26
		2500 ml	26.98			250 Gms	19.74
						500 Gms	32.90
91087 [1634-04-4]	tert-Butyl Methyl Ether for HPLC, 99.5%	1000 ml	13.82	47633 [58-08-2]	Caffeine Anhydrous ExiPlus, Multi-Compendial, 98.5% meets compendial specs of BP, Ph.Eur, USP	5 Kg	302.68
		2500 ml	31.58			100 Gms	11.84
						250 Gms	21.06
63952 [590-01-2]	Butyl Propionate extrapure, 99% (Propionic Acid Butyl Ester)	500 ml	19.74			2.5 Kg	164.50
		2500 ml	94.75				
81503 [107-92-6]	n-Butyric Acid extrapure, C4-99% (GC)	500 ml	6.97	44509 [8011-96-9]	Calamine pure, 98%	500 Gms	8.55
		2500 ml	28.29			1 Kg	16.19
55964 [107-92-6]	n-Butyric Acid extrapure AR, C4-99.5% (GC)	250 ml	4.21	28162 [8011-96-9]	Calamine ExiPlus, Multi-Compendial, 98% meets compendial specs of BP, USP	500 Gms	11.98
		1000 ml	13.03				
82749 [5743-04-4]	Cadmium Acetate Dihydrate pure, 98%	100 Gms	5.92	70214 [5743-26-0]	Calcium Acetate Monohydrate extrapure AR, 99%	500 Gms	15.79
		500 Gms	22.37				
84627 [5743-04-4]	Cadmium Acetate Dihydrate extrapure AR, 99%	100 Gms	6.97	21606 [5743-26-0]	Calcium Acetate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	500 Gms	17.11
		500 Gms	26.06				
98469	Cadmium AAS Standard Solution in 0.5N HNO ₃ (Traceable to NIST)	100 ml	21.06	58056 [114460-21-8]	Calcium Acetate Hydrate extrapure AR, 99%	500 Gms	5.53
		250 ml	34.22			5 Kg	52.64
25442 [513-78-0]	Cadmium Carbonate pure, 97%	100 Gms	7.90	60934 [114460-21-8]	Calcium Acetate Hydrate ultrapure, 99.9965%	5 Gms	65.80
		500 Gms	31.58				
15411 [10108-64-2]	Cadmium Chloride Dried Anhydrous pure, 97%	100 Gms	19.74	96493 [9005-35-0]	Calcium Alginate ex. Brown Algae pure, 15% moisture (Alginic Acid Calcium Salt)	100 Gms	4.61
		500 Gms	85.54			500 Gms	17.11
99643 [10108-64-2]	Cadmium Chloride Dried Anhydrous ACS, 99%	100 Gms	26.32			5 Kg	144.76
		500 Gms	105.28				
48076 [35658-65-2]	Cadmium Chloride Monohydrate extrapure, 99%	100 Gms	6.71	36920	Calcium AAS Standard Solution in 0.5N HNO ₃ (Traceable to NIST)	100 ml	21.06
		500 Gms	30.00			250 ml	34.22
87355 [7790-80-9]	Cadmium Iodide pure, 99%	25 Gms	15.79	67162 [471-34-1]	Calcium Carbonate extrapure, 98%	500 Gms	2.63
		100 Gms	57.25			5 Kg	19.21
		500 Gms	276.36			25 Kg	92.12
48392 [7440-43-9]	Cadmium Metal Rods, 99%	100 Gms	7.24	87293 [471-34-1]	Calcium Carbonate extrapure AR, 99.5%	500 Gms	3.29
						5 Kg	22.24
						25 Kg	92.38
85545 [7440-43-9]	Cadmium Metal Powder extrapure, 99.5%, -200 mesh	25 Gms	15.79	37683 [471-34-1]	Calcium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	6.58
		100 Gms	52.64			5 Kg	51.72
70434 [10022-68-1]	Cadmium Nitrate Tetrahydrate extrapure AR, ACS, 99%	500 Gms	17.11	70650 [10035-04-8]	Calcium Chloride Dihydrate extrapure AR, 99.5%	500 Gms	4.74
						5 Kg	36.85
29996 [1306-19-0]	Cadmium Oxide pure, 99%	100 Gms	5.66	31944 [10035-04-8]	Calcium Chloride Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	7.37
		250 Gms	11.84			5 Kg	57.90
		500 Gms	18.42				
39818 [1306-19-0]	Cadmium Oxide extrapure AR, 99.7%	100 Gms	7.90	97080 [10035-04-8]	Calcium Chloride Dihydrate for molecular biology, 99.5%	100 Gms	4.08
		250 Gms	14.48			500 Gms	18.69
15806 [7790-84-3]	Cadmium Sulphate 8/3Hydrate pure, 98%	100 Gms	6.84	56949 [10035-04-8]	Calcium Chloride Dihydrate for tissue culture, 99.5%	500 Gms	6.05
		500 Gms	27.64			5 Kg	55.27
43019 [7790-84-3]	Cadmium Sulphate 8/3Hydrate ACS, 98%	100 Gms	8.69				
		500 Gms	32.90				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
84336 [10043-52-4]	Calcium Chloride Fused pure, 90-95%	500 Gms 5 Kg	2.76 19.74	23764 [334-48-5]	Capric Acid (n-Decanoic Acid) pure, C10-99% (n-Capric Acid, n-Decoic Acid)	250 ml 500 ml 2500 ml	9.21 17.11 78.96
77838 [5785-44-4]	Calcium Citrate Tribasic Tetrahydrate pure, 98%	500 Gms	5.26	51840 [110-42-9]	Capric Acid Methyl Ester (Methyl Decanoate) extrapure, 99% (Methyl Caprate)	250 ml 1000 ml	23.95 76.72
97388 [5785-44-4]	Calcium Citrate Tribasic Tetrahydrate ExiPlus, Multi-Compendial, 98% meets compendial specs of USP	500 Gms	6.58	89028 [142-62-1]	Caproic Acid extrapure, C6-99% (n-Hexanoic Acid)	100 ml 500 ml 2500 ml	3.95 12.50 52.64
57055 [7789-75-5]	Calcium Fluoride extrapure, 97% (Fluorite, Fluorospar)	100 Gms 500 Gms	4.08 15.00	88889 [124-07-2]	Caprylic Acid pure, C8-99% (GC)	500 ml 2500 ml	8.55 39.48
52434 [544-17-2]	Calcium Formate pure, 98% (Formic Acid Calcium Salt)	500 Gms	7.50	15343 [67-56-1]	Carbinol pure, 99%	500 ml 2500 ml 25 Ltr	3.29 8.82 75.67
85610 [1305-62-0]	Calcium Hydroxide extrapure AR, 96%	500 Gms 5 Kg	6.97 54.61	82911 [67-56-1]	Carbinol extrapure AR, 99.8%	500 ml 1000 ml 2500 ml	3.55 6.84 9.61
74471 [1305-62-0]	Calcium Hydroxide extrapure AR, ACS, ExiPlus, Multi-Compendial, 96% meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	9.87 73.17	85902 [67-56-1]	Carbinol GC-HS, 99.9%	500 ml 1000 ml	9.61 18.42
31549 [7789-80-2]	Calcium Iodate Anhydrous (Lautarite) pure, 98%	100 Gms 250 Gms	30.27 63.17	63713 [67-56-1]	Carbinol for HPLC & UV Spectroscopy, 99.8%	500 ml 1000 ml 2500 ml	4.87 6.58 12.77
96342 [7440-70-2]	Calcium Metal Granular extrapure, 98%, 10-20 mesh	100 Gms 500 Gms	5.26 25.00	68990 [67-56-1]	Carbinol electronic grade, 99.8%	2500 ml	15.66
94212 [10102-68-8]	Calcium Iodide Tetrahydrate pure, 98%	10 Gms 25 Gms	39.48 52.64	12903 [67-56-1]	Carbinol Dried extrapure AR, 99.8%	500 ml 1000 ml	4.74 6.58
56571 [71626-98-7]	Calcium Iodide Hydrate pure, 98%	25 Gms 100 Gms	42.11 109.23	34883 [67-56-1]	Carbinol for molecular biology, 99.5%	500 ml 1000 ml 2500 ml	11.98 21.58 46.19
79225 [13477-34-4]	Calcium Nitrate Tetrahydrate extrapure AR, ACS, 99%	500 Gms	4.08	39058 [4197-24-4]	Carbol Fuchsin	25 Gms 100 Gms	5.00 13.42
16807 [1305-78-8]	Calcium Oxide Powder pure, 95%	500 Gms 5 Kg	3.16 22.24	93049 [9003-01-4]	Carbopol 934 (Carboxy Vinyl Polymer 934) extrapure	500 Gms 1 Kg 5 Kg	16.45 31.58 144.76
51007 [10031-30-8]	Calcium Phosphate Monobasic Monohydrate extrapure, 95% (Calcium Tetrahydrogen Diorthophosphate Monohydrate)	500 Gms 5 Kg	6.58 59.22	51159 [9003-01-4]	Carbopol 940 (Carboxy Vinyl Polymer 940) extrapure	500 Gms 1 Kg 5 Kg	16.45 31.58 144.76
93239 [7757-93-9]	Calcium Phosphate Dibasic Anhydrous extrapure, 98% (Calcium Hydrogen Phosphate Anhydrous, di-Calcium Phosphate Anhydrous)	500 Gms 5 Kg	4.61 32.90	93797 [9004-32-4]	Carboxymethyl Cellulose Sodium Salt (CMC Sodium), Medium Viscosity 250-350CPS (Carmellose Sodium)	500 Gms 5 Kg	9.87 85.54
77793 [7789-77-7]	Calcium Phosphate Dibasic Dihydrate extrapure, 98% (Calcium Hydrogen Phosphate Dihydrate, di-Calcium Phosphate Dihydrate)	500 Gms 5 Kg	5.59 52.64	59938 [9004-32-4]	Carboxymethyl Cellulose Sodium Salt (CMC Sodium), High Viscosity 400-800 CPS (Carmellose Sodium)	500 Gms 5 Kg	10.53 98.70
34878 [7758-87-4]	Calcium Phosphate Tribasic, 90% (Tricalcium Phosphate)	500 Gms 5 Kg	6.97 65.14	35298 [9004-32-4]	Carboxymethyl Cellulose Sodium Salt (CMC Sodium), High Viscosity 1100-1900 CPS (Carmellose Sodium)	500 Gms 5 Kg	12.90 121.07
59781 [4075-81-4]	Calcium Propionate pure, 97%	500 Gms	6.45	97048 [1390-65-4]	Carmin (C.I. No. 75470)	5 Gms 25 Gms	9.87 46.45
94044 [10101-41-4]	Calcium Sulphate Dihydrate pure, 98%	500 Gms 5 Kg	4.08 36.85				
69095 [10101-41-4]	Calcium Sulphate Dihydrate extrapure AR, ACS, 99%	500 Gms 5 Kg	5.79 53.96				
64813 [76-22-2]	Camphor pure, 96%	100 Gms 500 Gms	7.37 35.93				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
32385 [11114-20-8]	Carrageenan (Kappa) Refined ex.	25 Gms	17.11	64905 [7080-50-4]	Chloramine-T Trihydrate extrapure AR, 98%	100 Gms	5.92
	Eucheuma Cottonii	100 Gms	34.22		(N-Chloro-p-Toluenesulphonamide Sodium Salt)	250 Gms	11.84
	(k-Carrageenan, Irish Moss)	500 Gms	106.60		500 Gms	23.03	
16145 [8001-79-4]	Castor Oil pure	500 ml	8.95	29611 [95-51-2]	o-Chloroaniline extrapure, 99%	2.5 Kg	105.28
		2500 ml	42.11			500 ml	9.34
26080 [120-80-9]	Catechol (Pyrocatechol) extrapure, 99%	100 Gms	5.92		(2-Chloroaniline)	2500 ml	44.74
		500 Gms	14.21				
31018 [8000-27-9]	Cedarwood Oil Natural for microscopy	30 ml	9.61	89370 [108-90-7]	Chlorobenzene (MCB) extrapure, 99%	500 ml	5.79
		125 ml	26.06			2500 ml	24.35
		500 ml	51.98			25 Ltr	217.14
60705 [1562-90-9]	Celestine Blue B, 98%-102%	5 Gms	56.59	46364 [108-90-7]	Chlorobenzene (MCB) extrapure AR, 99.5%	500 ml	7.90
		25 Gms	269.78			2500 ml	27.64
82523 [91053-39-3]	Celite 545, size 20-40 micrometer	500 Gms	6.58	10124 [108-90-7]	Chlorobenzene (MCB) extrapure AR, ACS, ExiPlus, Multi-Compdial, 99.5%	500 ml	8.69
		1 Kg	12.37			2500 ml	32.90
61767 [477243-06-4]	Ceramide ex. Chicken Egg 99%	5 Mg	73.70		(Monochlorobenzene) meets compendial specs of USP, BP		
		25 Mg	368.48			35680 [3114-55-4]	Chlorobenzene-d5 for NMR spectroscopy, 99 Atom %D
23505 [1306-38-3]	Ceric Oxide extrapure AR, 99.9%	100 Gms	14.81	33023 [59-50-7]	p-Chloro-m-Cresol (PCMC) pure, 98%	500 Gms	23.95
		500 Gms	52.64				
92425 [10294-42-5]	Ceric Sulphate Tetrahydrate extrapure AR, 80%	25 Gms	7.24	80908 [88-04-0]	4-Chloro-3,5-Dimethylphenol (PCMX) extrapure, 99%	100 Gms	11.58
		100 Gms	17.11			500 Gms	40.27
		500 Gms	68.43				
10731 [10294-42-5]	Ceric Sulphate Tetrahydrate specially purified, 98%	25 Gms	102.65	96712 [67-66-3]	Chloroform extrapure, 99%	500 ml	3.95
		100 Gms	315.84			2500 ml	12.90
61414 [13590-82-4]	Ceric Sulphate 0.1N Solution	500 ml	8.16	84155 [67-66-3]	Chloroform extrapure AR, 99.5%	25 Ltr	98.70
						500 ml	4.47
66676 [18618-55-8]	Cerous Chloride Heptahydrate extrapure AR, 99%	25 Gms	9.08	32022 [67-66-3]	Chloroform extrapure AR, ACS, ExiPlus, Multi-Compdial, 99.8%	2500 ml	14.48
		100 Gms	22.37			500 ml	5.26
		500 Gms	78.96			2500 ml	15.79
57320 [10294-41-4]	Cerous Nitrate Hexahydrate extrapure AR, 99.9%	100 Gms	18.42		(meets compendial specs of USP, BP, Ph.Eur)	100 ml	5.92
		500 Gms	72.38			500 ml	23.69
81586 [1119-97-7]	Cetrimide extrapure AR (Tetradecyltrimethyl ammonium bromide), 99%	100 Gms	8.95	30792 [67-66-3]	Chloroform for HPLC & UV Spectroscopy, 99.8%	500 ml	5.92
		500 Gms	27.64			1000 ml	8.55
		5 Kg	236.88			2500 ml	18.42
33001 [8005-44-5]	Cetostearyl Alcohol pure	500 Gms	10.79	14423 [67-66-3]	Chloroform GC-HS, 99.9%	250 ml	7.24
		5 Kg	105.28			500 ml	11.84
40629 [36653-82-4]	Cetyl Alcohol pure, 98%	500 Gms	6.58		(meets compendial specs of USP, BP, Ph.Eur)	1000 ml	19.74
		5 Kg	59.22			500 ml	6.58
						1000 ml	12.77
83438 [7440-44-0]	Charcoal Activated (280) extrapure AR, ACS, ExiPlus, Multi-Compdial	100 Gms	3.16	51126 [67-66-3]	Chloroform Dried, 99.5%, water 0.005%	2500 ml	28.69
		500 Gms	6.71			500 ml	6.58
		5 Kg	57.38			1000 ml	12.77
	(Activated Carbon) meets compendial specs of USP, BP, Ph.Eur			90603 [865-49-6]	Chloroform-d (w/o TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 ml	115.81
48088 [7440-44-0]	Charcoal Activated (950) Granular extrapure	500 Gms	7.24	20996 [865-49-6]	Chloroform-d (with 1% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 ml	123.70
		5 Kg	64.62				
	(Activated Carbon)			57034 [865-49-6]	Chloroform-d (with 0.03% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 ml	119.76



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
22288 [865-49-6]	Chloroform-d (w/o TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 Gms	98.70	16842 [77-92-9]	Citric Acid Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur, USP	500 Gms 5 Kg	3.82 25.00
98718 [865-49-6]	Chloroform-d (with 0.03% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 Gms	105.28	49897 [5949-29-1]	Citric Acid Monohydrate extrapure, 99.5%	500 Gms 5 Kg 25 Kg	3.16 21.06 92.12
72017 [865-49-6]	Chloroform-d (with 1% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 Gms	110.54	43667 [5949-29-1]	Citric Acid Monohydrate ACS, 99.7%	500 Gms 5 Kg 25 Kg	3.42 23.03 105.28
39657 [937-14-4]	3-Chloroperoxybenzoic Acid (mCPBA) pure, 55-75%	25 Gms 100 Gms 500 Gms	5.59 17.11 68.43	53884 [5949-29-1]	Citric Acid Monohydrate ACS, ExiPlus, Multi-Compendial, 99.7% meets compendial specs of BP, Ph.Eur, USP	500 Gms 5 Kg	3.95 26.32
59271 [128-09-6]	N-Chlorosuccinimide extrapure, 98%	100 Gms 250 Gms 1 Kg	5.26 9.87 36.85	49393 [6147-53-1]	Cobalt (II) Acetate Tetrahydrate extrapure AR, 99% (Cobaltous Acetate Tetrahydrate)	100 Gms 250 Gms 500 Gms	14.48 31.58 52.64
47048 [1667-99-8]	Chromeazurol S (Chromazurol S) (Mordant Blue 29)	10 Gms 25 Gms	19.21 32.51	75141 [6147-53-1]	Cobalt (II) Acetate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Cobaltous Acetate Tetrahydrate) meets compendial specs of BP	100 Gms 250 Gms 500 Gms	15.79 35.53 60.54
86183	Chromium AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	100 ml 250 ml	21.06 34.22	66112	Cobalt AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml 250 ml	27.64 48.69
72232 [10060-12-5]	Chromium (III) Chloride Hexahydrate extrapure AR, 98% (Chromic Chloride, Chromium Trichloride)	500 Gms 5 Kg	9.21 85.54	37917 [12602-23-2]	Cobalt (II) Carbonate Basic pure, 45-50% Co (Cobaltous Carbonate)	100 Gms 250 Gms 500 Gms	18.42 42.11 78.96
74767 [7789-02-8]	Chromium (III) Nitrate Nonahydrate pure, 96% (Chromic Nitrate Nonahydrate)	500 Gms 5 Kg	15.79 144.76	99412 [7791-13-1]	Cobalt (II) Chloride Hexahydrate pure, 99% (Cobaltous Chloride Hexahydrate)	100 Gms 500 Gms	14.21 66.33
21295 [39380-78-4]	Chromium (III) Sulphate Basic extrapure, 22.5% Cr (Chromosal B, Basic Chromic Sulphate)	500 Gms 2.5 Kg	5.00 23.03	36018 [7791-13-1]	Cobalt (II) Chloride Hexahydrate extrapure AR, 99% (Cobaltous Chloride Hexahydrate)	100 Gms 500 Gms	15.00 69.48
57555 [7440-47-3]	Chromium Powder, 99% -100 mesh	100 Gms 500 Gms	11.84 46.06	88282 [7791-13-1]	Cobalt (II) Chloride Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Cobaltous Chloride Hexahydrate) meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	16.58 71.85
21817 [1333-82-0]	Chromium (VI) Oxide (Chromium Trioxide) pure, 99% (Chromic Acid, Chromic Anhydride)	500 Gms 1 Kg	11.19 21.06	14386 [7440-48-4]	Cobalt Metal Powder, 99.5%, -325mesh	100 Gms 250 Gms	36.85 78.96
61365 [1333-82-0]	Chromium (VI) Oxide (Chromium Trioxide) ACS, ExiPlus, Multi-Compendial, 99% (Chromic Acid, Chromic Anhydride) meets compendial specs of USP, Ph.Eur	500 Gms 1 Kg	11.84 23.03	14941 [10026-22-9]	Cobalt (II) Nitrate Hexahydrate extrapure, 97% (Cobaltous Nitrate Hexahydrate)	100 Gms 500 Gms	10.53 39.48
36505 [4438-16-8]	Chrysoidine R (Basic Orange 1, Methylchrysoidine) (C.I. No. 11320)	25 Gms 100 Gms	2.76 7.76	85942 [10026-22-9]	Cobalt (II) Nitrate Hexahydrate extrapure AR, ACS, 99% (Cobaltous Nitrate Hexahydrate)	100 Gms 250 Gms 500 Gms	12.50 28.95 48.69
31126 [532-82-1]	Chrysoidine Y (4-Phenylazo-m-Phenylenediamine Monohydrochloride, Basic Orange 2, Chrysoidine G)(C.I. No. 11270)	25 Gms 100 Gms	2.76 7.76	21722 [1308-06-1]	Cobalt (II,III) Oxide pure, 99% (Tricobalt Tetraoxide)	100 Gms 250 Gms 500 Gms	36.85 52.64 92.12
29955 [140-10-3]	Cinnamic Acid extrapure, 99%	250 Gms 1 Kg	11.45 41.45	25710 [10026-24-1]	Cobalt (II) Sulphate Heptahydrate pure, 98% (Cobaltous Sulphate Heptahydrate)	100 Gms 500 Gms	9.21 39.48
23277 [140-10-3]	Cinnamic Acid extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	250 Gms 1 Kg	18.42 46.06				
78213 [77-92-9]	Citric Acid Anhydrous extrapure, 99%	500 Gms 5 Kg 25 Kg	3.42 22.37 98.70				
36890 [77-92-9]	Citric Acid Anhydrous for tissue culture, 99%	500 Gms 5 Kg	4.21 27.64				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
42752 [10026-24-1]	Cobalt (II) Sulphate Heptahydrate extrapure AR, 99% (Cobaltous Sulphate Heptahydrate)	100 Gms	10.53	57060 [6046-93-1]	Cupric Acetate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Copper (II) Acetate Monohydrate) meets compendial specs of BP, Ph.Eur	250 Gms	24.87		
		250 Gms	25.00			500 Gms	24.87		
		500 Gms	48.69						
46069	Cocktail 'O' scintillation grade	1000 ml	11.98	11204 [7789-45-9]	Cupric Bromide pure, 99% (Copper (II) Bromide)	100 Gms	18.16		
		2500 ml	23.95			500 Gms	77.25		
48656	Cocktail 'T' scintillation grade	1000 ml	11.19	13945 [12069-69-1]	Cupric Carbonate Basic pure, 95% (Copper (II) Carbonate Basic, Copper (II) Hydroxide Carbonate)	500 Gms	20.53		
		2500 ml	23.16			5 Kg	189.50		
38087	Cocktail 'W' scintillation grade	1000 ml	24.48	92315 [7447-39-4]	Cupric Chloride pure, 98% (Copper (II) Chloride)	500 Gms	14.48		
		2500 ml	57.11			1 Kg	27.64		
36672	Collodion Flexible pure	500 ml	26.58	89797 [10125-13-0]	Cupric Chloride Dihydrate ACS, ExiPlus, Multi-Compendial, 99% (Copper (II) Chloride Dihydrate) meets compendial specs of USP	500 Gms	12.90		
						1 Kg	25.66		
57380	Copper AAS Standard Solution in 1N HNO3 (Traceable to NIST)	100 ml	21.06	92272 [10125-13-0]	Cupric Chloride 0.3M Solution	500 ml	9.21		
		250 ml	34.22			1000 ml	16.45		
72033 [7440-50-8]	Copper Metal powder extrapure, 99.5%, -200 mesh	500 Gms	28.69	87367 [10031-43-3]	Cupric Nitrate Trihydrate extrapure, 98% (Copper (II) Nitrate Trihydrate)	250 Gms	7.24		
42577 [7440-50-8]	Copper Metal Turnings, 99.5%, 40-100 mesh	100 Gms	6.58			500 Gms	12.90		
		500 Gms	26.32	46704 [10031-43-3]	Cupric Nitrate Trihydrate ACS, 99.5% (Copper (II) Nitrate Trihydrate)	500 Gms	15.13		
28007 [95-48-7]	o-Cresol pure, 98%	500 ml	7.24			51120 [1317-38-0]	Cupric Oxide pure, 79% Cu (Copper (II) Oxide)	100 Gms	5.53
		2500 ml	32.90	500 Gms	22.37				
77744 [108-39-4]	m-Cresol pure, 98% (3-Methylphenol)	500 ml	18.42			5 Kg	210.56		
		2500 ml	82.91	35119 [7758-98-7]	Cupric Sulphate Anhydrous extrapure, 99% (Copper (II) Sulphate Anhydrous)	100 Gms	7.24		
48620 [108-39-4]	m-Cresol extrapure AR, 99% (3-Methylphenol)	500 ml	23.69			500 Gms	23.69		
		63997 [106-44-5]	p-Cresol pure, 98.5%	500 ml	12.50	61103 [7758-98-7]	Cupric Sulphate Anhydrous extrapure AR, 99% (Copper (II) Sulphate Anhydrous)	100 Gms	9.21
2500 ml	57.90			500 Gms	26.32				
89599 [1733-12-6]	Cresol Red	5 Gms	3.03	58352 [7758-98-7]	Cupric Sulphate Anhydrous ExiPlus, Multi-Compendial, 99% (Copper (II) Sulphate Anhydrous) meets compendial specs of USP, Eu Ph	100 Gms	15.79		
		25 Gms	7.90			500 Gms	34.22		
		100 Gms	28.95			38869 [7758-99-8]	Cupric Sulphate Pentahydrate pure, 99% (Copper (II) Sulphate Pentahydrate)	500 Gms	9.21
21442 [10510-54-0]	Cresyl Violet Acetate, 70%	1 Gms	8.95	5 Kg	85.54				
		5 Gms	39.48	61298 [7758-99-8]	Cupric Sulphate Pentahydrate extrapure AR, 99.5% (Copper (II) Sulphate Pentahydrate)	500 Gms	10.00		
		28376 [548-62-9]	Crystal Violet (Gentian Violet) (Methyl Violet 10B, C.I. No. 42555)			25 Gms	8.69	5 Kg	96.07
100 Gms	33.03					71244 [7758-99-8]	Cupric Sulphate Pentahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Copper (II) Sulphate Pentahydrate) meets compendial specs of BP, Ph.Eur	500 Gms	10.53
500 Gms	157.79	5 Kg	100.02						
17610 [548-62-9]	Crystal Violet (Gentian Violet) ACS, ExiPlus, Multi-Compendial (Methyl Violet 10B, C.I. No. 42555) meets compendial specs of BP, Ph.Eur	25 Gms	10.13	90445 [7758-99-8]	Cupric Sulphate 0.1M Solution			1000 ml	6.97
		100 Gms	37.37			29497 [7787-70-4]	Cuprous Bromide pure, 98.5% (Copper (I) Bromide)	100 Gms	8.82
		500 Gms	179.37					500 Gms	42.11
94666 [17455-13-9]	18-Crown-6-Ether pure, 98%	25 Gms	10.53	26375 [7758-89-6]	Cuprous Chloride pure, 97% (Copper (I) Chloride, Copper Monochloride)	500 Gms	14.48		
		100 Gms	32.90			5 Kg	164.50		
		500 Gms	144.76			21136 [7758-89-6]	Cuprous Chloride ACS, 97% (Copper (I) Chloride, Copper Monochloride)	250 Gms	18.42
74472 [8014-13-9]	Cumin Seed Oil extrapure, aldehyde 28%	100 ml	21.06						
		500 ml	78.96						
87431 [6046-93-1]	Cupric Acetate Monohydrate pure, 98% (Copper (II) Acetate Monohydrate)	100 Gms	4.74						
		500 Gms	20.92						
67912 [6046-93-1]	Cupric Acetate Monohydrate extrapure AR, 99% (Copper (II) Acetate Monohydrate)	250 Gms	18.03						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
93095 [7681-65-4]	Cuprous Iodide extrapure AR, 99% (Copper (I) Iodide)	25 Gms	9.21	35751 [56-89-3]	L-Cystine extrapure CHR, 99%	25 Gms	5.92
		100 Gms	32.90			100 Gms	14.48
		500 Gms	157.92			1 Kg	111.86
						5 Kg	526.40
83086 [1317-39-1]	Cuprous Oxide pure, 86% Cu (Copper (I) Oxide)	100 Gms	8.69	83172 [56-89-3]	L-Cystine for tissue culture, 99%	25 Gms	6.84
		500 Gms	33.16			100 Gms	15.66
						500 Gms	70.27
97461 [458-37-7]	Curcumin (Turmeric Yellow)	5 Gms	4.61	38779 [56-89-3]	L-Cystine ExiPlus, Multi-Compendial, 99%	250 Gms	39.48
		10 Gms	8.55			1 Kg	134.23
		25 Gms	12.90			5 Kg	631.68
		100 Gms	42.77			Meets compendial specs of USP	
20259 [110-82-7]	Cyclohexane extrapure, 99%	500 ml	3.42	10323 [71-30-7]	Cytosine ExiPlus, Multi-Compendial, 99%	25 Gms	9.21
		2500 ml	12.90			100 Gms	32.90
		25 Ltr	121.07			500 Gms	105.28
				meets compendial specs of BP, Ph.Eur			
46616 [110-82-7]	Cyclohexane ACS, 99.5%	500 ml	3.95	56096 [13419-61-9]	Decane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	15.79
		2500 ml	14.21			100 Gms	57.38
						250 Gms	140.68
23292 [110-82-7]	Cyclohexane GC-HS, 99.9%	250 ml	6.58	71801 [13419-61-9]	Decane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	15.79
		1000 ml	11.84			100 Gms	57.38
						250 Gms	140.68
46300 [110-82-7]	Cyclohexane for HPLC & UV Spectroscopy, 99.9%	500 ml	5.92	93995 [8049-11-4]	Devardas Alloy (45% Al, 50% Cu, 5% Zn) extrapure	100 Gms	7.76
		1000 ml	9.21			500 Gms	31.06
		2500 ml	19.74			100 Gms	10.40
				250 Gms	22.24		
92604 [110-82-7]	Cyclohexane Dried, 99.5%, water 0.005%	500 ml	5.26	61500 [9004-53-9]	Dextrin (White) practical	500 Gms	3.95
		1000 ml	9.87			5 Kg	36.85
34781 [110-82-7]	Cyclohexane ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	4.47	42738 [50-99-7]	Dextrose extrapure (D-Glucose)	500 Gms	3.82
		2500 ml	15.13			5 Kg	31.19
						25 Kg	162.79
31726 [108-94-1]	Cyclohexanone extrapure, 99%	500 ml	4.61	16191 [14431-43-7]	Dextrose Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (D-Glucose Monohydrate)	500 Gms	3.55
		2500 ml	21.06			5 Kg	32.77
						25 Kg	143.31
				meets compendial specs of USP, BP			
89635 [108-94-1]	Cyclohexanone extrapure AR, 99.5%	500 ml	5.53	40799 [3012-65-5]	Diammonium Hydrogen Citrate Anhydrous (Ammonium Citrate Dibasic) ACS, 98%	500 Gms	9.87
		2500 ml	26.32			25 Kg	454.81
12183 [108-91-8]	Cyclohexylamine pure, 99% (Aminocyclohexane)	500 ml	5.26	81434 [84-74-2]	Dibutyl Phthalate pure, 98%	500 ml	5.26
		2500 ml	23.69			2500 ml	23.69
45658 [108-91-8]	Cyclohexylamine extrapure AR, 99.5% (Aminocyclohexane)	500 ml	5.66	12088 [79-43-6]	Dichloroacetic Acid pure, 99%	100 ml	31.06
		2500 ml	27.64			500 ml	79.62
						2500 ml	355.32
85606 [91771-62-9]	Cypriol Oil extrapure, 99% (Cyperus Root Oil (Cyperus Scariosus), Nagarmotha Oil)	100 ml	105.28	52153 [95-50-1]	1,2-Dichlorobenzene pure, 99% (o-Dichlorobenzene)	500 ml	5.26
						1000 ml	9.87
						2500 ml	23.03
95322 [52-90-4]	L-Cysteine extrapure CHR, 99%	25 Gms	5.40	61012 [95-50-1]	1,2-Dichlorobenzene extrapure AR, 99% (o-Dichlorobenzene)	250 ml	4.21
		100 Gms	17.90			2500 ml	26.32
		500 Gms	76.33				
		5 Kg	710.64				
25961 [52-90-4]	L-Cysteine for tissue culture, 99%	25 Gms	7.90				
		100 Gms	18.42				
		500 Gms	85.54				
69029 [7048-04-6]	L-Cysteine Hydrochloride Monohydrate ExiPlus, Multi-Compendial, 99%	100 Gms	12.50				
		500 Gms	46.98				
		1 Kg	82.25				
		5 Kg	394.80				
				meets compendial specs of USP			



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
79510 [107-06-2]	1,2-Dichloroethane extrapure, 99% (Ethylene Dichloride)	500 ml	3.95	71164 [111-42-2]	Diethanolamine pure, 98%	500 ml	4.61
		2500 ml	11.84			2500 ml	18.42
69566 [107-06-2]	1,2-Dichloroethane extrapure AR, 99.5% (Ethylene Dichloride)	500 ml	4.34	47001 [111-42-2]	Diethanolamine ACS, ExiPlus, Multi-Compendial, 98.5% meets compendial specs of BP, Ph.Eur	500 ml	5.92
		2500 ml	13.42			2500 ml	23.69
87988 [107-06-2]	1,2-Dichloroethane for HPLC & UV Spectroscopy, 99.9% (Ethylene Dichloride)	500 ml	8.16	59161	5M Diethanolamine Substrate Buffer(5M DEA w/ 2.5mM MgCl2) for phosphatase	100 ml	29.61
		1000 ml	14.48				
63462 [107-06-2]	1,2-Dichloroethane Dried, 99.5%, water 0.005% (Ethylene Dichloride)	1000 ml	12.50	31255 [109-89-7]	Diethylamine pure, 99%	500 ml	4.61
						2500 ml	19.74
						25 Ltr	177.66
79126 [76-54-0]	2,7-Dichlorofluorescein (DCF) extrapure AR, ACS, 90%	5 Gms	7.90	64912 [109-89-7]	Diethylamine extrapure AR, 99.5%	500 ml	5.00
		25 Gms	32.90			2500 ml	23.69
56825 [75-09-2]	Dichloromethane (DCM) pure, 99% (Methylene Chloride)	500 ml	3.16	28298 [109-89-7]	Diethylamine for HPLC, 99.5%	1000 ml	21.06
		2500 ml	11.84				
		25 Ltr	85.54				
24532 [75-09-2]	Dichloromethane (DCM) extrapure AR, 99.5% (Methylene Chloride)	500 ml	3.55	77141 [100-37-8]	2-Diethylaminoethanol (DEAE) extrapure, 99%	500 ml	7.63
		2500 ml	13.42			2500 ml	36.85
				25 Ltr	94.75		
45368 [75-09-2]	Dichloromethane (DCM) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Methylene Chloride) meets compendial specs of USP, BP	500 ml	3.95	59351 [91-66-7]	N,N-Diethylaniline pure, 98%	500 ml	10.53
		2500 ml	15.13			2500 ml	48.69
29103 [75-09-2]	Dichloromethane (DCM) GC-HS, 99.9% (Methylene Chloride)	250 ml	5.66	44369 [91-66-7]	N,N-Diethylaniline extrapure AR, 99%	500 ml	13.16
		500 ml	9.21			2500 ml	60.54
		1000 ml	14.48				
58628 [75-09-2]	Dichloromethane (DCM) for HPLC & UV Spectroscopy, 99.9%	500 ml	5.40	36303 [105-58-8]	Diethyl Carbonate extrapure, 99%	500 ml	6.58
		1000 ml	7.90			2500 ml	30.27
		2500 ml	17.11				
43551 [75-09-2]	Dichloromethane (DCM) Dried, 99.5%, water 0.005% (Methylene Chloride)	500 ml	4.47	83040 [111-46-6]	Diethylene Glycol (Digol) pure, 98%	500 ml	3.95
		1000 ml	8.95			2500 ml	13.16
						25 Ltr	115.81
41512 [75-09-2]	Dichloromethane (DCM) for molecular biology, 99.9% (Methylene Chloride)	250 ml	6.19	68811 [111-46-6]	Diethylene Glycol (Digol) extrapure AR, 99%	500 ml	4.61
		500 ml	10.53			2500 ml	14.48
93075 [1665-00-5]	Dichloromethane-d2 (DCM-d2) for NMR spectroscopy, 99.5 Atom %D (Methylene Chloride)	10 ml	236.75	93616 [112-36-7]	Diethylene Glycol Diethyl Ether (Ethyl Diglyme, DEGDEE) pure, 99% (2-Ethoxy Ethyl Ether)	100 ml	9.87
						500 ml	42.11
55287 [620-45-1]	2,6-Dichlorophenol Indophenol Sodium Salt extrapure AR, 98%	1 Gms	4.08	44284 [111-96-6]	Diethylene Glycol Dimethyl Ether (Diglyme, DEGDME) pure, 99% (2-Methoxy Ethyl Ether)	500 ml	11.84
		5 Gms	15.79			2500 ml	52.64
		25 Gms	64.62	25 Ltr	500.08		
35551 [620-45-1]	2,6-Dichlorophenol Indophenol Sodium Salt ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP	1 Gms	4.34	20882 [111-90-0]	Diethylene Glycol Monoethyl Ether (DGME) pure, 98% (Carbitol, Ethyldiglycol)	500 ml	5.79
		5 Gms	17.63			2500 ml	25.00
		25 Gms	68.96				
31499 [94-75-7]	2,4-Dichlorophenoxyacetic Acid (2,4-D) for tissue culture, 98%	25 Gms	8.95	53422 [96-22-0]	Diethyl Ketone (3-Pentanone) extrapure, 99%	500 ml	15.79
		100 Gms	16.45				
		500 Gms	66.59				
77833 [461-58-5]	Dicyandiamide pure, 98% (1-Cyanoguanidine, Dicyanodiamide)	500 Gms	9.87	98389 [105-53-3]	Diethyl Malonate extrapure, 99%	500 ml	7.90
						2500 ml	36.85
61335 [77-73-6]	Dicyclopentadiene extrapure (Stabilized with BHT), 93%	100 ml	3.16	39378 [105-53-3]	Diethyl Malonate extrapure AR, 99.5%	500 ml	9.21
		500 ml	11.84			2500 ml	43.43
		2500 ml	50.01				
75995 [6283-63-2]	N,N-Diethyl-p-Phenylenediamine Sulphate Salt (DEPPDA Sulphate) extrapure, 98% (4-Amino-N,N-Diethylaniline Sulfate Salt)	25 Gms	28.95	61252 [95-92-1]	Diethyl Oxalate pure, 99%	500 ml	7.90
		100 Gms	110.54			2500 ml	35.53
16150 [84-66-2]	Diethyl Phthalate pure, 99%	500 ml	4.74				
		2500 ml	22.37				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
78652 [64-67-5]	Diethyl Sulphate extrapure, 99%	500 ml	5.26	12566 [121-69-7]	N,N-Dimethylaniline pure, 98%	500 ml	6.97
		2500 ml	23.69			2500 ml	32.90
15979 ① [75-11-6]	Diiodomethane extrapure (Stabilized with copper wire), 99% (Methylene iodide) For Separation of minerals	25 Gms	32.90	20364 [121-69-7]	N,N-Dimethylaniline extrapure AR, 99.5%	500 ml	7.63
		100 Gms	63.17			2500 ml	35.53
		250 Gms	118.44				
77205 [108-18-9]	Diisopropylamine pure, 98%	500 ml	11.84	16616 [68-12-2]	N,N-Dimethylformamide (DMF) extrapure, 99%	500 ml	3.68
		2500 ml	55.27			2500 ml	13.82
		25 Ltr	526.40			25 Ltr	125.02
24465 [110-97-4]	Diisopropanolamine (DIPOA) extrapure AR, 98% (Bis(2-hydroxypropyl)amine, 1,1'-Iminodi-i-2-propanol, Iminodipropanol)	500 ml	10.53	21974 [68-12-2]	N,N-Dimethylformamide (DMF) extrapure AR, 99.5%	500 ml	4.21
		1000 ml	18.16			2500 ml	15.79
67519 [108-20-3]	Diisopropylether pure, 98%	500 ml	5.53	79121 [68-12-2]	N,N-Dimethylformamide (DMF) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8% meets compendial specs of BP	500 ml	4.61
		2500 ml	23.69			2500 ml	17.77
		25 Ltr	217.14				
63282 [108-20-3]	Diisopropylether extrapure AR, 99%	500 ml	6.05	50591 [68-12-2]	N,N-Dimethylformamide (DMF) for HPLC & UV Spectroscopy, 99.9%	500 ml	5.79
		2500 ml	27.64			1000 ml	9.87
89299 [108-20-3]	Diisopropylether Dried, 99%, water 0.0025%	500 ml	10.53	46165 [68-12-2]	N,N-Dimethylformamide (DMF) GC-HS, 99.9%	250 ml	4.61
		1000 ml	19.74			500 ml	7.24
91837 [7087-68-5]	N,N-Diisopropylethylamine (DIPEA) extrapure, 98% (Ethylene Diisopropylamine, N,N-Ethyl-diisopropylamine, DIEA)	500 ml	10.53			1000 ml	12.90
		250 ml	10.53	93186 [68-12-2]	N,N-Dimethylformamide (DMF) Dried, 99.5%, water 0.005%	500 ml	6.58
		1000 ml	40.27			1000 ml	11.84
61125 [110-71-4]	1,2-Dimethoxyethane (Monoglyme, EGDME) extrapure, 99% (Ethylene Glycol Dimethyl Ether)	500 ml	9.48	24017 [68-12-2]	N,N-Dimethylformamide (DMF) for molecular biology, 99.9%	100 ml	5.92
		2500 ml	44.09			500 ml	11.19
		25 Ltr	421.12				
94378 [110-71-4]	1,2-Dimethoxyethane (Monoglyme, EGDME) extrapure AR, 99.5% (Ethylene Glycol Dimethyl Ether)	500 ml	10.79	52794 [4637-24-5]	N,N-Dimethylformamide Dimethylacetal extrapure, 95% (1,1-Dimethoxy-N,N-Dimethylmethyamine)	100 ml	7.37
		2500 ml	48.69			500 ml	23.69
80675 [127-19-5]	N,N-Dimethylacetamide (DMA) extrapure, 99%	500 ml	5.26	81890 [95-45-4]	Dimethylglyoxime extrapure AR, 99% (2,3-Butanedione Dioxime)	100 Gms	8.55
		2500 ml	21.71			500 Gms	38.16
		25 Ltr	197.40				
60991 [127-19-5]	N,N-Dimethylacetamide (DMA) extrapure AR, 99.5%	500 ml	6.45	19711 [95-45-4]	Dimethylglyoxime extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (2,3-Butanedione Dioxime) meets compendial specs of BP, Ph.Eur	100 Gms	9.87
		2500 ml	25.00			500 Gms	42.11
79220 [127-19-5]	N,N-Dimethylacetamide (DMA) extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 ml	7.24	92574 [75006-64-3]	Dimethylglyoxime Disodium Salt Octahydrate extrapure AR, 99%	250 Gms	13.95
		2500 ml	27.64				
70926 [127-19-5]	N,N-Dimethylacetamide (DMA) GC-HS, 99.9%	250 ml	6.58	33158 [80-73-9]	1,3-Dimethyl-2-Imidazolidinone (DMI) pure, 99%	100 ml	15.66
		500 ml	11.19			500 ml	66.19
		1000 ml	19.74			2500 ml	324.66
98189 [127-19-5]	N,N-Dimethylacetamide (DMA) for HPLC, 99.8%	500 ml	9.21	35161 [80-73-9]	1,3-Dimethyl-2-Imidazolidinone (DMI) GC-HS, 99.9%	100 ml	18.29
		1000 ml	15.79			500 ml	69.75
10652 [124-40-3]	Dimethylamine 40% Aq. Solution	500 ml	3.42	60496 [80-73-9]	1,3-Dimethyl-2-Imidazolidinone (DMI) ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	100 ml	20.79
		2500 ml	13.16			500 ml	71.72
14003 [100-10-7]	p-Dimethylaminobenzaldehyde (DMAB) extrapure AR, 99% (Ehrlich's reagent)	100 Gms	20.92	43404 [67-68-5]	Dimethyl Sulphoxide (DMSO) extrapure, 99%	500 ml	13.82
		1 Kg	195.16			2500 ml	63.17
77086 [100-10-7]	p-Dimethylaminobenzaldehyde (DMAB) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ehrlich's reagent) meets compendial specs of USP, BP, Ph.Eur	100 Gms	23.03			25 Ltr	592.20
		100 Gms	23.03	28580 [67-68-5]	Dimethyl Sulphoxide (DMSO) ACS, 99.9%	500 ml	15.13
		1 Kg	208.06			2500 ml	65.80
						25 Ltr	618.52



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
66444 [67-68-5]	Dimethyl Sulphoxide (DMSO) ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of Ph.Eur, USP	500 ml	17.11	98342 [122-39-4]	Diphenylamine extrapure AR, 99%	100 Gms	3.42
		2500 ml	71.06			500 Gms	10.53
12767 [67-68-5]	Dimethyl Sulphoxide (DMSO) GC-HS, 99.9%	250 ml	12.50	41149 [122-39-4]	Diphenylamine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	4.21
		500 ml	23.69			500 Gms	11.84
		1000 ml	42.11				
30239 [67-68-5]	Dimethyl Sulphoxide (DMSO) for HPLC & UV Spectroscopy, 99.8%	500 ml	22.37	62567 [538-62-5]	1,5-Diphenylcarbazone (mixture with Diphenylcarbazide) extrapure AR, ACS (Phenylazoformic Acid-2-Phenylhydrazide)	5 Gms	7.24
		1000 ml	39.48			25 Gms	31.85
71545 [67-68-5]	Dimethyl Sulphoxide (DMSO) ULSI Semiconductor Grade, 99.9%	1000 ml	118.44			100 Gms	115.41
		2500 ml	236.88				
66120 [67-68-5]	Dimethyl Sulphoxide (DMSO) Dried, 99.5%, water 0.005%	500 ml	24.48	75522 [92-71-7]	2,5-Diphenyloxazole scintillation grade (PPO), 99%	25 Gms	22.37
24075 [67-68-5]	Dimethyl Sulphoxide (DMSO) for molecular biology, 99.8%	100 ml	8.55			100 Gms	81.59
		250 ml	17.11			500 Gms	342.16
		500 ml	30.27				
47809 [2206-27-1]	Dimethyl Sulphoxide-d6 (DMSO-d6) for NMR spectroscopy, 99.8 Atom %D	10 Gms	82.91	89595 [92-71-7]	2,5-Diphenyloxazole scintillation grade (PPO) ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms	95.41
		25 Gms	157.92			500 Gms	454.02
69545 [2206-27-1]	Dimethyl Sulphoxide-d6 (with 0.03% TMS) (DMSO-d6 w/ 0.03% TMS) for NMR spectroscopy, 99.8 Atom %D	10 Gms	88.17	94777 [108-65-6]	Propylene Glycol Monomethyl Ether 2-Acetate (MPA) extrapure, 98% (1-Methoxy-2-Propyl Acetate, PGMEA, 2-Acetoxy-1-Methoxypropane 1,2-Propanediol 1-Monomethyl Ether 2-	500 ml	15.79
		25 Gms	173.71			2500 ml	76.33
42009 [96-31-1]	N,N-Dimethylurea (1,3-Dimethylurea) extrapure, 99%	500 Gms	5.26	43478 [34590-94-8]	Dipropylene Glycol Monomethyl Ether (Mixture of Isomers) extrapure, 99% (DPM, Dowanol)	500 ml	5.92
		5 Kg	46.06			2500 ml	26.32
		25 Kg	210.56				
43981 [117-81-7]	Diocetyl Phthalate pure, 98%	500 ml	6.05	88738 [6106-24-7]	Disodium Tartrate Dihydrate extrapure, 99%	500 Gms	10.53
		2500 ml	26.32				
56353 [577-11-7]	Diocetyl Sodium Sulfosuccinate (DOSS) ExiPlus, Multi-Compendial, 98% (Aerosol OT, Ducosate Sodium) meets compendial specs of USP, BP	500 Gms	25.00	16261 [6106-24-7]	Disodium Tartrate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	250 Gms	7.90
		5 Kg	236.88			500 Gms	13.16
43324 [123-91-1]	1,4-Dioxane pure, 99%	500 ml	5.53	12852 [6106-24-7]	Disodium Tartrate Dihydrate Calibration Standard (For Karl Fischer Titration), 99.5%	100 Gms	76.20
		2500 ml	23.69				
		25 Ltr	223.72				
88797 [123-91-1]	1,4-Dioxane extrapure AR, 99.5%	500 ml	6.58	88283 [112-40-3]	Dodecane extrapure, 99% (n-Dodecane)	100 ml	17.11
		2500 ml	26.32			500 ml	72.38
95536 [123-91-1]	1,4-Dioxane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	500 ml	7.90	25821 [2386-53-0]	Dodecane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99% (Sodium 1-Dodecanesulfonate)	5 Gms	10.79
		2500 ml	31.58			25 Gms	27.37
						100 Gms	93.30
29469 [123-91-1]	1,4-Dioxane Dried, 99.5%, water 0.005%	500 ml	8.29	56085 [112-53-8]	1-Dodecanol (Dodecyl Alcohol, Lauryl Alcohol) pure, 98%	500 ml	8.82
						2500 ml	40.27
79218 [123-91-1]	1,4-Dioxane GC-HS, 99.9%	250 ml	8.03	93498 [112-53-8]	1-Dodecanol (Dodecyl Alcohol, Lauryl Alcohol) ACS, ExiPlus, Multi-Compendial, 98% (Lauryl Alcohol) meets compendial specs of USP, BP	500 ml	10.92
		1000 ml	28.82				
43294 [123-91-1]	1,4-Dioxane for HPLC & UV Spectroscopy, 99.9%	500 ml	14.48	88147	DPX Mountant for histology	250 ml	5.00
		1000 ml	22.11			500 ml	9.48
						1000 ml	16.32
65679 [123-91-1]	1,4-Dioxane scintillation grade, 99.5%	500 ml	8.82	85675	Dragendorff's Reagent	125 ml	22.37
		1000 ml	16.84				
		2500 ml	38.30				
82736 [646-06-0]	1,3-Dioxolane extrapure AR, 99%	500 ml	12.37	71867 [67762-27-0]	Emulsifying Wax pure	500 Gms	5.92
		2500 ml	55.27			5 Kg	55.27



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
56605 [548-24-3]	Eosin Blue (C.I. No. 45400), 85%	25 Gms	10.53	26614 [141-78-6]	Ethyl Acetate for HPLC & UV Spectroscopy, 99.9%	500 ml	5.79
		100 Gms	38.82			1000 ml	8.55
29391 [17372-87-1]	Eosin Yellow (water soluble)	25 Gms	3.95	22636 [141-97-9]	Ethyl Acetoacetate pure, 99%	500 ml	5.92
		100 Gms	11.32			2500 ml	27.64
		500 Gms	55.14				
22115 [106-89-8]	Epichlorohydrin pure, 98% (1-Chloro-2,3-Epoxypropane)	500 ml	4.61	33123 [75-04-7]	Ethylamine Solution 70% in water pure	500 ml	6.58
		2500 ml	21.06			2500 ml	28.95
73317 [106-89-8]	Epichlorohydrin extrapure AR, 99% (1-Chloro-2,3-Epoxypropane)	500 ml	5.26	37810 [74-96-4]	Ethyl Bromide extrapure, 99%	250 ml	15.13
		2500 ml	23.69			500 ml	28.95
40876 [1787-61-7]	Eriochrome Black T extrapure AR	25 Gms	4.61	87095 [110-80-5]	Ethyl Cellosolve pure, 99% (Ethylene Glycol Monoethyl Ether)	500 ml	5.00
		100 Gms	13.69			2500 ml	19.74
		500 Gms	52.64				
76512 [3564-18-9]	Eriochrome Cyanine R	10 Gms	8.55	30166 [1678-91-7]	Ethylcyclohexane extrapure, 99%	500 ml	5.53
		25 Gms	19.08			2500 ml	26.32
		100 Gms	68.43				
69059 [16423-68-0]	Erythrosin B, 90%	25 Gms	11.84	65428 [107-15-3]	Ethylene Diamine pure, 99% (1,2-Diaminoethane)	500 ml	7.90
		100 Gms	44.48			2500 ml	35.53
						25 Ltr	302.68
73961 [8007-09-8]	Eschka's Mixture extrapure AR, 38%	250 Gms	79.88	70790 [107-15-3]	Ethylene Diamine extrapure AR, 99.5% (1,2-Diaminoethane)	500 ml	8.29
		1 Kg	303.21			2500 ml	38.16
40942 [141-43-5]	Ethanolamine (MEA, Monoethanolamine, 2-Aminoethanol) extrapure, 99%	500 ml	4.61	40648 [60-00-4]	EDTA Free Acid extrapure, 99% (Ethylenediaminetetraacetic Acid Free Acid)	100 Gms	3.03
		2500 ml	21.06			500 Gms	7.24
			5 Kg			65.80	
57100 [141-43-5]	Ethanolamine (MEA, Monoethanolamine, 2-Aminoethanol) extrapure AR, 99%	500 ml	5.26	18240 [60-00-4]	EDTA Free Acid extrapure AR, 99.4% (Ethylenediaminetetraacetic Acid Free Acid)	100 Gms	3.29
		2500 ml	23.69			500 Gms	7.63
			5 Kg			71.06	
74683 [141-43-5]	Ethanolamine (MEA, Monoethanolamine, 2-Aminoethanol) extrapure AR, ACS, ExiPlus, Multi-Compendial, 9 meets compendial specs of BP, USP	500 ml	6.32	73816 [60-00-4]	EDTA Free Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.4% (Ethylenediaminetetraacetic Acid Free Acid) meets compendial specs of BP, USP, Ph.	500 Gms	8.55
		2500 ml	27.64			5 Kg	76.33
17220 [1239-45-8]	Ethidium Bromide extrapure, 95% (Homidium Bromide)	1 Gms	8.16	44478 [25102-12-9]	EDTA Dipotassium Salt pure, 98% (Ethylenediaminetetraacetic Acid Dipotassium Salt)	100 Gms	2.90
		5 Gms	35.40			500 Gms	7.63
			5 Kg			71.06	
93079 [1239-45-8]	Ethidium Bromide for molecular biology, 95% (Homidium Bromide)	1 Gms	8.82	62196 [25102-12-9]	EDTA Dipotassium Salt extrapure AR, 99% (Ethylenediaminetetraacetic Acid Dipotassium Salt)	100 Gms	3.22
		5 Gms	38.69			500 Gms	8.55
			5 Kg			76.33	
16201	Ethidium Bromide Solution (10mg/ml)	10 ml	10.53	12070 [6381-92-6]	EDTA Disodium Salt Dihydrate pure, 98% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	100 Gms	2.90
		50 ml	26.32			500 Gms	6.84
			5 Kg			59.22	
89362 [141-78-6]	Ethyl Acetate pure, 99%	500 ml	3.68	40088 [6381-92-6]	EDTA Disodium Salt Dihydrate extrapure AR, 99.5% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	100 Gms	3.22
		2500 ml	16.45			500 Gms	7.37
		25 Ltr	144.76			5 Kg	69.75
66183 [141-78-6]	Ethyl Acetate extrapure AR, 99.5%	500 ml	4.47	50027 [6381-92-6]	EDTA Disodium Salt Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate) meets compendial specs of USP	100 Gms	3.55
		2500 ml	18.42			500 Gms	8.16
			5 Kg			76.33	
62952 [141-78-6]	Ethyl Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	5.00	43272 [6381-92-6]	EDTA Disodium Salt Dihydrate for molecular biology, 99.5% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	100 Gms	4.34
		2500 ml	21.06			500 Gms	15.13
			1 Kg			27.64	
72598 [141-78-6]	Ethyl Acetate Dried, 99.5%, water 0.005%	500 ml	5.26			5 Kg	128.97
		1000 ml	10.13				
73106 [141-78-6]	Ethyl Acetate GC-HS, 99.9%	500 ml	6.84				
		1000 ml	11.84				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
35108 [6381-92-6]	EDTA Disodium Salt Dihydrate for tissue culture, 99.5% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	100 Gms 500 Gms	4.08 14.48	83416 [60-29-7]	Ethyl Ether extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Diethyl ether) meets compendial specs of BP	500 ml 2500 ml	7.24 27.90
96540 [6381-92-6]	EDTA Disodium Salt 0.1M Solution	500 ml 1000 ml	4.87 8.82	83131 [60-29-7]	Ethyl Ether Dried, 99.5%, water 0.005% (Diethyl Ether)	500 ml 1000 ml 2500 ml	7.11 13.55 29.61
48960 [6381-92-6]	EDTA Disodium Salt 0.01M Solution	500 ml 1000 ml	4.61 8.42	68329 [60-29-7]	Ethyl Ether for HPLC & UV Spectroscopy, 99.9%	500 ml 1000 ml	30.27 54.22
35888 [6381-92-6]	EDTA Disodium Salt 0.5M Solution	500 ml 1000 ml	6.58 12.50	87796 [60-29-7]	Ethyl Ether GC-HS, 99.9%	500 ml 1000 ml	30.40 57.38
73557 [6381-92-6]	EDTA Disodium Salt 0.05M Solution	500 ml 1000 ml	3.29 5.92	36979 [109-94-4]	Ethyl Formate pure, 98%	500 ml 2500 ml 25 Ltr	6.58 28.95 263.20
59389 [15708-41-5]	EDTA Ferric Monosodium Salt extrapure, 12-14% Fe (Ethylenediaminetetraacetic Acid Ferric Monosodium Salt)	100 Gms 500 Gms	2.90 7.90	50371 [2390-59-2]	Ethyl Violet (C.I. No. 42600) for microscopy	25 Gms	11.58
41000 [14402-88-1]	EDTA Magnesium Disodium Complex (EDTA Mg) pure (Ethylenediaminetetraacetic Acid Magnesium Disodium Complex)	100 Gms 500 Gms	2.63 7.90	89474	Fehling`s solution A	500 ml	5.26
15078 [10378-23-1]	EDTA Tetrasodium Salt Dihydrate extrapure, 98% (Ethylenediaminetetraacetic Acid Tetrasodium Salt Dihydrate)	100 Gms 500 Gms	2.90 7.90	12603	Fehling`s solution B	500 ml	7.90
78036 [10378-23-1]	EDTA Tetrasodium Salt Dihydrate extrapure AR, 99% (Ethylenediaminetetraacetic Acid Tetrasodium Salt Dihydrate)	100 Gms 500 Gms	5.00 19.74	25106 [13268-42-3]	Ferric Ammonium Oxalate Trihydrate pure, 98% (Ammonium Iron Oxalate Trihydrate, Ammonium Iron (III) Oxalate Trihydrate)	100 Gms 500 Gms	11.84 39.48
45247 [10378-23-1]	EDTA Tetrasodium Salt Dihydrate for molecular biology, 99.5% (Ethylenediaminetetraacetic Acid Tetrasodium Salt Dihydrate)	100 Gms 500 Gms	6.58 27.64	72287 [7705-08-0]	Ferric Chloride Anhydrous pure, 98% (Iron (III) Chloride)	500 Gms 5 Kg 25 Kg	3.68 30.66 115.15
24377 [13235-36-4]	EDTA Tetrasodium Salt Tetrahydrate extrapure, 99% (Ethylenediaminetetraacetic Acid Tetrasodium Salt Tetrahydrate)	100 Gms 500 Gms	3.95 10.53	66492 [7705-08-0]	Ferric Chloride Anhydrous ExiPlus, Multi-Compendial, 98% (Iron (III) Chloride) Meets compendial specs of BP	500 Gms 5 Kg	5.40 46.06
19950 [85715-60-2]	EDTA Trisodium Salt Hydrate extrapure, 95% (Ethylenediaminetetraacetic Acid Trisodium Hydrate)	100 Gms 500 Gms 5 Kg	6.84 23.69 223.72	18831 [3522-50-7]	Ferric Citrate Trihydrate pure, 18-20% Fe (Iron (III) Citrate Trihydrate)	500 Gms	12.90
47471 [107-21-1]	Ethylene Glycol (MEG, Monoethylene Glycol) pure, 98% (Ethanediol)	500 ml 2500 ml 25 Ltr	3.29 13.16 111.86	92273 [3522-50-7]	Ferric Citrate Trihydrate for tissue culture, 18-20% Fe (Iron (III) Citrate Trihydrate)	500 Gms	13.55
95361 [107-21-1]	Ethylene Glycol (MEG, Monoethylene Glycol) extrapure AR, 99%	500 ml 2500 ml	3.29 14.48	72655 [10025-77-1]	Ferric Chloride Hexahydrate ACS, 97% (Iron (III) chloride Hexahydrate)	500 Gms 5 Kg	8.95 82.91
27466 [122-99-6]	Ethylene Glycol Monophenylether pure, 99% (Phenyl cellosolve, 2-Phenoxyethanol)	500 ml 2500 ml	6.05 30.27	87144 [7782-61-8]	Ferric Nitrate Nonahydrate ACS, 98% (Iron (III) Nitrate Nonahydrate)	500 Gms	6.58
82832 [2807-30-9]	Propyl Cellosolve (Ethylene Glycol Monopropyl Ether) extrapure, 99% (2-Propoxyethanol, Propyl glycol)	500 ml 2500 ml	14.48 59.22	28454 ✓ [10045-86-0]	Ferric Phosphate pure, 97% (Iron(III) Phosphate)	500 Gms	10.53
25049 [60-29-7]	Ethyl Ether pure, 99% (Diethyl ether)	500 ml 2500 ml 25 Ltr	5.79 23.16 196.08	69325 [1309-37-1]	Ferric Oxide Red extrapure, 95% (Iron (III) Oxide Red)	500 Gms	5.79
64665 [60-29-7]	Ethyl Ether extrapure AR, 99.5% (Diethyl ether)	500 ml 2500 ml	6.58 26.98	39102 [15244-10-7]	Ferric Sulphate Hydrate pure, 19-21% Fe (Iron (III) Sulphate Hydrate)	500 Gms 5 Kg	3.68 35.53
				14621 [15244-10-7]	Ferric Sulphate Hydrate extrapure AR, 19-21% Fe (Iron (III) Sulphate Hydrate)	500 Gms 5 Kg	4.21 39.48
				74871 [15244-10-7]	Ferric Sulphate Hydrate for tissue culture, 19-21% Fe (Iron (III) Sulphate Hydrate)	500 Gms 5 Kg	5.53 52.64
				57888 [14634-91-4]	Ferroun solution AR	100 ml	12.37



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
37323 [14634-91-4]	Ferroin Solution AR, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	100 ml	12.77	13142 [5995-86-8]	Gallic Acid pure, 98% (3,4,5-Trihydroxy Benzoic Acid)	100 Gms 500 Gms	11.19 39.48
82984 [13478-10-9]	Ferrous Chloride Tetrahydrate extrapure, 98% (Iron (II) Chloride Tetrahydrate)	500 Gms 5 Kg	7.90 71.72	42306 [5995-86-8]	Gallic Acid ACS, ExiPlus, Multi-Compendial, 98% (3,4,5-Trihydroxy Benzoic Acid) meets compendial specs of BP	100 Gms 500 Gms	14.48 44.74
94185 [1317-37-9]	Ferrous Sulphide Fused Sticks, 23-27% S (Iron(II) Sulfide, Ferrous Sulfide)	1 Kg 5 Kg	10.53 50.67	83740 [9000-70-8]	Gelatin Powder ex. Porcine (Type B), 120g Bloom	500 Gms 5 Kg	19.74 171.08
93668 [7782-63-0]	Ferrous Sulphate Heptahydrate for tissue culture, 99.5% (Iron (II) Sulphate Heptahydrate)	500 Gms	5.40	95110 [77-06-5]	Gibberellic Acid (GA3), 90%	1 Gms 10 Gms 100 Gms	1.84 17.50 138.44
31929 [7782-63-0]	Ferrous Sulphate Heptahydrate pure, 98% (Iron (II) Sulphate Heptahydrate)	500 Gms 5 Kg 25 Kg	3.03 18.42 78.96	24367 [468-44-0, 510-75-8]	Gibberellic Acid (GA4+7), 90%	1 Gms 5 Gms 25 Gms	10.53 34.22 144.76
97868 [7782-63-0]	Ferrous Sulphate Heptahydrate extrapure ACS, 99% (Iron (II) Sulphate Heptahydrate)	500 Gms 5 Kg	3.82 34.48	94857 [77-06-5]	Gibberellic Acid (GA3) for tissue culture, 90%	1 Gms 10 Gms 100 Gms	2.11 19.61 148.44
53072 [75-12-7]	Formamide pure, 98.5% (Methanamide)	500 ml 2500 ml 25 Ltr	5.79 27.64 250.04	45881 [51811-82-6]	Giemsa Stain	25 Gms 100 Gms 500 Gms	7.90 30.14 144.76
71714 [75-12-7]	Formamide extrapure AR, 99.5% (Methanamide)	500 ml 2500 ml	7.63 32.90	72402 ✓	Giemsa Stain Solution (Giemsa Azur-Eosin-Methylene Blue Solution)	100 ml 250 ml 500 ml	4.08 8.03 14.48
74841 [75-12-7]	Formamide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	500 ml 2500 ml	8.55 36.85	20149 [56-86-0]	L-Glutamic Acid extrapure CHR, 99%	250 Gms 1 Kg 5 Kg	8.55 27.64 118.44
30349 [75-12-7]	Formamide for molecular biology, 99.5% (Methanamide)	500 ml 1000 ml	11.19 18.42	50277 [56-86-0]	L-Glutamic Acid for tissue culture, 99%	100 Gms 500 Gms	5.92 19.74
83256 [75-12-7]	Formamide for UV Spectroscopy, 99% (Methanamide)	500 ml 1000 ml	15.79 27.64	18376 [56-86-0]	L-Glutamic Acid ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms 250 Gms 1 Kg	5.00 9.87 36.85
62673 [64-18-6]	Formic Acid extrapure AR, 98%	500 ml	6.58	23229 [6106-04-3]	L-Glutamic Acid Monosodium Salt Monohydrate (MSG) extrapure, 99% (Monosodium Glutamate, Monosodium L-Glutamate)	500 Gms 5 Kg 25 Kg	6.19 57.38 258.20
42868 [57-48-7]	D-Fructose extrapure (D Fructose, D (-) Fructose)	500 Gms 5 Kg 25 Kg	7.24 68.43 329.00	42595 [56-81-5]	Glycerol (Glycerine) Anhydrous pure, 99%	500 ml 2500 ml 25 Ltr	3.42 14.48 131.60
68823 [57-48-7]	D-Fructose for tissue culture (D Fructose, D (-) Fructose)	500 Gms	12.50	77453 [56-81-5]	Glycerol (Glycerine) Anhydrous ACS, 99.5%	500 ml 2500 ml	3.82 15.79
86364 [110-17-8]	Fumaric Acid pure, 99%	500 Gms 5 Kg 25 Kg	5.26 50.01 197.40	59991 [56-81-5]	Glycerol (Glycerine) Anhydrous ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 ml 2500 ml	4.34 17.77
79503 [110-17-8]	Fumaric Acid extrapure AR, 99%	500 Gms 5 Kg	7.90 75.01	62417 [56-81-5]	Glycerol (Glycerine) for molecular biology, 99.5%	100 ml 500 ml	3.95 13.82
97328 [110-17-8]	Fumaric Acid extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 Gms 5 Kg	10.53 98.70	85916 [60-01-5]	Glycerol Tributryrate (Tributytrin) pure, 97%	100 ml 500 ml	15.79 65.80
14277 [632-99-5]	Fuchsin Basic (Basic Fuchsin) (C.I. No. 42510)	25 Gms 100 Gms 500 Gms	3.68 10.13 44.74				
62967	Fusion Mixture extrapure	500 Gms	5.66				
24016	Fusion Mixture extrapure AR	500 Gms	7.11				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
25853 [56-40-6]	Glycine pure, 99%	500 Gms	7.63	19123 [7782-42-5]	Graphite Synthetic (Type 2) pure, 97% C, 100mesh	500 Gms	5.92		
		5 Kg	72.38			2.5 Kg	27.64		
		25 Kg	348.74						
66327 [56-40-6]	Glycine extrapure AR, 99.5%	500 Gms	8.55	26870 [7782-42-5]	Graphite Synthetic (Type 3) pure, 96% C, 325mesh	500 Gms	7.24		
		5 Kg	81.59			2.5 Kg	32.90		
		25 Kg	381.64						
64072 [56-40-6]	Glycine for molecular biology, 99.5%	100 Gms	3.16	86601 [593-85-1]	Guanidine Carbonate extrapure, 99%	100 Gms	5.53		
		500 Gms	14.48			500 Gms	16.45		
		1 Kg	26.32			5 Kg	144.76		
		5 Kg	107.91						
72938 [56-40-6]	Glycine for tissue culture, 99.5%	500 Gms	10.53	54542 [50-01-1]	Guanidine Hydrochloride (GHC) pure, 99%	100 Gms	5.79		
		5 Kg	97.38			500 Gms	18.69		
52574 [56-40-6]	Glycine for electrophoresis, 99.5%	100 Gms	18.42			1 Kg	35.93		
		500 Gms	78.96			5 Kg	172.13		
69422 [56-40-6]	Glycine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms	9.48	45539 [50-01-1]	Guanidine Hydrochloride (GHC) for molecular biology, 99.5%	100 Gms	9.21		
		5 Kg	89.49			500 Gms	36.85		
40682 [56-40-6]	Glycine IP	1 Kg	15.79			1 Kg	60.54		
		5 Kg	65.80			5 Kg	289.52		
		25 Kg	296.10						
74072 [56-40-6]	Glycine BP	1 Kg	15.79	80272 [593-84-0]	Guanidine Thiocyanate (GTC) for molecular biology, 99%	100 Gms	10.53		
		5 Kg	65.80			500 Gms	42.11		
		25 Kg	296.10			1 Kg	71.06		
		5 Kg	342.16						
37449 [56-40-6]	Glycine USP	1 Kg	18.42	68413 [50-01-1]	Guanidine Hydrochloride (GHC) ExiPlus, Multi-Compendial, 99% Meets compendial specs of BP, USP	250 Gms	19.74		
		5 Kg	82.25			1 Kg	56.59		
		25 Kg	394.80			5 Kg	263.20		
38063 [79-14-1]	Glycolic Acid extrapure, 70% soln in water	500 ml	12.50	20222 [9000-30-0]	Guar Gum extrapure	500 Gms	5.53		
		2500 ml	56.59			5 Kg	46.06		
27194	Gold AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml	55.27	90970 [9000-01-5]	Acacia (Gum Acacia) extrapure (Gum Arabic)	500 Gms	7.37		
		250 ml	103.96			5 Kg	63.56		
						25 Kg	310.31		
59611 [16961-25-4]	Gold Chloride Hydrate (Tetrachloroauric Acid) ultrapure, 99.99%, ~49% Au	500 Mg	136.34	90938 [9000-01-5]	Acacia (Gum Acacia) (enzyme free) extrapure AR (Gum Arabic)	500 Gms	11.19		
		1 Gms	235.17			39758	Hematoxylin solution (DeLafield`s) for microscopy	125 ml	6.45
		5 Gms	1052.80	78631	Hematoxylin solution (Ehrlich) for microscopy			125 ml	6.45
12023 [16961-25-4]	Gold Chloride Trihydrate (Tetrachloroauric Acid) pure, ~49% Au	500 Mg	111.33					40362	Hematoxylin solution (Harris) for microscopy
		1 Gms	210.56	48441	Hematoxylin solution (Mayer`s) for microscopy	100 ml	3.55		
		5 Gms	921.20			19241 [142-82-5]	n-Heptane extrapure, 99%		
81173 [13874-02-7]	Gold Chloride Sodium	1 Gms	184.24	2500 ml	19.74				
		5 Gms	815.92	25 Ltr	184.24				
84763 [16903-35-8]	Gold Chloride Solution 30% in HCl, 17% Au	5 ml	302.68	94979 [142-82-5]	n-Heptane extrapure AR, 99%	500 ml	5.66		
		10 ml	526.40			2500 ml	23.69		
						25 Ltr	223.72		
93281 [13682-61-6]	Gold Potassium Chloride (Potassium Tetrachloroaurate (III)) extrapure, 99.99% (Gold Potassium Chloride)	500 Mg	130.55	96979 [142-82-5]	n-Heptane extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 ml	6.05		
		1 Gms	250.04			2500 ml	27.64		
10436	Gram`s Iodine, 33% I	5 Gms	4.34			90731 [142-82-5]	n-Heptane for HPLC & UV Spectroscopy, 99.5%	500 ml	7.90
		25 Gms	11.84					1000 ml	14.48
		100 Gms	46.06						
		500 Gms	217.14						
59538 [7782-42-5]	Graphite Synthetic (Type 1) pure, 98% C, 50mesh	500 Gms	4.61						
		2.5 Kg	19.74						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
94373 [22767-50-6]	Heptane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	15.79	70389 [107-41-5]	Hexylene Glycol pure, 99%	500 ml	10.53
		100 Gms	57.38			2500 ml	48.69
		250 Gms	140.68			25 Ltr	460.60
55272 [207300-90-1]	Heptane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	15.79	38885 [351-50-8]	D-Histidine extrapure, 99%	5 Gms	39.87
		100 Gms	57.38			25 Gms	105.28
		250 Gms	140.68				
55120 [111-70-6]	1-Heptanol extrapure, 98% (n-Heptanol, n-Heptyl Alcohol)	500 ml	18.42	94495 [71-00-1]	L-Histidine (base) extrapure CHR, 99%	25 Gms	10.53
		2500 ml	85.54			100 Gms	36.85
60805 [67-72-1]	Hexachloroethane pure, 99%	500 Gms	8.55			500 Gms	171.08
		5 Kg	78.96			1 Kg	322.42
36027 [18497-13-7]	Hexachloroplatinic Acid Hexahydrate (Platinum Chloride Hexahydrate) ACS, 38-40% Pt (Platinic Chloride Hexahydrate)	250 Mg	32.90	42437 [71-00-1]	L-Histidine ExiPlus, Multi-Compendial, 99%	25 Gms	13.16
		1 Gms	76.33			100 Gms	44.61
		5 Gms	342.16			1 Kg	342.16
		25 Gms	1579.20				
							meets compendial specs of USP, BP, Ph.Eur
37465 [629-73-2]	1-Hexadecene (Cetene) extrapure, 95%	250 ml	37.51	28061 [5934-29-2]	L-Histidine Hydrochloride Monohydrate extrapure CHR, 99%	25 Gms	9.34
		500 ml	59.22			100 Gms	28.95
81451 [100-97-0]	Hexamine pure, 99% (Hexamethylenetetramine, HMTA)	500 Gms	3.95			500 Gms	105.28
		5 Kg	34.22			1 Kg	186.87
92391 [100-97-0]	Hexamine extrapure AR, 99.5%	500 Gms	4.61			5 Kg	894.88
		5 Kg	39.48				
91454 [110-54-3]	n-Hexane pure, 95%	500 ml	6.58	51565 [4998-57-6]	DL-Histidine extrapure, 99%	5 Gms	26.32
		2500 ml	30.27			25 Gms	105.28
		25 Ltr	250.04			100 Gms	394.80
65764 [110-54-3]	n-Hexane for HPLC, 95%	500 ml	8.16	40599 [12055-62-8]	Holmium (III) Oxide ultrapure, 99.9%	5 Gms	26.32
		1000 ml	15.79			10 Gms	46.06
		2500 ml	36.85			25 Gms	98.70
77045 [110-54-3]	n-Hexane pure, 99%	500 ml	7.90	59764 [68514-28-3]	Humic Acid Potassium Salt (Potassium Humate) pure, 70% Humic, 15% Fulvic	500 Gms	5.00
		2500 ml	34.22			5 Kg	46.06
		25 Ltr	315.84				
12534 [110-54-3]	n-Hexane extrapure AR, 99%	500 ml	8.95	53931 [7803-57-8]	Hydrazine Hydrate extrapure, 80% (Hydrazinium Hydroxide)	500 ml	11.84
		2500 ml	36.85			2500 ml	52.64
27226 [110-54-3]	n-Hexane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 ml	9.74			25 Ltr	493.50
		2500 ml	39.48				
							meets compendial specs of USP, BP, Ph.Eur
33823 [110-54-3]	n-Hexane for HPLC, 99%	500 ml	10.53	99313 [10034-93-2]	Hydrazine Sulphate extrapure, 99%	100 Gms	5.79
		1000 ml	19.74			500 Gms	25.66
		2500 ml	46.06				
40501 [110-54-3]	n-Hexane GC-HS, 99.9%	250 ml	10.79	33243 [10034-93-2]	Hydrazine Sulphate extrapure AR, 99.5%	100 Gms	7.24
		1000 ml	35.53			500 Gms	30.27
29114 [110-54-3]	n-Hexane Dried, 99%, water 0.005%	500 ml	13.82	78110 [10034-93-2]	Hydrazine Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	100 Gms	9.34
		1000 ml	26.32			500 Gms	34.35
49346 [2832-45-3]	Hexane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	15.79	21435 [10035-10-6]	Hydrobromic Acid pure, 48-49% in water	500 ml	12.50
		100 Gms	57.38			2500 ml	57.90
		250 Gms	140.68				
78597 [207300-91-2]	Hexane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	15.79	30106 [10035-10-6]	Hydrobromic Acid, 31-34% in Glacial Acetic Acid	500 ml	13.82
		100 Gms	57.38			2500 ml	68.43
		250 Gms	140.68				
99790 [7647-01-0]	Hydrochloric Acid 0.1N Aq. Solution	500 ml	2.11	99790 [7647-01-0]	Hydrochloric Acid 0.1N Aq. Solution	1000 ml	3.82
		1000 ml	3.82				
62889 [7647-01-0]	Hydrochloric Acid 1N Aq. Solution	500 ml	3.95	30988 [7647-01-0]	Hydrochloric Acid 0.5N Aq. Solution	500 ml	2.37
		1000 ml	7.24			1000 ml	4.34



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
87039 [7647-01-0]	Hydrochloric Acid 2N Aq. Solution	500 ml	4.34	65712 [288-32-4]	Imidazole pure, 99%	100 Gms	4.87
		1000 ml	8.16			500 Gms	19.21
80096 [7647-01-0]	Hydrochloric Acid 3N Aq. Solution	500 ml	4.74			5 Kg	157.92
		1000 ml	8.69			25 Kg	658.00
65955 [7647-01-0]	Hydrochloric Acid 4N Aq. Solution	500 ml	5.13	32822 [288-32-4]	Imidazole extrapure AR, 99%	100 Gms	8.55
		1000 ml	9.61			500 Gms	27.24
72775 [7647-01-0]	Hydrochloric Acid 4M Solution in Dioxane	1000 ml	18.42			5 Kg	250.04
		2500 ml	45.53			25 Kg	1117.02
34472 [7647-01-0]	Hydrochloric Acid 5N Aq. Solution	500 ml	5.53	78496 [288-32-4]	Imidazole extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	100 Gms	8.82
		1000 ml	10.13			500 Gms	30.66
17560 [7647-01-0]	Hydrochloric Acid 6N Aq. Solution	500 ml	5.79			meets compendial specs of USP, BP, Ph.Eur	
		1000 ml	10.66				
79661 [7647-01-0]	Hydrochloric Acid 0.05N Aq. Solution	500 ml	2.63	61510 [288-32-4]	Imidazole for molecular biology, 99.5%	25 Gms	6.58
		1000 ml	4.74			100 Gms	18.42
40918 [7647-01-0]	Hydrochloric Acid 0.01M Aq. Solution	500 ml	2.63			500 Gms	68.43
		1000 ml	4.74	10722 [288-32-4]	Imidazole for tissue culture, 99.5%	100 Gms	10.53
56059 [5470-11-1]	Hydroxylamine Hydrochloride pure, 98%	100 Gms	3.29			73017 [8000-27-9]	Immersion Oil Synthetic for microscopy (Cedarwood Oil Synthetic, Immersion Oil Thickened)
		500 Gms	9.87	125 ml	9.61		
66164 [5470-11-1]	Hydroxylamine Hydrochloride extrapure AR, 99%	100 Gms	4.61			500 ml	26.32
		500 Gms	14.48			5 Ltr	243.46
65508 [5470-11-1]	Hydroxylamine Hydrochloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur, USP	100 Gms	5.26	63214	Indium AAS Standard Solution in 1N HCl (Traceable to NIST)	100 ml	21.06
		500 Gms	16.45			250 ml	34.22
47748 [7803-49-8]	Hydroxylamine 50% Soln. in Water	50 ml	26.32	88318 [87-51-4]	Indole-3-Acetic Acid (IAA) pure, 98%	5 Gms	5.66
		100 ml	46.06			25 Gms	18.29
		500 ml	171.08			100 Gms	64.48
13877 [10039-54-0]	Hydroxylamine Sulphate pure, 99%	100 Gms	3.03	96788 [87-51-4]	Indole-3-Acetic Acid (IAA) for tissue culture, 98%	5 Gms	8.55
		500 Gms	8.55			25 Gms	31.58
83032 [10039-54-0]	Hydroxylamine Sulphate extrapure AR, ACS, 99%	100 Gms	3.42			100 Gms	94.75
		500 Gms	10.92	18676 [771-51-7]	Indole-3-Acetonitrile pure, 98%	5 Gms	20.92
44439 [622-40-2]	4-(2-Hydroxyethyl)morpholine (4-HEM) extrapure, 99% (2-Morpholinoethanol, 4-Morpholineethanol)	100 ml	5.13				
		500 ml	18.69	40407 [133-32-4]	Indole-3-Butyric Acid (IBA) pure, 98%	5 Gms	6.84
91113 [148-24-3]	8-Hydroxyquinoline (8-Quinololinol) extrapure, 99.5%	100 Gms	11.84				
		500 Gms	46.06			100 Gms	72.77
23264 [148-24-3]	8-Hydroxyquinoline (8-Quinololinol) extrapure AR, ACS, 99.5%	100 Gms	12.90	60289 [133-32-4]	Indole-3-Butyric Acid (IBA) for tissue culture, 98%	5 Gms	9.87
		500 Gms	52.64			25 Gms	34.48
26356 [6303-21-5]	Hypophosphorous Acid pure, 30-32% in water (Phosphinic Acid)	500 ml	15.79			100 Gms	107.65
				35095 [771-50-6]	Indole-3-Carboxylic Acid pure, 99%	5 Gms	16.58
92379 [6303-21-5]	Hypophosphorous Acid extrapure AR, 50% in water (Phosphinic Acid)	500 ml	18.42				
				67892 [7790-99-0]	Iodine Monochloride extrapure, 98%	25 Gms	11.71
64556 [8029-68-3]	Ichthammol pure, 50%	500 Gms	65.80				
		1 Kg	118.44			250 Gms	85.54
				66098 [7790-99-0]	Iodine Monochloride Solution (1M in Acetic Acid) (Wij` s Solution) extrapure (Chloroiodide Solution)	250 ml	21.06
						500 ml	39.48
				40415 [12029-98-0]	Iodine Pentoxide (Iodopentoxide) extrapure AR, 99%	25 Gms	18.42
						100 Gms	60.54
				52539 [7553-56-2]	Iodine Resublimed AR, 99.8%	100 Gms	42.11
						500 Gms	203.98



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
37524 [7553-56-2]	Iodine Resublimed AR, ACS, ExiPlus, Multi-Compendial, 99.8% meets compendial specs of USP, BP, Ph.Eur	100 Gms	44.74	52497 [110-19-0]	Isobutyl Acetate extrapure, 98% (Acetic Acid Isobutyl Ester)	500 ml	7.24
		500 Gms	217.14			2500 ml	32.90
68017 [7553-56-2]	Iodine 0.01N Solution	500 ml	7.24	41867 ⚠ [78-84-2]	Isobutyraldehyde extrapure, 99% (2-Methylpropionaldehyde)	500 ml	5.79
		1000 ml	13.55			2500 ml	25.66
59802 [7553-56-2]	Iodine 1N Solution	500 ml	28.95	53502 [540-84-1]	Isooctane extrapure, 99%	500 ml	11.45
12445 [7553-56-2]	Iodine 0.1N Solution	500 ml	13.16			2500 ml	54.22
84644 [865-44-1]	Iodine Trichloride extrapure, 97%	25 Gms	40.80			25 Ltr	487.71
36388 [75-47-8]	Iodoform pure, 99%	25 Gms	21.06	57075 [540-84-1]	Isooctane extrapure AR, 99.5%	500 ml	14.21
		100 Gms	71.06			2500 ml	62.12
		250 Gms	171.08			25 Ltr	537.98
58593	Iodophor, 1.60% I	1000 ml	15.79	81399 [540-84-1]	Isooctane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 ml	14.87
		5 Ltr	72.38			2500 ml	66.98
70031 ⚠ [516-12-1]	N-Iodosuccinimide extrapure, 99% (1-Iodo-2,5-Pyrrolidinedione)	5 Gms	5.26	68930 [540-84-1]	Isooctane for HPLC & UV Spectroscopy, 99.5%	500 ml	18.03
		25 Gms	17.11			1000 ml	31.85
		100 Gms	65.80			2500 ml	69.75
22157 [7439-88-5]	Iridium Metal Powder extrapure, 99.9%	100 Mg	98.70	67959 [540-84-1]	Isooctane Fuel Grade for HPLC & UV Spectroscopy, 99.9% (2,2,4 -Trimethylpentane)	500 ml	27.64
		500 Mg	447.44			2500 ml	115.81
		1 Gms	855.40	15485 [540-84-1]	Isooctane GC-HS, 99.9% (2,2,4 -Trimethylpentane)	500 ml	50.01
50716 [14996-61-3]	Iridium Trichloride Hydrate extrapure, 99%	250 Mg	125.02	98605 [540-84-1]	Isooctane Dried, 99.5%, water 0.005% (2,2,4 -Trimethylpentane)	1000 ml	27.11
		1 Gms	526.40				
		5 Gms	2368.80	67800 [67-63-0]	Isopropanol (IPA) pure, 99% (Isopropyl alcohol, 2-Propanol)	500 ml	3.68
84425	Iron AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	100 ml	21.06			2500 ml	17.11
		250 ml	34.22			25 Ltr	157.92
64857 [7439-89-6]	Iron Metal Powder (Electrolytic), 99.5%, mesh ~200	500 Gms	9.34	62986 [67-63-0]	Isopropanol (IPA) ACS, 99.5% (Isopropyl alcohol, 2-Propanol)	500 ml	3.95
		1 Kg	13.16			2500 ml	19.08
		5 Kg	59.75	11768 [67-63-0]	Isopropanol (IPA) ACS, ExiPlus, Multi-Compendial, 99.5% (Isopropyl alcohol, 2-Propanol) meets compendial specs of USP, BP, Ph.Eur	500 ml	4.34
90354 [91-56-5]	Isatin extrapure AR, 99% (2,3-Indolinedione)	25 Gms	13.55			2500 ml	21.06
		100 Gms	46.59	38445 [67-63-0]	Isopropanol (IPA) for molecular biology, 99.8% (Isopropyl alcohol, 2-Propanol)	100 ml	3.29
57020 [123-51-3]	Isoamyl Alcohol (Isopentyl Alcohol) pure, 99%	500 ml	4.47			500 ml	9.21
		2500 ml	21.06			1000 ml	17.77
69931 [123-51-3]	Isoamyl Alcohol (Isopentyl Alcohol) extrapure AR, 99%	500 ml	5.00	10140 [67-63-0]	Isopropanol (IPA) GC-HS, 99.9% (Isopropyl alcohol, 2-Propanol)	250 ml	4.21
		2500 ml	23.03			500 ml	7.63
88719 [123-51-3]	Isoamyl Alcohol (Isopentyl Alcohol) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 ml	5.79			1000 ml	14.48
		2500 ml	26.32	16666 [67-63-0]	Isopropanol (IPA) Dried, 99.5%, water 0.005% (Isopropyl alcohol, 2-Propanol)	500 ml	8.55
69412 [78-83-1]	Isobutanol pure, 99%	500 ml	4.74			1000 ml	15.79
		2500 ml	19.21	44036 [67-63-0]	Isopropanol (IPA) for HPLC & UV Spectroscopy, 99.8% (Isopropyl alcohol, 2-Propanol)	500 ml	6.32
		25 Ltr	162.13			1000 ml	11.19
98646 [78-83-1]	Isobutanol extrapure AR, 99.5%	500 ml	5.92			2500 ml	23.69
		2500 ml	23.16	48906 [67-63-0]	Isopropanol (IPA) electronic grade, 99.8% (Isopropyl alcohol, 2-Propanol)	2500 ml	31.58
34159 [78-83-1]	Isobutanol GC-HS, 99.9%	250 ml	7.37	62616 [67-63-0]	Isopropanol (IPA) VLSI Semiconductor Grade, 99.8% (Isopropyl alcohol, 2-Propanol)	1000 ml	78.96
		500 ml	13.29			2500 ml	177.66
		1000 ml	23.29				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
13627 [108-22-5]	Isopropenyl Acetate extrapure, 99%	100 ml	9.87	19459	Lanthanum AAS Standard Solution in 2N HNO₃ (Traceable to NIST)	100 ml	25.00
		500 ml	40.80			250 ml	38.16
35858 [75-31-0]	Isopropylamine (MIPA) extrapure, 99% (Monoisopropylamine)	500 ml	6.84	70514 [143-07-7]	Lauric Acid pure, C12-99% (Dodecanoic Acid)	500 Gms	5.92
		2500 ml	28.69			5 Kg	55.27
73716 [110-27-0]	Isopropyl Myristate pure, 90%	500 ml	11.32	90346 [1335-32-6]	Lead Subacetate extrapure, Pb content 33% (Lead (II) Acetate Basic, Lead Hydroxide Acetate, Horne's Compound)	500 Gms	12.24
		2500 ml	51.85			2.5 Kg	59.61
32009 [110-27-0]	Isopropyl Myristate ExiPlus, Multi-Compendial, 90% meets compendial specs of USP, Ph.Eur	500 ml	12.63	72518 [6080-56-4]	Lead (II) Acetate Trihydrate pure, 99% (Plumbous Acetate Trihydrate, Lead Diacetate)	500 Gms	6.97
		2500 ml	55.80			5 Kg	65.80
42822 [110-27-0]	Isopropyl Myristate extrapure AR (0.2um filtered), 98%	500 ml	23.95	69586 [10099-74-8]	Lead AAS Standard Solution in 0.5N HNO₃ (Traceable to NIST)	100 ml	21.06
		2500 ml	103.83			250 ml	34.22
36494 [9002-13-5]	Jack Bean Meal ex. Urease extrapure (Crude Urease)	100 Gms	3.55	69789 [7758-95-4]	Lead (II) Chloride Anhydrous extrapure, 98%	500 Gms	9.21
		500 Gms	16.06			100 Gms	6.45
20489 [2869-83-2]	Janus Green B (JG-B), 65% (Diazin Green, Union Green B)	5 Gms	10.00	87373 [1309-60-0]	Lead Dioxide (Lead Peroxide) extrapure, 95%	500 Gms	26.32
		25 Gms	40.01			500 Gms	26.32
86543 [62851-42-7]	Jenners Stain (Eosin-methylene blue)	25 Gms	8.29	60843 [7783-46-2]	Lead (II) Fluoride pure, 98% (Plumbous Fluoride)	500 Gms	15.79
		100 Gms	31.45			500 Gms	15.79
57080 [1332-58-7]	Kaolin Light extrapure	500 Gms	2.63	64972 [10099-74-8]	Lead (II) Nitrate extrapure, 99% (Plumbous Nitrate, Lead Dinitrate)	500 Gms	7.90
		5 Kg	11.84			5 Kg	72.38
34469	Karl Fischer Reagent (Pyridine free, Single Solution)	500 ml	42.64	68030 [10099-74-8]	Lead (II) Nitrate ACS, 99% (Plumbous nitrate, lead dinitrate)	500 Gms	9.87
		2 x250 ml	42.64			5 Kg	94.75
62878 [79-33-4]	L-Lactic Acid for tissue culture, 88% (L-(+)-Lactic Acid)	100 ml	7.90	50314 [1317-36-8]	Lead (II) Oxide (Lead Monoxide, Litharge) pure, 99%	500 Gms	7.90
		500 ml	8.69			1 Kg	14.48
93762 [79-33-4]	L-Lactic Acid pure, 88% (L-(+)-Lactic Acid)	500 ml	8.69	60795 [7446-14-2]	Lead (II) Sulphate extrapure, 98% (Anglesite)	500 Gms	10.53
		2500 ml	36.85			100 Gms	5.92
41242 [79-33-4]	L-Lactic Acid extrapure AR, 88% (L-(+)-Lactic Acid)	500 ml	9.21	18279 [1317-36-8]	Lead (II) Oxide (Lead Monoxide, Litharge) extrapure AR, ACS, 99%	250 Gms	12.50
		2500 ml	39.48			250 Gms	12.50
21206 [79-33-4]	L-Lactic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 88% (L-(+)-Lactic Acid) meets compendial specs of BP, Ph.Eur	500 ml	9.87	68015	Leishman Staining Solution	250 ml	3.95
		2500 ml	43.43			25 Gms	8.69
54492 [79-33-4]	L-Lactic Acid 0.1N Solution	500 ml	3.29	82184 [12627-53-1]	Leishman Stain	100 Gms	28.95
		1000 ml	6.19			500 Gms	128.97
41158 [79-33-4]	L-Lactic Acid 1N Solution	500 ml	5.53	63007 [61-90-5]	L-Leucine extrapure CHR, 99%	100 Gms	8.55
		1000 ml	10.26			500 Gms	39.48
97513	Lacto Fuchsin Staining Solution	100 ml	5.79	59178 [61-90-5]	L-Leucine extrapure, ExiPlus, Multi-Compendial, 99%	1 Kg	72.38
92598	Lactophenol Cotton Blue Solution	500 ml	3.95			5 Kg	329.00
20863	Lactophenol Mountant Solution	500 ml	4.34	75333 [1305-62-0]	Lime Water Saturated Solution	500 ml	3.68
		500 Gms	8.55			500 Gms	50.01
25957 [10039-26-6, 64044-51-5]	Lactose Monohydrate ACS	500 Gms	8.55	75105	Lithium AAS Standard Solution in 0.5N HNO₃ (Traceable to NIST)	100 ml	21.06
		5 Kg	80.28			250 ml	34.22
33525 [10039-26-6, 64044-51-5]	Lactose Monohydrate for tissue culture	500 Gms	9.21	31665 [7550-35-8]	Lithium Bromide Anhydrous extrapure, 99%	100 Gms	13.16
		5 Kg	83.30			500 Gms	55.27
67091 [10039-26-6, 64044-51-5]	Lactose Monohydrate ACS, ExiPlus, Multi-Compendial meets compendial specs of USP, BP & Ph Eur	500 Gms	9.87	33662 [7550-35-8]	Lithium Bromide Anhydrous ultrapure, 99.999% , -10mesh	5 Gms	75.80
		5 Kg	88.17			25 Gms	252.67



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
73154 [554-13-2]	Lithium Carbonate pure, 98%	100 Gms	23.69	42603	Lugols Iodine 5% Solution (Conc)	125 ml	21.06
		250 Gms	51.32			500 ml	63.17
		500 Gms	98.70				
19558 [554-13-2]	Lithium Carbonate extrapure AR, 99%	100 Gms	26.32	72349 [7274-88-6]	D-Lysine Monohydrochloride extrapure, 99%	5 Gms	44.74
		250 Gms	55.27			25 Gms	171.08
74884 [554-13-2]	Lithium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	250 Gms	59.22	30163 [56-87-1]	L-Lysine (free base) Anhydrous extrapure, 98%	10 Gms	17.90
						25 Gms	42.11
						100 Gms	118.44
39692 [7447-41-8]	Lithium Chloride Anhydrous pure, 99%	100 Gms	29.61	22527 [56-87-1]	L-Lysine (free base) Anhydrous for tissue culture, 98%	10 Gms	20.92
		250 Gms	71.06			25 Gms	46.06
		500 Gms	138.18				
76359 [7447-41-8]	Lithium Chloride Anhydrous ACS, 99%	100 Gms	31.58	15942 [56-87-1]	L-Lysine (free base) Anhydrous ExiPlus, Multi-Compendial, 98%	10 Gms	21.06
		250 Gms	75.01			100 Gms	138.18
26341 [7447-41-8]	Lithium Chloride 1M Solution in Acetic Acid	250 ml	15.13	85187 [39665-12-8]	L-Lysine Monohydrate extrapure, 99%	25 Gms	25.93
						100 Gms	92.51
						500 Gms	421.12
20003 [7447-41-8]	Lithium Chloride 1M Solution in Ethanol	250 ml	17.77	76199 [39665-12-8]	L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99%	25 Gms	27.77
						100 Gms	102.52
						500 Gms	447.44
81034 [7789-24-4]	Lithium Fluoride pure, 98.5%	25 Gms	10.53				
		100 Gms	36.85				
		500 Gms	157.92				
44318 [1310-65-2]	Lithium Hydroxide Anhydrous extrapure, 98%	25 Gms	20.40	45976 [39665-12-8]	L-Lysine Monohydrate for molecular biology, 99%	25 Gms	72.38
		100 Gms	51.32				
		500 Gms	243.46	89361 [657-27-2]	L-Lysine Monohydrochloride extrapure CHR, 99%	100 Gms	3.29
		500 Gms	14.08				
52019 [1310-66-3]	Lithium Hydroxide Monohydrate pure, 99%	100 Gms	25.00	77872 [657-27-2]	L-Lysine Monohydrochloride ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	5.00
		500 Gms	105.28			500 Gms	17.24
48204 [1310-66-3]	Lithium Hydroxide Monohydrate ACS, 99%	100 Gms	27.64	35443 [16674-78-5]	Magnesium Acetate Tetrahydrate extrapure, 98%	500 Gms	8.82
		500 Gms	118.44			5 Kg	76.33
89966 [1310-66-3]	Lithium Hydroxide Monohydrate ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP,	100 Gms	30.27	53888 [16674-78-5]	Magnesium Acetate Tetrahydrate extrapure AR, 99%	500 Gms	10.53
		500 Gms	134.89			5 Kg	92.12
82712 [7790-69-4]	Lithium Nitrate (High Purity) extrapure AR, 99.5%	100 Gms	39.48	64328 [16674-78-5]	Magnesium Acetate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	11.84
		500 Gms	186.87				
17864 [7790-69-4]	Lithium Nitrate (High Purity) extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	100 Gms	43.43	50488 [16674-78-5]	Magnesium Acetate Tetrahydrate for molecular biology, 99%	100 Gms	5.26
		500 Gms	205.30			500 Gms	15.79
88181 [10102-25-7]	Lithium Sulphate Monohydrate ACS, 99%	100 Gms	23.69	52917	Magnesium AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	100 ml	21.06
		250 Gms	39.48			250 ml	34.22
		500 Gms	72.38				
39478 [10102-25-7]	Lithium Sulphate Monohydrate ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	26.32	28935 [13446-53-2]	Magnesium Bromide Hexahydrate pure, 98%	500 Gms	26.32
		250 Gms	44.74				
		500 Gms	81.59	63818 [39409-82-0]	Magnesium Carbonate Basic Light, 40-45% MgO (Magnesium Carbonate Light)	500 Gms	5.66
		5 Kg	53.96				
11373 [12007-60-2]	Lithium Tetraborate extrapure AR, 98% (di-Lithium Tetraborate)	25 Gms	17.11	31196 [7786-30-3]	Magnesium Chloride Anhydrous extrapure, 98%	100 Gms	11.05
		100 Gms	59.22			500 Gms	17.37
		500 Gms	263.20			5 Kg	117.65
78724	Lugols Iodine 1% Solution (Conc) (Iodine-Potassium iodide Solution)	125 ml	5.00	39750 [7786-30-3]	Magnesium Chloride Anhydrous for tissue culture, 98%	100 Gms	16.06
		500 ml	17.11			500 Gms	38.43



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
69396 [7791-18-6]	Magnesium Chloride Hexahydrate ACS, 99%	500 Gms	3.16	78222 [557-04-0]	Magnesium Stearate ExiPlus, Multi-Compendial (Stearic Acid Magnesium Salt) meets compendial specs of USP, BP, Ph.Eur	500 Gms	5.92
		5 Kg	25.00			1 Kg	9.87
54269 [7791-18-6]	Magnesium Chloride Hexahydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP	500 Gms	3.82	85850 [1309-48-4]	Magnesium Oxide Heavy extrapure, 98%	500 Gms	11.19
		5 Kg	28.95			5 Kg	105.28
91417 [7791-18-6]	Magnesium Chloride Hexahydrate for molecular biology, 99.5%	250 Gms	8.55	15547 [1309-48-4]	Magnesium Oxide Light extrapure, 98%	500 Gms	18.16
		500 Gms	11.84			5 Kg	166.47
		5 Kg	105.28				
16203 [7791-18-6]	Magnesium Chloride Hexahydrate for tissue culture, 99.5%	500 Gms	9.48	64741 [2437-29-8]	Malachite Green Oxalate	100 Gms	6.97
		5 Kg	85.54			500 Gms	28.95
28577 [7791-18-6]	Magnesium Chloride 0.5M Solution	500 ml	2.37	97890 [110-16-7]	Maleic Acid extrapure AR, 99.5%	100 Gms	3.03
		1000 ml	4.61			500 Gms	7.24
						2.5 Kg	31.58
23772 [7791-18-6]	Magnesium Chloride 1M Solution	500 ml	2.63	68589 [110-16-7]	Maleic Acid extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP IP,EP	100 Gms	3.29
		1000 ml	5.00			500 Gms	8.95
58742 [153531-96-5]	Magnesium Citrate Nonahydrate pure, 97%	500 Gms	9.21	17289 [123-33-1]	Maleic Hydrazide extrapure, 98% (1,2-Dihydro-3,6-pyridazinedione, 3,6-Dihydroxypyridazine, Maleic Acid Hydrazide, 3,6-Pyridazinediol)	100 Gms	13.82
25349 [7783-40-6]	Magnesium Fluoride pure, 95%	500 Gms	10.66			1 Kg	118.44
45149 [7439-95-4]	Magnesium Metal coarse powder, 99.8%, -36 mesh	100 Gms	4.61	24226 [6915-15-7]	DL-Malic Acid pure, 99%	500 Gms	6.84
		500 Gms	15.79			5 Kg	63.17
19684 [7439-95-4]	Magnesium Metal Ribbon extrapure AR, 99.5%	25 Gms	4.47	73638 ✓ [9050-36-6]	Maltodextrin ExiPlus, Multi-Compendial meets compendial specs of BP	500 Gms	4.08
94410 [7439-95-4]	Magnesium Metal Turnings, 99.8%	250 Gms	12.17			5 Kg	32.90
		500 Gms	19.08			25 Kg	144.76
77697 [13446-18-9]	Magnesium Nitrate Hexahydrate ACS, 98%	500 Gms	5.53	90827 ✓ [9050-36-6]	Maltodextrin for tissue culture, 16.5-19.5% De	500 Gms	2.90
50014 [7487-88-9]	Magnesium Sulphate Dried extrapure AR, 62-70% MgSO₄, 99%	500 Gms	6.84			5 Kg	26.32
		2.5 Kg	31.58	59338 [6363-53-7]	D-Maltose Monohydrate for bacteriology and biochemistry	100 Gms	3.55
64187 [7487-88-9]	Magnesium Sulphate Dried extrapure AR, ExiPlus, Multi-Compendial, 62-70% MgSO₄, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	7.37			500 Gms	14.21
		2.5 Kg	34.22			5 Kg	138.18
85611 [10034-99-8]	Magnesium Sulphate Heptahydrate extrapure AR, 99%	500 Gms	3.42	42844 [6363-53-7]	D-Maltose Monohydrate for tissue culture	100 Gms	4.34
		1 Kg	6.19			500 Gms	17.77
		5 Kg	30.27			5 Kg	164.50
26129 [10034-99-8]	Magnesium Sulphate Heptahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP	500 Gms	3.68	17451 [6363-53-7]	D-Maltose Monohydrate ExiPlus, Multi-Compendial, 92% Meets compendial specs of USP	500 Gms	17.11
		5 Kg	32.90			5 Kg	157.92
74440 [10034-99-8]	Magnesium Sulphate Heptahydrate for molecular biology, 99.5%	500 Gms	11.84	97526 [6156-78-1]	Manganese (II) Acetate Tetrahydrate pure, 97% (Manganous Acetate Tetrahydrate)	500 Gms	5.66
		1 Kg	21.06				
83890 [10034-99-8]	Magnesium Sulphate Heptahydrate for tissue culture, 99.5%	500 Gms	5.92	78017 [6156-78-1]	Manganese (II) Acetate Tetrahydrate extrapure AR, 99% (Manganous Acetate Tetrahydrate)	500 Gms	6.58
		5 Kg	56.59				
90046 [10034-99-8]	Magnesium Sulphate 0.1M Solution	500 ml	3.55	94486	Manganese AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml	21.06
		1000 ml	6.45			250 ml	34.22
10301 [10034-99-8]	Magnesium Sulphate 0.5M Solution	500 ml	3.82	45757 [598-62-9]	Manganese (II) Carbonate pure, Mn content 42-46% (Manganous Carbonate)	500 Gms	6.84
		1000 ml	6.97				
29811 [10034-99-8]	Magnesium Sulphate 1M Solution	500 ml	4.08	75113 [13446-34-9]	Manganese (II) Chloride Tetrahydrate extrapure, 97% (Manganous Chloride Tetrahydrate)	500 Gms	7.76
		1000 ml	7.37			5 Kg	71.06



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
12551 [13446-34-9]	Manganese (II) Chloride Tetrahydrate extrapure ACS, 98% (Manganous Chloride Tetrahydrate)	500 Gms 5 Kg	9.48 86.86	25699 [7487-94-7]	Mercuric Chloride extrapure, 98% (Mercury (II) Chloride)	25 Gms 100 Gms 250 Gms 500 Gms	12.50 47.38 111.86 210.56
73970 [7439-96-5]	Manganese Metal Powder pure, 99%, ~325 mesh	250 Gms	7.90	29828 [7487-94-7]	Mercuric Chloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% (Mercury (II) Chloride)	25 Gms 100 Gms 250 Gms 500 Gms	14.48 49.35 118.44 227.01
58011 [10034-96-5]	Manganese (II) Sulphate Monohydrate pure, 98% (Manganous Sulphate Monohydrate)	500 Gms 5 Kg	3.95 36.85		meets compendial specs of USP		
12386 [10034-96-5]	Manganese (II) Sulphate Monohydrate extrapure AR, 99% (Manganous Sulphate Monohydrate)	500 Gms 5 Kg	9.21 84.22	98926 [7774-29-0]	Mercuric Iodide Red pure, 99% (Mercury (II) Iodide)	25 Gms 100 Gms 250 Gms	17.11 63.17 151.34
78822 [10034-96-5]	Manganese (II) Sulphate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Manganous Sulphate Monohydrate) meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	11.05 99.36	36881 [7774-29-0]	Mercuric Iodide Red extrapure AR, 99% (Mercury (II) Iodide)	25 Gms 100 Gms 250 Gms	18.42 68.43 164.50
38593 [1313-13-9]	Manganese (IV) Oxide pure, 80% (Manganese Dioxide)	500 Gms 5 Kg	5.26 46.06	93383 [7774-29-0]	Mercuric Iodide Red extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Mercury (II) Iodide) meets compendial specs of USP, Ph.Eur	25 Gms 100 Gms 250 Gms	19.74 72.38 177.66
24248 [69-65-8]	D-Mannitol extrapure, 98.5%	500 Gms 1 Kg 5 Kg 25 Kg	12.37 23.69 114.49 559.30	68434 [7783-34-8]	Mercuric Nitrate Monohydrate extrapure, 98% (Mercury (II) Nitrate Monohydrate)	25 Gms 100 Gms 250 Gms	17.77 65.80 151.34
79887 [69-65-8]	D-Mannitol ACS, 99%	250 Gms 500 Gms 5 Kg	6.84 13.42 119.76	89168 [7783-34-8]	Mercuric Nitrate Monohydrate extrapure AR, ACS, 98.5% (Mercury (II) Nitrate Monohydrate)	25 Gms 100 Gms 250 Gms	19.74 71.06 164.50
21304 [69-65-8]	D-Mannitol ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, USP and EP	500 Gms 5 Kg	15.27 143.71	62847 [21908-53-2]	Mercuric Oxide Red extrapure, 99% (Mercury (II) Oxide)	25 Gms 100 Gms 250 Gms	17.11 65.80 157.92
23495 [108-78-1]	Melamine extrapure, 98% (2,4,6-Triamino-1,3,5-Triazine Monomer, sym-Triaminotriazine)	500 Gms	10.53	60178 [21908-53-2]	Mercuric Oxide Red ACS, ExiPlus, Multi-Compendial, 99% (Mercury (II) Oxide) meets compendial specs of Ph.Eur	25 Gms 100 Gms 250 Gms	21.06 78.96 184.24
64370 [2216-51-5]	Menthol Synthetic pure	100 Gms 250 Gms 1 Kg	12.50 26.32 118.44	86666 [21908-53-2]	Mercuric Oxide Yellow extrapure, 99% (Mercury (II) Oxide)	25 Gms 100 Gms 250 Gms 500 Gms	19.74 72.38 171.08 315.84
69892 [60-24-2]	2-Mercaptoethanol pure, 99%	100 ml 500 ml	4.87 17.11	37053 [21908-53-2]	Mercuric Oxide Yellow extrapure AR, ACS, 99.3% (Mercury (II) Oxide)	25 Gms 100 Gms 250 Gms 500 Gms	21.06 77.64 184.24 342.16
83759 [60-24-2]	2-Mercaptoethanol for molecular biology, 99%	100 ml 250 ml 500 ml	7.90 15.79 22.37	32543 [7783-35-9]	Mercuric Sulphate pure, 99% (Mercury (II) Sulphate)	25 Gms 100 Gms 250 Gms 500 Gms	13.42 51.32 124.76 228.98
79306 [1600-27-7]	Mercuric Acetate pure, 98% (Mercury (II) Acetate)	25 Gms 100 Gms 250 Gms	15.53 60.01 142.13		meets compendial specs of Ph.Eur		
80243 [1600-27-7]	Mercuric Acetate ACS, ExiPlus, Multi-Compendial, 98% (Mercury (II) Acetate)	25 Gms 100 Gms 250 Gms	16.84 63.96 146.87	20846 [7783-35-9]	Mercuric Sulphate ACS, 99% (Mercury (II) Sulphate)	25 Gms 100 Gms 250 Gms	14.21 52.90 129.49
58263 [7789-47-1]	Mercuric Bromide extrapure AR, ACS, 99% (Mercury (II) Bromide)	25 Gms 100 Gms 250 Gms	14.48 50.01 118.44				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
43302 [7783-35-9]	Mercuric Sulphate ACS, ExiPlus, Multi-Compendial, 99% (Mercury (II) Sulphate)	25 Gms	18.95	59029 [67-56-1]	Methanol pure, 99%	500 ml	3.29
		100 Gms	56.06			2500 ml	8.82
		250 Gms	134.23			25 Ltr	75.67
	meets compendial specs of USP, Ph.Eur			65524 [67-56-1]	Methanol extrapure AR, 99.8%	500 ml	3.55
48274 [592-85-8]	Mercuric Thiocyanate extrapure, 98% (Mercury (II) Thiocyanate)	25 Gms	17.11	1000 ml	6.84	2500 ml	9.61
		100 Gms	56.59				
		250 Gms	131.60				
93119 [592-85-8]	Mercuric Thiocyanate extrapure AR, ExiPlus, Multi-Compendial, 98% (Mercury (II) Thiocyanate)	25 Gms	20.40	37152 [67-56-1]	Methanol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8%	500 ml	4.21
		100 Gms	68.43			1000 ml	7.11
		250 Gms	151.34			2500 ml	10.79
	meets compendial specs of Ph.Eur				meets compendial specs of USP, BP, Ph.Eur		
47184 [10112-91-1]	Mercurous Chloride pure, 98% (Mercury (I) Chloride, Calomel)	25 Gms	19.74	87655 [67-56-1]	Methanol GC-HS, 99.9%	500 ml	9.21
		100 Gms	72.38			1000 ml	16.19
		250 Gms	171.08				
		500 Gms	315.84				
37921 [10112-91-1]	Mercurous Chloride extrapure AR, ACS, 99.5% (Mercury (I) Chloride, Calomel)	25 Gms	21.06	79345 [67-56-1]	Methanol for HPLC & UV Spectroscopy, 99.8%	500 ml	4.87
		100 Gms	77.64			1000 ml	6.58
		250 Gms	184.24			2500 ml	12.77
		500 Gms	342.16				
36004 [14836-60-3]	Mercurous Nitrate Dihydrate extrapure, 97% (Mercury (I) Nitrate Dihydrate)	25 Gms	17.37	10036 [67-56-1]	Methanol electronic grade, 99.8%	2500 ml	15.66
		100 Gms	56.59				
		250 Gms	131.60				
44682 [14836-60-3]	Mercurous Nitrate Dihydrate extrapure AR, ACS, 98% (Mercury (I) Nitrate Dihydrate)	25 Gms	18.95	62456 [67-56-1]	Methanol Dried extrapure AR, 99.8%, water 0.02%	500 ml	4.74
		100 Gms	72.64			1000 ml	6.58
		250 Gms	177.66			2500 ml	14.48
84229	Mercury AAS Standard Solution in 0.5N HNO₃ (Traceable to NIST)	100 ml	35.53	96446 [67-56-1]	Methanol for molecular biology, 99.5%	500 ml	11.98
		250 ml	52.64			1000 ml	21.58
						2500 ml	46.19
83568 [10124-48-8]	Mercury (II) Amidochloride extrapure, 98% (Ammoniated Mercury)	25 Gms	17.11	21944 [811-98-3]	Methanol-d₄ for NMR spectroscopy, 99.8 atom%D	10 Gms	125.02
		100 Gms	68.43				
		500 Gms	289.52				
43665 [108-67-8]	Mesitylene extrapure, 98% (1,3,5-Trimethyl Benzene)	500 ml	13.29	19305 [63-68-3]	L-Methionine extrapure CHR, 99%	25 Gms	4.34
		1000 ml	23.69			100 Gms	9.21
		2500 ml	52.64			1 Kg	76.33
53383 ✓ [7439-97-6]	Mercury Metal extrapure, 99%	250 Gms	157.92			5 Kg	355.32
		500 Gms	302.68				
86556 [79-41-4]	Methacrylic Acid extrapure, 99%	500 ml	7.11	65167 [109-86-4]	Methyl Cellosolve extrapure, 99%	500 ml	5.00
		2500 ml	34.22			2500 ml	23.69
87726 [75-75-2]	Methanesulphonic Acid (MSA) pure, 99%	100 ml	2.90	38200 [109-86-4]	Methyl Cellosolve extrapure AR, 99.5%	500 ml	5.53
		500 ml	10.13			2500 ml	26.32
		2500 ml	46.06	60451 [108-87-2]	Methyl Cyclohexane extrapure, 99%	500 ml	7.24
		25 Ltr	447.44			2500 ml	27.37
46989 [124-63-0]	Methanesulphonyl Chloride (MSCl) pure, 98%	100 ml	2.90	46985 [845-10-3]	Methyl Red Sodium Salt (water soluble) ACS, 95% (C.I. No. 13020) (Acid Red 2)	25 Gms	3.55
		500 ml	9.21			500 Gms	63.04
		2500 ml	42.11				
46644 [124-63-0]	Methanesulphonyl Chloride (MSCl) extrapure, 99%	100 ml	3.29	38862 [110-26-9]	N,N-Methylene Bisacrylamide (bis-Acrylamide) pure, 98%	100 Gms	13.69
		500 ml	9.87			500 Gms	38.30
		2500 ml	43.43			5 Kg	289.52
		25 Ltr	414.54				
8516 [110-26-9]	N,N-Methylene Bisacrylamide (bis-Acrylamide) 3x cryst. extrapure AR, 99.5%	25 Gms	7.11	38516 [110-26-9]	N,N-Methylene Bisacrylamide (bis-Acrylamide) 3x cryst. extrapure AR, 99.5%	25 Gms	7.11
		100 Gms	22.37			100 Gms	22.37
		500 Gms	92.38			500 Gms	92.38
67320 [110-26-9]	N,N-Methylene Bisacrylamide 3x cryst. for molecular biology, 99.5% (Bis-Acrylamide)	25 Gms	7.63	58779 [110-26-9]	N,N'-Methylene Bisacrylamide 2% aq. solution for molecular biology	25 ml	23.69
		100 Gms	23.95			100 ml	69.09
		250 Gms	58.96				
		500 Gms	113.04				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
60363 [7220-79-3]	Methylene Blue Trihydrate	25 Gms	5.79	49449 [493-52-7]	Methyl Red extrapure AR	25 Gms	3.29
		100 Gms	21.58			100 Gms	12.50
		500 Gms	105.28			1 Kg	118.44
97866	Methylene Blue 1% aq. Solution	125 ml	1.97	40431 [493-52-7]	Methyl Red ACS, ExiPlus, Multi-Compendial	25 Gms	6.05
		250 ml	3.29			100 Gms	14.34
						1 Kg	128.97
77248 [74-88-4]	Methyl Iodide (Iodomethane) extrapure, 99%	100 ml	87.78	meets compendial specs of BP, Ph.Eur			
		250 ml	189.24	99983 [96-47-9]	2-Methyl Tetrahydrofuran pure, 98%	100 ml	3.29
64889 [108-11-2]	Methyl Isobutyl Carbinol extrapure, 98%	500 ml	13.69			500 ml	13.82
		15926 [108-10-1]	Methyl Isobutyl Ketone (MIBK) pure, 98%			2500 ml	18.42
25 Ltr	171.08			25 Ltr	539.56		
61929 [108-10-1]	Methyl Isobutyl Ketone (MIBK) extrapure AR, 99.5%	500 ml	5.13	37689 [8004-87-3]	Methyl Violet	25 Gms	2.90
		2500 ml	22.37			100 Gms	6.84
		25 Ltr	197.40	90121 [55-55-0]	Metol extrapure, 99% (4-Methylaminophenol Sulphate)	100 Gms	12.90
10416 [108-10-1]	Methyl Isobutyl Ketone (MIBK) for UV spectroscopy, 99.5%	500 ml	16.06			500 Gms	55.27
		250 ml	24.35			32198 [1319-77-3]	Mixed Cresol (Mixture of Ortho, Meta & Para Cresol)
13077 [563-80-4]	Methyl Isopropyl Ketone (MIPK) pure, 98% (3-Methyl-2-Butanone, Isopropyl Methyl Ketone, Methyl Isopropyl Ketone)	1000 ml	94.75	2500 ml	46.06		
		72387 [109-02-4]	4-Methyl Morpholine pure, 99% (N-Methyl Morpholine)	250 ml	6.58	98254 [308080-99-1]	Molecular Sieve 3A (0.3nm) (1.6-3mm Beads)
500 ml	11.58			1 Kg	20.13		
1 Kg	63.17	5 Kg	80.41				
70280 [547-58-0]	Methyl Orange	25 Gms	2.76	72866 [70955-01-0]	Molecular Sieve 4A (0.4nm) (1.6-3mm Beads)	250 Gms	7.24
		100 Gms	7.50			1 Kg	20.13
		1 Kg	63.17			5 Kg	80.41
51369 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) extrapure, 99.5%	500 ml	10.53	75690 [70955-01-0]	Molecular Sieve 5A (0.5nm) (1.6-3mm Beads)	250 Gms	7.90
		2500 ml	44.74			1 Kg	21.58
86263 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) extrapure AR, 99.5%	500 ml	11.19			5 Kg	86.07
		2500 ml	47.38	27764 [63231-69-6]	Molecular Sieve 13X (2-4mm Beads)	250 Gms	7.24
11118 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	11.84			1 Kg	20.13
		2500 ml	48.69			5 Kg	80.41
				meets compendial specs of USP, BP			
25903 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) GC-HS, 99.9%	250 ml	11.84	38717	Molybdenum AAS Standard Solution in 0.5N H2SO4 (Traceable to NIST)	100 ml	21.06
		500 ml	15.79			250 ml	34.22
		1000 ml	28.95			31444 [1313-27-5]	Molybdenum Trioxide extrapure, 99.5%
10331 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) for HPLC, 99.5%	500 ml	15.79	250 Gms	65.80		
		1000 ml	26.32	500 Gms	128.97		
90214 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) VLSI Semiconductor Grade, 99.5%	1000 ml	98.70	72615 [1313-27-5]	Molybdenum Trioxide extrapure AR, ACS, 99.5%	100 Gms	30.27
		2500 ml	203.98			250 Gms	69.09
500 Gms	17.11	500 Gms	135.55				
89975 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) for molecular biology, 99.5%	250 ml	10.00	49664 [7782-91-4]	Molybdic Acid pure, 85%	100 Gms	21.32
						250 Gms	51.32
						500 Gms	98.70
44055 [99-76-3]	Methyl-4-Hydroxybenzoate (Methyl Paraben) ExiPlus, Multi-Compendial, 98-102%	500 Gms	17.11	98466 [7782-91-4]	Molybdic Acid extrapure AR, 85%	100 Gms	23.03
		5 Kg	157.92			250 Gms	55.27
						500 Gms	105.28
meets compendial specs of USP, BP							
60905 [5026-62-0]	Methyl-4-Hydroxybenzoate Sodium Salt (Methyl Paraben Sodium) ExiPlus, Multi-Compendial, 95-102%	500 Gms	15.66	71772 [7782-91-4]	Molybdic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 85%	100 Gms	26.58
		5 Kg	151.60			250 Gms	57.25
						500 Gms	111.86
meets compendial specs of USP, BP							



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
44630 [110-91-8]	Morpholine extrapure, 99%	500 ml	8.16	86079	Neissers Stain A (Methylene Blue)	125 ml	2.63		
		2500 ml	38.30			125 ml	2.76		
		25 Ltr	290.44			125 ml	2.63		
96740 [110-91-8]	Morpholine extrapure AR, 99.5%	250 ml	4.87	36248 [553-24-2]	Neutral Red (High Purity), 85%	10 Gms	12.50		
		500 ml	9.34			25 Gms	28.29		
11287 [110-91-8]	Morpholine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	14.34	100 Gms	107.91	90691 [553-24-2]	Neutral Red extrapure AR, 60% (C.I. No. 50040)	10 Gms	6.58
		98293 [3051-09-0]	Murexide (Ammonium Purpurate) extrapure AR, 98%	5 Gms	3.42			25 Gms	14.48
25 Gms	12.90			18559 [553-24-2]	Neutral Red (High Purity) ACS, ExiPlus, Multi-Compendial, 85% meets compendial specs of BP	10 Gms	13.16		
100 Gms	49.09					25 Gms	30.27		
500 Gms	217.01			73342 [12635-27-7]	Nickel Aluminium Alloy powder, 50% Ni, 50% Al	100 Gms	9.87		
99571 [3051-09-0]	Murexide (Ammonium Purpurate) extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of Ph.Eur	5 Gms	4.08			500 Gms	39.48		
		25 Gms	14.34			48615	Nickel AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	100 ml	21.06
		100 Gms	51.46	250 ml	34.22				
500 Gms	237.80	13280 [91-20-3]	Naphthalene extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 Gms	5.53	42591 [6018-89-9]	Nickel (II) Acetate Tetrahydrate pure, 98% (Nickelous Acetate Tetrahydrate)	100 Gms	9.74
1 Kg	9.21			500 Gms	39.48				
26320 [91-20-3]	Naphthalene scintillation grade, 99%	500 Gms	7.24	66489 [958638-02-3]	Nickel (II) Carbonate Basic Hydrate extrapure, 44-47% Ni (Nickelous Carbonate Hydroxide Hydrate, Nickel Hydroxide Carbonate Hydrate)	500 Gms	65.01		
		1 Kg	11.84						
89740 [86-87-3]	Naphthalene-1-Acetic Acid (NAA) extrapure, 99% (1-Naphthylacetic Acid)	25 Gms	2.76	58481 [12607-70-4, 39430-27-8]	Nickel (II) Carbonate Basic Tetrahydrate extrapure, 44-47% Ni (Nickelous Carbonate Hydroxide Tetrahydrate, Nickel Hydroxide Carbonate Tetrahydrate)	500 Gms	37.90		
		100 Gms	8.42			5 Kg	351.37		
		500 Gms	37.24						
75928 [86-87-3]	Naphthalene-1-Acetic Acid (NAA) for tissue culture, 99% (1-Naphthylacetic Acid)	25 Gms	3.42	84421 [7791-20-0]	Nickel (II) Chloride Hexahydrate pure, 98% (Nickelous Chloride Hexahydrate)	500 Gms	27.64		
		100 Gms	9.21			5 Kg	261.88		
		500 Gms	43.03						
84226 [90-15-3]	a-Naphthol pure, 99%	100 Gms	3.95	27303 [7791-20-0]	Nickel (II) Chloride Hexahydrate extrapure AR, 99% (Nickelous Chloride Hexahydrate)	100 Gms	6.58		
		500 Gms	14.48			500 Gms	28.95		
36309 [90-15-3]	a-Naphthol extrapure AR, 99.5%	25 Gms	2.76	10081 [7791-20-0]	Nickel (II) Chloride Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Nickelous Chloride Hexahydrate) meets compendial specs of BP	100 Gms	7.63		
		100 Gms	6.84			500 Gms	32.90		
		500 Gms	26.32						
30585 [90-15-3]	a-Naphthol extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	100 Gms	8.16	75546 [7440-02-0]	Nickel Metal powder extrapure, 99.5%, ~100 mesh	100 Gms	15.92		
		500 Gms	28.95			500 Gms	61.59		
76018 [135-19-3]	b-Naphthol pure, 99%	500 Gms	6.58	57709 [13478-00-7]	Nickel (II) Nitrate Hexahydrate pure, 98% (Nickelous Nitrate Hexahydrate)	500 Gms	21.06		
		74770 [135-19-3]	β-Naphthol extrapure AR, 99%			100 Gms	4.21	30795 [13478-00-7]	Nickel (II) Nitrate Hexahydrate extrapure AR, 99% (Nickelous Nitrate Hexahydrate)
500 Gms	15.79			500 Gms	24.35				
19261 [135-19-3]	b-Naphthol extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	4.87	33568 [13478-00-7]	Nickel (II) Nitrate Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Nickelous Nitrate Hexahydrate) meets compendial specs of Ph. Eur	250 Gms	15.13		
		500 Gms	18.42			500 Gms	26.32		
77807 [145-50-6]	1-Naphtholbenzein extrapure (a-Naphtholbenzein, p-naphtholbenzein, 4,4'-(a-Hydroxybenzylidene)di-1-naphthol)	5 Gms	11.19	49487 [1313-99-1]	Nickel (II) Oxide pure, 77% Ni (Nickel Monoxide)	100 Gms	23.69		
		25 Gms	50.01			500 Gms	105.28		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
12125 [10101-98-1]	Nickel (II) Sulphate Heptahydrate pure, 98% (Nickelous Sulphate Heptahydrate)	500 Gms 5 Kg	15.13 144.76	75010 [98-95-3]	Nitrobenzene extrapure AR, 99%	500 ml 2500 ml	5.00 22.37
93377 [10101-98-1]	Nickel (II) Sulphate Heptahydrate extrapure AR, 99% (Nickelous Sulphate Heptahydrate)	500 Gms 5 Kg	16.45 157.92	40208 [98-95-3]	Nitrobenzene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	5.79 25.00
48105 [10101-98-1]	Nickel (II) Sulphate Heptahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Nickelous Sulphate Heptahydrate) meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	10.26 17.77	20509 [75-52-5]	Nitromethane ACS, 98% (Nitrocarbol, Nitroparaffin)	500 ml 1000 ml 2500 ml	13.95 24.61 57.38
61397 [10101-97-0]	Nickel (II) Sulphate Hexahydrate ACS, 99% (Nickelous Sulphate Heptahydrate)	100 Gms 500 Gms 5 Kg	10.53 46.06 447.44	50337 [100-02-7]	p-Nitrophenol pure, 98% (4-Nitrophenol)	100 Gms 500 Gms	3.82 12.50
86097 [59-67-6]	Nicotinic Acid (Pyridine-3-Carboxylic Acid) pure, 99% (3-Picolinic Acid, Niacin, Vitamin B3)	100 Gms 500 Gms	5.53 16.45	25170 [100-02-7]	p-Nitrophenol (High Purity) extrapure AR, 99.5%	25 Gms 100 Gms 500 Gms	5.53 15.66 68.96
67066 [8005-03-6]	Nigrosin (water soluble)	100 Gms 500 Gms	6.84 31.58	59687 [100-02-7]	p-Nitrophenol (High Purity) extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	25 Gms 100 Gms	6.32 17.24
75529 [11099-03-9]	Nigrosin (alcohol soluble)	100 Gms 500 Gms	6.97 32.90	49301 [100-02-7]	p-Nitrophenol for Spectrophotometry, 99.5% (4-Nitrophenol)	5 Gms 25 Gms	24.61 62.38
71131	Nigrosin 10% w/v Solution	100 ml	2.63	54373 [35192-74-6]	Nonane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 98% (Sodium 1-Nonanesulfonate)	5 Gms 25 Gms	32.90 144.76
36317 [2381-85-3]	Nile Blue Chloride	25 Gms 100 Gms	14.48 65.80	67956 [5324-84-5]	Octane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms 100 Gms 250 Gms	15.79 57.38 140.68
62887 [3625-57-8]	Nile Blue Sulphate	10 Gms 25 Gms 100 Gms	10.66 21.58 78.96	72554 [207596-29-0]	Octane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms 100 Gms 250 Gms	15.79 57.38 140.68
47353 [7385-67-3]	Nile Red (Nile Blue A Oxazone)	100 Mg 1 Gms 5 Gms	39.48 210.56 394.80	38732 [111-87-5]	1-Octanol (1-Octyl Alcohol) pure, 99% (n-Octanol, n-Octyl Alcohol)	500 ml 2500 ml	9.87 46.06
55058 [485-47-2]	Ninhydrin extrapure AR, 99%	10 Gms 25 Gms 100 Gms	9.21 21.06 81.59	40334 [111-87-5]	1-Octanol (1-Octyl Alcohol) for HPLC & UV Spectroscopy, 99% (n-Octanol, n-Octyl Alcohol)	500 ml 1000 ml	26.32 50.01
93940 [485-47-2]	Ninhydrin extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	10 Gms 25 Gms 100 Gms	9.74 22.37 85.54	52761 [142-31-4]	Octyl Sulphate Sodium Salt for HPLC, 99% (Sodium Octyl Sulphate, SOS)	5 Gms 25 Gms	30.66 130.02
48081 [139-13-9]	Nitilotriacetic Acid (NTA) extrapure AR, ACS, 99% (N,N-Bis(carboxymethyl)glycine, Tris(carboxymethyl)amine)	100 Gms 500 Gms	3.95 14.48	87572 [112-80-1]	Oleic Acid pure, 65% (cis-9-Octadecenoic acid, Elainic acid)	500 ml 2500 ml	6.45 26.19
15319 [88-74-4]	o-Nitroaniline extrapure, 99%	250 Gms	9.74	28460 [112-80-1]	Oleic Acid Reference Standard, 99%(GC)	1 Gms 5 Gms 25 Gms	15.79 39.48 144.76
34003 [99-09-2]	m-Nitroaniline extrapure, 99%	250 Gms	23.03	55081 [112-80-1]	Oleic Acid extrapure, 98% (cis-9-Octadecenoic acid, Elainic acid)	25 ml 100 ml	39.48 72.38
99409 [100-01-6]	p-Nitroaniline extrapure, 98%	250 Gms	8.82	87519 [112-90-3]	Oleylamine pure, 95% (cis-9-Octadecenylamine)	250 ml 1000 ml 2500 ml	5.13 19.08 43.43
69114 [100-01-6]	p-Nitroaniline (High Purity) extrapure AR, 99.5%	25 Gms 100 Gms	4.47 11.58	79576 [8001-25-0]	Olive Oil	100 ml 250 ml 500 ml	6.58 11.84 19.74
55410 [98-95-3]	Nitrobenzene pure, 98%	500 ml 2500 ml	4.47 19.74				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
13756 [1936-15-8]	Orange G	25 Gms	3.42	92345 [7440-05-3]	Palladium 5% On Asbestos	1 Gms	34.74
		100 Gms	10.66			10 Gms	157.92
66366 [504-15-4]	Orcinol Anhydrous extrapure (3,5-dihydroxytoluene), 99%	5 Gms	21.58	57033 [7440-05-3]	Palladium 10% On Asbestos	1 Gms	44.22
		25 Gms	54.22			10 Gms	284.26
		100 Gms	135.28				
49330 [6153-39-5]	Orcinol Monohydrate extrapure (3,5-dihydroxytoluene monohydrate), 99%	10 Gms	12.77	44002 [7440-05-3]	Palladium 5% On Activated Carbon	1 Gms	26.32
		25 Gms	30.27			10 Gms	125.02
		100 Gms	93.96			50 Gms	500.08
36916 [6153-39-5]	Orcinol Monohydrate ExiPlus, Multi-Compendial (3,5-dihydroxytoluene monohydrate), 99% meets compendial specs of USP, BP	10 Gms	15.66	45685 [7440-05-3]	Palladium 5% On Activated Carbon (50% wet)	1 Gms	14.48
		25 Gms	35.14			10 Gms	62.51
		100 Gms	100.28			50 Gms	250.04
36678 [7664-38-2]	Orthophosphoric Acid extrapure, 85% (Phosphoric Acid)	500 ml	6.58	52944 [7440-05-3]	Palladium 10% On Activated Carbon	1 Gms	32.90
		2500 ml	26.32			10 Gms	236.88
		20 Ltr	197.40			50 Gms	987.00
50056 [7664-38-2]	Orthophosphoric Acid extrapure AR, ACS, 85% (Phosphoric Acid)	500 ml	7.50	46494 [7440-05-3]	Palladium 10% On Activated Carbon (50% wet)	1 Gms	19.08
		2500 ml	30.27			10 Gms	118.44
38048 [7664-38-2]	Orthophosphoric Acid for HPLC & UV Spectroscopy, 85%	250 ml	17.77	40822 [7440-05-3]	Palladium 10% on Calcium Carbonate	1 Gms	31.58
		500 ml	31.58			5 Gms	105.28
		1000 ml	57.90				
83577 [20816-12-0]	Osmic Acid extrapure, 99%	1 Gms	92.12	32049 [1314-08-5]	Palladium (II) Oxide pure, 85% Pd (Palladium Monoxide)	250 Mg	59.22
40510 [6153-56-6]	Oxalic Acid extrapure AR, 99.5%	500 Gms	5.00			1 Gms	210.56
		5 Kg	46.06	81249 [13566-03-5]	Palladium (II) Sulphate extrapure, 99%	250 Mg	34.22
72425 [6153-56-6]	Oxalic Acid Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 Gms	5.66			1 Gms	111.86
		5 Kg	52.64	18211 [8012-95-1, 8042-47-5]	Paraffin Liquid Light (Mineral Oil Light) extrapure, 25-80mPas	500 ml	3.55
64056 [3375-31-3]	Palladium (II) Acetate (Palladium Diacetate) extrapure, 99%, 47% Pd	250 Mg	47.38			2500 ml	15.13
		1 Gms	111.86	25 Ltr	138.18		
		5 Gms	552.72	79167 [8012-95-1, 8042-47-5]	Paraffin Liquid Heavy (Mineral Oil Heavy) extrapure, 110-230mPas	500 ml	3.95
		25 Gms	2632.00			2500 ml	17.11
59548 [14024-61-4]	Palladium (II) Acetylacetonate (Pd(acac)₂) extrapure, 34.7% Pd (Bis(2,4-Pentanedionato) Palladium(II), Bis(Acetylacetonato) Palladium(II))	250 Mg	39.48	86715 [8002-74-2]	Paraffin Wax Cubes (Type 1 - 56-58) extrapure	500 Gms	5.66
		1 Gms	134.23			1 Kg	10.40
		5 Gms	592.20			47994 [8002-74-2]	Paraffin Wax Pellets (Type 2 - 58-60) extrapure
69263	Palladium AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml	42.11	1 Kg	10.40		
		250 ml	69.75	84381 [8002-74-2]	Paraffin Wax Pellets (Type 3 - 60-62) extrapure	500 Gms	5.66
33080 [7647-10-1]	Palladium (II) Chloride pure, 99%, 59-60% Pd (Palladium Dichloride)	250 Mg	46.06			1 Kg	10.40
		1 Gms	111.86	74193 [8002-74-2]	Paraffin Wax White Soft pure (Petroleum Jelly White)	100 Gms	2.37
		5 Gms	500.08			500 Gms	5.79
		25 Gms	2105.60	66400 [8002-74-2]	Paraffin Wax w/ Ceresin Blocks, 58-60°C	500 Gms	9.21
96917 [7647-10-1]	Palladium (II) Chloride ACS, ExiPlus, Multi-Compendial, 99%, 59-60% Pd (Palladium Dichloride)	250 Mg	50.01			1 Kg	17.11
		1 Gms	121.73	2 Kg	32.90		
		5 Gms	526.40	60536 [8002-74-2]	Paraffin Yellow pure	500 Gms	8.16
		25 Gms	2263.52			45057 [9000-69-5]	Pectin pure (Poly-D-Galacturonic Acid Methyl Ester)
19694 [32916-07-7]	Palladium (II) Nitrate Dihydrate extrapure, 99%, 40% Pd (Palladium Dinitrate Dihydrate)	250 Mg	30.27	500 Gms	43.43		
		1 Gms	98.70	1 Kg	73.70		
		5 Gms	447.44	96096 [109-66-0]	n-Pentane extrapure, 99%	500 ml	9.21
92345 [7440-05-3]	Palladium 5% On Asbestos	2500 ml	42.11				
		25 Ltr	381.64				
57033 [7440-05-3]	Palladium 10% On Asbestos	500 ml	10.53	41730 [109-66-0]	n-Pentane extrapure AR, 99%	2500 ml	46.06
		10 Gms	284.26				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
94510 [109-66-0]	n-Pentane extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 ml	11.84	14892 [108-95-2]	✓ Phenol Crystalline extrapure AR, 99.5% (Hydroxybenzene, Carboic Acid)	500 Gms	8.55
		2500 ml	48.69			2.5 Kg	37.90
49135 [109-66-0]	n-Pentane for HPLC & UV Spectroscopy, 99%	500 ml	15.79	97745 [108-95-2]	✓ Phenol Crystalline extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Hydroxybenzene, Carboic Acid) meets compendial specs of USP, BP	500 Gms	9.48
		1000 ml	28.95			2.5 Kg	40.93
47040 [5343-92-0]	1,2-Pentanediol pure, 98% (1,2-Dihydroxypentane)	25 ml	17.11	17286 [108-95-2]	ⓘ Phenol Crystalline for molecular biology, 99.5% (Hydroxybenzene, Carboic Acid)	100 Gms	6.05
		250 ml	98.70			500 Gms	22.77
18486 [22767-49-3]	Pentane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	15.79	47484 [108-95-2]	ⓘ Phenol Equilibrated with 0.1M Citrate Buffer pH 4.5 for molecular biology w/ Stabilizer	100 ml	14.21
		100 Gms	57.38			500 ml	57.25
		250 Gms	140.68				
90760 [207605-40-1]	Pentane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	15.79	12692 [108-95-2]	ⓘ Phenol Tris Equilibrated for molecular biology w/ Stabilizer (Hydroxybenzene, Carboic Acid)	60 ml	18.42
		100 Gms	57.38			100 ml	25.00
		250 Gms	140.68			500 ml	65.80
23283 [7601-90-3]	Perchloric Acid ACS, for Diamond Industry, 70% Suitable fo Diamond Industry	500 ml	32.90	78348 [108-95-2]	ⓘ Phenol Tris Equilibrated for molecular biology w/o Stabilizer	100 ml	25.00
26312 [10450-60-9]	Periodic Acid extrapure, 99%	25 Gms	12.50	83275 [108-95-2]	ⓘ Phenol Saturated w/ 10% water for molecular biology (Phenol Liquid w/ 10% water), 90%	100 ml	11.84
		100 Gms	42.11			500 ml	38.16
11778 [8032-32-4]	Petroleum Ether 40-60 extrapure	500 ml	5.26	90179 [77-09-8]	Phenolphthalein extrapure AR, 99%	50 Gms	5.13
		2500 ml	21.06			100 Gms	7.76
26440 [8032-32-4]	Petroleum Ether 40-60 extrapure AR	500 ml	6.58	74785 [77-09-8]	Phenolphthalein extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 Gms	37.24
		2500 ml	25.00			100 Gms	9.34
58415 [8032-32-4]	Petroleum Ether 60-80 pure	500 ml	3.68	79563 [77-09-8]	Phenolphthalein Indicator 1% Soln in Ethanol	125 ml	2.63
		2500 ml	12.50			500 ml	6.32
		25 Ltr	118.44				
36651 [8032-32-4]	Petroleum Ether 60-80 extrapure AR	500 ml	3.95	90817 [143-74-8]	Phenol Red	25 Gms	8.16
		2500 ml	13.82			100 Gms	31.58
15340 [8032-32-4]	Petroleum Ether 60-80 for HPLC & UV Spectroscopy	500 ml	8.42	68313 [143-74-8]	Phenol Red ACS, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	500 Gms	144.76
		1000 ml	15.13			25 Gms	9.21
		2500 ml	30.27			100 Gms	34.22
15590 [8032-32-4]	Petroleum Ether 80-100 pure	500 ml	5.53	59462 [34487-61-1]	Phenol Red Sodium Salt ACS (water soluble), 95% (Phenolsulfonephthalein Sodium Salt)	5 Gms	3.03
		2500 ml	22.24			25 Gms	8.55
		25 Ltr	203.98			100 Gms	32.64
52226 [8032-32-4]	Petroleum Ether 100-120 extrapure	500 ml	5.79	40919 [673-06-3]	D-Phenylalanine extrapure CHR, 99%	5 Gms	5.79
		2500 ml	21.06			25 Gms	23.03
						100 Gms	86.07
69031 [136112-00-0]	ⓘ Phenol:Chloroform:Isoamyl Alcohol (25:24:1) pH 8.0 for molecular biology	100 ml	18.42	67602 [150-30-1]	DL-Phenylalanine extrapure CHR, 99%	25 Gms	9.34
		250 ml	42.11			100 Gms	31.72
17080	ⓘ Phenol:Chloroform:Isoamyl Alcohol (125:24:1) pH 4.5 for molecular biology	100 ml	34.22	85081 [63-91-2]	L-Phenylalanine extrapure CHR, 99%	100 Gms	6.58
		500 ml	114.49			500 Gms	28.95
79030	ⓘ Phenol:Chloroform:Isoamyl Alcohol (49.5:49.5:1) pH 6.7 for molecular biology	100 ml	35.53			1 Kg	50.01
		500 ml	119.76			5 Kg	210.56
36976	ⓘ Phenol:Chloroform: Isoamyl Alcohol (49.5:49.5:1) pH 8.0 for molecular biology	100 ml	36.85	40170 [63-91-2]	L-Phenylalanine ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms	8.55
		500 ml	128.97			500 Gms	32.90
28104 [108-95-2]	✓ Phenol Crystalline pure, 99% (Hydroxybenzene, Carboic Acid)	500 Gms	7.63			1 Kg	60.54
		2.5 Kg	34.87				
		25 Kg	286.10				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
64975 [100-63-0]	Phenylhydrazine pure, 98%	100 ml	7.90	41175 [9000-55-9]	Podophyllum Resin pure, 50%	25 Gms	60.54		
		500 ml	34.22			100 Gms	210.56		
		2500 ml	177.66			500 Gms	6.58		
31804 [100-63-0]	Phenylhydrazine extrapure AR, 99%	100 ml	14.48	79133 [25322-68-3]	Polyethylene Glycol 400 (PEG 400) (Carbowax 400)	500 Gms	6.58		
		500 ml	68.43			87919 [25322-68-3]	Polyethylene Glycol 400 (PEG 400) ExiPlus, Multi-Compendial (Carbowax 400) meets compendial specs of BP	500 Gms	7.76
40555 [59-88-1]	Phenylhydrazine Hydrochloride pure, 99%	100 Gms	10.00	61213 [25322-68-3]	Polyethylene Glycol 3350 (PEG 3350) ExiPlus, Multi-Compendial	500 Gms	10.79		
		250 Gms	22.50			30970 [25322-68-3]	Polyethylene Glycol 4000 (PEG 4000)	500 Gms	6.58
12109 [59-88-1]	Phenylhydrazine Hydrochloride extrapure AR, 99%	100 Gms	13.29	5 Kg	63.96				
		250 Gms	31.58	25 Kg	303.21				
26892 [59-88-1]	Phenylhydrazine Hydrochloride extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	17.50	76937 [25322-68-3]	Polyethylene Glycol 4000 (PEG 4000) ExiPlus, Multi-Compendial meets compendial specs of USP	500 Gms	7.90		
		250 Gms	40.80			5 Kg	73.96		
64732 [59-88-1]	Phenylhydrazine Hydrochloride Superior extrapure AR, 99%	5 Gms	11.84	67429 [25322-68-3]	Polyethylene Glycol 6000 (PEG 6000)	500 Gms	7.24		
		100 Gms	31.06			5 Kg	63.17		
28022 [138-24-9]	Phenyltrimethyl Ammonium Chloride (PTMAC) pure, 97%	100 Gms	8.16	26029 [25322-68-3]	Polyethylene Glycol 6000 (PEG 6000) ExiPlus, Multi-Compendial meets compendial specs of USP	500 Gms	8.55		
		500 Gms	36.98			5 Kg	74.62		
82322 [51429-74-4]	Phosphomolybdic Acid extrapure AR, ACS, 99%	25 Gms	15.79	54866 [25322-68-3]	Polyethylene Glycol 8000 (PEG 8000) for molecular biology (Carbowax 8000)	500 Gms	23.03		
		100 Gms	50.53			5 Kg	208.06		
		500 Gms	210.56			94701 [25322-68-3]	Polyethylene Glycol 8000 (PEG 8000) ExiPlus, Multi-Compendial (Carbowax 8000)	500 Gms	10.00
78861 [13598-36-2]	Phosphorous Acid Crystals (Phosphonic Acid) extrapure, 98% (Orthophosphorous Acid)	500 Gms	11.05	5 Kg	93.83				
		2.5 Kg	53.96	64651 [25322-68-3]	Polyethylene Glycol 9000 (PEG 9000) (Carbowax 9000)	500 Gms	15.92		
72656 [7723-14-0]	Phosphorus Red pure 97%	500 Gms	31.06			46505 [25322-68-3]	Polyethylene Glycol 9000 (PEG 9000) ExiPlus, Multi-Compendial (Carbowax 9000)	500 Gms	19.21
		80653 [12501-23-4]	Phosphotungstic Acid Hydrate extrapure (Tungstophosphoric Acid)					25 Gms	9.74
100 Gms	32.51			5 Kg	289.52				
500 Gms	138.18	75727 [25322-68-3]	Polyethylene Glycol 20000 (PEG 20000)	100 Gms	19.74				
57855 [12501-23-4]	Phosphotungstic Acid Hydrate extrapure AR			25 Gms	11.84	500 Gms	65.80		
				100 Gms	40.80	1 Kg	111.86		
500 Gms	157.92	5 Kg	236.88	33817 [25322-68-3]	Polyethylene Glycol 20000 (PEG 20000) ExiPlus, Multi-Compendial meets compendial specs of USP, BP	100 Gms	23.69		
67397 [88-99-3]	Phthalic Acid pure, 99%	500 Gms	9.87			500 Gms	73.70		
		1 Kg	98.54	1 Kg	128.97				
32624 [85-44-9]	Phthalic Anhydride pure, 97%	500 Gms	3.95	41098 [8017-16-1]	Polyphosphoric Acid extrapure, 83-87% P2O5	500 ml	20.92		
		5 Kg	36.85			2500 ml	97.65		
93665 [85-44-9]	Phthalic Anhydride ACS, 99%	500 Gms	9.21	28599 [9005-64-5]	Polysorbate 20 (Tween 20) extrapure	500 Gms	11.19		
		5 Kg	85.54			2.5 Kg	48.82		
44745 [17211-15-3]	Phytic Acid Sodium Salt Hydrate (InsP6) extrapure, 70% (Inositol hexaphosphoric acid dodecasodium salt, myo-Inositol hexakis(dihydrogen phosphate) dodecaso	5 Gms	46.45			5 Kg	92.12		
		25 Gms	208.59	25 Kg	438.89				
94847 [88-89-1]	Picric Acid moistened with ~30% water extrapure, 99%	100 Gms	4.87	33712 [9005-64-5]	Polysorbate 20 (Tween 20) for tissue culture	500 Gms	15.27		
		500 Gms	11.84						
47998 [88-89-1]	Picric Acid moistened with ~30% water extrapure AR, 99.8%	100 Gms	5.79						
		500 Gms	14.48						
16462 [52785-06-5]	Platinum (IV) Oxide Hydrate extrapure, 76-80% Pt Platinum Dioxide Hydrate, Adam's Catalyst	1 Gms	144.76						
		250 Mg	43.43						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
23610 [9005-64-5]	Polysorbate 20 (Tween 20) ExiPlus, Multi-Compendial meets compendial specs of BP	500 Gms	13.69	99644 [7758-01-2]	Potassium Bromate pure, 99.5%	500 Gms 5 Kg	13.82 134.23
65296 [9005-64-5]	Polysorbate 20 (Tween 20) for molecular biology	100 Gms 500 Gms	20.79 33.56	80823 [7758-02-3]	Potassium Bromide pure, 98.5%	500 Gms 5 Kg	14.48 134.23
31453 [9005-66-7]	Polysorbate 40 (Tween 40) extrapure	250 Gms 5 Kg	8.03 125.02	66453 [7758-02-3]	Potassium Bromide extrapure AR, 99.5%	500 Gms 5 Kg	21.06 197.40
62539 [9005-66-7]	Polysorbate 40 (Tween 40) ExiPlus, Multi-Compendial meets compendial specs of USP, BP, Ph.Eur	250 Gms 5 Kg	14.34 164.50	25707 [7758-02-3]	Potassium Bromide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms 5 Kg	23.69 223.72
12502 [9005-67-8]	Polysorbate 60 (Tween 60) extrapure	100 Gms 500 Gms 5 Kg	6.32 13.95 105.28	13873 [7758-02-3]	Potassium Bromide Powder for IR & FTIR spectroscopy, 99.5%	25 Gms 100 Gms 500 Gms	15.79 56.19 236.88
86878 [9005-67-8]	Polysorbate 60 (Tween 60) ExiPlus, Multi-Compendial meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	15.92 118.44	87005	Potassium AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml 250 ml	21.06 34.22
28940 [9005-65-6]	Polysorbate 80 (Tween 80) extrapure	500 Gms 5 Kg 25 Kg	11.98 87.78 399.01	93649 [7758-02-3]	Potassium Bromide 0.1M Solution	500 ml 1000 ml	4.08 7.37
95188 [9005-65-6]	Polysorbate 80 (Tween 80) ExiPlus, Multi-Compendial meets compendial specs of BP	500 Gms 5 Kg 25 Kg	13.82 103.83 494.68	79982 [7758-02-3]	Potassium Bromide 0.5M Solution	500 ml 1000 ml	4.34 8.03
81613 [9003-39-8]	Polyvinylpyrrolidone K25 (Povidone, PVP K-25)	100 Gms 500 Gms 5 Kg	9.87 37.51 315.84	29988 [7758-02-3]	Potassium Bromide 1M Solution	500 ml 1000 ml	4.74 8.42
41030 [9003-39-8]	Polyvinylpyrrolidone K30 (Povidone, PVP K-30)	100 Gms 500 Gms 5 Kg 25 Kg	8.55 30.27 276.36 1250.20	24794 [298-14-6]	Potassium Bicarbonate extrapure, 99% (Potassium Hydrogen Carbonate)	500 Gms	5.66
65155 [9003-39-8]	Polyvinylpyrrolidone K30 (Povidone, PVP K-30) ExiPlus, Multi-Compendial meets compendial specs of BP	100 Gms 500 Gms 5 Kg	9.87 39.48 368.48	57674 [298-14-6]	Potassium Bicarbonate AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Potassium Hydrogen Carbonate) meets compendial specs of BP	500 Gms	6.19
24564 [9003-39-8]	Polyvinylpyrrolidone K90 (Povidone, PVP K-90)	100 Gms 500 Gms 5 Kg	15.79 48.69 375.06	87272 [584-08-7]	Potassium Carbonate anhydrous extrapure, 99%	500 Gms 5 Kg	5.13 44.74
44333 [127-08-2]	Potassium Acetate pure, 99%	500 Gms 5 Kg	7.90 72.38	83342 [584-08-7]	Potassium Carbonate anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	500 Gms 5 Kg	5.92 51.19
79156 [127-08-2]	Potassium Acetate extrapure AR, 99%	500 Gms 5 Kg	8.95 84.22	38630 [7447-40-7]	Potassium Chloride ACS, 99.5%	500 Gms 5 Kg 25 Kg	4.08 30.14 140.68
40480 [127-08-2]	Potassium Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP	500 Gms 5 Kg	9.61 90.80	50016 [7447-40-7]	Potassium Chloride ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur, USP	500 Gms 5 Kg	4.47 34.48
96248 [127-08-2]	Potassium Acetate for molecular biology, 99.5%	100 Gms 500 Gms	5.26 15.79	84984 [7447-40-7]	Potassium Chloride for molecular biology, 99.5%	500 Gms 1 Kg	11.84 18.03
81955 [127-08-2]	Potassium Acetate for tissue culture, 99.5%	100 Gms 500 Gms	3.95 11.84	71088 [7447-40-7]	Potassium Chloride for tissue culture, 99.5%	250 Gms	10.13
				84390 [7789-00-6]	Potassium Chromate pure, 99%	500 Gms 5 Kg	12.11 110.54
				93448 [7789-00-6]	Potassium Chromate extrapure AR, 99.5%	500 Gms 5 Kg	13.16 118.44



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
31751 [7789-00-6]	Potassium Chromate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 Gms	14.61	12914 [14459-95-1]	Potassium Ferrocyanide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, Ph.Eur	500 Gms 5 Kg	12.50 118.44
49890 [6100-05-6]	Potassium Citrate Tribasic Monohydrate extrapure AR, 99%	500 Gms 5 Kg	7.24 69.09	97535 [7789-23-3]	Potassium Fluoride Anhydrous pure, 97%	500 Gms	10.53
74176 [6100-05-6]	Potassium Citrate Tribasic Monohydrate extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	500 Gms 5 Kg	8.55 82.25	91489 [16921-30-5]	Potassium Hexachloroplatinate (IV) pure, 40% Pt (Platinum Potassium Chloride, Potassium Chloroplatinate)	250 Mg 1 Gms 5 Gms 25 Gms	39.48 92.12 394.80 1842.40
13250 [7778-50-9]	Potassium Dichromate pure, 99.5%	500 Gms 5 Kg	12.50 113.18	42414 [17084-13-8]	Potassium Hexafluorophosphate extrapure, 99%	25 Gms 100 Gms 500 Gms	10.53 26.32 92.12
80233 [7778-50-9]	Potassium Dichromate extrapure AR, 99.9%	500 Gms 5 Kg	13.82 119.76	40180 [16919-27-0]	Potassium Hexafluorotitanate pure, 98% (Potassium Fluotitanate, Potassium Titanium Fluoride, Dipotassium hexafluorotitanate, Titanium potas)	100 Gms 500 Gms 5 Kg	7.90 19.74 105.28
55353 [7778-50-9]	Potassium Dichromate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	15.79 128.97	37466 [16923-95-8]	Potassium Hexafluorozirconate pure, 97%	100 Gms 500 Gms	14.08 32.90
52403 [7778-77-0]	Potassium Dihydrogen Orthophosphate pure, 99%	500 Gms 5 Kg 25 Kg	6.84 63.17 289.52	39535 [16905-14-9]	Potassium Hexaiodoplatinate (IV) pure, 18-19% Pt	250 Mg 1 Gms	29.61 75.67
50451 [7778-77-0]	Potassium Dihydrogen Orthophosphate extrapure AR, 99.5%	500 Gms 1 Kg 5 Kg	8.42 15.79 69.75	80633 [877-24-7]	Potassium Hydrogen Phthalate extrapure AR, 99.9%	500 Gms	9.48
78297 [7778-77-0]	Potassium Dihydrogen Orthophosphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms 1 Kg 5 Kg	9.21 17.77 75.01	29467 [877-24-7]	Potassium Hydrogen Phthalate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of BP, Ph.Eur	500 Gms	10.79
54358 [7778-77-0]	Potassium Dihydrogen Orthophosphate for molecular biology, 99.5% (Potassium Phosphate Monobasic)	250 Gms 500 Gms 5 Kg	7.90 15.13 144.76	49017 [877-24-7]	Potassium Hydrogen Phthalate for HPLC & UV Spectroscopy, 99.9%	500 Gms	12.90
30955 [7778-77-0]	Potassium Dihydrogen Orthophosphate for HPLC & UV Spectroscopy, 99.5%	500 Gms 5 Kg	12.90 125.02	65031 [7646-93-7]	Potassium Hydrogen Sulphate (Potassium Bisulphate) pure, 99%	500 Gms 5 Kg	7.90 76.33
32360 [7778-77-0]	Potassium Dihydrogen Orthophosphate for tissue culture, 99.5% (Potassium Phosphate Monobasic)	500 Gms 1 Kg 5 Kg	9.87 19.08 78.96	10942 [7646-93-7]	Potassium Hydrogen Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Potassium Bisulphate) meets compendial specs of BP, Ph.Eur	500 Gms	9.48
77012 [140-89-6]	Potassium Ethyl Xanthate (PEX) extrapure, 98% (O-Ethyl Xanthic Acid Potassium Salt)	100 Gms 500 Gms	18.42 76.33	76131 [868-14-4]	Potassium Hydrogen Tartrate (Potassium Bitartrate) pure, 99% (Potassium L-Tartrate Monobasic)	500 Gms 5 Kg	11.19 103.96
15766 [13746-66-2]	Potassium Ferricyanide extrapure, 98%	100 Gms 500 Gms 5 Kg	5.92 25.66 236.88	84749 [1310-58-3]	Potassium Hydroxide pellets extrapure, 85%	500 Gms 1 Kg 5 Kg	6.32 11.19 53.96
59558 [13746-66-2]	Potassium Ferricyanide ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, Ph.Eur	250 Gms 500 Gms 5 Kg	15.13 28.03 261.09	78269 [1310-58-3]	Potassium Hydroxide Pellets ACS, 85%	500 Gms 1 Kg 5 Kg	6.84 13.16 57.90
32294 [14459-95-1]	Potassium Ferrocyanide extrapure AR, 99%	500 Gms 5 Kg	11.84 111.86	18543 [1310-58-3]	Potassium Hydroxide Pellets ExiPlus, Multi-Compendial, 85% meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	7.37 63.17
				26035 [1310-58-3]	Potassium Hydroxide Powder extrapure, 85%, 80-100 mesh	500 Gms 1 Kg 5 Kg	6.58 12.50 55.27



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
67864 [7758-05-6]	Potassium Iodate pure, 99.5%	100 Gms	25.00	10322 [7727-21-1]	Potassium Persulphate extrapure, 97%	500 Gms	6.84		
		250 Gms	60.54			500 Gms	7.90		
		500 Gms	115.81			500 Gms	8.69		
11041 [7758-05-6]	Potassium Iodate extrapure AR, 99.9%	100 Gms	26.32	48319 [7727-21-1]	Potassium Persulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	8.69		
		250 Gms	63.17						
		500 Gms	119.76						
10809 [7758-05-6]	Potassium Iodate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	100 Gms	28.29	90654 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous pure, 99%	500 Gms	7.90		
		250 Gms	67.12			5 Kg	65.80		
		500 Gms	128.97						
78240 [7681-11-0]	Potassium Iodide pure, 99%	25 Gms	8.55	27387 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous extrapure AR, 99.5%	500 Gms	8.55		
		100 Gms	32.24			5 Kg	72.38		
		250 Gms	77.64						
		500 Gms	151.34						
27874 [7681-11-0]	Potassium Iodide ACS, 99.8%	25 Gms	9.21	31964 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	500 Gms	9.21		
		100 Gms	33.56			5 Kg	78.96		
		250 Gms	81.59						
		500 Gms	161.21						
97028 [7681-11-0]	Potassium Iodide ExiPlus, Multi-Compendial, 99.8% meets compendial specs of USP, BP	25 Gms	9.54	41295 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous for HPLC, 99.5%	500 Gms	15.79		
		100 Gms	36.19			57419 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous for tissue culture, 99%	500 Gms	8.82
		250 Gms	88.17					5 Kg	75.01
		500 Gms	171.08						
11677 [7681-11-0]	Potassium Iodide 0.1M Solution	500 ml	6.58	15914 [7778-53-2]	Potassium Phosphate Tribasic Anhydrous extrapure AR, ACS, 98% (Tripotassium Phosphate)	500 Gms	15.79		
		1000 ml	11.84						
74567 [7681-11-0]	Potassium Iodide 1M Solution	500 ml	26.32	37423 [12208-13-8]	Potassium Pyroantimonate extrapure, 98% (Potassium Hexahydroxoantimonate(V), Potassium Antimonate Trihydrate)	100 Gms	8.69		
		1000 ml	51.32			500 Gms	39.48		
26645 [7681-11-0]	Potassium Iodide 3M Solution	500 ml	78.96	94527 [12208-13-8]	Potassium Pyroantimonate extrapure AR, 99% (Potassium Hexahydroxoantimonate(V), Potassium Antimonate Trihydrate)	100 Gms	10.53		
		1000 ml	151.34			500 Gms	46.06		
93842 [4429-42-9]	Potassium Metabisulphite pure, 95%	500 Gms	5.92	50862 [7320-34-5]	Potassium Pyrophosphate extrapure, 98% Tetra Potassium Pyrophosphate, Potassium diphosphate tetrabasic, Tetrapotassium diphosphate, Potassi	500 Gms	12.50		
		5 Kg	55.93						
13413 [7790-21-8]	Potassium Periodate extrapure AR, 99.8%	100 Gms	31.85	53158 [7790-62-7]	Potassium Pyrosulphate (Potassium Disulfate) extrapure, 97.5%	100 Gms	23.69		
		500 Gms	151.34			500 Gms	85.54		
86742 [7790-21-8]	Potassium Periodate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8% meets compendial specs of USP, BP, Ph.Eur	100 Gms	34.87	86344 [7492-30-0]	Potassium Ricinoleate extrapure (Ricinoleic Acid Potassium Salt, Potassium Ricinolate)	500 Gms	12.50		
		500 Gms	166.47			5 Kg	118.44		
77407 [6487-48-5]	Potassium Oxalate Monohydrate pure, 99%	500 Gms	8.42	44277 [7778-80-5]	Potassium Sulphate extrapure, 99%	500 Gms	5.53		
		5 Kg	78.96			5 Kg	44.74		
40707 [6487-48-5]	Potassium Oxalate Monohydrate extrapure AR, ACS, 99.5%	500 Gms	9.74	52182 [7778-80-5]	Potassium Sulphate for tissue culture, 99%	500 Gms	7.24		
		5 Kg	92.12						
36903 [7722-64-7]	Potassium Permanganate extrapure, 99%	500 Gms	8.82	26253 [7778-80-5]	Potassium Sulphate extrapure AR, 99.5%	500 Gms	6.05		
		5 Kg	68.96			5 Kg	55.27		
51470 [7722-64-7]	Potassium Permanganate extrapure AR, 99.5%	500 Gms	9.61	73900 [7778-80-5]	Potassium Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	6.58		
		5 Kg	83.30			5 Kg	59.22		
26500 [7722-64-7]	Potassium Permanganate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	10.40	66691 [7790-58-1]	Potassium Tellurite Anhydrous extrapure, 98% (Dipotassium Tellurite, Potassium Tellurate, Potassium Tellurium Oxide)	10 Gms	23.69		
		5 Kg	86.07			25 Gms	47.38		
						100 Gms	190.82		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
35889 [123333-66-4]	Potassium Tellurite Monohydrate extrapure, 90% (Potassium Tellurate (IV) Hydrate, Dipotassium Tellurite Monohydrate)	10 Gms	18.42	85994 [71-23-8]	n-Propanol Dried, 99.5%, 0.005% water (1-Propanol)	1000 ml	15.79
		25 Gms	34.22				
		100 Gms	118.44				
16273 [10025-99-7]	Potassium Tetrachloroplatinate (II) pure, 47% Pt (Potassium Platinum (II) Chloride)	250 Mg	41.06	52111 [123-38-6]	Propionaldehyde (Propanal) pure, 97%	500 ml	5.13
		1 Gms	126.34			2500 ml	26.32
		5 Gms	600.10				
34570 [14484-69-6]	Potassium Tetrafluoroaluminate pure, 98% (Potassium Aluminium Fluoride, PAF)	500 Gms	11.84	12931 [79-09-4]	Propionic Acid extrapure, C3-99% (GC)	500 ml	4.47
		5 Kg	94.75			2500 ml	21.06
99928 [14075-53-7]	Potassium Tetrafluoroborate pure, 98% (Potassium Fluoroborate, Potassium Fluoborate, Potassium Borofluoride)	250 Gms	3.29	43883 [79-09-4]	Propionic Acid extrapure AR, C3-99.5% (GC)	500 ml	5.00
		1 Kg	11.84			2500 ml	23.69
48218 [333-20-0]	Potassium Thiocyanate pure, 97%	500 Gms	10.26	42263 [79-09-4]	Propionic Acid extrapure AR, ACS, ExiPlus, Multi-Compndial, C3-99.5% (GC) meets compendial specs of USP, BP, Ph.Eur	500 ml	5.40
						2500 ml	26.32
41027 [333-20-0]	Potassium Thiocyanate extrapure AR, 99%	500 Gms	12.11	52810 [123-62-6]	Propionic Anhydride extrapure, 98%	500 ml	11.84
						2500 ml	55.93
59115 [333-20-0]	Potassium Thiocyanate extrapure AR, ACS, ExiPlus, Multi-Compndial, 99% meets compendial specs of USP, Ph.Eur	500 Gms	15.13	21587 [79-03-8]	Propionyl Chloride extrapure, 99%	100 ml	3.68
						500 ml	10.79
69285 [9005-25-8]	Potato Starch pure	500 Gms	4.74	85159 [79-03-8]	Propionyl Chloride extrapure AR (Specially purified), 99.5%	500 ml	15.79
		5 Kg	41.45				
95365 [344-25-2]	D-Proline extrapure CHR, 99%	5 Gms	19.74	28849 [107-10-8]	n-Propylamine pure, 99%	500 ml	7.24
		25 Gms	63.69				
35139 [147-85-3]	L-Proline extrapure CHR, 99%	25 Gms	3.95	30754 [57-55-6]	Propylene Glycol (1,2-Propanediol) pure, 99%	500 ml	5.26
		100 Gms	9.87			2500 ml	24.35
		1 Kg	85.54			25 Ltr	223.72
		5 Kg	394.80				
56073 [147-85-3]	L-Proline for tissue culture, 99%	25 Gms	4.61	53054 [57-55-6]	Propylene Glycol (1,2-Propanediol) extrapure AR, 99.5%	500 ml	6.05
		100 Gms	11.84			2500 ml	27.64
		500 Gms	47.38				
96877 [147-85-3]	L-Proline ExiPlus, Multi-Compndial, 99% meets compendial specs of BP, Ph.Eur	100 Gms	16.58	95961 [57-55-6]	Propylene Glycol (1,2-Propanediol) extrapure AR, ACS, ExiPlus, Multi-Compndial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	6.58
		1 Kg	105.28			2500 ml	31.58
		5 Kg	479.29				
61988 [147-85-3]	Proline BP (L-Proline BP)	1 Kg	105.28	40011 [121-79-9]	Propyl Gallate extrapure, 98%	100 Gms	14.34
		5 Kg	493.50			500 Gms	56.06
		25 Kg	2303.00				
68128 [147-85-3]	L-Proline USP	1 Kg	121.07	47638 [121-79-9]	Propyl Gallate IP	1 Kg	105.28
		5 Kg	559.30			5 Kg	493.50
		25 Kg	2632.00			25 Kg	2303.00
39236 [71-23-8]	n-Propanol pure, 99%	500 ml	3.95	14086 [121-79-9]	Propyl Gallate BP	1 Kg	105.28
		2500 ml	15.79			5 Kg	493.50
						25 Kg	2303.00
24501 [71-23-8]	n-Propanol extrapure AR, 99.5%	500 ml	4.34	16067 [121-79-9]	Propyl Gallate NF	1 Kg	121.07
		2500 ml	17.11			5 Kg	559.30
53790 [71-23-8]	n-Propanol extrapure AR, ACS, ExiPlus, Multi-Compndial, 99.5% meets compendial specs of BP, Ph.Eur	500 ml	4.74			25 Kg	2632.00
		2500 ml	19.74				
42328 [71-23-8]	n-Propanol GC-HS (1-propanol), 99.9%	250 ml	5.53	53898 [94-13-3]	Propyl-4-Hydroxybenzoate (Propyl Paraben) ExiPlus, Multi-Compndial, 98-102% meets compendial specs of USP, BP	500 Gms	17.63
		1000 ml	18.42			5 Kg	156.47
45909 [71-23-8]	n-Propanol for HPLC, 99.8%	1000 ml	21.06	52950 [35285-69-9]	Propyl-4-Hydroxybenzoate Sodium Salt (Propyl Paraben Sodium) ExiPlus, Multi-Compndial, 94-102% meets compendial specs of USP, BP	500 Gms	18.42
						5 Kg	164.50



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
61808 [110-86-1]	Pyridine extrapure, 99%	250 ml	5.92	62657 [69-72-7]	Salicylic Acid ACS, 99.9%	500 Gms	11.19
		500 ml	11.19			2.5 Kg	53.96
		2500 ml	52.64				
51952 [110-86-1]	Pyridine Dried, 99.5%, water 0.01%	500 ml	17.11	16448 [69-72-7]	Salicylic Acid ACS, ExiPlus, Multi-Compendial, 99.9%	500 Gms	11.84
83329 [110-86-1]	Pyridine for HPLC & UV Spectroscopy, 99.5%	500 ml	15.79	27769	Selenium AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	5 Kg	59.22
		1000 ml	28.69			100 ml	21.06
75453 [110-86-1]	Pyridine (For Karl Fischer Titration), 99.5%	500 ml	13.82	52228	Seralite SRA-400, Strong Basic Anion Exchange Resin (equivalent to Amberlite IRA-400, Indion FFIP Anion Resin)	250 ml	34.22
92665 [110-86-1]	Pyridine AR, ACS, ExiPlus, Multi-Compendial, 99.5%	250 ml	6.84			500 Gms	11.19
		500 ml	12.77		5 Kg	102.65	
		2500 ml	56.59	14891	Seralite SRC-120, Strong Acid Cation Exchange Resin (equivalent to Amberlite IRC-120, Indion 225H Cation Resin)	500 Gms	7.24
	meets compendial specs of USP, BP, Ph.Eur				5 Kg	65.80	
48918 [26299-14-9]	Pyridinium Chlorochromate (PCC) extrapure, 98%	25 Gms	6.58	89830	Seralite Resin WRC-50, Weak Acid Cation Exchange Resin (equivalent to Amberlite IRC-50, Indion 236 Resin)	500 Gms	9.21
		100 Gms	17.77		5 Kg	85.54	
		500 Gms	78.83	53457 [312-84-5]	D-Serine extrapure, 99%	25 Gms	10.53
13584 [20039-37-6]	Pyridinium Dichromate (Cornforth Reagent, PDC) extrapure, 98%	25 Gms	9.74		100 Gms	39.48	
		100 Gms	26.58		500 Gms	131.60	
		500 Gms	116.60	24425 [302-84-1]	DL-Serine extrapure CHR, 99%	25 Gms	7.90
71646 [87-66-1]	Pyrogallol extrapure AR, 99%	100 Gms	19.74		100 Gms	26.32	
		500 Gms	85.54		500 Gms	118.44	
30205 [87-66-1]	Pyrogallol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	100 Gms	21.71	84131 [56-45-1]	L-Serine extrapure CHR, 99%	25 Gms	6.58
		500 Gms	89.49		100 Gms	19.74	
	meets compendial specs of USP, BP, Ph.Eur				500 Gms	85.54	
58050 [81-88-9]	Rhodamine B (Tetraethylrhodamine, Violet 10)	25 Gms	3.16	63503 [56-45-1]	L-Serine for tissue culture, 99%	25 Gms	7.90
		100 Gms	11.45		100 Gms	21.06	
20707 [7791-11-9]	Rubidium (I) Chloride ultrapure, 99.5%	5 Gms	47.38		500 Gms	94.75	
		25 Gms	223.72	84494 [56-45-1]	L-Serine ExiPlus, Multi-Compendial, 99%	25 Gms	10.79
75420 [7440-18-8]	Ruthenium Metal Powder, 99.9%	1 Gms	125.41		100 Gms	31.58	
					1 Kg	210.56	
60633 [11103-72-3]	Ruthenium Red Tetrahydrate	1 Gms	75.80		meets compendial specs of BP		
		5 Gms	363.22	85148 [112926-00-8]	Silica Gel Blue (Self Indicating) (Coarse), 5-8 mesh	500 Gms	6.97
75268 [14898-67-0]	Ruthenium (III) Trichloride Hydrate pure, 38-40% Ru	1 Gms	59.22		5 Kg	65.67	
		5 Gms	263.20	84210 [112945-52-5]	Silica Gel Fumed 200 (Hydrophilic) (Silicon Dioxide amorphous, Aerosil 200)	100 Gms	6.19
77862 [90-02-8]	Salicylaldehyde pure, 99% (2-Hydroxybenzaldehyde, o-Hydroxybenzaldehyde)	100 ml	9.61		250 Gms	13.03	
		250 ml	21.58		2.5 Kg	86.86	
		1000 ml	78.96	71548 [112926-00-8]	Silica Gel Orange (Self Indicating), 2-5mm	500 Gms	7.90
24922 [90-02-8]	Salicylaldehyde extrapure AR, 99.5% (2-Hydroxybenzaldehyde, o-Hydroxybenzaldehyde)	100 ml	14.08		5 Kg	76.33	
		500 ml	47.38	65856 [112926-00-8]	Silica Gel 60-120 mesh	500 Gms	6.19
63504 [90-02-8]	Salicylaldehyde extrapure AR, ExiPlus, Multi-Compendial, 99.5% (2-Hydroxybenzaldehyde, o-Hydroxybenzaldehyde)	100 ml	13.03		5 Kg	57.64	
		250 ml	27.37		25 Kg	270.83	
	meets compendial specs of Ph.Eur	500 ml	54.61	40449 [112926-00-8]	Silica Gel 60-200 mesh	500 Gms	7.37
11453 [69-72-7]	Salicylic Acid pure, 99%	500 Gms	8.55		5 Kg	65.93	
		5 Kg	81.59	95178 [112926-00-8]	Silica Gel 100-200 mesh	500 Gms	6.19
		25 Kg	394.80		5 Kg	57.64	
					25 Kg	270.83	
				63025 [112926-00-8]	Silica Gel 200-400 mesh	500 Gms	7.37
					5 Kg	68.83	
					25 Kg	329.39	



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
96671 [112926-00-8]	Silica Gel 230-400 mesh	500 Gms	8.16	91233 [7761-88-8]	Silver Nitrate for tissue culture, 99.5%	10 Gms	31.58		
		5 Kg	77.64			25 Gms	73.70		
		25 Kg	365.98						
36834 [112926-00-8]	Silica Gel 400-700 mesh	500 Gms	10.40	94118 [7761-88-8]	Silver Nitrate ACS, 99.9%	10 Gms	27.64		
		1 Kg	19.21			25 Gms	64.48		
51849 [112926-00-8]	Silica Gel G for TLC, 325mesh, w/ CaSO ₄	500 Gms	7.11			100 Gms	256.62		
		5 Kg	64.48			500 Gms	1250.20		
		25 Kg	307.55						
52797 [112926-00-8]	Silica Gel H for TLC, 325mesh, w/o CaSO ₄	500 Gms	7.11	96045 [7761-88-8]	Silver Nitrate ExiPlus, Multi-Compendial, 99.9%	25 Gms	68.43		
		5 Kg	64.48			100 Gms	269.78		
		25 Kg	307.55			500 Gms	1302.84		
38062 [112926-00-8]	Silica Gel GF254 for TLC, 325mesh, w/ Fluorescent Indicator w/ CaSO ₄	500 Gms	51.32	meets compendial specs of USP, BP					
		5 Kg	500.08	51535 [7761-88-8]	Silver Nitrate 0.1N Solution	500 ml	28.95		
				1000 ml	52.64				
29774 [112926-00-8]	Silica Gel HF254 for TLC, 325mesh, w/ Fluorescent Indicator w/o CaSO ₄	500 Gms	51.32	2500 ml	111.86	54023 [7761-88-8]	Silver Nitrate 0.02N Solution	500 ml	12.77
		5 Kg	500.08	1000 ml	23.42				
81618	Silicon Antifoaming Agent 30% (Non-ionic)	100 ml	4.61	47262 [7761-88-8]	Silver Nitrate 0.05N Solution	500 ml	16.45		
		500 ml	12.50			1000 ml	30.40		
		1000 ml	22.37	49430 [7761-88-8]	Silver Nitrate 1N Solution	100 ml	76.33		
72243 [63148-62-9]	Silicone Oil 100 CPS	250 ml	11.19			500 ml	364.27		
		1000 ml	39.48			69668 [20667-12-3]	Silver Oxide pure, 99%	10 Gms	42.77
		2500 ml	89.49	25 Gms	100.02				
		100 Gms	381.64						
82045 [63148-62-9]	Silicone Oil 330-370 CPS	250 ml	9.87	76610 [20667-12-3]	Silver Oxide extrapure AR, 99%	10 Gms	47.38		
		1000 ml	34.22			25 Gms	111.86		
		2500 ml	81.59						
85160 [563-63-3]	Silver Acetate pure, 98%	10 Gms	34.22	63976 [7784-09-0]	Silver Phosphate extrapure, 98% (Silver Orthophosphate, Trisilver Phosphate)	5 Gms	21.06		
		25 Gms	78.96			25 Gms	88.17		
		100 Gms	286.89						
32737	Silver AAS Standard Solution in 0.5N HNO ₃ (Traceable to NIST)	100 ml	27.64	86887 [7784-09-0]	Silver Phosphate extrapure AR, 99% (Silver Orthophosphate, Trisilver Phosphate)	5 Gms	26.32		
		250 ml	60.54			25 Gms	94.75		
77701 [7785-23-1]	Silver Bromide extrapure, 98%	10 Gms	34.22	60112 [22199-08-2]	Silver Sulfadiazine ExiPlus, Multi-Compendial, 98% (Silver (I) Sulfadiazine, Sulfadiazine Silver)	5 Gms	18.42		
		25 Gms	78.96			25 Gms	52.64		
		100 Gms	272.41			100 Gms	177.66		
90097 [534-16-7]	Silver Carbonate pure, 99%	25 Gms	93.83	meets compendial specs of USP					
		100 Gms	363.22	17929 [10294-26-5]	Silver Sulphate pure, 98.5%	10 Gms	36.32		
80647 [7783-90-6]	Silver Chloride extrapure AR, 99%	25 Gms	93.83			25 Gms	78.04		
		100 Gms	363.22			100 Gms	302.68		
		14417 [1470-61-7]	Silver Diethyldithiocarbamate ACS	5 Gms	23.82	59940 [10294-26-5]	Silver Sulphate extrapure AR, ACS, 99%	10 Gms	37.90
25 Gms	92.65			25 Gms	80.28				
100 Gms	276.36			100 Gms	317.81				
86633 [7783-97-3]	Silver Iodate extrapure, 99%	10 Gms	28.95	38119 [8006-28-8]	Soda Lime Granules with Indicator extrapure AR, 2-5mm, CO ₂ abs. capacity 27%	500 Gms	7.24		
		25 Gms	63.17			5 Kg	71.20		
		100 Gms	236.88	31378 [127-09-3]	Sodium Acetate Anhydrous pure, 98%	500 Gms	3.68		
24607 [7783-96-2]	Silver Iodide extrapure AR, 99%	10 Gms	32.90			5 Kg	34.22		
		25 Gms	77.64	74537 [127-09-3]	Sodium Acetate Anhydrous ACS, 99%	500 Gms	5.40		
		100 Gms	276.36			5 Kg	43.43		
32814 [7761-88-8]	Silver Nitrate extrapure, 99.5%	10 Gms	26.32	51483 [127-09-3]	Sodium Acetate Anhydrous ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	6.58		
		25 Gms	61.85						
		100 Gms	243.46						
		500 Gms	1184.40						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
22342 [127-09-3]	Sodium Acetate Anhydrous for molecular biology, 99%	250 Gms	6.84	93982 [16940-66-2]	Sodium Borohydride (powder) extrapure AR, ACS, 98% (Sodium Tetrahydridoborate)	25 Gms	5.92
		500 Gms	11.84			100 Gms	13.82
70509 [127-09-3]	Sodium Acetate Anhydrous for HPLC & UV Spectroscopy, 99%	500 Gms	17.24	500 Gms	63.17	5 Kg	534.56
54966 [6131-90-4]	Sodium Acetate Trihydrate extrapure AR, 99.5%	500 Gms	3.82	43471 [16940-66-2]	Sodium Borohydride (crystals) extrapure, 98% (Sodium Tetrahydridoborate)	25 Gms	6.58
		5 Kg	34.22			100 Gms	14.48
44981 [6131-90-4]	Sodium Acetate Trihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms	4.21	500 Gms	68.43	5 Kg	579.04
		5 Kg	39.48				
88035 [6131-90-4]	Sodium Acetate Trihydrate for molecular biology, 99.5%	250 Gms	4.47	32769 [7789-38-0]	Sodium Bromate extrapure AR, 99%	100 Gms	3.55
		500 Gms	8.55	500 Gms	11.84		
84658 [6131-90-4]	Sodium Acetate Trihydrate for tissue culture, 99.5%	500 Gms	11.19	43327 [7647-15-6]	Sodium Bromide extrapure, 99%	500 Gms	9.48
56315 [6131-90-4]	Sodium Acetate Trihydrate for HPLC, 99.5%	500 Gms	19.74			5 Kg	92.12
21636 [7758-16-9]	Sodium Acid Pyrophosphate (SAPP) extrapure, 95% (Sodium Pyrophosphate Dibasic, Disodium Diphosphate Dibasic, Disodium Dihydrogen Diphosphate)	500 Gms	6.05	84486 [6131-99-3]	Sodium Cacodylate Trihydrate extrapure, 98% (Dimethyl Arsenic Acid Sodium Salt Trihydrate)	10 Gms	44.74
				25 Gms	108.57	100 Gms	421.12
80726 [9005-38-3]	Sodium Alginate LV extrapure, 4-12cps, 30mesh	500 Gms	32.90	42215 [1984-06-1]	Sodium Caprylate extrapure, 99% (Caprylic Acid Sodium Salt)	100 Gms	9.74
		5 Kg	309.26	250 Gms	18.42	500 Gms	32.90
52775 [9005-38-3]	Sodium Alginate HV extrapure, 1000cps, 100mesh (Alginic Acid Sodium Salt)	500 Gms	44.74	50090 [1984-06-1]	Sodium Caprylate BP, 99-101%	1 Kg	118.44
75063	Sodium AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml	21.06			5 Kg	565.88
		250 ml	34.22	81340 [1984-06-1]	Sodium Caprylate NF, 99-101%	1 Kg	121.07
84070 [26628-22-8]	Sodium Azide extrapure AR, ACS, 99%	100 Gms	8.55			5 Kg	559.30
		500 Gms	35.53	89382 [497-19-8]	Sodium Carbonate Anhydrous pure, 99.5%	500 Gms	3.16
		5 Kg	315.84			5 Kg	27.64
17782 [26628-22-8]	Sodium Azide for molecular biology, 99%	100 Gms	9.48			25 Kg	131.60
		500 Gms	40.80	51938 [497-19-8]	Sodium Carbonate Anhydrous ACS, 99%, 80-100mesh	500 Gms	4.34
65171 [532-32-1]	Sodium Benzoate pure, 99%	500 Gms	5.79			5 Kg	39.48
		5 Kg	52.64	64079 [497-19-8]	Sodium Carbonate Anhydrous ACS, 99.9%	500 Gms	4.08
11114 [532-32-1]	Sodium Benzoate Exiplus, Multicompendial, 99% meets compendial specs of USP, BP & Ph.Eur	500 Gms	7.63			5 Kg	35.14
		5 Kg	65.14			25 Kg	167.66
56398 [144-55-8]	Sodium Bicarbonate extrapure, 99%	500 Gms	3.16	93857 [497-19-8]	Sodium Carbonate Anhydrous ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	500 Gms	4.61
		5 Kg	25.00			5 Kg	41.59
		25 Kg	118.44	41721 [7647-14-5]	Sodium Chloride ACS, 99.9%	500 Gms	2.76
45437 [144-55-8]	Sodium Bicarbonate ACS, 99.7%	500 Gms	3.68			1 Kg	5.26
		5 Kg	28.95	76945 [7647-14-5]	Sodium Chloride ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP	500 Gms	2.90
		25 Kg	125.02			1 Kg	5.66
89399 [144-55-8]	Sodium Bicarbonate ACS, ExiPlus, Multi-Compendial, 99.7%	500 Gms	4.08			5 Kg	17.77
		5 Kg	31.58	33205 [7647-14-5]	Sodium Chloride for molecular biology, 99.9%	500 Gms	8.69
36328 [144-55-8]	Sodium Bicarbonate for molecular biology, 99.7%	500 Gms	10.53			1 Kg	15.79
92957 [144-55-8]	Sodium Bicarbonate for tissue culture, 99.7%	500 Gms	9.21			5 Kg	73.17
		5 Kg	78.96	26416 [7647-14-5]	Sodium Chloride for tissue culture, 99.9%	500 Gms	9.21
						1 Kg	15.79
				76154 [7647-14-5]	Sodium Chloride for HPLC, 99.9%	500 Gms	6.32



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
21522 [6132-05-4]	Sodium Citrate Dibasic Sesquihydrate extrapure, 99% (Citric Acid Disodium Salt Sesquihydrate, Disodium Hydrogen Citrate Sesquihydrate)	100 Gms 500 Gms	7.90 15.79	86307 [141-53-7]	Sodium Formate pure, 98%	500 Gms 5 Kg	2.37 19.74
83407 [6132-04-3]	Sodium Citrate Tribasic Dihydrate extrapure, 98% (Trisodium Citrate Dihydrate)	500 Gms 1 Kg 5 Kg	3.95 7.24 31.58	39728 [141-53-7]	Sodium Formate extrapure AR, ACS	500 Gms	5.26
85919 [6132-04-3]	Sodium Citrate Tribasic Dihydrate extrapure AR, 99%	500 Gms 5 Kg	4.21 34.22	84439 ✓ [149-44-0]	Sodium Formaldehyde Sulfoxylate Hydrate (Rongalite) pure, 95% (Monosodium Hydroxymethanesulfinate)	500 Gms	7.50
94968 [6132-04-3]	Sodium Citrate Tribasic Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	5.92	11407 ✓ [149-44-0]	Sodium Formaldehyde Sulfoxylate Hydrate (Rongalite) ExiPlus, Multi-Compendial, 95% (Monosodium Hydroxymethanesulfinate)	500 Gms	9.08
67331 [6132-04-3]	Sodium Citrate Tribasic Dihydrate for molecular biology, 99%	250 Gms 1 Kg	7.24 12.50	54762 [16893-85-9]	Sodium Hexafluorosilicate pure, 99% (Sodium Fluorosilicate, Sodium Silicofluoride)	1 Kg 5 Kg	6.84 31.98
43819 [13600-98-1]	Sodium Cobaltinitrite extrapure AR, ACS (Sodium Hexanitrocobaltate III)	25 Gms 100 Gms 500 Gms	11.84 25.00 85.54	32537 [68915-31-1]	Sodium Hexametaphosphate extrapure AR, 65-70% (SHMP, Calgon, Sodium Polyphosphate)	500 Gms 5 Kg	8.55 78.96
12680 [25895-60-7]	Sodium Cyanoborohydride pure, 95% (Sodium Cyanotrihydridoborate, Sodium Borocyanohydride)	5 Gms 25 Gms 100 Gms 500 Gms	10.79 33.69 105.28 447.44	98060 [10034-88-5]	Sodium Hydrogen Sulphate (Sodium Bisulphate Monohydrate) extrapure AR, 99%	500 Gms	5.79
94963 [7789-12-0]	Sodium Dichromate Dihydrate pure, 98%	500 Gms 5 Kg	9.48 82.91	73082 [1310-73-2]	Sodium Hydroxide Flakes extrapure, 97%	500 Gms 1 Kg 5 Kg 25 Kg	3.55 6.45 23.03 108.57
54750 [7789-12-0]	Sodium Dichromate Dihydrate extrapure AR, 99.5%	500 Gms 5 Kg	10.53 97.38	96311 [1310-73-2]	Sodium Hydroxide Pellets purified, 97%	500 Gms 5 Kg 25 Kg	3.82 23.95 114.10
11996 [7789-12-0]	Sodium Dichromate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	500 Gms 5 Kg	11.84 111.86	68151 [1310-73-2]	Sodium Hydroxide Pellets ACS, 98%	500 Gms 5 Kg	4.08 29.48
11226 [20624-25-3]	Sodium Diethyldithiocarbamate Trihydrate ACS, 99 %	100 Gms 500 Gms	8.03 33.29	13913 [1310-73-2]	Sodium Hydroxide Pellets ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP	500 Gms 5 Kg	4.34 34.35
22607 [20624-25-3]	Sodium Diethyldithiocarbamate Trihydrate ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms 500 Gms	9.21 40.80	39700 [1310-73-2]	Sodium Hydroxide Powder extrapure, 96%, 80-100 mesh	500 Gms 1 Kg 5 Kg	4.08 7.37 27.11
49653 [7775-14-6]	Sodium Dithionite extrapure, 85% (Sodium Hypodisulphite, Sodium Hydrosulfite)	500 Gms	5.26	13994 [1310-73-2]	Sodium Hydroxide 0.1N Solution	500 ml 1000 ml	2.11 3.68
10961 [14434-22-1]	Sodium Ferrocyanide Decahydrate extrapure AR, 99% (Sodium Hexacyanoferrate(II), Tetrasodium Hexacyanoferrate Decahydrate)	500 Gms 5 Kg	5.92 52.64	27382 [1310-73-2]	Sodium Hydroxide 0.2N Solution	500 ml 1000 ml	2.11 3.82
57010 [7681-49-4]	Sodium Fluoride pure, 98%	500 Gms 5 Kg	11.58 110.54	69978 [1310-73-2]	Sodium Hydroxide 1N Solution	500 ml 1000 ml 2500 ml	2.24 4.08 9.87
29821 [7681-49-4]	Sodium Fluoride extrapure AR, 99%	500 Gms 5 Kg	12.37 118.44	25366 [7681-52-9]	Sodium Hypochlorite Solution, 4-7% Cl (Soda Bleach, Liquid Bleach)	500 ml 1000 ml 5 Ltr	2.37 4.21 9.74
40544 [7681-49-4]	Sodium Fluoride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP	500 Gms 5 Kg	13.03 126.34	98760 [7681-55-2]	Sodium Iodate extrapure, 99%	25 Gms 100 Gms 500 Gms	10.53 31.58 134.23



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
71964 [7681-55-2]	Sodium Iodate extrapure AR, 99.5%	25 Gms	12.50	23621 [7790-28-5]	Sodium Metaperiodate (Sodium Periodate) extrapure AR, 99.5%	100 Gms	26.98
		100 Gms	34.22			500 Gms	121.07
		500 Gms	142.13				
77758 [7681-82-5]	Sodium Iodide pure, 99%	25 Gms	9.48	30037 [7790-28-5]	Sodium Metaperiodate (Sodium Periodate) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	28.95
		100 Gms	36.19			500 Gms	123.70
		250 Gms	82.25				
		1 Kg	315.84				
21704 ✓	Sodium Iodide 1M Solution	100 ml	9.87	94601 [10213-79-3]	Sodium Metasilicate Pentahydrate (Sodium Silicate Hydrated) extrapure	500 Gms	3.29
		500 ml	32.90			1 Kg	5.53
11004 [9004-82-4]	Sodium Lauryl Ether Sulphate (SLES, AES), 28-30% (Sodium Laureth Sulfate)	1000 ml	9.61	20660 [13517-24-3]	Sodium Metasilicate Nonahydrate (Sodium Silicate Hydrated) extrapure	500 Gms	3.29
		5 Ltr	25.66			1 Kg	5.53
46821 [151-21-3]	Sodium Lauryl Sulphate (SLS, SDS) (Needle-shaped) extrapure, 90% (Sodium Dodecyl Sulphate)	500 Gms	8.03	41670 ✓	Sodium Methoxide Powder pure, 98%	500 Gms	9.61
		5 Kg	70.67				
14374 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) ExiPlus, Multi-Compendial, 85% (Sodium Dodecyl Sulphate) meets compendial specs of USP, BP, Ph.Eur	500 Gms	8.16	13547 [10102-40-6]	Sodium Molybdate Dihydrate pure, 98%	100 Gms	16.45
		5 Kg	74.22			250 Gms	32.90
			500 Gms			63.17	
54468 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) extrapure AR, ACS, 99% (Sodium Dodecyl Sulphate)	100 Gms	17.63	18108 [10102-40-6]	Sodium Molybdate Dihydrate extrapure AR, 99%	100 Gms	18.42
		250 Gms	38.43			250 Gms	38.82
		500 Gms	70.27			500 Gms	68.43
		1 Kg	135.68				
99671 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) for HPLC, 99% (Sodium Dodecyl Sulphate)	25 Gms	21.19	70851 [10102-40-6]	Sodium Molybdate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	19.74
		100 Gms	58.04			250 Gms	42.11
		250 Gms	119.76			500 Gms	72.38
		1 Kg	295.31				
32096 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) for molecular biology, 99% (Sodium Dodecyl Sulphate)	25 Gms	7.76	44618 [7631-99-4]	Sodium Nitrate extrapure AR, ACS, 99%	500 Gms	5.92
		100 Gms	23.95			5 Kg	52.64
		500 Gms	79.09				
		1 Kg	150.02				
35825 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) High Purity, 99.5% (Sodium Dodecyl Sulphate)	25 Gms	10.66	28182 [13755-38-9]	Sodium Nitroprusside Dihydrate pure, 98% (Sodium Nitroferricyanide)	100 Gms	14.48
		100 Gms	27.64			500 Gms	65.80
85369	Sodium Lauryl Sulphate (SDS, SLS) 10% Solution (10% SDS Solution)	100 ml	5.26	71750 [13755-38-9]	Sodium Nitroprusside Dihydrate extrapure AR, 99%	100 Gms	15.79
						500 Gms	68.43
87547	Sodium Lauryl Sulphate (SDS, SLS) 20% Solution (20% SDS Solution)	250 ml	7.24	58403 [13755-38-9]	Sodium Nitroprusside Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	100 Gms	17.11
						500 Gms	72.38
34378 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) BP, 85% (Sodium Dodecyl Sulphate)	1 Kg	23.69	62381 [10101-89-0]	tri-Sodium Orthophosphate Dodecahydrate pure, 98% (Sodium Phosphate Tribasic Dodecahydrate (Trisodium Phosphate Dodecahydrate))	500 Gms	4.87
		5 Kg	107.91			5 Kg	44.22
		25 Kg	473.76				
21705 [7681-57-4]	Sodium Metabisulphite extrapure AR, 98%	500 Gms	3.95	73670 [10101-89-0]	tri-Sodium Orthophosphate Dodecahydrate extrapure AR, 99% (Sodium Phosphate Tribasic Dodecahydrate, Trisodium Phosphate Dodecahydrate)	500 Gms	5.92
		5 Kg	37.51			5 Kg	57.11
		25 Kg	177.66				
52693 [7681-57-4]	Sodium Metabisulphite extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP	500 Gms	4.34	69199 [10101-89-0]	tri-Sodium Orthophosphate Dodecahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Sodium Phosphate Tribasic Dodecahydrate, Trisodium Phosphate Dodecahydrate) meets compendial specs of USP	500 Gms	7.11
		5 Kg	41.45			5 Kg	65.41
51153 [7790-28-5]	Sodium Metaperiodate (Sodium Periodate) pure 99%	100 Gms	24.35	36176 [62-76-0]	Sodium Oxalate pure, 99%	500 Gms	6.32
		500 Gms	115.81			5 Kg	60.54



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
57554 [62-76-0]	Sodium Oxalate extrapure AR, 99.9%	500 Gms 5 Kg	6.71 64.48	22249 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous extrapure AR, 99%	500 Gms 5 Kg	7.90 65.80
36984 [62-76-0]	Sodium Oxalate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	500 Gms	7.90	98336 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous for HPLC, 99% (Sodium Dihydrogen Orthophosphate Anhydrous)	500 Gms	14.81
39815 [15630-89-4]	Sodium Percarbonate 13% Active Oxygen (Sodium carbonate hydrogen peroxide)	500 Gms 5 Kg	4.61 42.11	59443 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous for molecular biology, 99%	250 Gms 500 Gms	12.90 18.42
57548 [15630-89-4]	Sodium Percarbonate 20-30% Active Oxygen	500 Gms 1 Kg	5.00 44.74	91826 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous for tissue culture, 99%	250 Gms 1 Kg	5.26 17.11
53388 [1313-60-6]	Sodium Peroxide ACS, 93% (Sodium Superoxide)	100 Gms 250 Gms 500 Gms	57.90 138.18 289.52	27092 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate extrapure, 99%	500 Gms 5 Kg	5.72 52.64
97295 [7775-27-1]	Sodium Persulphate pure, 98% (Sodium Peroxodisulfate)	500 Gms	6.45	40597 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate extrapure AR, 99%	500 Gms 5 Kg	6.45 57.90
53046 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous extrapure, 99%	500 Gms 5 Kg	6.84 63.17	79088 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	500 Gms 5 Kg	7.24 63.17
66273 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous ACS, 99%	500 Gms 1 Kg 5 Kg	7.90 14.48 69.75	93494 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate for molecular biology, 99% (Sodium Hydrogen Phosphate Dihydrate)	500 Gms 5 Kg	10.86 94.75
45932 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	500 Gms 1 Kg 5 Kg	8.95 15.79 75.01	61707 [10049-21-5]	Sodium Phosphate Monobasic Monohydrate extrapure AR, 99% (Sodium Dihydrogen Orthophosphate Monohydrate, Monosodium phosphate, Sodium dihydrogen phosphate mon)	500 Gms 5 Kg	7.90 70.41
21669 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous for molecular biology, 99.5%	250 Gms 500 Gms 5 Kg	10.92 20.40 184.24	97768 [10049-21-5]	Sodium Phosphate Monobasic Monohydrate for HPLC, 99% (Sodium Dihydrogen Orthophosphate Monohydrate, Monosodium phosphate, Sodium dihydrogen phosphate mon)	500 Gms	12.90
32080 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate extrapure, 99%	500 Gms 5 Kg	5.26 46.06	78535 [7601-54-9]	Sodium Phosphate Tribasic Anhydrous extrapure, 96% (Sodium Orthophosphate, Trisodium Phosphate)	500 Gms 5 Kg	8.55 77.64
87258 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate extrapure AR, 99.5%	500 Gms 5 Kg	6.32 52.64	63059 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate pure, 99%	500 Gms 5 Kg	8.16 78.96
52234 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, USP & Ph Eur	500 Gms 5 Kg	10.26 81.59	18241 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate extrapure AR, 99%	500 Gms 5 Kg	8.69 82.91
87027 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate for molecular biology, 99.5%	250 Gms 500 Gms 5 Kg	5.92 11.32 102.65	88662 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of Ph.Eur	500 Gms 5 Kg	9.34 86.86
86858 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate for HPLC, 99.5%	500 Gms	13.82	33650 [137-40-6]	Sodium Propionate pure, 99%	500 Gms 5 Kg	7.90 72.38
57085 [10039-32-4]	Sodium Phosphate Dibasic Dodecahydrate extrapure, 98.5% (Sodium Hydrogen Phosphate Dodecahydrate)	500 Gms 5 Kg	5.92 46.06	58568 [5323-95-5]	Sodium Ricinoleate extrapure, 45% solids (Ricinoleic Acid Sodium Salt, Sodium Ricinolate)	500 Gms 1 Kg	4.47 8.16
83417 [10039-32-4]	Sodium Phosphate Dibasic Dodecahydrate extrapure AR, 99% (Sodium Hydrogen Phosphate Dodecahydrate)	500 Gms 5 Kg	6.58 60.54	43874 [54-21-7]	Sodium Salicylate extrapure, 99% (Salicylic Acid Sodium Salt, 2-Hydrobenzoic Acid Sodium Salt, Sodium-2-Hydrobenzoate)	500 Gms	10.53
18134 [7782-85-6]	Sodium Phosphate Dibasic Heptahydrate ACS, 98-102% (Disodium Hydrogen Phosphate Heptahydrate, Disodium Phosphate)	100 Gms 500 Gms 2.5 Kg	10.53 28.95 134.23				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
36590 [54-21-7]	Sodium Salicylate extrapure AR, 99.5% (Salicylic Acid Sodium Salt, 2-Hydrobenzoic Acid Sodium Salt, Sodium-2-Hydrobenzoate)	250 Gms	10.53	54285 [143-66-8]	Sodium Tetraphenyl Borate (Kalignost) extrapure AR, 99.5% (Sodium Tetraphenyl Boron)	10 Gms	12.50
		500 Gms	18.42			25 Gms	28.95
62399 [13410-01-0]	Sodium Selenate Anhydrous extrapure AR, 99%	25 Gms	6.58	30888 [143-66-8]	Sodium Tetraphenyl Borate (Kalignost) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Sodium Tetraphenyl Boron) meets compendial specs of BP, Ph.Eur	10 Gms	14.48
		100 Gms	19.74			100 Gms	110.54
		500 Gms	78.96			1 Kg	815.92
83627 [9063-38-1]	Sodium Starch Glycolate ex. Maize (SSG) ExiPlus, Multi-Compendial meets compendial specs of USP	500 Gms	6.32	94408 [540-72-7]	Sodium Thiocyanate pure, 98%	500 Gms	6.32
		5 Kg	60.54				
36313 [6106-21-4]	Sodium Succinate Hexahydrate Dibasic extrapure, 99%	100 Gms	2.50	21444 [540-72-7]	Sodium Thiocyanate extrapure AR, ACS, 98%	500 Gms	7.90
		500 Gms	9.08				
87578 [6106-21-4]	Sodium Succinate Hexahydrate Dibasic extrapure AR, 99%	100 Gms	3.16	89728 [7772-98-7]	Sodium Thiosulphate Anhydrous extrapure AR, 99.5%	500 Gms	6.84
		500 Gms	12.50			5 Kg	65.80
59977 [7757-82-6]	Sodium Sulphate Anhydrous extrapure AR, 99.5%	500 Gms	3.03	52304 [10102-17-7]	Sodium Thiosulphate Pentahydrate extrapure, 99%	500 Gms	2.90
		1 Kg	5.13			5 Kg	26.32
		5 Kg	22.37			25 Kg	118.44
74725 [7757-82-6]	Sodium Sulphate Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	3.68	49479 [10102-17-7]	Sodium Thiosulphate Pentahydrate ACS, 99.5%	500 Gms	3.55
		5 Kg	26.32			5 Kg	32.90
25365 [27610-45-3]	Sodium Sulphide Flakes extrapure, 60%	500 Gms	3.68	62148 [10102-17-7]	Sodium Thiosulphate Pentahydrate ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	5 Kg	157.92
						5 Kg	36.19
32246 [7757-83-7]	Sodium Sulphite Anhydrous extrapure AR, 98%	500 Gms	4.61	33737 [7772-98-7]	Sodium Thiosulphate 0.1N Solution	500 ml	2.50
		5 Kg	36.85			1000 ml	4.34
29814 [7757-83-7]	Sodium Sulphite Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP	500 Gms	5.26	40023 [7785-84-4]	Sodium Trimetaphosphate (STMP) extrapure AR, 95% (Trisodium Trimetaphosphate, Sodium Cyclotriphosphate)	100 Gms	40.01
		5 Kg	43.43			500 Gms	36.85
56580 [1330-43-4]	Sodium Tetraborate (Borax Anhydrous) extrapure AR, 99% (Disodium Tetraborate)	100 Gms	11.19	85124 [7758-29-4]	Sodium Tripolyphosphate Anhydrous (STPP) extrapure, 57-59% as P2O5 (Pentasodium Tripolyphosphate, Sodium Triphosphate Pentabasic)	1 Kg	8.16
		500 Gms	32.90			5 Kg	38.69
		2.5 Kg	130.42				
38631 [1303-96-4]	Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure, 99% (Disodium Tetraborate Decahydrate)	500 Gms	4.21	81499 [10213-10-2]	Sodium Tungstate Dihydrate extrapure, 98%	100 Gms	15.00
		5 Kg	34.22			250 Gms	34.74
19486 [1303-96-4]	Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure AR, 99.5% (Disodium Tetraborate Decahydrate)	500 Gms	6.71	49110 [10213-10-2]	Sodium Tungstate Dihydrate extrapure AR, 99%	2.5 Kg	332.95
		5 Kg	55.93				
77668 [1303-96-4]	Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Disodium Tetraborate Decahydrate) meets compendial specs of BP, Ph.Eur	500 Gms	7.24	46215 [10213-10-2]	Sodium Tungstate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	17.24
		5 Kg	65.80			250 Gms	42.11
29701 [12179-04-3]	Sodium Tetraborate Pentahydrate (Borax Pentahydrate) extrapure AR, 99.5% (Disodium tetraborate pentahydrate)	500 Gms	5.53	85446 [2538-85-4]	Solochrom Dark Blue (Calcon), 50%	5 Gms	4.47
		5 Kg	52.64			25 Gms	13.03
						100 Gms	33.56
58581 [13755-29-8]	Sodium Tetrafluoroborate pure, 98.5% (Sodium Fluoroborate, Sodium Fluoborate)	500 Gms	11.58	59985 [110-44-1]	Sorbic Acid pure, 98%	500 Gms	18.42
				62016 [1338-39-2]	Sorbitan Monolaurate (SPAN 20®) extrapure	100 ml	26.32
						500 ml	78.96
						2500 ml	368.48



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
78338 [1338-43-8]	Sorbitan Monooleate (SPAN 80®) extrapure	500 ml	11.71	76601 [9005-84-9]	Starch Soluble extrapure AR, ACS, ExiPlus, Multi-Compendial	500 Gms	17.63
		2500 ml	55.27			5 Kg	168.45
36179 [1338-41-6]	Sorbitan Monostearate (SPAN 60®) extrapure	500 Gms	9.87		meets compendial specs of USP		
14281 [50-70-4]	D-Sorbitol Powder extrapure, 98%	500 Gms	6.97	91944	Strontium AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml	21.06
		1 Kg	13.69			250 ml	34.22
		5 Kg	65.80	66731 [10476-81-0]	Strontium Bromide (Strontium Dibromide) extrapure, 99%	5 Gms	26.32
						25 Gms	65.80
						100 Gms	157.92
33320 [50-70-4]	D-Sorbitol Powder for tissue culture, 98%	500 Gms	8.03	67911 [1633-05-2]	Strontium Carbonate extrapure, 98%	500 Gms	8.55
		1 Kg	14.48	61832 [10025-70-4]	Strontium Chloride Hexahydrate extrapure, 98%	250 Gms	5.13
63443 [50-70-4]	D-Sorbitol Powder ExiPlus, Multi-Compendial, 98%	500 Gms	8.16			500 Gms	10.00
		1 Kg	15.79			5 Kg	85.54
		5 Kg	70.27				
	meets compendial specs of BP			29563 [10042-76-9]	Strontium Nitrate Anhydrous extrapure, 98%	500 Gms	7.90
99103 [50-70-4]	D-Sorbitol Powder for molecular biology, 98%	500 Gms	19.87	96330 [110-15-6]	Succinic Acid extrapure, 99%	500 Gms	7.50
		1 Kg	38.03			5 Kg	68.43
		5 Kg	127.26	85752 [110-15-6]	Succinic Acid extrapure AR, 99.5%	100 Gms	5.53
47886 [23647-14-5]	SPADNS extrapure AR, ACS	1 Gms	5.26			500 Gms	10.53
		5 Gms	17.11			5 Kg	98.70
		25 Gms	52.64	62321 [110-15-6]	Succinic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	100 Gms	6.05
30467 [7646-78-8]	Stannic Chloride anhydrous extrapure, 99% (Tin (IV) Chloride, Tin Tetrachloride)	100 ml	27.37			500 Gms	12.50
		500 ml	121.99		meets compendial specs of BP, Ph.Eur		
79862 ✓ [7646-78-8]	Stannic Chloride 1M in Dichloromethane (Tin (IV) Chloride/Tin Tetrachloride in 1M MDC)	100 ml	16.32	10917 [123-56-8]	Succinimide (Butanimide) extrapure AR, 99%	100 Gms	6.32
		500 ml	59.22			500 Gms	23.03
60006 ⚠ [7646-78-8]	Stannic Chloride 1M in Heptane (Tin (IV) Chloride/Tin Tetrachloride in 1M Heptane)	100 ml	34.08	84973 [57-50-1]	Sucrose pure	500 Gms	3.82
						5 Kg	24.48
98017 ✓ [7646-78-8]	Stannic Chloride 1M in Toluene (Tin (IV) Chloride/Tin Tetrachloride in 1M Toluene)	100 ml	34.08			25 Kg	114.76
91068 [10025-69-1]	Stannous Chloride Dihydrate pure, 97% (Tin (II) Chloride Dihydrate)	100 Gms	12.63	90701 [57-50-1]	Sucrose extrapure AR, ACS	500 Gms	5.79
		250 Gms	30.93			1 Kg	10.79
		500 Gms	58.83			5 Kg	51.72
23329 [10025-69-1]	Stannous Chloride Dihydrate extrapure AR, 99% (Tin (II) Chloride Dihydrate)	100 Gms	14.08			25 Kg	229.51
		250 Gms	32.37	27580 [57-50-1]	Sucrose for molecular biology	500 Gms	7.90
		500 Gms	61.72			1 Kg	15.66
89673 [10025-69-1]	Stannous Chloride Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Tin (II) Chloride Dihydrate) meets compendial specs of USP, Ph.Eur	100 Gms	15.13			5 Kg	59.48
		250 Gms	34.48	92696 [57-50-1]	Sucrose for tissue culture	500 Gms	5.79
		500 Gms	63.17			1 Kg	10.13
58254 [9005-25-8]	Starch Corn pure	500 Gms	2.90			5 Kg	43.03
		5 Kg	26.32	82958 [57-50-1]	Sucrose IP (Non-Parenteral Use)	1 Kg	10.13
86106 [9005-84-9]	Starch Hydrolysed extrapure	100 Gms	13.55			5 Kg	49.35
		500 Gms	63.96			25 Kg	236.88
14418 [9005-84-9]	Starch Soluble extrapure	500 Gms	15.13	38142 [57-50-1]	Sucrose BP (Non-Parenteral Use)	1 Kg	10.13
		5 Kg	142.13			5 Kg	49.35
64698 [9005-84-9]	Starch Soluble extrapure AR	500 Gms	16.45			25 Kg	236.88
		5 Kg	155.29	56799 [57-50-1]	Sucrose NF (USP) (Non-Parenteral Use)	1 Kg	15.79
						5 Kg	72.38
						25 Kg	329.00
				57335 [85-83-6]	Sudan IV for microscopy (C.I. No. 26105), 95%	25 Gms	3.16
						100 Gms	7.90



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
47256 [4197-25-5]	Sudan Black	10 Gms	7.90	54423 [1643-19-2]	Tetrabutylammonium Bromide (TBAB) for HPLC, 99.5%	25 Gms	18.42		
		25 Gms	15.79			100 Gms	68.43		
		100 Gms	52.64						
24073 [5329-14-6]	Sulphamic Acid pure, 99% (Amido Sulphonic Acid)	500 Gms	3.95	37256 [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate (TBADP) extrapure AR, 98% (Tetrabutylammonium Phosphate Monobasic)	5 Gms	43.43		
		5 Kg	32.77			25 Gms	157.92		
42773 [5329-14-6]	Sulphamic Acid extrapure AR, 99.5% (Amido Sulphonic Acid)	100 Gms	5.26	78262 [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate (TBADP) for HPLC, 99% (Tetrabutylammonium phosphate monobasic)	5 Gms	60.27		
		500 Gms	23.69			25 Gms	205.16		
81645 [5329-14-6]	Sulphamic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Amido Sulphonic Acid) meets compendial specs of BP, Ph.Eur	100 Gms	6.58	84444 [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate, 0.1M in HPLC Water (Tetrabutylammonium Phosphate Monobasic 0.1M in HPLC Water)	100 ml	68.43		
		500 Gms	28.95			500 ml	329.00		
89762 [63-74-1]	Sulphanilamide pure, 99% (p-Aminobenzenesulphonamide)	100 Gms	10.53	57968 [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate, 0.5M in HPLC Water (Tetrabutylammonium Phosphate Monobasic 0.5M in HPLC Water)	10 ml	26.32		
		500 Gms	39.48			100 ml	105.28		
		5 Kg	368.48			500 ml	394.80		
65404 [63-74-1]	Sulphanilamide extrapure AR, 99% (p-Aminobenzenesulphonamide)	100 Gms	11.84	53856 [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate, 1M in HPLC Water (Tetrabutylammonium Phosphate Monobasic 1M in HPLC Water)	50 ml	98.70		
		500 Gms	53.82			100 ml	157.92		
19689 [63-74-1]	Sulphanilamide extrapure AR, ExiPlus, Multi-Compendial, 99% (p-Aminobenzenesulphonamide) meets compendial specs of USP, BP, Ph.Eur	100 Gms	14.08	50283 [87749-50-6]	Tetrabutylammonium Fluoride Trihydrate extrapure, 98%	100 ml	17.11		
		500 Gms	58.83			100 Gms	50.01		
15354 [121-57-3]	Sulphanilic Acid pure, 99% (p-Aminobenzenesulphonamide)	100 Gms	2.63	30315 [429-41-4]	Tetrabutylammonium Fluoride (TBAF) 1M Soln. in THF (N,N,N-Tributyl-1-butanaminium Fluoride)	100 ml	19.08		
		500 Gms	9.21			500 ml	65.80		
93360 [121-57-3]	Sulphanilic Acid (High Purity) extrapure AR, 99.5%	100 Gms	4.34	91958 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) pure, 98%	100 Gms	8.16		
		500 Gms	17.24			250 Gms	15.66		
97979 [121-57-3]	Sulphanilic Acid (High Purity) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	100 Gms	6.19	83955 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) extrapure AR, 99%	500 Gms	27.64		
		500 Gms	23.03			25 Gms	7.50		
44445 [5965-83-3]	5-Sulphosalicylic Acid extrapure, 99%	250 Gms	7.37	10778 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	21.58		
		500 Gms	11.19			500 Gms	100.41		
		5 Kg	105.28						
92635 [14807-96-6]	Talc Powder Fine ExiPlus, Multi-Compendial, -325 mesh (Hydrous Magnesium Silicate, Talcum Powder, Soapstone) meets compendial specs of BP USP & Ph.Eur	500 Gms	2.24	88383 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) for HPLC, 99.5%	25 Gms	8.69		
		5 Kg	17.24			100 Gms	23.69		
92101 [1401-55-4]	Tannic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial (Gallotannin, Tannin) meets compendial specs of BP	100 Gms	15.92	52162 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N aq. solution extrapure AR	500 ml	23.16		
		250 Gms	31.06			28342 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N in Isopropanol extrapure AR	500 ml	25.00
		500 Gms	55.80					94836 [2052-49-5]	Tetrabutylammonium Hydroxide 1M aq. solution
52931 [1934-21-0]	Tartrazine, 87%	100 Gms	5.00	41728 [2052-49-5]	Tetrabutylammonium Hydroxide 10% aq. solution extrapure	500 ml	138.18		
		1 Kg	39.48			100 ml	16.45		
20428 [100-21-0]	Terephthalic Acid pure, 98%	500 Gms	5.00	15134 [2052-49-5]	Tetrabutylammonium Hydroxide 10% in methanol extrapure	100 ml	17.77		
		5 Kg	46.06			41715 [2052-49-5]	Tetrabutylammonium Hydroxide 20% aq. solution extrapure	100 ml	23.69
20669 [1643-19-2]	Tetrabutylammonium Bromide (TBAB) pure, 98%	100 Gms	5.26	54722 [2052-49-5]	Tetrabutylammonium Hydroxide 25% aq. solution extrapure			500 ml	92.12
		250 Gms	10.79			100 ml	25.00		
		500 Gms	19.48			500 ml	107.91		
57594 [1643-19-2]	Tetrabutylammonium Bromide (TBAB) extrapure AR, ACS, 99%	25 Gms	6.58						
		100 Gms	21.06						
		500 Gms	98.70						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
68032 [2052-49-5]	Tetrabutylammonium Hydroxide 40% aq solution pure	100 ml	40.80	93314 [78-10-4]	Tetraethyl Orthosilicate (TEOS) extrapure, 98%, 28-28.8% SiO₂ (Silicon Tetraethoxide, Tetraethoxysilane, Tetraethyl Silicate)	100 ml	11.84
		250 ml	98.70			500 ml	21.06
		500 ml	184.24			2500 ml	81.59
		1000 ml	315.84				
30064 [2052-49-5]	Tetrabutylammonium Hydroxide 54-56% aq. solution extrapure AR	100 ml	98.70	21957 [4368-51-8]	Tetraheptyl Ammonium Bromide (THAB) extrapure, 99%	5 Gms	31.19
		500 ml	394.80			25 Gms	116.20
			100 Gms			420.99	
13656 [2052-49-5]	Tetrabutylammonium Hydroxide 25% in Methanol extrapure	100 ml	25.00	46986 [4368-51-8]	Tetraheptyl Ammonium Bromide (THAB) for HPLC, 99%	5 Gms	44.74
		250 ml	56.59			25 Gms	157.92
		500 ml	107.91			100 Gms	552.72
74212 [2052-49-5]	Tetrabutylammonium Hydroxide 40% in Methanol extrapure	100 ml	40.80	82863 [109-99-9]	Tetrahydrofuran (THF) (Stabilized) pure, 99.5%	500 ml	6.58
		250 ml	98.70			2500 ml	28.95
		500 ml	184.24			25 Ltr	263.20
40878 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N in Methanol for non-aqueous titration extrapure AR	500 ml	22.37	74497 [109-99-9]	Tetrahydrofuran (THF) (Stabilized) extrapure AR, 99.5%	500 ml	7.24
						2500 ml	32.90
45205 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N in Methanol/Toluene extrapure AR	500 ml	20.00	83642 [109-99-9]	Tetrahydrofuran (THF) (Stabilized) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	7.90
						2500 ml	36.19
44991 [2052-49-5]	Tetrabutylammonium Hydroxide 20% in Methanol/Toluene extrapure	100 ml	26.32	32661 [109-99-9]	Tetrahydrofuran (THF) GC-HS, 99.9%	250 ml	6.58
						1000 ml	22.37
28051 [311-28-4]	Tetrabutylammonium Iodide (TBAI) extrapure AR, 99%	25 Gms	19.74	94842 [109-99-9]	Tetrahydrofuran (THF) for HPLC & UV Spectroscopy, 99.9%	500 ml	11.58
		100 Gms	69.75			1000 ml	19.74
			2500 ml			44.74	
62390 [311-28-4]	Tetrabutylammonium Iodide (TBAI) extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	25 Gms	22.37	59167 [109-99-9]	Tetrahydrofuran (THF) Dried, 99.5%, 0.005% water	500 ml	10.53
		100 Gms	73.70			1000 ml	18.42
26158 [5593-70-4]	Tetra-N-Butyl Orthotitanate (TNBT) extrapure, 23-24% TiO₂ (Tetrabutyl Orthotitanate, Titanium(IV) n-Butoxide, Tetrabutyl Titanate, Orthotitanic Acid Tetrabutyl	100 ml	11.84	92562 [109-99-9]	Tetrahydrofuran (THF) for molecular biology, 99.8%	250 ml	6.32
		500 ml	31.58			500 ml	11.32
		2500 ml	92.12				
69105 [127-18-4]	Tetrachloroethylene pure, 99% (Perchloroethylene)	500 ml	7.90	22698 [1693-74-9]	Tetrahydrofuran-d8 (THF-d8) for NMR spectroscopy, 99.5 Atom %D	5 ml	256.62
		2500 ml	34.22				
25058 [127-18-4]	Tetrachloroethylene extrapure AR, 99.5% (Perchloroethylene)	500 ml	10.00	11088 [119-64-2]	1,2,3,4-Tetrahydronaphthalene (Tetralin) pure, 98%	500 ml	16.45
		2500 ml	43.43			2500 ml	68.43
74438 [127-18-4]	Tetrachloroethylene for UV spectroscopy, 99.5% (Perchloroethylene)	500 ml	11.19	91496 [75-59-2]	Tetramethylammonium Hydroxide 10% aq. solution pure	50 ml	10.66
		1000 ml	20.40			250 ml	40.80
48448 [127-18-4]	Tetrachloroethylene GC-HS, 99.9%	250 ml	9.21	94620 [75-59-2]	Tetramethylammonium Hydroxide 25% aqueous solution pure	500 ml	125.02
		1000 ml	25.00			100 ml	39.48
			250 ml			65.80	
70427 [14937-42-9]	Tetradecylammonium Bromide (TDAB) extrapure AR, 99% (Tetrakis(decyl) Ammonium Bromide)	5 Gms	35.53	500 ml	111.86		
		25 Gms	134.23				
		100 Gms	447.44				
59256 [14937-42-9]	Tetradecylammonium Bromide (TDAB) for HPLC, 99% (Tetrakis(decyl) Ammonium Bromide)	5 Gms	42.11	38342 [75-59-2]	Tetramethylammonium Hydroxide 25% aqueous solution, VLSI Semiconductor Grade	1000 ml	276.36
		25 Gms	164.50			2500 ml	506.66
67902 [71-91-0]	Tetraethylammonium Bromide (TEAB) pure, 98%	100 Gms	6.45	42209 [75-59-2]	Tetramethylammonium Hydroxide 0.1N in isopropanol/ methanol extrapure	100 ml	18.42
		250 Gms	11.84			500 ml	40.80
		500 Gms	23.36	56874 [75-59-2]	Tetramethylammonium Hydroxide 1M aq. solution ACS	100 ml	14.48
		1 Kg	45.40			250 ml	34.22
64674 [16873-13-5]	Tetraethylammonium Hydrogen Sulphate (TEAHS) extrapure, 99%	10 Gms	27.37	29740 [10424-65-4]	Tetramethylammonium Hydroxide Pentahydrate extrapure, 98%	5 Gms	10.92
		25 Gms	59.22			25 Gms	19.21
						100 Gms	64.75



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
84666 [110-18-9]	N,N,N,N-Tetramethyl Ethylenediamine (TEMED) extrapure AR, 99%	100 ml	11.05	58658 [79-19-6]	Thiosemicarbazide extrapure AR, 99%	25 Gms	6.84		
		250 ml	18.29			100 Gms	19.74		
		500 ml	30.00						
84198 [110-18-9]	N,N,N,N-Tetramethyl Ethylenediamine (TEMED) extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of Ph.Eur	100 ml	12.63	88196 [62-56-6]	Thiourea pure, 98%	500 Gms	7.90		
		500 ml	33.16			5 Kg	65.80		
52145 [110-18-9]	N,N,N,N-Tetramethyl Ethylenediamine (TEMED) for molecular biology, 99.5%	25 ml	7.24	16994 [62-56-6]	Thiourea Superior extrapure AR, 99%	100 Gms	8.03		
		100 ml	14.61			250 Gms	15.79		
						500 Gms	30.27		
80909 [5810-42-4]	Tetrapropylammonium Chloride extrapure, 98%	10 Gms	52.64	20491 [62-56-6]	Thiourea Superior extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, Ph.Eur	500 Gms	34.22		
		50 Gms	225.04			5 Kg	315.84		
70177 [7722-88-5]	Tetrasodium Pyrophosphate Anhydrous (TSPP anhy) extrapure, 98% (Sodium Diphosphate Tetrabasic, Sodium Pyrophosphate Tetrabasic)	500 Gms	9.87	27179 [76-61-9]	Thymol Blue	5 Gms	2.90		
		5 Kg	89.49			25 Gms	13.29		
49473 [13472-36-1]	Tetrasodium Pyrophosphate Decahydrate (TSPP Decahyd) extrapure AR, 99% (Sodium Diphosphate Tetrabasic, Sodium Pyrophosphate Tetrabasic)	500 Gms	23.69	79617 [76-61-9]	Thymol Blue ACS, ExiPlus, Multi-Compendial	5 Gms	3.68		
		2.5 Kg	107.91					25 Gms	15.92
56135 [58-55-9]	Theophylline anhydrous pure, 99%	25 Gms	3.95	meets compendial specs of BP, Ph.Eur					
		100 Gms	11.84	40817	Thymol Blue Solution (0.1% in methanol)	125 ml	2.24		
		500 Gms	22.37						
17942 [62-55-5]	Thioacetamide extrapure AR, 99%	25 Gms	6.58	24474 [125-20-2]	Thymolphthalein ACS, ExiPlus, Multi-Compendial	5 Gms	3.16		
		100 Gms	22.37			25 Gms	13.16		
		500 Gms	98.70			100 Gms	50.01		
48979 [62-55-5]	Thioacetamide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	25 Gms	7.63	19710	Tin AAS Standard Solution in 2N HCl (Traceable to NIST)	100 ml	21.06		
		100 Gms	25.00					250 ml	34.22
		500 Gms	114.49	56283 [7440-31-5]	Tin Metal Granular extrapure, 99.5%	100 Gms	22.37		
		250 Gms	50.67						
		500 Gms	98.70						
42174 [100-68-5]	Thioanisole extrapure, 99% (Methyl Phenyl Sulfide Methylthiobenzene)	25 ml	12.50	24737 [7440-31-5]	Tin Metal Granular extrapure AR, 99.7%	100 Gms	24.35		
		100 ml	32.90			250 Gms	56.59		
		500 ml	119.76			500 Gms	107.91		
75241 [504-17-6]	2-Thiobarbituric Acid (TBA) extrapure AR, 99% (4,6-Dihydroxy-2-Mercaptopyrimidine, 4,6-Dihydroxypyrimidine-2-Thiol)	25 Gms	14.48	42780 [7440-31-5]	Tin Metal Powder extrapure AR, 99.9%, ~325 mesh	100 Gms	20.40		
		100 Gms	50.01					250 Gms	47.38
75493 [2390-54-7]	Thioflavin T for microscopy (C.I. No. 49005), 90% (Basic Yellow 1)	5 Gms	19.74	60001 ⓘ [149-45-1]	Tiron Monohydrate extrapure, 98% (Catechol-3,5-Disulfonic Acid Disodium Salt Monohydrate)	5 Gms	7.90		
		25 Gms	43.03					25 Gms	28.95
								100 Gms	105.28
35357 [68-11-1]	Thioglycolic Acid pure, 80%	500 ml	23.69	f					
		2500 ml	111.86	37139 ⓘ [31011-57-1]	Titanium (IV) Chloride THF Complex (Tetrachlorobis(Tetrahydrofuran) Titanium)	5 Gms	36.72		
74118 [68-11-1]	Thioglycolic Acid ExiPlus, Multi-Compendial, 80% meets compendial specs of USP	500 ml	27.64					25 Gms	142.13
		2500 ml	118.44	55788 [13463-67-7]	Titanium Dioxide extrapure, 98% (Titanium (IV) Oxide)	500 Gms	7.11		
80599 [78338-22-4]	Thionin Acetate, 90%	5 Gms	31.45					1 Kg	13.29
		25 Gms	130.81					5 Kg	55.80
74681 [79-19-6]	Thiosemicarbazide pure, 98%	25 Gms	4.34	91482 [3087-36-3]	Titanium Ethoxide (ET) extrapure, 33-35% TiO2 (Tetraethyl Titanate, Titanium (IV) Ethoxide, Tetraethyl Orthotitanate)	100 ml	21.06		
		100 Gms	13.16					250 ml	28.95
		500 Gms	57.90						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
56993 [546-68-9]	Titanium Isopropoxide (TTIP) extrapure, 27.8-28.6% TiO2 (Tetraisopropyl Orthotitanate, Titanium (IV) Isopropoxide, Titanium Tetraisopropoxide)	100 ml	8.03	86763 [657-84-1]	p-Toluenesulphonic Acid Sodium Salt pure, 98% (Sodium p-Toluenesulfonate, PTSA Sodium)	500 Gms	24.35
		500 ml	15.53			500 ml	10.66
		2500 ml	72.51			2500 ml	51.72
70472 [1829-00-1]	Titan Yellow, 65%	25 Gms	9.87	73222 [102-76-1]	Triacetin pure, 99%	250 ml	3.03
		50 Gms	18.42			1000 ml	10.53
		250 Gms	78.96				
47556 [108-88-3]	Toluene pure, 99%	500 ml	3.75	74315 [126-73-8]	Tributylphosphate extrapure, 99%	500 ml	23.69
		2500 ml	14.48			2500 ml	110.54
		25 Ltr	125.02				
39984 [108-88-3]	Toluene (Sulphur free) extrapure, 99.5%	500 ml	3.95	91094 [6138-23-4]	D-Trehalose Dihydrate extrapure CHR	5 Gms	4.87
		2500 ml	15.79			25 Gms	16.84
		25 Ltr	130.28			100 Gms	55.93
		1 Kg	164.50				
85577 [108-88-3]	Toluene extrapure AR, 99.5%	500 ml	4.61	15886 [6138-23-4]	D-Trehalose Dihydrate for tissue culture	5 Gms	7.24
		2500 ml	17.11			25 Gms	25.66
		25 Ltr	142.13			100 Gms	62.25
95227 [108-88-3]	Toluene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	5.26	90544 ✓ [76-03-9]	Trichloroacetic Acid extrapure, 99%	100 Gms	2.63
		2500 ml	19.74			500 Gms	8.55
17213 [108-88-3]	Toluene Dried, 99.5%, 0.005% water	500 ml	5.13	60677 ✓ [76-03-9]	Trichloroacetic Acid extrapure AR, ACS, 99.5%	100 Gms	3.82
		1000 ml	9.74			500 Gms	9.48
		2500 ml	18.42				
80156 [108-88-3]	Toluene Dried Special (Low Benzene, 25ppm), 99.5%, 0.005% water	250 ml	5.92	31445 [76-03-9]	Trichloroacetic Acid 10% solution	100 ml	2.63
		1000 ml	14.48			500 ml	5.66
83662 [108-88-3]	Toluene GC-HS, 99.9%	500 ml	9.87	54290 [76-03-9]	Trichloroacetic Acid 20% solution	500 ml	5.92
		1000 ml	17.77				
29490 [108-88-3]	Toluene for HPLC & UV Spectroscopy, 99.8%	500 ml	6.19	15106 [79-01-6]	Trichloroethylene extrapure, 99%	500 ml	4.61
		1000 ml	10.79			2500 ml	19.74
		2500 ml	19.08			25 Ltr	184.24
85590 [2037-26-5]	Toluene-d8 for NMR spectroscopy, 99.5 Atom %D	10 ml	179.37	92390 [79-01-6]	Trichloroethylene extrapure AR, 99.5%	500 ml	5.13
33635 [108-44-1]	m-Toluidine extrapure, 99% (3-Methylaniline, m-Aminotoluene)	500 ml	7.50			2500 ml	21.71
		2500 ml	29.61	25 Ltr	203.98		
82225 [70-55-3]	p-Toluenesulfonamide (PTSA) pure, 98% (4-Toluenesulfonamide)	100 Gms	4.08	86976 [79-01-6]	Trichloroethylene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	500 ml	5.79
		500 Gms	15.79			2500 ml	23.69
29423 [6192-52-5]	p-Toluenesulphonic Acid Monohydrate pure, 98% (Toluene-4-Sulphonic Acid, PTSA)	500 Gms	6.84	76338 [79-01-6]	Trichloroethylene electronic grade, 99.5%	500 ml	9.87
		5 Kg	51.85			2500 ml	36.85
77948 [6192-52-5]	p-Toluenesulphonic Acid Monohydrate extrapure AR, ACS, 99% (Toluene-4-Sulphonic Acid, PTSA)	100 Gms	4.21	97681 [79-01-6]	Trichloroethylene for UV spectroscopy, 99.5%	500 ml	9.48
		500 Gms	16.84			1000 ml	17.11
55580 [6192-52-5]	p-Toluenesulphonic Acid Monohydrate (High Purity) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Toluene-4-Sulphonic Acid, PTSA) meets compendial specs of USP, BP, Ph.Eur	100 Gms	8.16	42943 [79-01-6]	Trichloroethylene Dried, 99.5%, 0.005% water	500 ml	13.16
		500 Gms	29.48			500 ml	5.26
						2500 ml	21.06
				29306 [121-44-8]	Triethylamine pure, 98%	500 ml	5.00
						2500 ml	21.71
				25 Ltr	197.40		
				75198 [121-44-8]	Triethylamine extrapure AR, 99.5%	500 ml	5.66
						2500 ml	23.69



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
95205 [121-44-8]	Triethylamine extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	1000 ml	13.49	37969 [77-86-1]	Tris Buffer Superior for molecular biology, 99.9% (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	100 Gms	14.61
		2500 ml	25.66			500 Gms	68.96
67352 [121-44-8]	Triethylamine for HPLC, 99.5%	250 ml	6.05	56995 [77-86-1]	Tris Buffer for HPLC, 99.9% (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	100 Gms	20.13
		500 ml	11.19			500 Gms	86.07
		1000 ml	17.11				
55221 [121-44-8]	Triethylamine for molecular biology, 99.5%	500 ml	7.90	16622 [77-86-1]	Tris Buffer USP, 99-101% (Non Injectable Use) (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	1 Kg	105.28
12475 [77-93-0]	Triethyl Citrate extrapure, 99% (Citric Acid Triethyl Ester, Ethyl Citrate)	250 ml	7.90			5 Kg	493.50
		1000 ml	28.95				
		2500 ml	68.43				
37817 [112-27-6]	Triethylene Glycol extrapure, 99%	500 ml	5.26	99438 [1185-53-1]	Tris Hydrochloride (Tris HCl) extrapure AR, 99% (Tris (Hydroxymethyl) Aminomethane Hydrochloride)	100 Gms	14.34
		2500 ml	22.37			500 Gms	68.96
96475 [112-27-6]	Triethylene Glycol extrapure AR, 99%	500 ml	6.84			5 Kg	645.50
		2500 ml	26.32	89781 [1185-53-1]	Tris Hydrochloride (Tris HCl) for molecular biology, 99% (Tris (Hydroxymethyl) Aminomethane Hydrochloride)	100 Gms	18.03
86570 [112-24-3]	Triethylenetetramine (mix. of isomers) pure, 97%	500 ml	12.24			500 Gms	78.96
		2500 ml	51.72	1 Kg	129.10		
81085 [122-51-0]	Triethyl Orthoformate extrapure, 99%	500 ml	7.90	30190 [9002-93-1]	Triton X-100 extrapure for scintillation	500 ml	8.69
		2500 ml	38.16			2500 ml	41.72
78984 [76-05-1]	Trifluoroacetic Acid (TFA) pure, 99%	100 ml	8.55	64518 [9002-93-1]	Triton X-100 for molecular biology	100 ml	11.58
		500 ml	32.90			500 ml	17.24
		2500 ml	157.92	55219 [9036-19-5]	Triton X-405 (70% solution) extrapure (Octylphenoethoxylate, Polyethyleneglycol t-Octylphenylether, Polyoxyethylene(40)isooctylphenylether)	500 ml	28.95
65415 [76-05-1]	Trifluoroacetic Acid (TFA) extrapure AR, 99.5%	100 ml	11.84			1000 ml	47.38
		250 ml	23.69	2500 ml	105.28		
		500 ml	36.85	64315 [547-57-9]	Tropaeolin O Sodium Salt (Acid Orange 6, Chrysoin)	25 Gms	8.42
67869 [76-05-1]	Trifluoroacetic Acid (TFA) extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	100 ml	13.82			100 Gms	30.14
		500 ml	42.11	10233 [54-12-6]	DL-Tryptophan extrapure CHR, 99%	5 Gms	6.45
82818 [76-05-1]	Trifluoroacetic Acid (TFA) for HPLC & UV Spectroscopy, 99.9%	25 ml	11.05			25 Gms	19.74
		100 ml	18.42			100 Gms	76.33
		500 ml	55.27	10263 [73-22-3]	L-Tryptophan extrapure CHR, 99%	100 Gms	9.87
40801 [76-05-1]	Trifluoroacetic Acid (TFA) for molecular biology, 99.9%	100 ml	22.37			1 Kg	81.59
		500 ml	65.80	5 Kg	394.80		
23947 [76-05-1]	Trifluoroacetic Acid (TFA) for HPLC & Sequencing, 99.9%	10 x1 ml	236.88	49102 [73-22-3]	L-Tryptophan for tissue culture, 99%	25 Gms	10.53
78716 [599-00-8]	Trifluoroacetic Acid-d (TFA-d1) for NMR spectroscopy, 99.5 Atom %D	10 ml	111.99			100 Gms	28.95
		82395 [4574-04-3]	Trimethyltetradecylammonium Chloride extrapure, 99%	25 Gms	19.74	48288 [73-22-3]	L-Tryptophan ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur
100 Gms	55.27			1 Kg	88.17		
38476 [519-73-3]	Triphenylmethane pure, 98%	100 Gms	15.92	26579 [153-94-6]	D-Tryptophan (base) extrapure, 99%	10 Gms	36.85
		500 Gms	65.27			25 Gms	76.33
71033 [77-86-1]	Tris Buffer AR, ACS for molecular biology, 99.9% (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	100 Gms	11.58	100 Gms	197.40		
		500 Gms	54.61	10726	Tungsten AAS Standard Solution in H2O (Traceable to NIST)	100 ml	21.06
		5 Kg	459.02			250 ml	34.22
79420 [77-86-1]	Tris Buffer Superior extrapure AR, ACS, 99.9% (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	100 Gms	13.69	71290 [12027-43-9]	Tungstosilicic Acid Hydrate extrapure AR (Silicotungstic Acid Hydrate)	25 Gms	14.21
		500 Gms	60.27			100 Gms	36.85
		5 Kg	516.40	67134 [12027-43-9]	Tungstosilicic Acid Hydrate extrapure AR, ExiPlus, Multi-Compendial (Silicotungstic Acid Hydrate) meets compendial specs of BP, Ph.Eur	25 Gms	15.79
		100 Gms	42.11				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
70600 [556-02-5]	D-Tyrosine extrapure, 98%	5 Gms	26.32	20563 [121-33-5]	Vanillin extrapure AR, 99% (4-hydroxy-3-Methoxybenzaldehyde)	25 Gms	4.47		
		25 Gms	92.12			100 Gms	8.55		
10342 [556-03-6]	DL-Tyrosine extrapure CHR, 99%	5 Gms	19.74	49456 [121-33-5]	Vanillin extrapure AR, ExiPlus, Multi-Compendial, 99% (4-hydroxy-3-Methoxybenzaldehyde)	500 Gms	32.90		
		25 Gms	42.64			25 Gms	4.74		
		100 Gms	157.92			100 Gms	9.87		
16796 [60-18-4]	L-Tyrosine extrapure CHR, 99%	25 Gms	4.61		meets compendial specs of BP	500 Gms	35.53		
		100 Gms	11.19			14553 ✓ [127-47-9]	Vitamin A Acetate (Retinyl Acetate) for tissue culture (Retinol Acetate)	5 Gms	8.55
		500 Gms	52.64					25 Gms	28.95
		1 Kg	92.12					100 Gms	78.96
18917 [60-18-4]	L-Tyrosine for tissue culture, 99%	25 Gms	6.58	76911 ✓ [79-81-2]	Vitamin A Palmitate (Retinyl Palmitate) for tissue culture, 1.615-1.860MIU/g	5 Gms	11.19		
		100 Gms	18.42			25 Gms	47.90		
		500 Gms	65.80			92605 [7732-18-5]	Water for HPLC	1000 ml	5.26
91772 [60-18-4]	L-Tyrosine ExiPlus, Multi-Compendial, 99%	25 Gms	5.26		meets compendial specs of BP, Ph.Eur	2500 ml	11.84		
		100 Gms	13.82			58348 [7732-18-5]	Water Distilled	5 Ltr	6.58
		500 Gms	56.59			64236 [11138-66-2]	Xanthan Gum ExiPlus, Multi-Compendial	100 Gms	5.66
62762 [57-13-6]	Urea extrapure, 99%	500 Gms	4.61		meets compendial specs of USP, BP, Ph.Eur	500 Gms	19.74		
		5 Kg	44.09			23749 [95-47-6]	o-Xylene pure, 98% (1,2-Dimethylbenzene)	500 ml	5.53
69120 [57-13-6]	Urea extrapure AR, 99.5%	500 Gms	8.16			2500 ml	20.79		
		5 Kg	76.33			62231 [95-47-6]	o-Xylene extrapure AR, 99% (1,2-Dimethylbenzene)	500 ml	8.55
		25 Kg	355.32					2500 ml	40.80
86854 [57-13-6]	Urea extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms	9.48	29280 [108-38-3]	m-Xylene pure, 98% (1,3-Dimethylbenzene)	500 ml	8.16		
		5 Kg	81.59	24923 [106-42-3]	p-Xylene pure, 99% (1,4-Dimethylbenzene)	500 ml	8.42		
21113 [57-13-6]	Urea for molecular biology, 99.5%	500 Gms	12.50			54717 [1330-20-7]	Xylene pure, 99%	2500 ml	36.72
		1 Kg	22.37	500 ml	4.74				
		5 Kg	103.83	2500 ml	19.48				
44255 [57-13-6]	Urea for tissue culture, 99.5%	500 Gms	10.53			25 Ltr	142.79		
		1 Kg	19.74			63797 [2650-17-1]	Xylene Cyanol FF (Acid Blue 147, C.I. No. 42135)	5 Gms	17.11
12859 [72-18-4]	L-Valine extrapure CHR, 99%	25 Gms	3.95			25 Gms	68.43		
		100 Gms	9.21			100 Gms	232.80		
		1 Kg	56.59			75122 [2650-17-1]	Xylene Cyanol FF extrapure AR, ExiPlus, Multi-Compendial (Acid Blue 147, C.I. No. 42135)	5 Gms	19.74
55269 [72-18-4]	L-Valine for tissue culture, 99%	5 Gms	5.40		meets compendial specs of USP	25 Gms	73.70		
		100 Gms	16.45			100 Gms	268.60		
		500 Gms	65.54			49672 [125-31-5]	p-Xylenol Blue extrapure AR, 95% (p-Xylenosulphonaphthalein)	1 Gms	7.24
42749	Vanadium AAS Standard Solution in 2N H2SO4 (Traceable to NIST)	100 ml	21.06			5 Gms	33.56		
		250 ml	34.22			49992 [3618-43-7]	Xylenol Orange Tetrasodium Salt ACS	5 Gms	6.84
76132 [1314-62-1]	Vanadium Pentoxide extrapure AR, 99.5%	25 Gms	4.61			10 Gms	11.84		
		100 Gms	15.13			31557 [3618-43-7]	Xylenol Orange Tetrasodium Salt ACS, ExiPlus, Multi-Compendial	10 Gms	14.48
		500 Gms	71.06					25 Gms	34.22
83822 [1314-62-1]	Vanadium Pentoxide extrapure AR, ExiPlus, Multi-Compendial, 99.5%	25 Gms	5.26		meets compendial specs of BP, Ph.Eur	96240 [1330-20-7]	Xylene Sulphur Free extrapure, 99%	500 ml	5.00
		100 Gms	16.84					2500 ml	20.00
		500 Gms	74.35					25 Ltr	147.52
83080 [121-34-6]	Vanillic Acid extrapure, 99% (4-Hydroxy-3-Methoxybenzoic Acid)	25 Gms	16.84	90998 [1330-20-7]	Xylene extrapure AR, 99.5%	500 ml	5.92		
		100 Gms	57.51			2500 ml	21.58		
98842 [121-33-5]	Vanillin pure, 99% (4-hydroxy-3-Methoxybenzaldehyde)	25 Gms	4.21						
		100 Gms	7.90						
		500 Gms	30.27						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
89159 [1330-20-7]	Xylene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	6.58	51508 [1314-13-2]	Zinc Oxide ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms	9.08
		2500 ml	24.74			5 Kg	80.28
	meets compendial specs of USP				meets compendial specs of BP		
45122 [1330-20-7]	Xylene for molecular biology, 99.5%	250 ml	5.40	13439 [557-05-1]	Zinc Stearate extrapure, 10-15% ZnO (Stearic acid zinc salt)	500 Gms	7.90
		500 ml	9.61			1 Kg	14.48
		2500 ml	28.69				
85471 [1330-20-7]	Xylene Dried, 99.5%, 0.005% water	1000 ml	9.34	67106 [7446-20-0]	Zinc Sulphate Heptahydrate for tissue culture, 99%	500 Gms	7.50
						1 Kg	13.29
46561 [1314-36-9]	Yttrium (III) Oxide extrapure AR, 99.9%	10 Gms	6.97	76455 [7446-20-0]	Zinc Sulphate Heptahydrate pure, 99%	500 Gms	3.82
		25 Gms	16.32			1 Kg	6.97
						5 Kg	33.56
76192 [5970-45-6]	Zinc Acetate Dihydrate extrapure, 98.5%	500 Gms	10.53	78494 [13597-44-9]	Zinc Sulphite Anhydrous extrapure, 80%	500 Gms	18.16
76205 [5970-45-6]	Zinc Acetate Dihydrate ACS, 99.5%	500 Gms	11.45	62294 [7488-52-0]	Zinc Sulphite Dihydrate extrapure, 98%	500 Gms	17.50
53174 [5970-45-6]	Zinc Acetate Dihydrate ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms	12.77	47482 [1314-98-3]	Zinc Sulphide extrapure, 98%	100 Gms	9.48
						500 Gms	31.58
	meets compendial specs of USP, BP, Ph.						
43758	Zinc AAS Standard Solution in 1N HNO3 (Traceable to NIST)	100 ml	21.06	75738 [7446-20-0]	Zinc Sulphate Heptahydrate ACS, 99.5%	500 Gms	4.47
		250 ml	34.22			5 Kg	40.80
97765 [5263-02-5, 51839-25-9]	Zinc Carbonate Basic pure, 58% Zn (Zinc Hydroxide Carbonate, Carbonic Acid Zinc Salt Basic)	500 Gms	11.84	35243 [7446-20-0]	Zinc Sulphate Heptahydrate ExiPlus, Multi-Compendial, 99.5%	500 Gms	5.66
						5 Kg	51.32
					meets compendial specs of BP		
99367 [5990-32-9]	Zinc Citrate Dihydrate pure, 98% (Citric Acid Zinc Salt)	500 Gms	10.53	12077 [13520-92-8]	Zirconium Oxychloride Octahydrate extrapure, 99.5%	100 Gms	6.58
87288 [7646-85-7]	Zinc Chloride pure, 97%	500 Gms	5.26			250 Gms	11.84
		5 Kg	50.01			500 Gms	21.71
80004 [7646-85-7]	Zinc Chloride ACS, 98%	500 Gms	10.53	22047 [13520-92-8]	Zirconium Oxychloride Octahydrate ACS, 99.5%	100 Gms	13.82
		5 Kg	98.70			250 Gms	23.69
67514 [7646-85-7]	Zinc Chloride for tissue culture, 98%	500 Gms	24.61	38028 [14644-61-2]	Zirconium Sulphate extrapure, 99.5%	100 Gms	28.16
86783 [7783-49-5]	Zinc Fluoride pure, 98%	100 Gms	3.95	47985 [13826-66-9]	Zirconyl Nitrate Hydrate ExiPlus, Multi-Compendial, 99.5% (Zirconium Oxynitrate)	100 Gms	13.82
		500 Gms	11.05			500 Gms	56.59
					meets compendial specs of USP, Ph.Eur		
46621 [7440-66-6]	Zinc Metal Dust pure, 95%, -325 mesh	500 Gms	11.84				
		2.5 Kg	55.27				
27008 [7440-66-6]	Zinc Metal Dust pure, 99%, -325 mesh	500 Gms	14.21				
		2.5 Kg	69.48				
20050 [7440-66-6]	Zinc Metal Dust extrapure AR, 99.5%, -325 mesh	500 Gms	16.58				
		2.5 Kg	78.17				
73932 [7440-66-6]	Zinc Metal Dust extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%, -325 mesh	500 Gms	18.16				
		2.5 Kg	82.91				
	meets compendial specs of Ph.Eur						
91229 [7440-66-6]	Zinc Metal Granules, 99%, 3-8 mm	500 Gms	15.79				
60357 [7440-66-6]	Zinc Metal Granules, 99.5%, 10-12mm	500 Gms	17.77				
75001 [10196-18-6]	✓ Zinc Nitrate Hexahydrate extrapure, 98%	500 Gms	7.90				
24693 [10196-18-6]	✓ Zinc Nitrate Hexahydrate extrapure AR, 98%	500 Gms	9.21				
87531 [1314-13-2]	Zinc Oxide extrapure, 99%	500 Gms	7.63				
		5 Kg	68.43				
67062 [1314-13-2]	Zinc Oxide ACS, 99.5%	500 Gms	8.55				
		5 Kg	76.33				



Sodium Lauryl Sulphate

A highly versatile product for Drug Dissolution Testing, Quality Control, Research and Electrophoresis applications.

For Drug Dissolution Testing Studies

Sodium Lauryl Sulphate (Sodium Dodecyl Sulphate, SLS, SDS) is a strong component of the media used for Dissolution Testing in In Vitro methods for water-soluble and slightly-water-soluble drugs. It's importance as a simulated gastric/intestinal media ingredient makes it's quality a critical factor in the accuracy of results.

Principally used as a QC Test, Dissolution Testing, SDS of AR & High Purity grades are the most prevalent reagents in use due to constant production improvements, testing and stability studies. SRL is one of the first developers of the High Purity SLS (99.5%) which is fast-becoming the industry standard across the Pharma QC Testing, with many scientists now adopting the newer improved grade as a Protocol standard.

Our Premier Product, Sodium Lauryl Sulphate High Purity (99.5%) (35825) can,

- Eliminate further purification by the customer by foaming & other processes, demonstrate exceptionally lower lauryl alcohol (LA) impurities
- Improve testing accuracy and confirm lot-to-lot bioequivalence
- Ensure consistent and reliable results in In Vitro Testing and Intrinsic Dissolution Rate (IDR) studies
- Secure accurate Dissolution profiles (suitable to fast-release and slow-release drugs)
- Assist in detection of relevant product changes so as to ensure the quality and consistent performance of final products



For SDS Polyacrylamide Gel Electrophoresis (SDS-PAGE) Studies

Primarily used in the denaturing of proteins, Sodium Lauryl Sulphate of high purity and molecular biology grades play a critical role in PAGE electrophoresis techniques as well as SDS Gradient Gel Electrophoresis to,

- Unfold normally buried polypeptide chains while retaining their normal (native) structure
- Bind to difficult regions (hydrophobic regions) within the protein chains
- Induce a predominant negative charge for the subsequent electrophoresis
- Ensure a electrophoretic separation for a large number (and types) of proteins

Types of Sodium Lauryl Sulphate we offer:

Product code	Product Name	Assay	Pack Size
54468	Sodium Lauryl Sulphate extrapure AR, ACS	(C12) min. 99% (GC)	100g, 250g, 500g, 1kg
99671	Sodium Lauryl Sulphate for HPLC	(C12) min. 99% (GC)	10g, 25g, 100g, 1kg
32096	Sodium Lauryl Sulphate for molecular biology	(C12) min. 99.5% (GC)	25g, 100g, 500g
35825	Sodium Lauryl Sulphate High Purity	(C12) min. 99.5% (GC)	25g, 100g, 500g
85369	Sodium Lauryl Sulphate (10%) solution	10%	100ml
87545	Sodium Lauryl Sulphate (20%) solution	20%	250ml
34378	Sodium Lauryl Sulphate BP	min. 85%	1kg
93117	Sodium Lauryl Sulphate IP	min. 85%	1kg
14374	Sodium Lauryl Sulphate pure	min. 85% (dry basis)	500g, 5kg


Larger pack sizes 1kg, 5kg, 25kg available on request

Part B

Bioreagents, Biochemicals & Speciality Fine Chemicals



Linkers & Cross-Linkers for Protein Chemistry



Cross-linking is the process of chemically joining two or more molecules by a covalent bond. **SRL** introduced linking and cross-linking reagents are important reagents used in protein chemistry applications. Typically, they are commonly used reagents to modify nucleic acids, drugs and solid surfaces. Areas of research where these products find application are bio-conjugation, immobilization, surface modification and bio-molecule labeling. These reagents contain reactive ends to specific functional groups, such as primary amines and sulfhydryls, on proteins or other molecules. The availability of several chemical groups in proteins and peptides make them targets for conjugation and for study using cross-linking methods. Some common applications of cross-linkers is for the identification of near-neighbor protein relationships and for ligand-receptor interactions.

- 3-(Acetamidomethylthio)propanoic Acid (MPA(Acm))
- 3-(Benzylthio)-Propionic Acid
- DABCYL-N-Succinimidyl Ester
- DHP Linker (3,4-Dihydro-2H-Pyran-2-Methanol)
- 5-(Ethylthio)-1H-Tetrazole (ETT)
- HMBA Linker (4-(Hydroxymethyl)benzoic Acid)
- HMPA Linker
- Ramage Linker
- Rink Amide Linker (Knorr Linker)
- Sieber Linker
- Weinreb Linker

Compounds for Peptide Synthesis

Peptide synthesis is characterized as the formation of a peptide bond between two amino acids. While the definition of a peptide is not definitive, it usually refers to chains of up to 30-50 amino acids. Peptide synthesis today is a common approach in even high-throughput biological research and product and drug development, although it is a technique about 100 years old. We offer various types of peptide reagents that can be used for biological production and research work.

Amino Acids and Derivatives

- BOC
- Fmoc
- L/D/DL
- Z/CBZ

N,N'-Dicyclohexylcarbodiimide DCC

Diisopropylcarbodiimide DIPC

1-(3 Dimethylaminopropyl)-3-Carbodiimide Hydrochloride (EDC.HCl), EDAC.HCl)

1,4 Dithioerythritol (DTE)

DL-Dithiothreitol (DTT)

EEDQ

1,2 Ethanedithiol (EDT)

9-Fluorenylmethanol

9-Fluorenylmethyl-N-succinimidyl Carbonate

1-Fluoro-2,4 Dinitrobenzene

HABU

HOAT

HOBT

Hydrobromic Acid

2-Hydroxypyridine-N-oxide (1-Hydroxy-2-pyridone) (HOPO)

N-Hydroxysuccinamide

Di-(n-succinimidyl) Carbonate

TBTU

TNTU

Trifluoroacetic Acid

Wang Resin (100-200 mesh)

Z-OSU

For more details, please feel free to mail us at marketing@srlchem.com



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
66308 [21293-29-8]	■ (+)-Abscisic Acid Natural (S-ABA) for tissue culture, 98% (Dormin, Abscissin II)	25 Mg	19.35	24168 [66-23-9]	■ Acetylcholine Bromide extrapure, 98%	5 Gms	36.32		
		100 Mg	53.96			25 Gms	121.07		
		500 Mg	248.72						
31240 [14375-45-2]	■ (+/-)-Abscisic Acid Synthetic (ABA) for tissue culture, 98% (Dormin, Abscissin II)	25 Mg	22.11	17884 [97-69-8]	⚡ N-Acetyl-L-Alanine extrapure, 99%	5 Gms	16.45		
		100 Mg	56.72			25 Gms	66.33		
40157 [30931-67-0]	● ABTS extrapure AR (2,2-Azino-bis (3-ethylbenzothiazoline-6-sulfonic acid) Diammonium Salt), 98.5%	100 Mg	36.85	70538 [997-55-7]	⚡ N-Acetyl-L-Aspartic Acid extrapure, 98%	5 Gms	26.32		
		500 Mg	111.86			25 Gms	111.86		
28042 [30931-67-0]	● ABTS extrapure (2,2-Azino-bis (3-ethylbenzothiazoline-6-sulfonic acid) Diammonium Salt), 98%	500 Mg	60.54	23157 [6974-32-9]	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-D-Ribofuranose extrapure, 98% (b-D-Ribofuranose 1-Acetate 2,3,5-Tribenzoate)	5 Gms	32.90		
		1 Gms	92.12			25 Gms	105.28		
		5 Gms	355.06						
83088	ABTS Peroxidase Stop Solution (5% SDS solution) suitable for molecular biology	25 ml	21.45	23598 [3080-30-6]	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-L-Ribofuranose extrapure, 98% (b-L-Ribofuranose 1-Acetate 2,3,5-Tribenzoate)	1 Gms	160.68		
		100 ml	58.96			5 Gms	520.35		
33108 ⚡	ABTS Substrate Solution (Single Solution)	25 ml	21.45	41439 [14215-97-5]	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzoyl-D-Ri bofuranose extrapure, 98% (D-Ribofuranose 1-Acetate 2,3,5-Tribenzoate)	5 Gms	32.24		
		100 ml	45.67			25 Gms	145.42		
65457 [56180-94-0]	Acarbose extrapure, 95%	1 Gms	78.96	72981 [91110-24-6]	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzyl-b-D-R ibofuranose extrapure, 95%	50 Mg	298.47		
		5 Gms	263.20			200 Mg	658.00		
66822 [7365-82-4]	ACES Buffer extrapure, 99% (2-[(2-Amino-2-Oxoethylamino)Ethane] Sulphonic Acid)	25 Gms	25.00	32993 [58381-23-0]	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzyl-D-Rib ofuranose extrapure, 98%	50 Mg	298.47		
		100 Gms	97.38			200 Mg	658.00		
		250 Gms	236.88						
27907 [7365-82-4]	ACES Buffer for molecular biology, 99.5%	5 Gms	9.48	62929 [60-31-1]	⚡ Acetylcholine Chloride extrapure, 99%	25 Gms	75.14		
		25 Gms	35.53			71332 [2260-50-6]	⚡ Acetylcholine Iodide extrapure, 99%	5 Gms	33.16
		100 Gms	121.07					25 Gms	118.44
62316 [540-92-1]	Acetone Sodium Bisulfite pure, 98% (2-Hydroxy-2-Propanesulfonic Acid Monosodium Salt)	100 Gms	52.38	26904 [75520-41-1]	■ Acetyl Coenzyme A Trilithium Salt extrapure, 90%	5 Mg	38.82		
		250 Gms	118.44			25 Mg	152.79		
89561 [127-06-0]	Acetoxime (Acetone Oxime) extrapure, 98%	25 Gms	16.58	47866 [616-91-1]	⚡ N-Acetyl-L-Cysteine ExiPlus, Multi-Compendial, 99%	10 Gms	5.26		
		100 Gms	37.37			25 Gms	11.05		
		250 Gms	89.88			100 Gms	34.61		
						500 Gms	110.54		
							meets compendial specs of BP		
89204 [30827-99-7]	■ AEBSF Hydrochloride extrapure AR, 98% (4-(2-Aminoethyl)benzenesulfonylfluoride Hydrochloride)	25 Mg	15.13	99328 [14215-68-0]	⚡ N-Acetyl-D-Galactosamine extrapure, 98%	100 Mg	33.16		
		100 Mg	46.72			1 Gms	99.36		
		500 Mg	222.01						
59750 [132489-69-1]	■ PUGNAc extrapure, 95% (O-(2-Acetamido-2-Deoxy-D-Glucopyrano sylidenamino) N-Phenylcarbamate)	5 Mg	213.59	59012 [7512-17-6]	⚡ N-Acetyl-D-Glucosamine extrapure AR, 99%	10 Gms	12.37		
						50 Gms	34.48		
			100 Gms			60.54			
			500 Gms			275.57			
20140 [52574-08-0]	● 3-(Acetamidomethylthio)propanoic Acid (MPA(Acm)) extrapure, 98%	1 Gms	69.22	50241 [1188-37-0]	⚡ N-Acetyl-L-Glutamic Acid extrapure, 99%	10 Gms	6.58		
12052 [14691-89-5]	⚡ 4-Acetamido-2,2,6,6-Tetramethylpip eridine-1-Oxyl (Acetamido TEMPO) pure, 97%	1 Gms	25.66			100 Gms	56.32		
		5 Gms	56.98	68761 [2490-97-3]	⚡ N-Acetyl-L-Glutamine extrapure, 99%	25 Gms	20.40		
		25 Gms	135.28			100 Gms	64.22		
34437 [572-09-8]	■ Acetobromo-D-Glucose Stab. 1% CaCO3 extrapure, 98%	10 Gms	68.43	56115 [543-24-8]	⚡ N-Acetylglycine extrapure, 99% (Acetamidoacetic Acid, Aceturic Acid)	25 Gms	13.55		
		25 Gms	157.92			100 Gms	36.85		
						500 Gms	86.86		
28590 [3068-32-4]	■ Acetobromo-D-Galactose w/ 2% Calcium Carbonate extrapure, 98%	5 Gms	85.54	76097 [1188-21-2]	⚡ N-Acetyl-L-Leucine extrapure, 99%	5 Gms	5.92		
43717 [941-98-0]	1-Acetonaphthone pure, 98% (Acetylnaphthalene, Naphthyl Ketone)	100 ml	18.03			25 Gms	23.69		
		250 ml	35.01			100 Gms	68.43		
21009 [93-08-3]	2-Acetonaphthone pure, 98% (Acetylnaphthalene, Methyl-2-Naphthyl Ketone)	100 Gms	17.11	26124 [65-82-7]	⚡ N-Acetyl-L-Methionine extrapure, 99%	5 Gms	10.66		
		250 Gms	39.48			25 Gms	44.48		
						100 Gms	155.55		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
90430 N-Acetyl-L-Proline extrapure, 98% [68-95-1]		5 Gms	20.53	35188 Acriflavine Hydrochloride for molecular biology, 98.5%-105% (3,6-Diamino-10-Methylacridinium Chloride Hydrochloride, Euflavine)		5 Gms	7.11
		25 Gms	77.38			25 Gms	31.58
		100 Gms	205.82				
81977 N-Acetylimidazole extrapure AR, 98% [2466-76-4]		25 Gms	25.93	39309 Actin extrapure, 99% [51005-14-2]		1 Mg	428.49
		100 Gms	79.22				
32414 N-Acetyl-DL-Methionine extrapure, 99% [1115-47-5]		10 Gms	10.26	28269 Actinomycin D (AMD) extrapure, 98% [50-76-0]		2 Mg	74.09
		100 Gms	23.03			5 Mg	173.71
86419 N-Acetylneuraminic Acid extrapure (NANA), 98% [131-48-6]		100 Mg	15.79	44597 Acylase 1 (ACY1) ex. Porcine Kidney, 1000U/mg [9012-37-7]		50 Mg	36.19
		1 Gms	39.48			250 Mg	126.60
		5 Gms	72.38			1 Gms	397.70
10197 2-Acetyl Pyridine extrapure, 99% [1122-62-9]		25 ml	24.35	37690 ADA Buffer extrapure, 98% [26239-55-4] (N-(2-Acetamido)Iminodiacetic Acid)		25 Gms	32.24
		100 ml	86.86			100 Gms	39.48
						500 Gms	97.38
14507 3-Acetyl Pyridine pure, 99% [350-03-8]		25 ml	21.06	83468 ADA Monosodium Salt Buffer extrapure, 98% [7415-22-7]		5 Gms	61.33
		100 ml	52.64			25 Gms	122.52
38998 S-Acetylthiocholine Iodide extrapure AR, 99% [1866-15-5]		1 Gms	29.22	35609 ADA Disodium Salt Buffer extrapure, 98% [41689-31-0]		25 Gms	50.01
		5 Gms	115.81				
99703 2-Acetyl Thiophene pure, 99% [88-15-3]		100 ml	14.48	50300 Adenine extrapure, 98% [73-24-5]		5 Gms	4.21
		500 ml	59.22			25 Gms	16.98
11644 N-Acetyl-L-Tryptophan extrapure, 99% [1218-34-4]		5 Gms	18.69	87583 Adenine Sulphate extrapure, 99% [321-30-2]		10 Gms	7.24
		25 Gms	80.54			25 Gms	17.37
						100 Gms	65.01
48861 N-Acetyl-L-Tryptophan ExiPlus, Multi-Compendial, 99% [1218-34-4] meets compendial specs of BP, Ph.Eur		5 Gms	21.45	81951 Adenine Sulphate for tissue culture, 99% [321-30-2]		10 Gms	11.45
		25 Gms	79.62			25 Gms	27.64
						100 Gms	96.73
51031 N-Acetyl-DL-Tryptophan extrapure, 99% [87-32-1]		25 Gms	26.98	56603 Adenine Sulphate ExiPlus, Multi-Compendial, 99% [321-30-2] meets compendial specs of USP		25 Gms	33.16
		100 Gms	105.02			100 Gms	110.54
		1 Kg	994.90				
98070 N-Acetyl-L-Tyrosine extrapure, 98% [537-55-3]		5 Gms	27.37	54865 Adenosine extrapure, 99% [58-61-7]		5 Gms	4.61
		25 Gms	104.49			25 Gms	17.63
16756 N-Acetyl-L-Tyrosine Ethyl Ester (ATEE) extrapure, 99% [36546-50-6]		5 Gms	77.25	94149 Adenosine ExiPlus, Multi-Compendial, 99% [58-61-7] meets compendial specs of USP, BP, Ph.Eur		25 Gms	24.61
		10 Gms	144.63				
61942 N-Acetyl-L-Valine extrapure, 99% [96-81-1]		1 Gms	35.53	84910 Adenosine-2',3' Cyclic Monophosphate Sodium Salt extrapure, 98% [37063-35-7]		25 Mg	46.19
97412 Acridine Orange hemi (Zinc Chloride) Salt [10127-02-3] (C.I. No. 46005)		5 Gms	14.48			100 Mg	141.21
		10 Gms	24.35				
		25 Gms	55.14	98333 Adenosine-3',5'-Cyclic-Monophosphoric Acid extrapure, 98% [60-92-4]		100 Mg	26.32
37751 Acridine Orange hemi(Zinc Chloride) Salt for molecular biology [10127-02-3]		5 Gms	21.71			500 Mg	78.96
		10 Gms	36.85				
		25 Gms	72.38	43801 Adenosine-5-Diphosphate Disodium Salt (ADP-Na2) extrapure, 98% [16178-48-6]		500 Mg	9.87
62255 Acridine Orange hemi(Zinc Chloride) Salt for tissue culture [10127-02-3]		5 Gms	20.79			1 Gms	18.42
		25 Gms	63.17			5 Gms	65.80
82407 Acridine Orange Hydrochloride Hydrate for molecular biology, 99% [65-61-2] (3,6-Bis(dimethylamino)Acridine Hydrochloride)		1 Gms	18.56	99118 Adenosine-5-Diphosphate Monopotassium Salt Dihydrate (ADP-K) extrapure, 97% [72696-48-1]		500 Mg	23.16
		5 Gms	80.80			1 Gms	39.48
						5 Gms	118.44
42070 Acridine Yellow G [135-49-9] (Basic Yellow K, 3,6-Diamino-2,7-Dimethylacridine Hydrochloride)		5 Gms	20.66	90697 Adenosine-5-Monophosphate Disodium Salt (AMP.Na2) extrapure, 95% [4578-31-8]		5 Gms	11.05
		25 Gms	71.20			25 Gms	26.32
						100 Gms	92.12
42428 Acriflavine Neutral for molecular biology, 98% [8048-52-0] (3,6-Diamino-10-Methylacridinium Chloride, Acriflavine Base)		5 Gms	5.53		500 Gms	421.12	
		25 Gms	23.69				
		100 Gms	64.48				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
84878	■ Adenosine-5'-Triphosphate [34369-07-8] Disodium Salt (ATP-Na2) extrapure vanadium free, 98%	5 Gms 25 Gms 100 Gms	11.84 42.11 157.92	12375	Agarose TBE mix 2.0%	100 Gms	112.25
46600	■ S-(5-Adenosyl)-L-Homocysteine [979-92-0] extrapure, 99% 5-Deoxy-S-adenosyl-L-homocysteine	10 Mg	489.68	19339	⚗ Ajmalicine (Raubasine) extrapure, [483-04-5] 98%	10 Mg 50 Mg 1 Gms	19.74 78.96 147.39
85934	■ (S)Adenosyl-L-Methionine [97540-22-2] Disulphate Tosylate, 98%	500 Mg 1 Gms	24.21 45.67	52821	⚗ Ajmaline pure, 98% [4360-12-7] (Ritmos)	50 Mg 1 Gms	105.28 207.93
40257	■ Adipic Acid Dihydrazide (ADH) [1071-93-8] extrapure, 98% (Hexanedioic Acid Dihydrazide)	25 Gms 100 Gms 250 Gms	39.48 61.85 94.75	74590	L-Alaninamide Hydrochloride [33208-99-0] extrapure, 97% (L-Alanineamide Hydrochloride)	5 Gms 25 Gms	31.58 122.39
75101	Adonitol (Ribitol) extrapure, 99% [488-81-3]	5 Gms 25 Gms	23.69 99.36	64422	D-Alanine extrapure CHR, 99% [338-69-2]	5 Gms 25 Gms 100 Gms	5.53 23.03 78.96
37575	⚗ Adrenaline Bitartrate (Epinephrine [51-42-3] Bitartrate) extrapure, 98% (L-Adrenaline Hydrogen Bitartrate, L-Epinephrine Hydrogen Bitartrate)	1 Gms 5 Gms	30.27 111.86	96244	DL-Alanine extrapure CHR, 99% [302-72-7]	100 Gms 500 Gms 1 Kg	8.03 21.71 39.48
59783	⚗ L-Adrenaline (L-Epinephrine) [51-43-4] extrapure, 98%	1 Gms 5 Gms	39.48 184.24	32344	■ D-Alanine-7-Amido-4-Methylcoumar [77471-41-1] in Free Base extrapure, 97% (D-Alanine-7-Amido-4-Methylcoumarin)	10 Mg 25 Mg	150.29 273.20
60645	Agarose High EEO for molecular [9012-36-6] biology	25 Gms 100 Gms 500 Gms	24.21 86.99 418.75	11180	■ β-Alanine-7-Amido-4-Methylcoumar [201847-54-3] in Trifluoroacetate Salt extrapure, 99% (β-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt, β-Alanine-AMC.TFA salt)	10 Mg 25 Mg	162.39 331.90
36601	Agarose Low EEO for molecular [9012-36-6] biology	10 Gms 25 Gms 100 Gms 500 Gms 1 Kg	8.95 17.77 56.46 257.67 507.32	28760	■ D-Alanine-7-Amido-4-Methylcoumar [201847-52-1] in Trifluoroacetate Salt extrapure, 99% (D-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt, D-Alanine-AMC.TFA salt)	10 Mg 25 Mg	116.86 227.14
23287	Agarose Low EEO Superior Grade [9012-36-6] for molecular biology	10 Gms 25 Gms 100 Gms 500 Gms 1 Kg	10.53 22.64 66.06 297.94 563.64	25696	■ L-Alanine-7-Amido-4-Methylcoumar [96594-10-4] in Trifluoroacetate Salt extrapure, 98% (L-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt, L-Alanine-AMC.TFA salt)	25 Mg 100 Mg	77.78 222.01
10423	Agarose Medium EEO for [9012-36-6] molecular biology	10 Gms 25 Gms 100 Gms 500 Gms	11.84 28.95 76.33 338.21	94518	■ L-Alanine Benzyl Ester p-Toluene [42854-62-6] Sulfonate extrapure, 98%	25 Gms	81.99
27813	Agarose UltraPhor for molecular [9012-36-6] biology	10 Gms 25 Gms 100 Gms 500 Gms	81.59 144.76 526.40 2434.60	17737	■ L-Alanine Benzyl Ester [5557-83-5] Hydrochloride extrapure, 98%	25 Gms	71.20
32417	Agarose Low Melting for molecular [9012-36-6] biology	5 Gms 10 Gms 25 Gms 100 Gms 250 Gms	39.48 46.06 105.28 394.80 921.20	64048	■ L-Alanine-β-Naphthylamide [3513-56-2] Hydrobromide extrapure, 98%	100 Mg	83.70
93419	Agarose TAE mix 1.0%	100 Gms	112.25	94349	⚗ L-Alanyl-L-Alanine extrapure, 99% [1948-31-8]	100 Mg 500 Mg	53.03 254.51
67900	Agarose TAE mix 2.0%	100 Gms	112.25	31622	⚗ L-Alanyl-L-Glutamine extrapure, [39537-23-0] 99%	1 Gms 5 Gms	11.05 33.16
76171	Agarose TBE mix 1.0%	100 Gms	112.25	46620	⚗ L-Alanyl Glycine extrapure, 99% [687-69-4]	1 Gms 5 Gms	49.09 232.41
				73721	⚗ L-Alanyl-L-Leucine extrapure, 99% [3303-34-2]	500 Mg	122.65
				31550	● L-Alanyl-L-Leucine-L-Phenylalanine extrapure	100 Mg	105.28
				97088	■ L-Alanyl Methyl Ester [2491-20-5] Hydrochloride extrapure, 99%	5 Gms 25 Gms	23.56 89.88
				41859	■ L-Alanyl-L-Tyrosine extrapure, 99% [3061-88-9]	100 Mg	41.85



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price				
38211 [1596-84-5]	🔗 Alar extrapure AR, 99%	1 Gms	5.26	46822 [33864-99-2]	Alcian Blue for tissue culture (C.I. No. 74240, Alcian Blue 8 GX)	5 Gms	18.42				
		5 Gms	18.42			25 Gms	228.72				
		25 Gms	78.96								
97350 [9048-46-8]	● Albumin Bovine (pH 5.2) fraction V (Bovine Serum Albumin, BSA), 98%	5 Gms	10.92	90008 ■ [9031-72-5]	Alcohol Dehydrogenase (ALD) ex. Bakers Yeast, 300U/mg protein	7500 Units	61.33				
		50 Gms	102.65			67482 ■ [1715-30-6]	Alexidine Dihydrochloride extrapure, 96% (1,1-Hexamethylene-bis(5- [2-Ethylhexyl]biguanide))	250 Mg	72.51		
		100 Gms	200.69					86220 [9005-32-7]	Alginate Acid ex. Brown Algae, 19-25%	100 Gms	5.26
		250 Gms	460.60							250 Gms	12.37
83803 [9048-46-8]	● Albumin Bovine (pH 7) fraction V (Bovine Serum Albumin, BSA), 98%	5 Gms	10.53	500 Gms	23.42	84554 [109-57-9]	N-Allylthiourea extrapure, 98% (1-Allyl-2-thiourea, Thiosinamine)	25 Gms	17.77		
		25 Gms	50.01	100 Gms	63.17						
		100 Gms	190.82	29186 [130-22-3]	Alizarin Red S (C.I. No. 58005)			25 Gms	9.87		
		250 Gms	447.44					100 Gms	35.53		
85171 [9048-46-8]	● Albumin Bovine (pH 7) fraction V for molecular biology (Bovine Serum Albumin, BSA), 98%	5 Gms	11.84	500 Gms	171.08	60352 [130-22-3]	Alizarin Red S for tissue culture (C.I. No. 58005)	25 Gms	12.50		
		25 Gms	52.64	100 Gms	42.11						
		100 Gms	207.93	95786 [584-42-9]	Alizarin Yellow GG, 90% (Metachrome Yellow, Mordant Yellow 1, Salicyl Yellow) (C.I. No. 14025)			5 Gms	8.69		
500 Gms	947.52	25 Gms	17.37								
14438 [9048-46-8]	● Albumin Bovine (pH 7) fraction V Lipid Enhanced (Bovine Serum Albumin, BSA), 98%	25 Gms	104.75	12151 ■ [9001-78-9]	Alkaline Phosphatase (ALP, AP, CIP) ex. Calf Intestine Mucosa, 20 DEA U/mg solids	100 Mg	85.41				
		100 Gms	318.87			500 Mg	157.92				
32257 [9048-46-8]	● Albumin Bovine (pH 7) fraction V for tissue culture (Bovine Serum Albumin, BSA), 98%	5 Gms	30.66	1 Gms	276.36	97534 ■ [315-30-0]	Alkalophilic Proteinase ex. Streptomyces Sp., 20U/mg	100 Units	474.42		
		25 Gms	116.07	200 Units	887.51						
65186 [9048-46-8]	● Albumin Bovine (pH 7) fraction V Reagent Grade (Bovine Serum Albumin, BSA), 99%	10 Gms	67.38	58020 [315-30-0]	Allopurinol extrapure, 98%	5 Gms	7.90				
		25 Gms	121.99			25 Gms	28.95				
		100 Gms	264.65			46287 ■ [7283-09-2]	β-D-Allose extrapure, 98%	100 Mg	101.86		
93630 [9048-46-8]	● Albumin Bovine (pH 7) fraction V Cohn Analog (Bovine Serum Albumin, BSA), 96%	10 Gms	67.38	35401 ■ [7635-11-2]	L-Allose extrapure, 97%			25 Mg	166.74		
		25 Gms	121.99			50 Mg	287.02				
19007 [9048-46-8]	🔗 Albumin Bovine Solution (20mg/ml)	1 ml	15.79	73583 ■ [9046-28-0]	L-Alpha Glycerophosphate Oxidase (GPO) ex. Microorganism, 15U/mg	500 Units	69.22				
		5 x1 ml	31.58			61973 [1990-29-0]	D-Aitrose extrapure	25 Mg	193.58		
		77761 [9048-46-8]	🔗 Albumin Bovine Solution 10% Diluent Solution in PBS (BSA 10% Diluent/Blocking Solution in PBS)					10 ml	43.43	100 Mg	740.64
45017 [9006-59-1]	● Albumin Egg Powder extrapure, 78%			100 Gms	9.87	200 Mg	1651.19				
		500 Gms	46.06	74880 🔗 [26093-31-2]	7-Amino-4-Methylcoumarin (7-AMC) extrapure, 99%	1 Gms	39.87				
		56587 [9006-59-1]	● Albumin Egg Flakes extrapure, 85%			100 Gms	22.37	81396 🔗 [37517-28-5]	Amikacin (AMK) free base, 98%	50 Mg	78.96
500 Gms	102.12			250 Mg	329.00						
21840 [70024-90-7]	■ Albumin Human Serum (Lipid Enhanced), 95%	100 Mg	52.25	18036 🔗 [39831-55-5]	Amikacin Sulphate (AMKS)	1 Gms	30.40				
		1 Gms	134.36			5 Gms	130.15				
		5 Gms	253.72			98062 [122-80-5]	p-Aminoacetanilide pure, 98%	100 Gms	6.71		
80879 [70024-90-7]	■ r-Albumin Human - Type Standard ACF ex. Plants, 97% (Human Serum Albumin Recombinant, rHSA)	100 Mg	52.64	500 Gms	23.95						
		1 Gms	394.80	40182 [99-92-3]	p-Aminoacetophenone extrapure AR, 99%	25 Gms	11.19				
55955 [70024-90-7]	■ r-Albumin Human - Type EG ex. Yeast, 99% (Human Serum Albumin, rHSA)	100 Mg	59.22			100 Gms	39.74				
		1 Gms	460.60	62360 [7620-28-2]	D-a-Amino Adipic Acid extrapure, 98%	250 Mg	28.95				
83428 [70024-90-7]	■ r-Albumin Human - Type LE ex. Yeast, 98% (Human Serum Albumin Recombinant, rHSA)	100 Mg	72.38			1 Gms	78.96				
		1 Gms	513.24	35418 [1118-90-7]	L-a-Amino Adipic Acid extrapure, 98%	250 Mg	31.58				
48261 [33864-99-2]	Alcian Blue (C.I. No. 74240, Alcian Blue 8 GX)	5 Gms	25.79			1 Gms	92.12				
		10 Gms	48.43								



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
46832	Amino Acids Kit	1 Kit	49.09	51812	2-Amino-2-Methyl-1,3-Propanediol (AMPD Buffer) extrapure, 99% (Ammediol)	25 Gms 100 Gms	50.01 177.66
86936	L-Amino Acids Kit	1 Kit	58.30	91085	5-Aminonaphthalene-1-Sulphonic Acid pure, 90% (1-Naphthylamine-5-Sulfonic Acid, Laurents Acid)	25 Gms 100 Gms	34.61 124.36
68384	■ D-Amino Acid Oxidase (DAA, DAO, DAMOX) ex. Porcine Kidney, 6000U/g	50 Units 100 Units	148.18 259.25	98372	5-Aminonaphthalene-2-Sulphonic Acid pure, 98%	25 Gms 100 Gms	38.69 131.34
98437	p-Aminoazobenzene pure, 98%	100 Gms 500 Gms	8.16 31.58	79911	1-Amino-2-Naphthol-4-Sulphonic Acid (1,2,4-Acid), ACS, 90% (1-Amino-2-Hydroxy-4-Naphthalenesulfonic acid)	25 Gms 100 Gms	6.84 22.90
79793	m-Aminobenzoic Acid pure, 98%	100 Gms 500 Gms	9.21 34.22	21407	2-Amino-5-Nitrobenzophenone extrapure, 98%	25 Gms 100 Gms	38.69 127.26
74004	m-Aminobenzoic Acid extrapure AR, 99%	25 Gms 100 Gms	10.53 32.90	58513	2-Aminophenyl-Acetonitrile pure, 97%	250 Mg 1 Gms	78.70 200.43
99839	p-Aminobenzoic Acid pure, 99% (PABA)	100 Gms 250 Gms 500 Gms	7.90 16.45 31.58	33993	(3-Aminopropyl)triethoxysilane (APTES) extrapure, 98% (3-(Triethoxysilyl)Propylamine)	100 ml 500 ml	15.79 44.74
19196	p-Aminobenzoic Acid ExiPlus, Multi-Compendial, 99% (PABA) meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	9.48 35.53	17081	■ 2-Aminopurine extrapure, 98%	100 Mg 250 Mg 1 Gms	42.38 90.94 306.63
56960	2-Aminobenzophenone pure, 98%	5 Gms 25 Gms	23.69 61.06	65377	2-Aminopyridine pure, 98%	100 Gms 250 Gms 500 Gms	6.58 15.79 28.95
26345	4-Aminobutyric Acid extrapure CHR, 99%	10 Gms 25 Gms	4.74 11.71	29786	3-Aminopyridine pure, 98%	25 Gms 100 Gms 500 Gms	11.84 39.48 138.18
65081	DL-a-Aminobutyric Acid extrapure, 99% (DL-2-Aminobutyric Acid)	25 Gms 100 Gms	25.79 76.99	16104	4-Aminopyridine pure, 98%	10 Gms 25 Gms 100 Gms	6.19 11.19 36.85
10498	2-Amino-5-Chlorobenzophenone pure, 98%	100 Gms 500 Gms	49.48 241.49	12920	⚠ 4-Amino-1,2,4-Triazole pure, 98%	25 Gms 100 Gms	11.84 39.48
18125	1-Amino-1-Cyclopropanecarbonitrile Hydrochloride extrapure, 98%	1 Gms 5 Gms	32.90 105.28	40057	Ammonium Phosphomolybdate Hydrate extrapure, 61% Mo (Ammonium-12-Molybdophosphate, Molybdophosphoric Acid Ammonium, Phosphomolybdic Acid Ammonium Hydrate)	25 Gms 100 Gms	34.61 52.51
68678	3-Amino-9-Ethyl Carbazole (AEC) extrapure, 95%	1 Gms 10 Gms 25 Gms	10.53 46.06 111.86	31438	Ammonium Tetrachloropalladate (II) extrapure, 98% (Palladium (II) Ammonium Chloride)	250 Mg 1 Gms	39.48 98.70
44285	4-Amino-3-Hydrazino-5-Mercapto-1,2,4-Triazole (AHMT), 98%	1 Gms 5 Gms	28.95 118.44	32285	Ammonium Tetrachloroplatinate (II) extrapure, 99% (Platinum (II) Ammonium Chloride)	250 Mg 1 Gms	46.06 118.44
94283	2-Amino-3-Hydroxypyridine pure, 98%	25 Gms 100 Gms	15.79 63.17	24645	⚠ Amoxicillin Trihydrate (AMOT), 97%	1 Gms 5 Gms 10 Gms	3.95 16.98 30.66
33864	■ 5-Amino Levulinic Acid Hydrochloride extrapure, 97%	100 Mg 500 Mg 1 Gms	28.95 59.75 90.41	54713	⚠ Amphotericin B (AMT)	250 Mg 1 Gms 5 Gms	16.98 64.62 315.18
19902	DL-3-Aminoisobutyric Acid extrapure, 98% (2-Amino-2-Methyl-Propionic Acid)	1 Gms 5 Gms	55.27 165.82	61314	⚠ Ampicillin Sodium Salt (AMP-Na)	1 Gms 5 Gms 25 Gms	5.00 22.77 82.78
86898	DL-3-Aminoisobutyric Acid Hydrate extrapure, 98%	25 Mg 100 Mg	15.27 34.61				
87907	5-Aminoisophthalic Acid (5-AIPA) pure, 99% (5-Aminobenzene-1,3-Dicarboxylic acid)	25 Gms 100 Gms	15.66 49.88				
50407	2-Amino-2-Methyl-1-Propanol (AMP Buffer) pure, 95%	500 ml 2500 ml	26.32 125.81				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
26647 [69-52-3]	Ampicillin Sodium Salt (AMP-Na) for tissue culture	1 Gms	6.05	23848 [10323-20-3]	D-Arabinose extrapure (D-(-)-Arabinose)	5 Gms	4.61
		5 Gms	22.50			25 Gms	17.11
		25 Gms	88.44			100 Gms	65.80
82904 [7177-48-2]	Ampicillin Trihydrate (AMP)	1 Gms	4.34	52392 [87-72-9, 5328-37-0]	L-Arabinose extrapure (L-(+)-Arabinose)	100 Gms	11.84
		5 Gms	18.69			500 Gms	57.90
		10 Gms	33.82				
96459 [68399-79-1]	AMPSO Buffer extrapure, 99% (N-(1,1-Dimethyl-2-Hydroxyethyl)-3-Amino-2-Hydroxypropane Sulphonic Acid)	5 Gms	55.40	52384 [87-72-9, 5328-37-0]	L-Arabinose ExiPlus, Multi-Compendial (L-(+)-Arabinose) meets compendial specs of BP, Ph.Eur	25 Gms	11.19
		25 Gms	184.50			500 Gms	78.96
85441 [29883-15-6]	D-Amygdalin extrapure, 97%	1 Gms	18.95	74926 [488-82-4]	D(+)-Arabitol (D-Arabinitol) extrapure 99%	1 Gms	9.61
		10 Gms	58.04			5 Gms	40.01
		25 Gms	117.65			25 Gms	135.94
95114 [9000-90-2]	a-Amylase ex. Porcine Pancreas, 5U/mg	1 Gms	12.37	91121 [7643-75-6]	L-(-) Arabitol (L-Arabinitol) extrapure 99%	1 Gms	15.27
		5 Gms	43.16			10 Gms	68.04
28588 [9000-90-2]	a-Amylase ex. Porcine Pancreas, 10-25U/mg	100 Mg	52.38	89657 [506-30-9]	Arachidic Acid extrapure, 99% (Eicosanoic Acid, Arachic Acid, Arachidinic Acid)	1 Gms	32.90
46504 [9000-92-4]	a-Amylase ex. Malt (Fungal Diastase ex. Aspergillus Oryzae) 1:2000, (2000U/g powder)	100 Gms	6.71			5 Gms	78.96
		500 Gms	28.29			25 Gms	210.56
40321 [206659-00-9]	8-Anilino-1-Naphthalene Sulphonic Acid Ammonium Salt Hydrate (ANS Hydrate) extrapure, 98% (8-Anilino-1-Naphthalenesulfonic Acid Ammonium Salt Hydrate)	5 Gms	35.93	20975 [506-32-1]	Arachidonic Acid (non-animal) extrapure, 99%	10 Mg	32.90
		25 Gms	103.70			25 Mg	59.22
		100 Gms	399.41			100 Mg	144.76
42275 [82-76-8]	8-Anilino-1-Naphthalenesulphonic Acid (ANS) extrapure, 98% (8-Anilino-1-Naphthalenesulfonic Acid, N-Phenyl Peri Acid)	5 Gms	38.69	13492 [497-76-7]	p-Arbutin extrapure, 98%	10 Gms	52.64
		25 Gms	110.54			25 Gms	111.86
		100 Gms	248.72				
89119 [123-11-5]	Anisaldehyde extrapure, 99% (p-Methoxybenzaldehyde)	100 ml	5.26	89184 [157-06-2]	D-Arginine (free base) extrapure CHR, 99% (R)-2-Amino-5-Guanidinopentanoic Acid)	1 Gms	31.32
		250 ml	12.37			5 Gms	65.80
		500 ml	24.08				
90820 [100-09-4]	p-Anisic Acid extrapure, 98% (p-Methoxybenzoic Acid)	100 Gms	7.76	34537 [36589-29-4]	L-Arginine Ethyl Ester Dihydrochloride extrapure, 98%	5 Gms	16.84
		500 Gms	32.24			25 Gms	65.01
						100 Gms	211.35
70940 [100-66-3]	Anisole extrapure, 99%	500 ml	8.55	11249 [26340-89-6]	L-Arginine Methyl Ester Dihydrochloride extrapure, 98%	5 Gms	15.13
64447 [100-66-3]	Anisole extrapure AR, 99.5%	500 ml	13.29			25 Gms	59.35
						100 Gms	196.61
59553 [90-44-8]	Anthrone pure, 95%	25 Gms	7.90	17299 [520-10-5]	Arsenazo I Trisodium (Neothorone) extrapure AR	1 Gms	13.42
		100 Gms	23.69			5 Gms	56.72
96476 [90-44-8]	Anthrone ACS, 98%	10 Gms	5.92			47014 [1668-00-4]	Arsenazo III Free Acid (High Purity) extrapure AR, 85% (2,7-Bis(2-Arsenophenylazo)-1,8-Dihydroxynaphthalene-3,6-Disulfonic Acid)
		25 Gms	9.87	5 Gms	460.60		
		100 Gms	34.22				
63714 [90-44-8]	Anthrone ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of BP	25 Gms	11.19	57656 [9029-44-1]	L-Ascorbate Oxidase (Type 1) ex. Cucurbita Sp., 150U/mg	2500 Units	123.05
		100 Gms	38.16			60402 [9029-44-1]	L-Ascorbate Oxidase (Type 2) ex. Acremonium Sp., 350U/mg
44089 [85251-63-4]	Apple Seed (PyrusMalus) Oil	250 ml	26.32	27999 [464-92-6]	Asiatic Acid pure, 97% (2a,23-Dihydroxyursolic Acid, Dammarolic acid, NSC 166063)	50 Mg	53.82
		500 ml	49.35			200 Mg	189.11
62179 [9087-70-1]	Aprotinin ex. Bovine Lung, 5400U/mg	5 Mg	24.61	11479 [5794-24-1]	D-Asparagine Monohydrate extrapure, 99%	5 Gms	9.21
		10 Mg	47.77			25 Gms	28.95
		25 Mg	88.57	86883 [5794-13-8]	L-Asparagine Monohydrate extrapure CHR, 99%	100 Gms	9.21
		100 Mg	308.08			1 Kg	76.33
				5 Kg	355.32		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
92468 [5794-13-8]	L-Asparagine Monohydrate for tissue culture, 99%	25 Gms	6.58	13741 [78110-38-0]	Aztreonam (AZN), 96%	100 Mg	78.96
		100 Gms	14.48			1 Gms	78.96
		500 Gms	59.22			5 Gms	355.32
44444 [5794-13-8]	L-Asparagine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, USP & EU Ph	100 Gms	11.84	76432 [21668-81-5]	3-(Carbamimidoylthio)-1-Propanesulfonic Acid extrapure, 98%	5 Gms	26.32
		1 Kg	82.91			25 Gms	59.22
90601 [1783-96-6]	D-Aspartic Acid extrapure CHR, 99%	5 Gms	10.53	11730 [531-55-5]	Azure B (Azure I) (C.I. No. 52010) (N,N,N-Trimethylthionin, Methylene Azure A)	100 Gms	31.58
		25 Gms	32.90			500 Gms	144.76
71353 [16115-68-7]	L-Aspartic Acid Diethyl Ester Hydrochloride extrapure, 98%	5 Gms	26.32	62151 [37247-10-2]	Azur II (C.I. 52010/52015) (3-Chloro-6-Hydroxy-2-Pyridinecarboxylic Acid, Methylene Azure II)	10 Gms	4.47
		25 Gms	78.96			25 Gms	7.90
50144 [32213-95-9]	L-Aspartic Acid Dimethyl Ester Hydrochloride extrapure, 98%	1 Gms	13.95	25003 [531-53-3]	Azure A Chloride (C.I. No. 52005) (3-Amino-7-(Dimethylamino)phenothiazin-5-ium Chloride)	100 Gms	28.95
		5 Gms	51.85			25 Gms	8.55
		25 Gms	159.37			100 Gms	31.58
21505 [1405-69-2]	Avidin ex. Egg White for molecular biology, 10U/mg Protein	100 Gms	541.40	17327 [1405-87-4]	Bacitracin (BCT) ex. Bacillus Licheniformis	50000 Units	18.95
		10 Mg	28.56			250000 Units	47.77
		25 Mg	66.98			250 ml	8.03
34476 [320-67-2]	5-Azacytidine extrapure, 98%	100 Mg	23.03	52571	Barfoed's Reagent	250 ml	8.03
		1 Gms	39.48			5 Gms	4.08
59070 [76801-85-9]	Azaerythromycin (AZAE)	1 Gms	29.74	29090 [6211-24-1]	Barium Diphenylamine Sulphonate ACS	25 Gms	12.63
		5 Gms	70.27			500 Mg	32.90
81947 [932-53-6]	6-Azathymine extrapure, 98%	1 Gms	76.99	27297 [4733-39-5]	Bathocuproine (BCP) ACS, 99%	1 Gms	59.22
		5 Gms	210.02			5 Gms	276.36
61898 [30516-87-1]	3-Azido-3-Deoxythymidine extrapure, 99% (AZT, Azidothymidine, ZDV, Zidovudine)	25 Mg	10.53	28242 [52698-84-7]	Bathocuproinedisulphonate Disodium Salt extrapure AR, 98%	100 Mg	23.69
		1 Gms	39.48			250 Mg	55.27
		5 Gms	100.02			1 Gms	184.24
17156 [117772-70-0]	Azithromycin Dihydrate (AZA), 96%	1 Gms	9.21	50221 [1662-01-7]	Bathophenanthroline extrapure AR, 99% (4,7-Diphenyl-1,10-Phenanthroline, BPhen)	1 Gms	42.11
		5 Gms	43.43			5 Gms	197.40
		10 Gms	78.96			1 Gms	29.61
47138 [2997-92-4]	2,2-Azobis(2-Methylpropionamidine) Dihydrochloride (AAPH) extrapure, 98% a,a'-Azodiisobutyramidine dihydrochloride	5 Gms	32.90	82626 [636-82-8]	1-Cyclohexene-1-Carboxylic Acid extrapure, 97% (3,4,5,6-Tetrahydrobenzoic Acid)	5 Gms	131.60
		25 Gms	55.80			25 ml	26.32
		100 Gms	90.15			100 ml	68.43
11029 [78-67-1]	2,2-Azobisisobutyronitrile (AIBN) pure, 98% (2,2-Azobis(2-Methylpropionitrile))	100 Gms	6.58	69160 [100-50-5]	3-Cyclohexene-1-Carboxaldehyde extrapure, 98% (1,2,3,6-Tetrahydrobenzaldehyde, 4-Formyl-1-cyclohexene)	250 Mg	46.06
		500 Gms	26.32			1 Gms	151.34
		5 Kg	210.56			5 Gms	658.00
95426 [102110-73-6]	Azoalbumin (Bovine) prepared from Bovine fraction V powder extrapure	250 Mg	45.01	36333 [21205-91-4]	9-BBN Triflate Solution (0.5M in hexanes) pure (9-[(9-(Trifluoromethyl)sulfonyl]oxy]9-Borabicyclo(3.3.1)Nonane)	500 ml	102.78
		500 Mg	85.93			1000 ml	167.79
		1 Gms	163.84			25 Gms	5.26
21070 [102110-74-7]	Azocasein extrapure, 98%	250 Mg	36.85	64733 [112-85-6]	Behenic Acid pure, 85% (Docosanoic acid, 1-Docosanoic acid, n-Docosanoic acid, Docosic acid)	250 Gms	11.19
		500 Mg	68.43			5 Gms	52.64
		1 Gms	128.97			25 Gms	92.12
37020 [206752-32-1]	Azomethine H Monosodium Salt Hydrate, 97%	1 Gms	9.21	35591 [112-85-6]	Behenic Acid extrapure, 99% (Docosanoic acid, 1-Docosanoic acid, n-Docosanoic acid, Docosic acid)	5 Gms	52.64
		5 Gms	40.80			25 Gms	92.12
		25 Gms	144.76				
78130 [5941-07-1]	Azomethine H Monosodium Salt, 97%	1 Gms	14.48				
		5 Gms	59.22				
		25 Gms	157.92				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
74710 [661-19-8]	1-Docosanol (Behenyl Alcohol) extrapure, 98%	25 Gms 500 Gms	9.21 72.38	64554 [100-46-9]	Benzylamine extrapure AR, 99.5%	250 ml 500 ml	6.58 12.50
82142 [94-41-7]	Benzalacetophenone (Chalcone) pure, 98% (1,3-Diphenyl-2-Propenone)	25 Gms 100 Gms 500 Gms	7.90 23.69 92.12	91695 [146631-00-7]	4-Benzyloxy-Phenylboronic Acid extrapure, 97%	1 Gms 5 Gms 25 Gms	18.82 75.01 222.40
93014 [206752-36-5]	Benzamidine Hydrochloride Hydrate extrapure, 98%	5 Gms 25 Gms 100 Gms	12.50 31.58 98.70	47102 [3054-01-0]	S-Benzyl-L-(+)-Cysteine extrapure, 98%	25 Gms	229.64
13740 [93-98-1]	Benzanilide pure, 98%	100 Gms 500 Gms	7.76 30.40	26862 [472696-9]	O-Benzyl-L-Serine extrapure, 99%	1 Gms 5 Gms 10 Gms 25 Gms	21.85 79.75 153.71 350.06
42689 [98-09-9]	Benzenesulphonyl Chloride pure, 98%	500 ml	12.90	50562 [2899-66-3]	3-(Benzylthio)-Propionic Acid extrapure, 98%	1 Gms 5 Gms	46.85 124.89
41035 [98-09-9]	Benzenesulphonyl Chloride ExiPlus, Multi-Compendial, 98% meets compendial specs of USP	500 ml	15.79	75036 [21871-47-6]	5-(Benzylthio)-1H-Tetrazole (BTT Activator) extrapure, 99%	5 Gms 25 Gms	27.77 92.25
57730 [91-00-9]	Benzhydriylamine pure, 97% (a-Aminodiphenylmethane)	25 ml 100 ml 500 ml	7.90 15.79 65.80	29161 [56-37-1]	Benzyltriethylammonium Chloride pure, 98%	500 Gms 5 Kg	8.69 82.91
17851 [495-18-1]	Benzohydroxamic Acid extrapure, 99%	10 Gms 25 Gms	59.35 116.20	98924 [56-39-9]	Benzyltrimethylammonium Chloride pure, 98%	100 Gms 500 Gms	3.55 15.53
17192 [134-81-6]	Benzil extrapure, 98%	250 Gms	11.05	60168 [56-39-9]	Benzyltrimethylammonium Chloride ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	4.87 17.37
93528 [76-93-7]	Benzilic Acid extrapure, 99% (Diphenylglycolic Acid)	100 Gms 250 Gms	16.84 41.32	30307 [100-85-6]	Benzyltrimethyl Ammonium Hydroxide 40% in Methanol extrapure (Triton B)	100 ml 500 ml	16.32 53.43
35034 [51-17-2]	Benzimidazole extrapure, 99%	25 Gms 100 Gms 500 Gms	3.16 9.74 45.67	18437 ✓ [8007-75-8]	Bergamot Oil extrapure	500 ml 1000 ml	74.49 134.10
31398 [441-38-3]	a-Benzoinoxime extrapure AR, 99% (Cupron)	25 Gms 100 Gms	5.92 17.37	34489 [10191-18-1]	BES Buffer extrapure, 99% (N,N-bis(2-Hydroxyethyl)2-Aminoethanesulphonic Acid)	25 Gms 100 Gms 500 Gms 1 Kg	11.84 39.48 157.92 289.52
44371 [5350-57-2]	Benzophenone Hydrazone pure, 99%	100 Gms 500 Gms	40.01 158.84	59299 [66992-27-6]	BES Sodium Salt Buffer extrapure, 99%	25 Gms 100 Gms 250 Gms	39.48 92.12 184.24
47554 [93-91-4]	1-Benzoylacetone pure, 98%	10 Gms 50 Gms	29.08 110.94	83710	Bial's Reagent	250 ml	8.16
76356 ● [2645-08-1]	N-a-Benzoyl-L-Arginine Ethyl Ester Hydrochloride (BAEE) extrapure AR, 99%	1 Gms 5 Gms 25 Gms	12.50 57.90 276.36	84867 ⚠ [979-88-4]	Bicinchoninic Acid Disodium Salt (BCA) extrapure, 98% (2,2-Biquinoline-4,4-Dicarboxylic Acid Disodium Salt)	1 Gms 5 Gms	37.37 110.54
96249 ● [911-77-3]	N-a-Benzoyl-DL-Arginine-4-Nitroanilide Hydrochloride (BANI, L-BAPNA) extrapure, 98%	100 Mg 250 Mg 1 Gms	23.69 39.48 115.81	39849 [150-25-4]	BICINE Buffer extrapure, 99% (N,N-bis(2-Hydroxyethyl) Glycine)	25 Gms 100 Gms 500 Gms	8.29 25.00 111.86
51003 ● [913-04-2]	N-a-Benzoyl-DL-Arginine-β-Naphthylamide Hydrochloride (BANA) extrapure, 97%	250 Mg 1 Gms	38.56 121.47	66466 ● [86303-22-2]	Big CHAPS, 95% N,N'-Bis(3-D-gluconamidopropyl)cholamide	500 Mg 1 Gms 5 Gms	129.89 227.27 730.25
46170 ● [23405-15-4]	N-(Benzoyloxy)Succinimide (Bz-OSu) extrapure, 99% (Benzoic Acid N-Succinimidyl Ester, N-Succinimidyl Benzoate)	1 Gms 5 Gms	52.64 107.91	64839 ⚠ [635-65-4]	Bilirubin extrapure AR, 99%	100 Mg 1 Gms 5 Gms	11.45 84.22 342.16
46651 ● [1214-39-7]	6-Benzyladenine (6-BAP) extrapure AR, 99% (6-Benzylaminopurine)	5 Gms 25 Gms 100 Gms	8.42 12.37 43.82				
38728 [100-46-9]	Benzylamine pure, 99%	500 ml 2500 ml 25 Ltr	9.48 44.74 421.12				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
66915 [80619-01-8]	■ Bilirubin Oxidase ex. Myrothecium, 1.2U/mg powder	25 Units	72.38	26477 [10416-59-8]	✓ N,O-Bis-(Trimethylsilyl) Acetamide (BSA) extrapure, 95%	25 ml 100 ml 250 ml	10.26 30.27 65.80
18888 [58-85-5]	⚡ D-Biotin extrapure, 99% (Vitamin H)	1 Gms 10 Gms 25 Gms	8.55 63.83 123.05	57677 [25561-30-2]	✓ N,O-Bis-(Trimethylsilyl) Trifluoro Acetamide (BSTFA) extrapure, 99%	5 ml 25 ml 100 ml 500 ml	5.92 18.42 63.17 289.52
89932 [58-85-5]	⚡ D-Biotin for tissue culture, 99% (Vitamin H)	1 Gms 10 Gms 25 Gms	10.26 71.06 154.50	52353	⚡ BSA + TMCS(3-5%), 93-97% (N,O-Bis(trimethylsilyl) Acetamide, Trimethylchlorosilane)	10 ml 25 ml	38.69 77.38
92196 [92-52-4]	Biphenyl extrapure, 99%	100 Gms 1 Kg	6.19 44.48	22555	✓ BSA + TMCS + TMSI, (3:2:3) N,O-Bis(trimethylsilyl)Acetamide, Trimethylchlorosilane, Trimethylsilylimidazole (GC Derivatization)	10 x1 ml 25 ml	72.51 111.20
79363 [366-18-7]	2,2-Bipyridyl ACS, 99.5%	5 Gms 25 Gms 100 Gms	8.82 36.45 103.04	46976 [25561-30-2]	● N,O-Bis(trimethylsilyl) trifluoro acetamide, Trimethylchlorosilane (BSTFA + TMCS) (99:1) for GC Derivatization	10 x1 ml 25 ml 100 ml	72.51 32.24 112.78
37025 [14592-56-4]	Bis(Acetonitrile)Dichloropalladium (II) extrapure, 99%, ~41% Pd (Palladium (II) Chloride Diacetonitrile Complex)	500 Mg 1 Gms 5 Gms	85.54 144.76 526.40	31817 [80-05-7]	Bisphenol A pure, 97% (4,4-Isopropylidenediphenol)	500 Gms	5.26
98369 [10526-07-5]	1,3-Bis(3-Aminophenoxy) Benzene (APB) pure, 98% (Resorcinol bis(3-Aminophenyl) Ether)	5 Gms 25 Gms	73.83 273.73	25417 [6976-37-0]	BIS-TRIS Buffer extrapure, 99% (bis [2-Hydroxyethyl] Aminotris [Hydroxymethyl] Methane (bis-Tris) (free base))	25 Gms 100 Gms 500 Gms	17.24 63.04 294.26
47063 [13080-89-2]	4,4-Bis(4-Aminophenoxy)Diphenyl Sulfone pure, 98%	5 Gms 25 Gms	44.61 169.11	15893 [124763-51-5]	BIS-TRIS Hydrochloride Buffer extrapure, 98%	10 Gms 25 Gms 100 Gms	40.93 76.59 195.56
11866 [14220-64-5]	✓ Bis(benzonitrile)palladium(II) Dichloride extrapure, 27.4% Pd	500 Mg 1 Gms 5 Gms	46.06 81.59 368.48	49084 [64431-96-5]	BIS-TRIS Propane Buffer extrapure, 99%	25 Gms 100 Gms 500 Gms	52.64 171.08 690.90
24637 [542-88-1]	⚡ Bis(chloromethyl) Ether pure, 96%	25 Gms 100 Gms	72.38 210.56	77031	Biuret Reagent Solution ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	250 ml	2.90
96246 [32005-36-0]	Bis(Dibenzylideneacetone) Palladium extrapure, 16.5%-20.5% Pd (Palladium(0) bis(Dibenzylideneacetone), Pd(dba) ₂)	250 Mg 1 Gms 5 Gms	32.90 55.27 210.56	20899 [9041-93-4]	⚡ Bleomycin Sulfate (BLM-S), 90%	10 Mg 50 Mg	78.96 289.52
52119 [140-95-4]	⚡ N,N-Bis(hydroxymethyl)urea (DMU) pure, 95% (1,3-Bis(hydroxymethyl)urea, Dimethylolurea)	25 Gms 100 Gms 500 Gms	10.00 21.06 76.33	22649 [1871-22-3]	● Blue Tetrazolium Chloride (BTC, Tetrazolium Blue Chloride) extrapure AR	1 Gms 5 Gms	15.79 72.38
16660 [72287-26-4]	1,1'-Bis(Diphenylphosphino)Ferrocene Palladium(II) Dichloride extrapure, 14.5% Pd (Dichloro [(1,1-Bis-Diphenylphosphino Ferrocene)] Palladium (II) (14.5% Pd))	250 Mg 1 Gms 5 Gms	39.48 76.33 315.84	86204 [7764-95-6]	● BOC-D-Alanine extrapure, 99%	10 Gms 25 Gms	39.48 65.80
87281 [95464-05-04]	1,1'-Bis(Diphenylphosphino)Ferrocene-Palladium(II)Dichloride-Dichloromethane Complex extrapure, 98%	1 Gms 5 Gms 25 Gms	52.64 197.40 710.64	42849 [15761-38-3]	● BOC-L-Alanine extrapure, 99%	10 Gms 25 Gms	9.87 23.42
49463 [29934-17-6]	■ Bis(Tricyclohexylphosphine)Palladium(II) Dichloride extrapure, 98% (Dichlorobis(tricyclohexylphosphine)Palladium(II))	250 Mg 1 Gms 5 Gms	23.69 60.54 276.36	50483 [28875-17-4]	● BOC-L-Alanine Methyl Ester extrapure, 98%	10 Gms 25 Gms	109.75 192.00
35116 [13965-03-2]	⚡ Bis(Triphenylphosphine) Dichloropalladium (II) extrapure, 98% (Dichlorobis(triphenylphosphine)Palladium(II), Palladium(II)bis(triphenylphosphine) Dichloride)	1 Gms 5 Gms 25 Gms	44.74 157.92 625.10	75597 [4248-19-5]	● BOC Amide pure, 98% (tert-Butyl Carbamate)	5 Gms 25 Gms 100 Gms	11.58 26.06 86.86
				23875	● BOC-L-Amino Acids Kit	1 Kit	416.12
				50647 [73874-95-0]	● N-BOC-4-Aminopiperidine pure, 97%	5 Gms 25 Gms	47.38 173.32
				33534 [23680-31-1]	● N-BOC-O-Benzyl-L-Serine extrapure, 98% (BOC-L-Ser(Bzl)-OH)	10 Gms 25 Gms	359.93 629.71



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
12320 [2130-96-3]	● N-BOC-O-Benzyl-L-Tyrosine extrapure, 98% (BOC-L-Tyr(Bzl)-OH)	10 Gms	151.21	39190	● BOC-Isonipecotic Acid Methyl Ester extrapure, 98% (N-Boc-Piperidine-4-Carboxylic Acid Methyl Ester)	10 Gms	134.63
		25 Gms	264.52			25 Gms	235.43
61900 [35897-34-8]	● BOC-L-Arginine Hydrochloride extrapure, 98.5%	25 Gms	63.56	22237 [16937-99-8]	● BOC-D-Leucine extrapure, 99%	10 Gms	50.01
		100 Gms	178.71			25 Gms	105.28
12202 [7536-58-5]	● BOC-L-Aspartic Acid-4-Benzylester extrapure, 98%	10 Gms	34.22	25833 [13139-15-6]	● BOC-L-Leucine Monohydrate extrapure, 99%	25 Gms	22.37
		25 Gms	85.54			100 Gms	78.96
19362 [75647-01-07]	● BOC-D-Asparagine extrapure, 99%	10 Gms	61.98	88985 [2389-45-9]	● Na-BOC-Ne-Z-L-Lysine (BOC-Lys(Z)-OH) extrapure, 98% (BOC-Lys(Z)-OH)	5 Gms	55.27
		25 Gms	144.50			25 Gms	157.66
67012 [7536-55-2]	● BOC-L-Asparagine extrapure, 99%	10 Gms	14.08	57147 [15098-69-8]	● N-a-e-T-BOC-L-Lysine-Dicyclohexyl ammonium Salt extrapure, 99% (BOC-L-Lys(BOC)-OH.DCHA)	10 Gms	76.59
		25 Gms	31.32			25 Gms	133.97
		100 Gms	118.70				
38230 [62396-48-9]	● BOC-D-Aspartic Acid extrapure, 99%	10 Gms	51.46	69681 [2418-95-3]	● BOC-L-Lysine extrapure, 98%	10 Gms	46.06
		25 Gms	115.81			25 Gms	92.12
30394 [13726-67-5]	● BOC-L-Aspartic Acid extrapure, 98%	10 Gms	39.48	81350 [2488-15-5]	● BOC-L-Methionine extrapure, 98.5%	25 Gms	51.85
35516 [19746-37-3]	● BOC-L-Acetamidomethyl-L-Cysteine extrapure, 98%	10 Gms	228.98			100 Gms	159.63
44054 [5068-28-0]	● BOC-L-Benzyl-L-Cysteine extrapure, 98%	10 Gms	157.39	91418 [88495-54-9]	● BOC-Nipecotic Acid extrapure, 99%	10 Gms	84.09
		25 Gms	275.44			25 Gms	147.00
53340 [132844-48-5]	● BOC-Cyclopropylamine extrapure, 98%	10 Gms	138.31	82933 [1487631-41-1]	● BOC-Nipecotic Acid Methyl Ester extrapure, 98%	10 Gms	147.92
		25 Gms	242.01			25 Gms	258.73
14930 [10389-65-8]	● BOC-L-Cystine extrapure, 99%	10 Gms	13.95	53717 [2188-18-3]	● BOC-Nitro-L-Arginine extrapure, 99% (Boc-Arg(NO ₂)-OH)	10 Gms	74.09
		25 Gms	30.93			25 Gms	139.23
92584 [34404-28-9]	● BOC-D-Glutamic Acid extrapure, 99%	10 Gms	71.33	14910 [33305-77-0]	● BOC-4-Nitro-L-Phenylalanine extrapure, 98% (BOC-L-Phe(4 No ₂)-OH)	10 Gms	86.33
		25 Gms	160.42			25 Gms	151.08
69376 [2419-94-5]	● BOC-L-Glutamic acid extrapure, 99%	10 Gms	14.08	76600 [7535-56-0]	● BOC-4-Nitro-L-Phenylalanine Ethyl Ester extrapure, 98% (BOC-Phe-Onp)	10 Gms	153.18
		25 Gms	31.32			25 Gms	267.94
		100 Gms	118.70				
82284 [13574-13-5]	● BOC-L-Glutamic Acid-5-Benzyl Ester extrapure, 98% (BOC-L-Glu(OBzl)-OH)	10 Gms	162.26	40474 [18942-49-9]	● BOC-D-Phenylalanine extrapure, 99%	10 Gms	69.35
		25 Gms	283.73			25 Gms	155.68
45737 [61348-28-5]	● BOC-D-Glutamine extrapure, 99%	10 Gms	85.54	23293 [13734-34-4]	● BOC-L-Phenylalanine extrapure, 99%	10 Gms	16.45
		25 Gms	192.40			25 Gms	37.77
46975 [13726-85-7]	● BOC-L-Glutamine extrapure, 99%	25 Gms	30.93			100 Gms	121.47
		100 Gms	116.07				
71943 [4530-20-5]	● BOC-Glycine extrapure, 99%	25 Gms	27.37	25694 [35909-92-3]	● BOC-D-Phenylalanine Methyl Ester extrapure, 98%	10 Gms	171.74
		100 Gms	82.38			25 Gms	300.44
44986 [31954-27-5]	● BOC-Glycine Methyl Ester extrapure, 98% (BOC-Gly-OMe)	10 ml	25.00	60090 [51987-73-6]	● BOC-L-Phenylalanine Methyl Ester extrapure, 98%	10 Gms	133.57
		25 ml	59.22			25 Gms	233.72
10733 [17791-52-5]	● BOC-L-Histidine extrapure, 98.5%	10 Gms	58.56	46437 [33125-05-2]	● BOC-D-Phenyglycine extrapure, 99%	1 Gms	19.87
		25 Gms	113.31				
38544 [13726-69-7]	● BOC-L-Hydroxyproline extrapure, 98%	5 Gms	68.96	40931 [2900-27-8]	● BOC-L-Phenyglycine extrapure, 99%	10 Gms	71.59
		25 Gms	156.08			25 Gms	125.28
74956 [13139-16-7]	● BOC-L-Isoleucine extrapure, 99%	10 Gms	15.66	53665 [26250-84-0]	● BOC-Pipecolic Acid extrapure, 99%	10 Gms	77.38
		25 Gms	35.14			25 Gms	135.28
		100 Gms	118.44				
55665 [84358-13-4]	● BOC-Isonipecotic Acid extrapure, 99% (1-BOC-Piperidine-4-Carboxylic Acid)	10 Gms	84.09	41311 [132910-79-3]	● BOC-Pipecolic Acid Methyl Ester extrapure, 98%	10 Gms	172.66
		25 Gms	147.00			25 Gms	302.15
				12098 [57260-71-6]	● 1-BOC-Piperazine extrapure, 99%	10 Gms	36.32
						25 Gms	78.83
				32298 [79099-07-3]	● 1-BOC-4-Piperidone extrapure, 99%	5 Gms	20.53
						25 Gms	78.83



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
43977 [35150-07-3]	● BOC-L-Prolinamide extrapure, 98%	1 Gms	55.80	19219	⚠ Bradford Reagent for Proteins	100 ml	6.71		
		5 Gms	167.00			500 ml	22.37		
		10 Gms	241.09						
93481 [37784-17-1]	● BOC-D-Proline extrapure, 99%	10 Gms	46.98	51195 [76962-43-7]	✓ Brassinolide (BR) synthetic technical grade, 90%	25 Mg	46.06		
		25 Gms	105.67			100 Mg	157.92		
91894 [15761-39-4]	● BOC-L-Proline extrapure, 99% (BOC-Pro-OH)	25 Gms	23.69	64222 [6104-58-1]	● Brilliant Blue G-250 for molecular biology (Coomassie Brilliant Blue G250)	5 Gms	8.16		
		100 Gms	77.64			25 Gms	30.40		
		250 Gms	184.24						
71026 [733323-65-6]	● BOC-D-Proline Methyl Ester extrapure, 98%	10 Gms	220.30	93473 [6104-59-2]	● Brilliant Blue R-250 for molecular biology (Coomassie Brilliant Blue R250)	5 Gms	7.63		
		25 Gms	385.59			25 Gms	28.95		
31641 [59936-29-7]	● BOC-L-Proline Methyl Ester extrapure, 98%	10 Gms	200.30	84778	● Brilliant Blue R Staining Solution (Coomassie Brilliant Blue R-250 solution)	100 ml	41.32		
		25 Gms	350.45						
91810 [6368-20-3]	● BOC-D-Serine extrapure, 98%	10 Gms	178.32	75824 [81029-05-2]	● Brilliant Cresyl Blue (C.I. No. 51010 Brilliant Blue C, Brilliant Blue ALD)	5 Gms	10.53		
		25 Gms	401.12			25 Gms	39.48		
						100 Gms	105.28		
77874 [3262-72-4]	● BOC-L-Serine extrapure, 99%	10 Gms	30.27	60343 [9001-00-7]	■ Bromelain ex. Pineapple Stem, 2400 GDU/g	25 Gms	9.21		
		25 Gms	67.91			100 Gms	26.32		
		100 Gms	210.82			500 Gms	52.64		
20256 [2766-43-0]	● BOC-L-Serine Methyl Ester extrapure, 98%	10 ml	114.62	36953 [7252-83-7]	⚠ Bromoacetaldehyde Dimethyl Acetal pure (Stabilized), 97% (2-Bromo-1,1-Dimethoxyethane)	25 ml	14.48		
		25 ml	200.30			100 ml	46.98		
						500 ml	214.90		
73138 [55674-67-4]	● BOC-D-Threonine extrapure, 98%	10 Gms	61.98	96141 [683-57-8]	● 2-Bromoacetamide pure, 97%	5 Gms	27.24		
		25 Gms	144.50			25 Gms	90.80		
77340 [2592-18-9]	● BOC-L-Threonine extrapure, 99%	10 Gms	15.66	25038 [103-88-8]	● p-Bromoacetanilide pure, 98% (4-Bromoacetanilide)	100 Gms	18.69		
		25 Gms	35.14			500 Gms	81.86		
		100 Gms	118.44						
61017 [5241-64-5]	● BOC-D-Tryptophan extrapure, 99% (BOC-D-Trp-OH)	10 Gms	52.64	39903 [79-08-3]	✓ Bromoacetic Acid pure, 99%	100 Gms	10.66		
		25 Gms	118.44			500 Gms	46.98		
86659 [13139-14-5]	● BOC-L-Tryptophan extrapure, 99% (BOC-L-Trp-PH, BOC-Trp-OH)	25 Gms	28.29	15180 [99-90-1]	● 4-Bromoacetophenone pure, 98% (p-Bromoacetophenone)	25 Gms	6.32		
		100 Gms	105.28			100 Gms	17.24		
						500 Gms	84.22		
61475 [3978-80-1]	● BOC-L-Tyrosine extrapure, 99%	10 Gms	33.43	30930 [2142-63-4]	● 3-Bromoacetophenone extrapure, 99% (1-Acetyl-3-Bromobenzene, m-Bromoacetophenone)	25 Gms	12.90		
		25 Gms	70.27			100 Gms	37.90		
		100 Gms	223.59						
77170 [4326-36-7]	● BOC-L-Tyrosine Methyl Ester extrapure, 98%	10 Gms	133.57	47085 [591-19-5]	● m-Bromoaniline pure, 97%	25 ml	24.61		
		25 Gms	233.72			100 ml	88.30		
35049 [22838-58-0]	● BOC-D-Valine extrapure, 99%	25 Gms	50.01	22912 [106-40-1]	● p-Bromoaniline pure, 98% (4-Bromoaniline)	100 Gms	17.11		
80577 [13734-41-3]	● BOC-L-Valine extrapure, 99%	10 Gms	9.08			500 Gms	72.38		
		25 Gms	18.16	47405 [2398-37-0]	● 3-Bromoanisole pure, 98% (m-Bromoanisole)	50 ml	12.90		
		100 Gms	65.67			100 ml	23.69		
97810 [58561-04-9]	● BOC-L-Valine Methyl Ester extrapure, 98%	10 Gms	96.46			500 ml	105.28		
		25 Gms	168.71	54364 [104-92-7]	● 4-Bromoanisole pure, 98% (p-Bromoanisole)	100 Gms	13.29		
59946 [56602-33-6]	⚠ BOP Reagent extrapure AR, 98% (Castros Reagent)	5 Gms	9.87			500 Gms	42.11		
		25 Gms	46.06			27879 [108-86-1]	● Bromobenzene extrapure, 99%	250 ml	12.11
		100 Gms	177.66	1000 ml	46.98				
24790 [2802-68-8]	● Boron Trifluoride in Methanol (50%) Complex	50 ml	57.51	61714 [108-86-1]	● Bromobenzene extrapure AR, 99%	250 ml	14.48		
		250 ml	243.46			20107 [585-76-2]	● 3-Bromobenzoic Acid extrapure, 99%	10 Gms	11.71
		1000 ml	526.40					25 Gms	33.56
48847 [373-57-9]	⚠ Boron Trifluoride in Methanol (14%) Solution	25 ml	63.83						
		100 ml	90.01						
		500 ml	169.11						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
17833 [90-90-4]	p-Bromobenzophenone pure, 98%	5 Gms	15.53	20077 [114162-64-0]	5-Bromo-4-Chloro-3-Indolyl-B-D-Glucuronide Cyclohexylammonium Salt (X-Gluc CHX) for tissue culture, (X-beta-Glucuronide CHX Salt)	100 Mg	46.06		
		25 Gms	50.53			500 Mg	121.73		
		100 Gms	160.03						
69530 [589-15-1]	p-Bromobenzyl Bromide pure, 98%	100 Gms	88.17	59056 [144110-43-0]	5-Bromo-6-Chloro-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt extrapure, 98% (Magenta-GlcA, Magenta Glucuronide)	50 Mg	65.80		
79118 [536-38-9]	✓ 2-Bromo-4-Chloro Acetophenone pure, 98% (O-Bromo-4-Chloro Acetophenone)	100 Gms	69.75	82224 [93863-88-8]	5-Bromo-6-Chloro-3-Indoxyl-β-D-Galactopyranoside (Magenta-Gal) extrapure, 98% (Magenta-beta-D-Gal)	250 Mg	118.44		
88685 [106-39-8]	1-Bromo-4-Chloro Benzene pure, 98%	100 Gms	10.40	62949 [15548-60-4]	5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside (X-Glu, X-Glc) for tissue culture, 98%	50 Mg	32.90		
		500 Gms	41.32			250 Mg	78.96		
11447 [107-04-0]	1-Bromo-2-Chloroethane pure, 97%	100 Gms	26.32	51683 [15548-60-4]	5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside (X-Glu, X-Glc) for molecular biology, 98% (X-Glucoside)	1 Gms	157.92		
		500 Gms	118.44			100 Mg	19.74		
83788 [3252-36-6]	5-Bromo-4-Chloro-3-Indolyl Acetate (X-3-Acetate, X-Acetate) extrapure, 98%	25 Mg	39.48	24714 [102185-33-1]	5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP) extrapure, 98% (X-Phosphate Disodium Salt)	100 Mg	31.58		
		250 Mg	157.92			250 Mg	57.90		
49199 [129541-42-0]	5-Bromo-4-Chloro-3-Indolyl Caprylate (X-Caprylate) extrapure, 98% (5-Bromo-4-chloro-3-Indolyl Octanoate)	10 Mg	11.84	66620 [102185-33-1]	5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP) for tissue culture, 98%	500 Mg	46.06		
		25 Mg	26.32			1 Gms	78.96		
		250 Mg	105.28			100 Mg	31.58		
82860 [209347-94-4]	5-Bromo-6-Chloro-3-Indolyl-Caprylate (Magenta Caprylate) extrapure, 97%	25 Mg	16.45	14847 [6769-80-8]	5-Bromo-6-Chloro-3-Indolylphosphate-p-Toluidine Salt (BCIP Red) extrapure, 95% (Magenta Phosphate p-Toluidine Salt)	25 Mg	26.32		
		100 Mg	39.48			100 Mg	52.64		
		500 Mg	144.76			500 Mg	105.28		
93775 [107021-38-5]	5-Bromo-4-Chloro-3-Indolyl-a-D-Galactopyranoside (X-a-Gal) for molecular biology, 99% (X-a-D-Galactoside)	25 Mg	30.27	45366 [6578-06-9]	5-Bromo-4-Chloro-3-Indolyl Phosphate p-Toluidine Salt (BCIP p-toluidine salt) for molecular biology, (X-phosphate p-Toluidine Salt)	25 Mg	32.24		
		100 Mg	65.80			100 Mg	59.22		
74021 [108789-36-2]	5-Bromo-4-Chloro-3-Indolyl-a-D-Glucopyranoside (X-a-Glc) for molecular biology, 98% (X-a-D-Glucoside)	50 Mg	65.80	75531	BCIP Red/NBT Solution A (BCIP Red Solution)	100 ml	233.59		
90349 [177966-52-8]	5-Bromo-4-Chloro-3-Indolyl-β-D-Cellobioside (X-Cellobioside, X-β-D-Cel) extrapure, 99%	25 Mg	30.27			73654	BCIP Red/NBT Solution B (NBT Solution)	100 ml	29.87
		100 Mg	65.80					71007 [518033-33-5]	5-Bromo-4-Chloro-3-Indolyl-β-D-Ribofuranoside extrapure, 95%
45904 [7240-90-6]	5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside (X-Gal) for tissue culture, 98%	100 Mg	23.69	45924 [212515-11-2]	5-Bromo-4-Chloro-3-Indoxyl-myo-Inositol-1-Phosphate Ammonium Salt (X-Phos-Inositol, X-IP) extrapure, (myo-Inositol 1-(5-Bromo-4-Chloro-3-Indoxylphosphate) Ammonium Salt)				
		500 Mg	93.44			20 Mg	67.77		
		1 Gms	157.92			100 Mg	257.67		
10513 [7240-90-6]	5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside (X-Gal) for molecular biology, 98%	100 Mg	15.79	62861 [160369-85-7]	5-Bromo-4-Chloro-3-Indoxyl-a-D-N-Acetylneuraminic Acid Sodium Salt extrapure (X-NANA.Na), 98%	2 Mg	222.54		
		500 Mg	50.01			5 Mg	370.72		
		1 Gms	92.12			100 ml	10.13		
19185 [93863-89-9]	5-Bromo-6-Chloro-3-Indolyl β-D-Glucopyranoside (Magenta-Glc) for molecular biology, 98% (Magenta Glucoside)	250 Mg	104.75	37869 [109-70-6]	1-Bromo-3-Chloropropane pure, 98% (Trimethylene Bromochloride)	500 ml	42.11		
		1 Gms	314.13			100 ml	15.92		
16651 [129541-41-9]	5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Sodium Anhydrous (X-Gluc Sodium) extrapure, 98% (X-GlcA Sodium Salt, X-β-D-GlcA-Na, X-Glucuronide, X-Glucurono Sodium Salt, BC-Indicator) (X-GlcA)	25 Mg	28.95	78388 [112-29-8]	1-Bromodecane pure, 98% (Decyl Bromide)	250 ml	37.77		
		100 Mg	63.17			14433 [3832-48-2]	Bromodifluoroacetyl Chloride extrapure, 97%	1 Gms	121.07
		250 Mg	128.97						
		1 Gms	421.12						
55702 [370100-64-4]	5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Sodium Salt Trihydrate extrapure, 98%	25 Mg	28.95						
		100 Mg	57.90						
		1 Gms	210.56						
20402 [114162-64-0]	5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt (X-Gluc CHX) extrapure, 99% (X-beta-Glucuronide CHX Salt)	100 Mg	32.90						
		250 Mg	52.64						
		1 Gms	105.28						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
38209 [348-57-2]	✓ 1-Bromo-2,4-Difluorobenzene pure, 98%	25 ml 100 ml	39.48 138.18	99876 [15231-91-1]	✓ 6-Bromo-2-Naphthol pure, 98%	100 Gms	159.76
28503 [143-15-7]	1-Bromododecane pure, 98% (Dodecyl Bromide, Lauryl Bromide)	250 ml	42.38	22753 [15572-30-2]	■ 6-Bromo-2-Naphthyl-β-D-Galactopyranoside extrapure, 98%	1 Gms	87.65
57418 [59-14-3]	● 5-Bromo-2-Deoxyuridine extrapure, 98%	100 Mg 500 Mg 1 Gms 5 Gms	14.21 44.09 75.80 316.89	86429 [15548-61-5]	■ 6-Bromo-2-Naphthyl-β-D-Glucopyranoside extrapure, 98%	100 Mg 500 Mg	38.69 172.92
11849 [59-14-3]	● 5-Bromo-2-Deoxyuridine ExiPlus, Multi-Compendial, 98% meets compendial specs of BP, Ph.Eur	1 Gms 5 Gms	96.86 334.53	79945 [15548-61-5]	■ 6-Bromo-2-Naphthyl-α-D-Mannopyranoside extrapure, 98%	25 Mg 100 Mg	160.03 591.67
59866 [2576-47-8]	✓ 2-Bromoethylamine Hydrobromide extrapure AR, 99%	25 Gms 100 Gms 500 Gms	13.55 30.40 77.51	51879 [30007-47-7]	✓ 5-Bromo-5-Nitro-1,3-Dioxane (Bronidox) extrapure, 99%	1 Gms 5 Gms	19.35 48.43
94471 [592-55-2]	2-Bromo Ethyl Ether pure, 98%	250 ml	239.25	93052 [52-51-7]	2-Bromo-2-Nitro-1,3-Propanediol (Bronopol, BNPD) ExiPlus, Multi-Compendial, 99-101% meets compendial specs of BP	100 Gms 500 Gms	6.32 26.19
71170 [41604-19-7]	✓ 4-Bromo-2-Fluorobiphenyl pure, 98%	10 Gms 25 Gms 100 Gms	52.90 88.17 184.90	31868 [111-83-1]	1-Bromooctane pure, 98% (Octyl Bromide)	100 ml 250 ml	11.84 25.00
58421 [629-04-9]	1-Bromoheptane pure, 98% (Heptyl Bromide)	100 ml 250 ml	15.13 33.69	64493 [112-89-0]	1-Bromooctadecane pure, 98% (Octadecyl Bromide)	100 ml 500 ml	24.74 119.76
52240 [112-82-3]	1-Bromohexadecane pure, 98% (Hexadecyl Bromide)	100 ml 250 ml 500 ml	36.32 86.33 105.67	10459 [110-53-2]	1-Bromopentane pure, 98% (Pentyl Bromide, Amyl Bromide)	100 ml 250 ml 500 ml	13.82 21.06 40.80
26459 [111-25-1]	1-Bromohexane pure, 99% (Hexyl Bromide)	100 ml 500 ml	11.58 37.51	78478 [591-20-8]	3-Bromophenol pure, 98%	10 Gms 25 Gms 100 Gms	19.48 39.48 98.70
25036 [52488-36-5]	✓ 4-Bromoindole pure, 96%	1 Gms 5 Gms	25.00 98.70	45609 [106-41-2]	p-Bromophenol pure, 99% (4-Bromophenol)	100 Gms 500 Gms	20.79 89.75
54635 [10075-50-0]	✓ 5-Bromoindole pure, 99%	5 Gms 25 Gms	5.79 20.27	62771 [2800-80-8]	✓ Bromophenol Red (BPR), 90% (3,3-Dibromophenolsulfonphthalein)	1 Gms 5 Gms 25 Gms	10.53 26.32 65.80
38092 [18656-96-7]	● 5-Bromo-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt (X-GlcA CHX salt) extrapure, 97% (Blue Glucuronide CHX, X-beta-D-GlcA.CHX)	25 Mg	219.90	35675 [5467-74-3]	✓ 4-Bromophenylboronic acid extrapure, 97%	5 Gms 25 Gms	31.58 134.89
27348 [97753-82-7]	■ 5-Bromo-3-Indolyl-β-D-Galactopyranoside (Bluo-Gal) for molecular biology, 99%	100 Mg 1 Gms	65.80 197.40	88783 [86-90-8]	4-Bromophthalic Anhydride pure, 97%	5 Gms 25 Gms	30.40 101.07
43675 [17357-14-1]	✓ 5-Bromoindoxylacetate extrapure AR, 99%	100 Mg 500 Mg	26.32 105.28	98418 [223463-14-7]	⚠ 2-Bromopyridine-5-boronic acid extrapure, 95% (Boronic Acid)	1 Gms 5 Gms	44.09 176.08
85999 [80008-69-1]	● 5-Bromo-3-Indoxyl Phosphate p-Toluidine Salt extrapure, 98% (Lapis-phos.p-tol, Lapis-phos PT)	250 Mg	145.29	93829 [128-08-5]	N-Bromosuccinimide pure, 98%	100 Gms 500 Gms 5 Kg	5.26 17.77 157.92
82645 [107-82-4]	1-Bromo-3-Methylbutane (Stabilized w/ Ag) pure, 98.5% (Isopentyl Bromide, Isoamyl Bromide)	100 ml 250 ml 500 ml	19.74 34.74 55.27	51059 [128-08-5]	N-Bromosuccinimide extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	100 Gms 500 Gms 5 Kg	6.97 21.06 184.24
89943 [90-11-9]	1-Bromonaphthalene pure, 98%	100 ml 250 ml	25.27 60.67	22628 [112-71-0]	1-Bromotetradecane pure, 98% (Myristyl Bromide)	250 ml 1000 ml	65.93 242.28
97167 [580-13-2]	2-Bromonaphthalene pure, 98%	5 Gms 25 Gms	20.66 68.43	55570 [1003-09-4]	2-Bromothiophene pure, 98%	50 ml 100 ml	21.06 38.16
95479 [5773-80-8]	✓ 6-Bromo-2-Naphthoic Acid pure, 98%	5 Gms 25 Gms	32.90 115.81	46714 [872-31-1]	3-Bromothiophene pure, 98%	10 ml 25 ml 100 ml	14.48 26.32 98.70



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
11521 [95-46-5]	2-Bromotoluene pure, 98%	25 ml 100 ml	21.19 74.62	15748 ✓ [174501-64-5]	1-Butyl-3-Methylimidazolium Hexafluorophosphate (BMIM PF6) extrapure, 98%	5 Gms 25 Gms 100 Gms	15.79 52.64 171.08
92125 [591-17-3]	3-Bromotoluene pure, 98%	10 ml 25 ml	13.29 30.53	84903 ✓ [80432-09-3]	1-Butyl-3-Methylimidazolium Tetrachloroaluminate (BMIM AlCl4) extrapure, 95%	10 Gms 25 Gms 50 Gms	39.48 65.80 105.28
52250 [106-38-7]	4-Bromotoluene extrapure, 99%	100 Gms 500 Gms	18.42 82.25	92656 ✓ [174501-65-6]	1-Butyl-3-Methylimidazolium Tetrafluoroborate (BMIMBF4) extrapure, 98%	5 Gms 25 Gms	28.95 65.80
27964 ● [51-20-7]	5-Bromouracil extrapure, 99%	5 Gms 25 Gms	17.11 59.22	61005 ✓ [174899-66-2]	1-Butyl-3-Methylimidazolium Trifluoromethanesulfonate (BMIM Otf) extrapure, 95% (1-Butyl-3-Methylimidazolium Triflate)	1 Gms 5 Gms 25 Gms	13.16 39.48 157.92
12211 ● [957-75-5]	5-Bromouridine extrapure, 99%	100 Mg 500 Mg	11.84 19.74	46178 ✓ [223437-11-4]	1-Butyl-1-Methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide (BMP TFSI) extrapure, 98%	5 Gms 25 Gms	22.37 92.12
42338 ✓	Borax Carmine (Grenacher)	25 Gms	15.79	82426 ✓ [479500-35-1]	1-Butyl-1-Methylpyrrolidinium Chloride extrapure, 98%	5 Gms 25 Gms	27.64 125.02
32202 ✓ [7128-64-5]	2,5-bis(5-tert-Butylbenzoxazol-2-yl) Thiophene (BBOT) scintillation grade, 99%	5 Gms 25 Gms	23.69 52.64	52735 ✓ [330671-29-9]	1-Butyl-1-Methylpyrrolidinium Hexafluorophosphate (BMP FP6) extrapure, 97.5%	5 Gms 25 Gms	26.32 105.28
34186 [109-65-9]	n-Butyl Bromide pure, 98% (1-bromobutane)	250 ml 500 ml 1000 ml	9.87 17.77 32.90	88656 ✓ [345984-11-4]	1-Butyl-1-Methylpyrrolidinium Tetrafluoroborate (BMP BF4) extrapure, 97%	1 Gms 5 Gms	10.53 39.48
58390 [78-76-2]	sec-Butyl Bromide pure, 98% (2-bromobutane)	100 ml 500 ml	5.92 23.69	34317 ✓ [98-54-4]	p-tert-Butyl Phenol pure, 98%	500 Gms	8.69
33781 [507-19-7]	2-Bromo-2-Methylpropane (tert-Butyl Bromide) (Stabilized w/ Ag) pure, 98%	100 ml 500 ml	23.69 94.75	80049 ● [18822-58-7]	O-tert-Butyl-L-Serine extrapure, 97%	1 Gms 5 Gms	26.32 78.96
88194 ✓ [98-29-3]	p-tert-Butyl Catechol pure, 98% (1,2-Benzenediol)	100 Gms 500 Gms	3.95 17.11	12749 [106-31-0]	n-Butyric Anhydride pure, 98%	500 ml	29.87
91666 ✓ [870-46-2]	tert-Butyl Carbazate extrapure, 98% (BOC Hydrazide)	25 Gms 100 Gms	18.42 65.80	16490 [106-31-0]	n-Butyric Anhydride extrapure AR, 99%	100 ml 500 ml	8.95 35.53
22942 [507-20-0]	tert-Butyl Chloride extrapure, 99% (2-Chloro-2-Methylpropane)	500 ml 1000 ml	17.24 33.56	51971 [96-48-0]	γ-Butyrolactone extrapure, 99%	500 ml 2500 ml	9.87 46.06
32431 ⚠ [58479-61-1]	tert-Butylchlorodiphenylsilane (TBDPSCI) extrapure AR, 98% (tert-Butyldiphenylchlorosilane, tert-Butyl(chloro)diphenylsilane)	10 ml 25 ml 100 ml	18.82 43.43 159.24	29850 [141-75-3]	Butyryl Chloride extrapure, 98%	100 ml 500 ml	4.61 15.79
90611 [54925-64-3]	N-tert-Butyldimethylsilyl Imidazole (TBDMSIM) pure, 97%	1 ml 5 ml	26.85 125.68	60400 ✓ [2963-78-2]	Butyrylcholine Chloride extrapure, 96%	1 Gms 5 Gms	31.19 107.91
39227 [18162-48-6]	tert-Butyldimethylsilyl Chloride (TBDMS.Cl) extrapure, 98%	25 Gms 100 Gms 500 Gms	6.97 25.00 107.91	82366 ⚠ [1866-16-6]	S-Butyrylthiocholine Iodide extrapure, 98%	1 Gms 5 Gms 25 Gms	26.85 93.17 394.80
52573 ⚠ [69739-34-0]	tert-Butyldimethylsilyl Trifluoromethanesulfonate (TBDMS triflate) extrapure, 98% (Trifluoromethanesulfonic Acid tert-Butyldimethylsilylester)	5 ml 25 ml 100 ml	17.11 72.38 197.40	56522 [561-20-6]	Cacotheline Monohydrate extrapure, 95% (Redox Indicator)	5 Gms 25 Gms	12.50 52.64
29972 [542-69-8]	n-Butyl Iodide extrapure, 98%	25 ml 100 ml 500 ml	18.42 64.48 289.52	95546 ✓ [462-94-2]	Cadaverine Free Base (1,5-Diaminopentane) extrapure, 97% (Pentamethylenediamine, 1,5-Pentanediamine)	1 ml 5 ml 25 ml	19.74 55.93 187.53
48792 [513-48-4]	sec-Butyl Iodide pure, 98% (2-Iodobutane)	25 ml 100 ml	28.95 105.28	35547 [1476-39-7]	Cadaverine Dihydrochloride extrapure, 98% (1,5-Diaminopentane Dihydrochloride, Pentamethylenediamine Hydrochloride)	1 Gms 5 Gms 25 Gms	32.90 59.22 128.31
28791 ✓ [79917-90-1]	1-Butyl-3-Methylimidazolium Chloride (BMIM Cl) extrapure, 98%	25 Gms 250 Gms	19.74 118.44	50375 ✓ [1306-25-8]	Cadmium Telluride ultrapure, 99.99%	5 Gms 25 Gms	46.98 145.81
50807 ✓ [448245-52-1]	1-Butyl-3-Methylimidazolium Dicyanamide (BMIM.DC) pure, 98%	5 Gms 25 Gms	46.06 157.92				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
42062	✓ Caffeic Acid extrapure, 98% [331-39-5] (3,4-Dihydroxybenzeneacrylic Acid, 3,4-Dihydroxycinnamic Acid, 3-(3,4-Dihydroxyphenyl)-2-Propenoic A	5 Gms	29.61	10566	⚠ Carbenicillin Disodium Salt, 90% [4800-94-6]	500 Mg	11.58		
		25 Gms	78.96			1 Gms	19.08		
65201	✓ Calcein Reagent extrapure AR (Fluorescein Complexone) [1461-15-0]	1 Gms	3.42	32943	✓ Carbocysteine extrapure, 98% [638-23-3] (s-Carboxymethyl-L-Cysteine)	1 Gms	13.16		
		5 Gms	10.13			5 Gms	40.93		
		25 Gms	41.98						
99100	✓ Calciferol (Vitamin D2), 97% [50-14-6]	500 Mg	26.32	98536	Carbohydrates Kit Type I	1 Kit	53.96		
		1 Gms	46.06			88515	Carbohydrates Kit Type II	1 Kit	106.33
		5 Gms	223.72						
47700	Calcium Caseinate extrapure, 90% Protein [9005-43-0] (Casein Calcium Salt)	100 Gms	11.58	67852	⚠ N,N-Carbonyldiimidazole (CDI) extrapure AR, 98% [530-62-1]	25 Gms	5.26		
		500 Gms	39.74			100 Gms	14.48		
31269	Calcium-D-Pantothenate pure, 98% [137-08-6] (D-Pantothenic Acid Calcium Salt, Vitamin B5)	25 Gms	5.26	87379	✓ 3-Carboxybenzeneboronic Acid extrapure, 97% [25487-66-5] (3-Carboxyphenylboronic Acid)	1 Gms	39.48		
		100 Gms	14.48			5 Gms	112.25		
		500 Gms	68.43			25 Gms	251.22		
65326	Calconcarboxylic Acid extrapure AR [3737-95-9] (Patton & Reeders Indicator for Calcium)	5 Gms	2.63	51171	✓ 4-Carboxyphenylboronic Acid extrapure, 97% [14047-29-1]	1 Gms	18.42		
		25 Gms	10.66			5 Gms	58.96		
66406	Calconcarboxylic Acid extrapure AR, ExiPlus, Multi-Compendial [3737-95-9] (Patton & Reeders Indicator for Calcium) meets compendial specs of BP, Ph.Eur	25 Gms	11.58	35982	✓ 5-Carboxyuracil extrapure, 98% [23945-44-0]	5 Gms	46.32		
		100 Gms	40.93			10 Gms	89.75		
42532	✓ Calmagite AR [3147-14-6] (Calver II)	1 Gms	2.90	24352	✓ L-Carnitine extrapure, 99% [541-15-1]	5 Gms	14.21		
		5 Gms	9.08			25 Gms	60.80		
		100 Gms	112.91						
94340	D-10 Camphor Sulphonic Acid pure, 99% [3144-16-9] (D-Camphor Sulphonic Acid)	25 Gms	11.32	85641	■ β-Carotene extrapure, 90% [7235-40-7]	1 Gms	21.06		
		100 Gms	30.66			5 Gms	44.74		
		500 Gms	145.02			25 Gms	105.28		
25421	D-10 Camphor Sulphonic Acid ExiPlus, Multi-Compendial, 99% [3144-16-9] (D-Camphor Sulphonic Acid) meets compendial specs of BP, Ph.Eur	100 Gms	33.03	71953	Casein Protein Rich Alkali Soluble extrapure, 80% Protein [9000-71-9]	500 Gms	18.82		
		500 Gms	157.92			5 Kg	166.74		
20940	L-10 Camphor Sulphonic Acid pure, 99% [35963-20-3] (L-(-)-Camphor Sulphonic Acid)	25 Gms	13.82	27012	Casein Fat Free Ultrapurified, 0.2% Fat [9000-71-9]	500 Gms	36.19		
		100 Gms	43.56			23845	Casein acc. to Hammarsten, 95% Protein [9000-71-9]	100 Gms	34.61
								500 Gms	151.87
74616	Canada Balsam Natural for microscopy [8007-47-4]	100 ml	5.00			1 Kg	270.96		
		500 ml	24.21	42168	■ Catalase (CAT) (Type 1) ex. Bovine Liver, 11700U/mg [9001-05-2]	25 Mg	45.53		
64210	CAPS Buffer extrapure, 99% [1135-40-6] (3-[Cyclohexylamino]-1-Propane Sulphonic Acid)	25 Gms	14.87					100 Mg	100.02
		100 Gms	45.93	78695	■ Catalase (CAT) (Type 2) ex. Bovine Liver, 2000-5000U/mg protein [9001-05-2]	1 Gms	91.20		
		500 Gms	179.90			92063	● Cefaclor (CFC), 95% [53994-73-3]	1 Gms	11.84
39271	CAPSO Buffer extrapure, 99% [73463-39-5] (3-(Cyclohexylamino)-2-Hydroxypropane Sulphonic Acid)	25 Gms	18.42					5 Gms	39.48
		100 Gms	46.06	15689	● Cefadroxil Monohydrate (CFD), 95% [66592-87-8]	1 Gms	11.84		
		500 Gms	197.40			5 Gms	52.64		
71222	CAPSO Sodium Salt Buffer extrapure, 99% [102601-34-3]	25 Gms	28.95	85254	● Cefoperazone Sodium (CFZ, Cefaperazone Sodium) [62893-20-3]	1 Gms	15.92		
		100 Gms	85.54			5 Gms	65.14		
		500 Gms	329.00			26732	⚠ Cefotetan Disodium Salt extrapure, 85% [74356-00-6]	25 Mg	78.96
54338	Carbazole pure, 95% [86-74-8] (9-Azafluorene, 9H-Carbazole, Dibenzopyrrole, Diphenylenimine)	100 Gms	22.37					100 Mg	236.88
		500 Gms	105.28	14299	● Cefazolin Sodium Salt (CFZL), 89-110% [27164-46-1]	100 Mg	58.43		
66964	⚠ Carbenicillin Disodium Salt for tissue culture, 90% [4800-94-6]	250 Mg	25.79					500 Mg	100.02
		1 Gms	37.64	13910	● Cefixime Trihydrate (CFX), 95-101% [125110-14-7]	1 Gms	12.24		
		5 Gms	84.62			5 Gms	26.32		
				13329	■ Cefpodoxime (CFPD) free acid extrapure, 96% [80210-62-4]	25 Mg	39.48		
						100 Mg	118.44		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
58597 [33564-30-6]	● Cefoxitin Sodium Salt (CTX), 94%	100 Mg	15.79	32355 [7647-17-8]	Cesium Chloride ultrapure for molecular biology, 99.9%	25 Gms	31.58
		250 Mg	39.48			100 Gms	118.44
		1 Gms	65.80			500 Gms	572.46
80223 [52152-93-9]	⚡ Cefsulodin Sodium Salt (CFS) extrapure, 97%	10 Mg	11.84	36117 [13400-13-0]	Cesium Fluoride extrapure AR, 99%	25 Gms	28.29
		250 Mg	98.57			100 Gms	107.91
79364 [104376-79-6]	● Ceftriaxone Disodium Salt Hemiheptahydrate (CFTZ) (Ceftriazone Sodium Salt)	1 Gms	18.42	22941 [7789-17-5]	Cesium Iodide extrapure, 99.5%	10 Gms	21.06
		5 Gms	52.64			50 Gms	105.28
84755 [56238-63-2]	● Cefuroxime Sodium Salt, 86-100%	2 Gms	16.45	73254 [7789-17-5]	Cesium Iodide ultrapure, 99.999%	5 Gms	19.74
		10 Gms	46.06			10 Gms	36.85
		25 Gms	105.28			25 Gms	69.09
85294 [528-50-7]	D-Cellobiose extrapure	5 Gms	14.48	88733 [7789-18-6]	Cesium Nitrate extrapure, 99% (Nitric Acid Cesium Salt)	5 Gms	19.08
		25 Gms	63.69			10 Gms	34.22
		100 Gms	247.41			50 Gms	89.49
95382 [9012-54-8]	■ Cellulase (Meicellase) ex. Aspergillus Niger, 0.3 U/mg powder Cellulase (Meicellase) ex. Aspergillus Niger, 0.3U/mg powder	100 Mg	19.08	57455 [10294-54-9]	Cesium Sulphate extrapure for molecular biology, 99.9%	10 Gms	13.16
		1 Gms	42.11			25 Gms	33.56
		5 Gms	125.02				
		25 Gms	526.40				
32970 [9012-54-8]	■ Cellulase Onozuka FA ex. Trichoderma Viride, 2500U/g (Meicellase)	1 Gms	80.01	40649 ✓ [122-18-9]	Benzyltrimethylhexadecylammonium Chloride (BDHDAC) pure, 97% (Cetyltrimethylbenzylammonium Chloride, Cetalkonium Chloride)	100 Gms	10.00
		5 Gms	308.34			1 Kg	65.80
24801 [9012-54-8]	■ Cellulase Onozuka R-10 ex. Trichoderma Viride, 10000U/g (Meicellase)	1 Gms	105.28	77040 [140-72-7]	Cetylpyridinium Bromide (CPB) pure, 98% (Hexadecylpyridinium Bromide)	100 Gms	15.79
		5 Gms	500.08			500 Gms	65.80
65480 [9012-54-8]	■ Cellulase Onozuka RS ex. Trichoderma Viride, 16000U/g (Meicellase)	1 Gms	158.31	59088 [6004-24-6]	Cetylpyridinium Chloride (CPC) extrapure, 98%	100 Gms	9.21
						500 Gms	32.90
45662 [9004-38-0]	Cellulose Acetate Phthalate extrapure	100 Gms	9.21	99698 [6004-24-6]	Cetylpyridinium Chloride (CPC) ExiPlus, Multi-Compendial, 98%	100 Gms	10.53
		500 Gms	39.48			500 Gms	39.48
33340 [9004-34-6]	Cellulose microcrystalline pure for TLC, 98%	500 Gms	8.16	66302 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) extrapure AR, 99% (Hexadecyltrimethyl Ammonium Bromide)	100 Gms	6.45
		5 Kg	75.28			500 Gms	27.24
		25 Kg	270.96			5 Kg	243.46
56338 [15686-71-2]	⚡ Cephalexin Hydrate (CFL), 95-103% (Cefalexin Hydrate)	1 Gms	29.22	59771 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) extrapure AR, ExiPlus, Multi-Compendial, 99% (Hexadecyltrimethyl Ammonium Bromide)	100 Gms	7.11
		5 Gms	108.44			500 Gms	32.11
		25 Gms	255.04			5 Kg	289.52
36413 [58-71-9]	⚡ Cephalothin Sodium Salt (CF), 97%	1 Gms	41.72	12779 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) for molecular biology, 99% (Hexadecyltrimethyl Ammonium Bromide)	100 Gms	7.37
		5 Gms	106.73			500 Gms	34.74
19660 [64485-93-4]	⚡ Cephotaxime Sodium Salt (CFT), 916-964ug/mg	1 Gms	18.42	23595 [112-02-7]	Cetyltrimethyl Ammonium Chloride (CTAC) extrapure AR, 99% (Cetrimonium Bromide, Hexadecyltrimethyl Ammonium Bromide)	5 Kg	309.26
		5 Gms	39.48			25 Gms	26.58
40111 [76089-77-5]	Cerium (III) Trifluoromethanesulfonate extrapure, 98% (Cerium triflate, Trifluoromethanesulfonic Acid Cerium Salt)	5 Gms	55.01	68623 [112-02-7]	Cetyltrimethyl Ammonium Chloride (CTAC) for molecular biology, 99% (Cetrimonium Bromide, Hexadecyltrimethyl Ammonium Bromide)	25 Gms	26.58
		25 Gms	182.40			100 Gms	78.17
54784 [7787-69-1]	Cesium Bromide extrapure AR, 99.5%	10 Gms	15.79	87868 ✓ [75621-03-3, 331717-45-4]	CHAPS Buffer extrapure, 99% (3-[(3-Cholamidopropyl) Dimethylammonio] -1-Propanesulphonate)	1 Gms	11.84
		50 Gms	71.06			5 Gms	39.48
95125 [534-17-8]	Cesium Carbonate extrapure, 99%	25 Gms	20.27			25 Gms	171.08
		100 Gms	79.62			100 Gms	605.36
		500 Gms	296.10				
22966 [7647-17-8]	Cesium Chloride extrapure AR for molecular biology, 99.9%	25 Gms	25.66				
		100 Gms	95.41				
		500 Gms	447.44				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
21420 [75621-03-3, 331717-45-4]	✓ CHAPS Buffer for molecular biology, 99.5%	1 Gms	15.79	77863 [539-03-7]	p-Chloroacetanilide extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	26.98
		5 Gms	57.90				
		25 Gms	236.88				
66903 [82473-24-3]	✓ CHAPSO Buffer extrapure, 99% (3-[(3-Cholamidopropyl) Dimethylammonio]-2-Hydroxy 1-Propanesulphonate)	1 Gms	72.91	70179 [532-27-4]	2-Chloroactophenone pure, 97% (Phenacyl Chloride)	25 Gms	30.27
		5 Gms	289.39			100 Gms	96.07
18081 [103-47-9]	✓ CHES Buffer extrapure, 99% (2-(N-Cyclohexylamino) Ethanesulphonic Acid)	25 Gms	32.90	40585 [99-91-2]	p-Chloroacetophenone extrapure, 98%	100 ml	18.69
		100 Gms	103.96			500 ml	75.80
		500 Gms	421.12			1000 ml	143.18
98507 [1398-61-4]	✓ Chitin (Poly-(b1-4)-N-acetyl glucosamine) extrapure	25 Gms	45.14	92804 [108-42-9]	m-Chloroaniline (MCA) pure, 99%	500 ml	18.42
		100 Gms	133.44			2500 ml	80.28
27391 [9012-76-4]	✓ Chitosan (Low MW) extrapure, 10-150m.Pas, 90% DA (Deacetylated Chitin)	25 Gms	12.63	43265 [89-98-5]	o-Chlorobenzaldehyde pure, 98% (2-Chlorobenzaldehyde)	100 ml	3.95
		100 Gms	40.93			500 ml	9.87
		500 Gms	148.31			2500 ml	43.43
18824 [9012-76-4]	✓ Chitosan (Medium MW) extrapure, 150-500m.Pas, 90% DA (Deacetylated Chitin)	10 Gms	7.63	17927 [104-88-1]	p-Chlorobenzaldehyde pure, 97% (4-Chlorobenzaldehyde)	100 Gms	5.92
		25 Gms	14.87			500 Gms	13.82
		100 Gms	48.43			5 Kg	125.02
		500 Gms	160.03				
96266 [9012-76-4]	✓ Chitosan (High MW) extrapure, 800m.Pas, 90% DA (Deacetylated Chitin)	25 Gms	25.40	91019 ✓ [119-56-2]	4-Chlorobenzhydrol pure, 98%	50 Gms	31.58
		100 Gms	86.86			100 Gms	55.27
		500 Gms	318.47				
44097 [148411-57-8]	■ Chitosan Oligosaccharide (water soluble) extrapure, 90% DA	10 Gms	57.25	69159 [118-91-2]	o-Chlorobenzoic Acid pure, 98%	100 Gms	3.95
		25 Gms	101.46			500 Gms	15.79
		100 Gms	171.74				
59811 [577-76-4]	⚡ Chitosan Dimer Dihydrochloride extrapure, 98% (Chitobiose Dihydrochloride)	5 Mg	263.20	30519 [118-91-2]	o-Chlorobenzoic Acid extrapure AR, 99.5%	100 Gms	5.26
		10 Mg	434.28			500 Gms	22.37
19363 [41708-93-4]	■ Chitosan Trimer Trihydrochloride extrapure, 98% (Chitotriose Trihydrochloride)	5 Mg	761.70	34366 [535-80-8]	m-Chlorobenzoic Acid extrapure, 99%	25 Gms	10.66
						100 Gms	39.87
62506 [117399-50-5]	■ Chitosan Tetramer Tetrahydrochloride extrapure, 98% (Chitotetraose Tetrahydrochloride)	5 Mg	289.52			500 Gms	125.55
80517 [35061-50-7]	■ Chitosan Pentamer Pentahydrochloride extrapure, 98% (Chitopentaose Pentahydrochloride)	5 Mg	204.24	24711 [74-11-3]	p-Chlorobenzoic Acid pure, 99%	100 Gms	4.34
						500 Gms	15.79
36824 [41708-95-6]	■ Chitosan Hexamer Hexahydrochloride extrapure, 95% (Chitohexaose Hexahydrochloride)	5 Mg	552.72	97199 [74-11-3]	p-Chlorobenzoic Acid extrapure AR, 99.7%	100 Gms	7.90
11975 [15879-93-3]	✓ a-Chloralose pure, 98% (Anhydro-D-Glucochloral, a-D-Glucochloralose)	25 Gms	39.09	53378 [134-85-0]	p-Chlorobenzophenone extrapure, 99%	100 Gms	7.90
						500 Gms	28.95
50146 [2829-43-8]	✓ Chloraniline Fast Red BB (C.I. No. 25380)	1 Gms	44.74	98001 [89-97-4]	2-Chlorobenzylamine pure, 98% (o-Chlorobenzylamine)	25 ml	15.79
		5 Gms	62.64			100 ml	55.27
28812 [56-75-7]	● Chloramphenicol (CFP) for tissue culture, 98-102%	5 Gms	14.34	95074 [628-20-6]	4-Chlorobutyronitrile pure, 98%	100 ml	39.74
		25 Gms	33.29			500 ml	172.92
97686 [56-75-7]	● Chloramphenicol (CFP), 98-102%	5 Gms	10.92	29440 [4635-59-0]	4-Chlorobutryl Chloride pure, 98%	250 ml	14.48
		25 Gms	30.40			500 ml	26.32
		100 Gms	75.28			1000 ml	47.38
37281 [539-03-7]	p-Chloroacetanilide extrapure AR, 99%	25 Gms	8.29	23843 [999-81-5]	Chlorocholine Chloride (CCC) extrapure, 98% (2-Chloroethyl)trimethylammonium chloride, Chormequat chloride, Choline dichloride, Cycocel)	5 Gms	17.11
		100 Gms	25.40			25 Gms	52.64
97686 [56-75-7]	● Chloramphenicol (CFP), 98-102%	5 Gms	10.92	10231 ✓ [3140-73-6]	2-Chloro-4,6 Dimethoxy-1,3,5 Triazine extrapure, 99%	5 Gms	11.84
		25 Gms	30.40			25 Gms	46.06
		100 Gms	75.28			100 Gms	157.92
37281 [539-03-7]	p-Chloroacetanilide extrapure AR, 99%	25 Gms	8.29	42687 [97-00-7]	1-Chloro-2,4-Dinitrobenzene extrapure, 99%	500 Gms	9.74
		100 Gms	25.40				
69297 [97-00-7]	1-Chloro-2,4-Dinitrobenzene extrapure AR, 99%	25 Gms	2.50	69297 [97-00-7]	1-Chloro-2,4-Dinitrobenzene extrapure AR, 99%	100 Gms	7.50
		100 Gms	7.50				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
93937 [97-00-7]	1-Chloro-2,4-Dinitrobenzene extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms 500 Gms	8.03 33.82	89432 [467214-46-6]	6-Chloro-3-Indoxyl-a-D-Glucopyranoside (Salmon-a-D-Glc) extrapure, 98% (Salmon-alpha-D-Glucoside)	100 Mg 500 Mg	64.48 228.72
17691 [2578-45-2]	2-Chloro-3,5-Dinitropyridine extrapure AR, 99%	1 Gms 5 Gms	67.38 206.88	71848 [130-26-7]	5-Chloro-7-Iodo-8-Quinolinol (Clioquinol, Iodochlorohydroxyquinoline) ExiPlus, 97-103% (5-Chloro-8-Hydroxy-7-Iodoquinoline)	25 Gms 100 Gms 500 Gms	28.95 76.33 289.52
38825 [1679-18-1]	4-Chlorophenylboronic Acid extrapure, 97%	5 Gms 25 Gms	23.69 97.78	25898 [14110-97-5]	4-Chloromercuribenzenesulphonic Acid Monosodium Salt (pCMBS) extrapure, 95% (p-Chloromercuriphenylsulfonic Acid Sodium Salt)	10 Mg	402.70
22654 [16672-87-0]	2-Chloroethylphosphonic Acid (ETHREL, Ethephon) 40% soln.	100 ml 250 ml	10.53 22.37	26004 [138-85-2]	p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98%	1 Gms 5 Gms	44.61 161.34
10455 [367-21-5]	3-Chloro-4-Fluoroaniline pure, 98%	25 Gms 100 Gms 500 Gms	9.21 18.42 78.96	81929 [604-44-4]	4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	2.5 Gms 5 Gms 25 Gms	34.61 52.38 253.46
17703 [2252-51-9]	2-Chloro-4-Fluorobenzoic Acid pure, 98%	5 Gms 25 Gms	21.71 70.27	85267 [121-73-3]	1-Chloro-3-Nitrobenzene pure, 98%	250 Gms 500 Gms	7.11 13.69
36393 [2252-50-8]	2-Chloro-5-Fluorobenzoic Acid pure, 98%	10 Gms 100 Gms	38.69 201.35	77459 [2516-96-3]	2-Chloro-5-Nitrobenzoic Acid pure, 99%	25 Gms 100 Gms 500 Gms	4.74 13.82 52.64
84538 [434-75-3]	2-Chloro-6-Fluorobenzoic Acid pure, 98%	5 Gms 25 Gms	36.32 84.88	21259 [157843-41-9]	2-Chloro-4-Nitrophenyl a-L-Fucopyranoside (CNPF) extrapure, 98% (AFU)	25 Mg	111.20
33676 [161957-55-7]	3-Chloro-2-Fluorobenzoic Acid pure, 98%	5 Gms 10 Gms	58.96 101.07	48958 [118291-90-0]	2-Chloro-4-Nitrophenyl a-D-Maltotriose (CNP3) extrapure, 95%	25 Mg 100 Mg	51.59 118.44
69932 [157381-11-8]	2-Chloro-4-Nitrophenyl 4-O-b-D-Galactopyranosylmaltoside (Gal-G2-a-CNP, Gal CNPG2) extrapure, 90% (a-(2-Chloro-4-Nitrophenyl)-β-1,4-Galactopyranosylmaltoside)	250 Mg 1 Gms 5 Gms	157.92 460.60 1974.00	66684 [3970-40-9]	2-Chloro-3-Nitrotoluene extrapure, 98%	1 Gms 5 Gms	19.74 78.96
85563	Chloroform : Isoamyl Alcohol (24:1) for molecular biology	100 ml 500 ml	14.87 31.19	41107 [108-43-0]	3-Chlorophenol pure, 98% (m-Chlorophenol)	25 Gms 100 Gms 500 Gms	12.90 46.06 223.72
41117 [936-59-4]	3-Chloro-1-Phenyl Propanone pure, 98% (3-Chloropropiophenone, B-Chloropropiophenone)	25 Gms 100 Gms	31.19 114.49	94280 [95-57-8]	o-Chlorophenol pure, 98%	500 ml 1000 ml 2500 ml	11.58 22.77 43.95
72928 [1914-99-4]	Chlorophosphonazo III for Spectrophotometry (Bis(4-chloro-2-Phosphonobenzolazo) Chromotropic acid)	100 Mg 500 Mg	55.01 231.62	74230 [106-48-9]	p-Chlorophenol pure, 98% (4-Chlorophenol)	500 Gms	11.84
51562 [6001-76-9]	Chlorogenic Acid Hemihydrate extrapure, 98%	100 Mg 1 Gms	6.32 30.27	18344 [4430-20-0]	Chlorophenol Red	5 Gms 25 Gms	8.16 31.98
78193 [10310-21-1]	6-Chloroguanine extrapure, 98% (2-Amino-6-Chloropurine)	1 Gms 5 Gms	25.00 99.75	87976 [99792-79-7]	Chlorophenol Red-β-D-Galactopyranoside (CPRG) extrapure, 90%	25 Mg	111.60
99721 [159954-35-5]	6-Chloro-3-Indolyl-Caprylate (Salmon Caprylate) for molecular biology, 97% (6-Chloro-3-Indoxyl-Octanoate)	50 Mg	78.96	21524 [122-88-3]	Chlorophenoxyacetic Acid (4-CPA) for tissue culture, 98% (Parachlorophenoxyacetic acid)	25 Gms 100 Gms 500 Gms	5.92 20.92 96.99
79621 [135313-63-2]	4-Chloro-3-Indolyl-β-Galactopyranoside extrapure, 98%	100 Mg	79.62	91145 [101-10-0]	2-(3-Chlorophenoxy)-Propionic Acid (3-CPA) technical grade, 99%	10 Gms 25 Gms	26.32 52.64
98551 [138182-21-5]	6-Chloro-3-Indolyl β-D-Galactopyranoside (Salmon Gal) extrapure, 98% (Red Gal, Rose Gal)	100 Mg 500 Mg	44.74 86.59	28272 [1878-66-6]	4-Chlorophenylacetic Acid pure, 98%	100 Gms 500 Gms	23.69 105.28
82947 [138182-20-4]	6-Chloro-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt extrapure, 98% (RED-GLUC, Rose-Glucuronide CHA Salt, Salmon-Glucuronide CHA Salt)	10 Mg 50 Mg	53.56 178.19				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
40881	✓ Chlorogenic Acid extrapure, 98% [327-97-9] (1,3,4,5-Tetrahydroxycyclohexanecarboxylic acid 3-(3,4-dihydroxycinnamate), 3-(3,4-Dihydroxycinnamoy	100 Mg	6.58	31723	Chromotropic Acid Disodium Salt Dihydrate extrapure AR, 99% [5808-22-0]	10 Gms	9.87
		1 Gms	32.90			25 Gms	22.90
		5 Gms	154.63			100 Gms	52.64
23727	2-Chloropropionic Acid pure, 97% [598-78-7]	100 ml	17.77	72580	Chromotropic Acid Disodium Salt Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% [5808-22-0]	10 Gms	13.55
		500 ml	77.38			25 Gms	26.32
50217	S-2-Chloropropionic Acid pure, 98% [29617-66-1] (S-(-)-2-Chloropropionic Acid)	5 ml	12.90		meets compendial specs of USP, BP, Ph.Eur	100 Gms	63.17
		25 ml	40.27			500 Gms	243.46
		100 ml	145.02				
70774	3-Chloropropiophenone pure, 98% [34841-35-5]	25 Gms	37.11	35085	■ a-Chymotrypsin ex. Bovine Pancreas, 40 U/mg protein [9004-07-3]	25 Mg	35.53
		100 Gms	134.76			250 Mg	65.80
		500 Gms	589.30			1 Gms	105.28
53313	4-Chloropropiophenone pure, 98% [6285-05-8]	100 Gms	37.24			5 Gms	329.00
		500 Gms	168.05				
62020	● 6-Chloropurine extrapure, 99% [87-42-3]	1 Gms	11.58	13225	■ a-Chymotrypsin ex. Porcine, 40U/mg protein [9004-07-3]	250 Mg	32.90
		5 Gms	40.93			1 Gms	59.22
		25 Gms	161.87			5 Gms	276.36
57430	● 6-Chloropurine Riboside extrapure [2004-06-0]	250 Mg	28.43	87063	■ a-Chymotrypsinogen A (5x cryst) ex. Bovine Pancreas, 45U/mg [9035-75-0]	100 Mg	37.64
		1 Gms	96.20			250 Mg	79.35
26176	5-Chlorosalicylic Acid pure, 98% [321-14-2]	100 Gms	7.50			1 Gms	220.69
		500 Gms	21.71			5 Gms	1062.41
59838	p-Chlorotoluene pure, 98% [106-43-4]	500 ml	17.24	88213	Cinnamionitrile extrapure, 97% [1885-38-7] (3-Phenylacrylonitrile)	25 ml	11.58
		1000 ml	29.08			100 ml	34.48
97389	♻ Cholecalciferol (Vitamin D3) for tissue culture, 97% [67-97-0] (7-Dehydrocholesterol Activated)	1 Gms	15.92	26591	♻ Cinnamoyl Chloride pure, 98% [102-92-1]	100 ml	31.19
		5 Gms	60.54			500 ml	123.44
		25 Gms	289.52				
54181	● Cholesterol ex. Sheep Wool (Lanolin) extrapure AR, 99% [57-88-5]	5 Gms	7.63	78079	● Ciprofloxacin Hydrochloride Hydrate (CPFX), 98-102% [86393-32-0]	1 Gms	5.79
		25 Gms	33.29			5 Gms	21.71
		100 Gms	123.05				
		500 Gms	506.66				
38615	● Cholesterol ex. Sheep Wool (Lanolin) Reference Standard Grade for molecular biology, 99% [57-88-5]	5 Gms	16.98	29965	Citral pure, 95% [5392-40-5] (3,7-Dimethyl-2,6-Octadienal)	100 ml	7.63
		25 Gms	50.80			500 ml	36.85
		100 Gms	193.85				
51626	■ Cholesterol Esterase (CE) ex. Porcine Pancreas, 35U/mg solids [9026-00-0]	10 Mg	137.26	13294	✓ Citronella Oil extrapure, 34% [8000-29-1]	250 ml	36.19
						500 ml	66.33
85091	■ Cholesterol Oxidase ex. Streptomyces Sp., 15U/mg solids [9028-76-6]	500 Units	98.17	35417	L-Citrulline extrapure CHR, 99% [372-75-8]	25 Gms	5.92
		2500 Units	425.07			100 Gms	15.79
77645	● Cholesteryl Acetate extrapure, 99% [604-35-3]	5 Gms	11.32			500 Gms	59.22
		25 Gms	50.01				
54908	✓ Cholic Acid extrapure, 98% [81-25-4]	25 Gms	44.74	41694	Citrazinic Acid extrapure, 97% [99-11-6] (2,6-Dihydroxypyridine-4-Carboxylic acid, Dihydroxyisonicotinic Acid)	25 Gms	28.95
		100 Gms	157.92			100 Gms	65.80
		500 Gms	723.80			500 Gms	203.98
53645	✓ Cholic Acid Sodium Salt Hydrate pure, 99% [361-09-1, 206986-87-0] (Sodium Cholate Hydrate)	25 Gms	50.01	78746	Clove Oil extrapure, 80% [8000-34-8]	100 ml	14.74
		100 Gms	171.08			500 ml	63.43
		500 Gms	789.60				
93319	✓ Chromotrope 2R [4197-07-3]	10 Gms	8.16	68320	● CP-OSu (N-(Cyclopentylloxycarbonyloxy)Succinimide) extrapure, 99% [128595-07-3]	25 Gms	92.12
		25 Gms	16.19				
				68636	● Cloxacillin Sodium Monohydrate (CSX), 95-102% [7081-44-9]	1 Gms	21.71
						5 Gms	72.38
				31104	■ Coelenterazine Native (CLZN) ex. Aequorea Sp., 95% [55779-48-1]	250 mcg	188.06
						1 Mg	310.58
				40804	■ Coenzyme A Free Acid extrapure, 90% [85-61-0]	10 Mg	43.56
						25 Mg	72.51
						100 Mg	225.56



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
95225 ■ [55672-92-9 (anhy)]	■ Coenzyme A Sodium Salt Hydrate (CoA Na2) for molecular biology, 85%	10 Mg	85.54	29121 [596-27-0]	o-Cresolphthalein AR, 95%	5 Gms	2.11		
		25 Mg	151.34			25 Gms	7.63		
64147 ■ [18439-24-2]	■ Coenzyme A Trilithium Salt ex. Yeast extrapure, 90% CoA	25 Mg	79.62	64982 [2411-89-4]	o-Cresolphthalein Complexone (Phthalein Purple) extrapure AR, 80%	1 Gms	6.32		
15039 ■ [303-98-0]	■ Coenzyme Q10 extrapure, 99%	100 Mg	9.61			5 Gms	24.35		
		500 Mg	36.85			25 Gms	78.96		
17701 ✓ [64-86-8]	✓ Colchicine extrapure, 98%	1 Gms	24.21	72278 [94442-10-1]	o-Cresolphthalein Complexone Disodium Salt extrapure	1 Gms	17.37		
		5 Gms	116.07			5 Gms	72.38		
		10 Gms	225.56			31393 [2303-01-7]	m-Cresol Purple extrapure AR	1 Gms	3.42
93156 ✓ [64-86-8]	✓ Colchicine ExiPlus, Multi-Compendial, 98%	1 Gms	29.35	5 Gms	15.00				
		5 Gms	138.31	60837 [107-93-7]	Crotonic Acid pure, 99%			100 Gms	8.29
meets compendial specs of USP, BP, Ph.Eur		250 Gms	14.48						
5 Gms	138.31	500 Gms	27.11						
45830 ✓ [64-86-8]	✓ Colchicine for tissue culture, 98%	1 Gms	27.50	51665 ■ [3572-06-3]	■ r-CRP ex. E.Coli (Recombinant C-reactive protein) extrapure	1 Mg	155.29		
		5 Gms	132.13			25 Gms	9.87		
51681 ⚠ [1264-72-8]	⚠ Colistin Sulphate (CLS)	500 Mg	21.71	12295 [3572-06-3]	Cuelure pure, 95% (4-[4-(Acetyloxy)phenyl]-2-Butanone)	100 Gms	33.03		
		1 Gms	43.43			500 Gms	153.05		
		5 Gms	130.28			1 Kg	293.20		
90443 ✓ [9007-34-5]	✓ Collagen ex. Marine Fish extrapure, 95%	5 Gms	28.95	37870 ✓ [126747-14-6]	✓ 4-Cyanophenylboronic Acid extrapure, 95%	1 Gms	19.74		
		25 Gms	86.86			5 Gms	85.54		
		100 Gms	275.04			25 Gms	250.04		
51581 ✓	✓ Colloidal Protein Staining Solution	100 ml	44.74	86320 ✓ [150255-96-2]	✓ 3-Cyanophenylboronic Acid extrapure, 97%	1 Gms	17.77		
94278 [108-75-8]	2,4,6-Collidine pure, 98% (2,4,6-Trimethylpyridine)	100 ml	18.42			5 Gms	44.22		
		500 ml	81.59			25 Gms	183.98		
24275 [573-58-0]	Congo Red ACS, 75%	25 Gms	4.74	57446 [108-77-0]	Cyanuric Chloride extrapure, 99% (2,4,6-Trichloro-1,3,5-Triazine)	100 Gms	3.95		
		100 Gms	17.11			250 Gms	7.90		
500 Gms	14.48								
10408 ● [8064-90-2]	● Cotrimoxazole (CTX), 95%	100 Mg	33.29	51458 ● [59016-56-7]	● 1-Cyano-4-Dimethylaminopyridiniu m Tetrafluoroborate (CDAP) extrapure, 97.5%	100 Mg	90.01		
		500 Mg	157.92			250 Mg	204.37		
42074 ✓ [91-64-5]	✓ Coumarin pure, 98% (1-Benzopyran-2-one)	100 Gms	7.90			1 Gms	792.76		
		500 Gms	36.06	57902 ✓ [879866-74-7]	✓ 1-(3-Cyanopropyl)-3-Methylimidazolium Dicyanamide (CPMIM.DC) pure, 98% (1-Methyl-3-(3-Cyanopropyl)imidazolium Dicyanamide)	5 Gms	87.12		
76072 [6020-87-7]	Creatine Monohydrate extrapure, 99%	25 Gms	4.21			25 Gms	368.48		
		100 Gms	12.50			65291 ● [506-68-3]	● Cyanogen Bromide pure, 98%	25 Gms	11.19
1 Kg	118.44	100 Gms	29.48						
25758 ● [71519-72-7]	● Creatine Phosphate Disodium Salt Tetrahydrate extrapure, 99% (Sodium Creatine Phosphate Dibasic Tetrahydrate, Phosphocreatine Disodium Salt Tetrahydrate)	1 Gms	16.45	31787 ● [506-68-3]	● Cyanogen Bromide ExiPlus, Multi-Compendial, 98%			25 Gms	13.82
		5 Gms	56.72			100 Gms	33.43		
meets compendial specs of USP, Ph.Eur		25074 ■ [9025-13-2]	■ Creatininase ex. Recombinant E.Coli, 500U/mg	2 K.Units	88.70				
65142 ✓ [60-27-5]	✓ Creatinine extrapure CHR, 99%			5 K.Units	193.32	81778 ⚠ [506-68-3]	⚠ Cyanogen Bromide Solution (5.0M in Acetonitrile)	100 ml	78.96
				25 Gms	10.26			94952 ⚠ [5457-28-3]	⚠ 3-Cyanoindole pure, 98%
		100 Gms	39.48	25 Gms	155.29				
19428 ✓ [60-27-5]	✓ Creatinine extrapure AR, 99%	25 Gms	11.84	33202 ⚠ [15861-24-2]	⚠ 5-Cyanoindole pure, 98%	10 Gms	347.82		
		100 Gms	44.74			25 Gms	863.16		
		500 Gms	184.24			83244 ⚠ [7585-39-9]	⚠ β-Cyclodextrin, base (BCD) for tissue culture, 98%	100 Gms	9.21
500 Gms	184.24	500 Gms	27.64						
62000 ■ [37289-15-9]	■ Creatinine Deiminase ex. Microorganism, 10U/mg solids	250 Units	128.84						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
76496	β-Cyclodextrin, base (BCD), 98% [7585-39-9]	5 Gms	7.37	62682	● Cytosine-B-D-Arabinofuranoside (Ara-C, Cytarabine) extrapure, 98% (Cytosine Arabinoside) [147-94-4]	100 Mg	15.13
		25 Gms	19.74			1 Gms	68.43
		100 Gms	50.01			5 Gms	111.86
98395	● Cyclohexanecarboxaldehyde pure, 97% [2043-61-0] (Hexahydrobenzaldehyde)	25 ml	45.93	75543	● DABCYL-N-Succinimidyl Ester extrapure, 98% [146998-31-4] (4-[4-(Dimethylamino)phenylazo]Benzoic Acid N-Succinimidyl Ester)	50 Mg	73.70
		100 ml	178.19			250 Mg	242.01
37594	β 1,4-Cyclohexanedione pure, 99% [637-88-7]	25 Gms	10.92	31920	■ Daidzin extrapure, 98% [552-66-9] (Daidzein-7-O-β-D-Glucopyranoside)	25 Mg	86.99
		100 Gms	17.11			100 Mg	293.99
55799	Cyclohexanol extrapure, 99% [108-93-0]	500 ml	8.03	90441	● Danofloxacin Mesylate (DM), 98% [119478-55-6]	100 Mg	90.01
		2500 ml	34.08				
31668	Cyclohexene (Tetrahydrobenzene) pure, 99% [110-83-8]	100 ml	5.00	64018	● Dansyl Chloride (DNSCI) extrapure, 99% [605-65-2] (5-Dimethylaminonaphthalene-1-Sulfonyl Chloride)	1 Gms	55.01
		500 ml	21.71			5 Gms	209.90
		2500 ml	102.65				
86620	● Cycloheximide extrapure, 94% [66-81-9] (Actidione)	100 Mg	5.79	18668	● DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride) for molecular biology, 95% [28718-90-3]	10 Mg	57.25
		1 Gms	28.95			25 Mg	117.78
		5 Gms	123.05				
95581	● Cycloheximide for tissue culture, 94% [66-81-9] (Actidione)	100 Mg	9.48	28488	● DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride) for tissue culture, 95% [28718-90-3]	100 Mg	70.93
		1 Gms	34.74				
		5 Gms	141.86				
38772	Cyclopentanone (Keto Cyclopentane) pure, 99% [120-92-3] (Keto Cyclopentane)	100 ml	6.19	80145	β DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride) Solution (1mg/ml in H ₂ O) [28718-90-3]	1 ml	11.32
		500 ml	18.82			5 x 1 ml	53.17
		2500 ml	69.48				
88410	Cyclopentyl Methyl Ether (CPME) extrapure AR, 99% [5614-37-9]	250 ml	21.06	22499	● DAST (Diethylamino Sulfurtrifluoride) extrapure AR, 95% [38078-09-0]	1 Gms	8.88
		500 ml	40.80			5 Gms	39.48
		1000 ml	78.96			25 Gms	131.60
74083	β Cyclopropanecarboxylic Acid (CPC-Acid) pure, 98% [1759-53-1]	25 Gms	19.74			100 Gms	486.92
		100 Gms	39.48				
		250 Gms	92.12				
62160	① Cyclopropylboronic Acid Monohydrate extrapure, 97% [411235-57-9]	1 Gms	11.19	40396	● DDAPS (N-Dodecyl-N,N-dimethyl-3-ammonio-1-propanesulfonate, Lauryl sulfobetaine) extrapure, 98% [14933-08-5]	2 Gms	13.03
		5 Gms	42.11			10 Gms	38.95
41269	β D-Cycloserine (D-CSR), 98% [68-41-7] (D-4-Amino-3-Isloxazolidone)	1 Gms	32.90	47478	DEAE Cellulose 11 analytical grade for molecular biology [9013-34-7]	5 Gms	32.24
		5 Gms	105.28			25 Gms	132.13
73383	D-Cysteine (base) extrapure, 99% [921-01-7] ((S)-2-Amino-3-Mercaptopropionic Acid)	1 Gms	40.27	57136	DEAE Cellulose 23 analytical grade for molecular biology [9013-34-7]	5 Gms	36.32
						25 Gms	153.05
98973	β Cytidine extrapure, 99% [65-46-3]	5 Gms	7.76	92321	DEAE Cellulose 32 analytical grade for molecular biology [9013-34-7]	5 Gms	45.14
		25 Gms	20.27			25 Gms	190.03
		500 Gms	376.38				
87600	● Cytidine-5-Monophosphate (5-CMP) extrapure, 99% [63-37-6]	1 Gms	8.16	10529	DEAE Cellulose 52 analytical grade for molecular biology [9013-34-7]	5 Gms	28.56
		5 Gms	32.24			25 Gms	132.39
48666	● Cytidine-5-Triphosphate Disodium Salt (5-CTP-Na ₂) extrapure, 97% [81012-87-5]	100 Mg	21.32	54665	Decalin (Decahydronaphthalene) pure, 98% [91-17-8]	500 ml	25.00
		500 Mg	96.59			2500 ml	118.44
81551	● Cytochrome C (Oxidized) (Type 1) ex. Horse Heart extrapure, 90% [9007-43-6]	25 Mg	43.43	47112	1,10-Decanediol pure, 98% [112-47-0] (Decamethylene Glycol, 1,10-Dihydroxydecane)	100 Gms	23.69
		100 Mg	138.18			500 Gms	92.12
		500 Mg	671.16				
		1 Gms	1250.20				
90777	■ Cytochrome C (Oxidized) (Type 2) ex. Horse Heart, 95% [9007-43-6]	25 Mg	52.64	72007	1-Decanethiol pure, 95% [143-10-2]	100 ml	73.70
		100 Mg	171.08			500 ml	327.03
		500 Mg	789.60				
		1 Gms	1513.40				
91106	Decanoyl Chloride pure, 98% [112-13-0] (Capric Acid Chloride)	100 ml	12.11			100 ml	58.04
		500 ml	58.04				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
48467 [112-30-1]	Decyl Alcohol pure, 99% (1-Decanol)	100 ml	3.68	52942 [9003-98-9]	■ Deoxyribonuclease I - Type 2B (DNase I) ex. Bovine Pancreas for MB, 180Kunitz U/mg	10 Mg	8.16
		500 ml	11.45			100 Mg	77.38
		2500 ml	55.93			1 Gms	289.91
43940 [2082-84-0]	Decyltrimethylammonium Bromide (DTMAB) extrapure, 98%	25 Gms	32.90	74322 [100403-24-5]	■ Deoxyribonucleic Acid Free Acid (DNA) ex. Fish Sperm	5 Gms	27.64
		100 Gms	105.28			10 Gms	52.64
40133 [86303-23-3]	● Deoxy Big CHAPS extrapure, 95% N,N'-Bis(3-D-gluconamidopropyl) deoxycholamide	500 Mg	327.03			25 Gms	105.28
83158 [16373-93-6]	● 2-Deoxyadenosine Monohydrate extrapure, 98%	1 Gms	16.71	30295 [9007-49-2, 68938-01-2]	■ Deoxyribonucleic Acid Sodium Salt (DNA Sodium Salt) ex. Salmon Milt (SS-DNA, sm-DNA)	5 Gms	29.61
		5 Gms	74.49			25 Gms	111.86
39192 [2922-74-9]	● 2'-Deoxyadenosine-5'-Monophosphate Disodium Salt (dAMP-Na2) extrapure, 98%	100 Mg	37.77	68451 [73049-39-5]	■ Deoxyribonucleic Acid Sodium Salt (DNA Sodium Salt Highly Polymerized) ex. Calf Thymus extrapure	25 Mg	36.19
						100 Mg	78.96
49092 [951-77-9]	● 2-Deoxycytidine extrapure, 98%	100 Mg	10.40	84384 [533-67-5]	● 2-Deoxy-D-Ribose extrapure	1 Gms	6.58
		500 Mg	29.48			5 Gms	26.19
		1 Gms	47.51			25 Gms	96.59
55193 [13085-50-2]	● 2'-Deoxycytidine -5'-Monophosphate Disodium Salt (dCMP-Na2) extrapure, 98%	500 Mg	131.60	92627 [951-78-0]	● 2'-Deoxyuridine extrapure, 98%	250 Mg	30.27
						1 Gms	109.89
84476 [1949-89-9]	● 2-Deoxy-D-Galactose extrapure, 98% (2-Deoxygalactose)	1 Gms	118.44	41602 [42155-08-8]	● 2'-Deoxyuridine-5'-Monophosphate Disodium Salt (dUMP-Na2) extrapure, 98%	100 Mg	65.80
		5 Gms	447.44				
43421 [154-17-6]	● 2-Deoxy-D-Glucose (2-DG) extrapure AR, 99.9%	1 Gms	11.84	41143 [83-44-3]	● Deoxycholic Acid extrapure, 99%	25 Gms	47.38
		5 Gms	53.96			100 Gms	168.45
		25 Gms	263.20				
22350 [312693-72-4]	● 2-Deoxyguanosine Monohydrate extrapure, 99%	100 Mg	34.22	24417 [302-95-4]	● Deoxycholic Acid Sodium Salt (Sodium Deoxycholate) Bacto grade, 99%	25 Gms	28.95
		500 Mg	105.67			100 Gms	104.23
		1 Gms	178.71			500 Gms	509.56
		5 Gms	563.91				
25695 [52558-16-4, 33430-61-4]	● 2'-Deoxyguanosine -5'-Monophosphate Sodium Salt (dGMP) extrapure, 98%	500 Mg	220.69	96876 [145224-92-6]	● Deoxycholic Acid Sodium Salt Monohydrate (Sodium Deoxycholate Monohydrate) Bacto grade, 99%	25 Gms	31.85
		1 Gms	392.30			100 Gms	107.12
		5 Gms	1797.92			500 Gms	535.61
16516 [890-38-0]	● 2'-Deoxyinosine extrapure, 98%	100 Mg	8.29	43767 [87413-09-0]	⚠ Dess Martin Periodinane extrapure, 97%	1 Gms	3.68
		250 Mg	19.35			5 Gms	8.55
		1 Gms	68.70			25 Gms	35.93
66280 [93919-41-6]	● Deoxyguansine Triphosphate Trisodium Salt (dGTP), 97% dGTP	100 Gms	135.81	100 Gms	135.81		
		10 Mg	37.64	5 Gms	39.48		
		25 Mg	71.85	25 Gms	72.38		
		100 Mg	261.62	100 Gms	210.56		
61824 [9003-98-9]	■ Deoxyribonuclease I (DNase I) - Type 1A ex. Bovine Pancreas for MB, 2000Kunitz U/mg Protein, 80% Pr	500 Mg	1217.69	500 Gms	631.68		
		10 K.Units	31.85	5 Gms	39.48		
		50 K.Units	101.33	25 Gms	72.38		
15409 [9003-98-9]	■ Deoxyribonuclease I (DNase I) - Type 1B ex. Bovine Pancreas for MB, 2000Kunitz U/mg Protein, 80% Pr	200 K.Units	332.95	100 Gms	184.24		
		10 Mg	51.46	500 Gms	421.12		
		50 Mg	231.62				
14658 [9003-98-9]	■ Deoxyribonuclease I - Type 2A (DNase I) ex. Bovine Pancreas for MB, 180Kunitz U/mg, 85% Protein	100 Mg	419.80	41570 [9004-54-0]	⚠ Dextran ex. Leuconostoc Sp. - Tech 40 (35-45)	5 Gms	39.48
		5000 Units	14.48			25 Gms	72.38
		50000 Units	73.70			100 Gms	184.24
		100000 Units	138.97			500 Gms	552.72
12891 [9004-54-0]	⚠ Dextran ex. Leuconostoc Sp. - Tech 70 (65-75)	100000 Units	138.97	35270 [9004-54-0]	⚠ Dextran ex. Leuconostoc Sp. - Tech 110 (100-120)	5 Gms	39.48
						25 Gms	72.38
						100 Gms	210.56
						500 Gms	631.68



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price				
62753 [9004-54-0]	Dextran ex. <i>Leuconostoc</i> Sp. - Tech 250 (225-275)	5 Gms	39.48	10006 [6342-17-2]	1,4-(Diacryloyl) Piperazine extrapure, 99% (Piperazine Diacrylamide)	5 Gms	228.85				
		25 Gms	72.38								
		100 Gms	210.56								
		500 Gms	631.68								
19301 [9004-54-0]	Dextran ex. <i>Leuconostoc</i> Sp. - Tech 500 (450-550)	10 Gms	39.48	62736 [1482-98-0]	L-2,4 Diaminobutyric Acid Monohydrochloride extrapure, 98%	1 Gms	32.77				
		25 Gms	72.38			5 Gms	155.29				
		100 Gms	210.56			25 Gms	596.67				
		500 Gms	631.68								
28354 [87915-38-6]	Dextran Blue 5 ex. <i>Leuconostoc</i> Sp.	500 Mg	283.07	94524 [91-95-2]	3,3-Diaminobenzidine (DAB) pure, 98%	5 Gms	21.71				
82575 [87915-38-6]	Dextran Blue 40 ex. <i>Leuconostoc</i> Sp.	1 Gms	302.68			25 Gms	86.33				
		1 Gms	302.68			100 Gms	300.31				
		1 Gms	302.68								
57356 [87915-38-6]	Dextran Blue 110 ex. <i>Leuconostoc</i> Sp.	1 Gms	302.68	17076 [868272-85-9]	3,3'-Diaminobenzidine Tetrahydrochloride Hydrate (DAB.4HCl.xH ₂ O) extrapure AR, 98%	1 Gms	17.24				
		1 Gms	302.68			5 Gms	59.22				
14420 [87915-38-6]	Dextran Blue 500 ex. <i>Leuconostoc</i> Sp.	1 Gms	302.68			25 Gms	210.56				
		1 Gms	302.68								
67045 [87915-38-6]	Dextran Blue 2000 ex. <i>Leuconostoc</i> Sp.	1 Gms	210.56	98465	3,3-Diaminobenzidine Tetrahydrochloride (DAB.4HCl) Buffer Substrate Solution for Peroxidase	100 ml	98.17				
		5 Gms	789.60								
83826 [9015-73-0]	DEAE-Dextran 500 ex. <i>Leuconostoc</i> Sp.	1 Gms	127.39			17758 [535-87-5]	3,5-Diaminobenzoic Acid extrapure, 98%	100 Gms	12.11		
		5 Gms	327.55					500 Gms	54.88		
33434 [9064-91-9]	DEAE-Dextran Hydrochloride 500 ex. <i>Leuconostoc</i> Sp.	5 Gms	39.48	20723 [618-56-4]	3,5-Diaminobenzoic Acid Dihydrochloride extrapure, 98%			25 Gms	72.51		
		25 Gms	92.12								
		100 Gms	276.36	16368 [125572-95-4]	trans-1,2-Diaminocyclohexane-N,N, N,N Tetraacetic Acid Monohydrate extrapure AR (CDTA), 99%	10 Gms	18.56				
62250 [60842-46-8]	FITC-Dextran 4000 ex. <i>Leuconostoc</i> Sp. (Fluorescein Isothiocyanate-Dextran)	5 Gms	39.48			25 Gms	34.22				
		25 Gms	92.12			100 Gms	125.02				
		100 Gms	276.36			85122 [137-09-7]	2,4-Diaminophenol Dihydrochloride (Amidol) extrapure, 98%	5 Gms	50.67		
36454 [60842-46-8]	FITC-Dextran 40000 ex. <i>Leuconostoc</i> Sp. (Fluorescein Isothiocyanate-Dextran)	100 Mg	86.86	25 Gms	122.65						
		250 Mg	188.19	34124 [1904-98-9]	2,6-Diaminopurine extrapure, 98%			1 Gms	10.53		
		100 Mg	86.86					5 Gms	50.01		
250 Mg	173.71	25 Gms	203.98								
92901 [60842-46-8]	FITC-Dextran 70000 ex. <i>Leuconostoc</i> Sp. (Fluorescein Isothiocyanate-Dextran)	100 Mg	86.86	13261 [20325-40-0]	o-Dianisidine Dihydrochloride extrapure, 98% (3,3-Dimethoxybenzidine Dihydrochloride)	1 Gms	11.19				
		250 Mg	188.19			5 Gms	26.32				
82221 [60842-46-8]	FITC-Dextran 2000000 ex. <i>Leuconostoc</i> Sp. (Fluorescein Isothiocyanate-Dextran)	100 Mg	85.41			25 Gms	125.02				
		250 Mg	173.71			94912 [82-22-4]	1,1-Dianthrimide extrapure AR, 98% (Di(1-anthraquinoyl)amine) (1,1-Iminodianthraquinone) (for determination of Boron)	1 Gms	40.53		
65163	Dextran Phenyl 40 (30-50)	1 Gms	96.20	5 Gms	173.71						
		5 Gms	315.45	90405 [9001-18-7]	Diaphorase ex. <i>Clostridium</i> Sp., 30U/mg			500 Units	70.27		
		76203 [9011-18-1]	Dextran Sulphate Sodium Salt 30-50(DSS 35-50) ex. <i>Leuconostoc</i> Sp.Colitis Grade for molecular biology					10 Gms	55.93	23144 [103-49-1]	Dibenzylamine pure, 98%
25 Gms	125.02					500 ml	53.17				
100 Gms	427.70					96661 [103-50-4]	Dibenzyl Ether pure, 97% (Benzyl Ether)	500 ml	11.98		
250 Gms	822.50	2500 ml	43.30								
99629 [9011-18-1]	Dextran Sulphate Sodium Salt 500 (DSS 500) ex. <i>Leuconostoc</i> Sp. for molecular biology	10 Gms	52.64	88749 [106-37-6]	1,4-Dibromobenzene pure, 98%			500 Gms	31.85		
		25 Gms	118.44					43589 [110-52-1]	1,4-Dibromobutane pure, 98%	250 ml	27.64
		100 Gms	394.80			74600 [77-48-5]	1,3-Dibromo-5,5-Dimethylhydantoin (DBDMH) extrapure, 98% (Dibromantin)			500 Gms	15.79
		250 Gms	789.60							33384 [106-93-4]	1,2-Dibromoethane pure, 98% (Ethylene Dibromide)
17379 [3749-36-8]	DHP Linker (3,4-Dihydro-2H-Pyran-2-Methanol) extrapure, 98%	5 ml	161.74	1000 ml	62.38						
		25 ml	583.12	31575 [626-41-5]	3,5-Dibromophenol pure, 98%			1 Gms	40.53		
		34224 [582-52-5]	Diacetone-D-Glucose (DAG) extrapure, 98% (1,2:5,6-Di-O-Isopropylidene- α -D-Gluc ofuranose, D-Glucose Diacetone)			25 Gms	34.48	5 Gms	183.58		
100 Gms	104.62										
500 Gms	392.30										
72352 [57-71-6]	Diacetylmonoxime extrapure AR, 99% (2,3-Butanedione Monoxime)	25 Gms	6.45								
		100 Gms	20.79								
		500 Gms	101.46								



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
34890 [109-64-8]	1,3-Dibromopropane pure, 99% (Trimethylene Dibromide)	100 ml	14.87	21942 [13965-03-02]	Dichlorobis(Triphenylphosphine)Palladium(II) extrapure, 98% (Pd(PPh ₂) ₂ C)	1 Gms	34.22
		500 ml	60.54			5 Gms	157.92
96763 [24424-99-5]	Di-tert-Butyldicarbonate (BOC Anhydride, DiBOC) extrapure, 98%	25 Gms	4.61	85048 [4091-99-0]	2,7-Dichlorofluorescein Diacetate (DCFH) extrapure, 97% (DCFH-DA, 2,7-Dichlorodihydrofluorescein Diacetate)	25 Mg	34.22
		100 Gms	7.24			100 Mg	94.75
		500 Gms	23.69	86428 [84-58-2]	2,3-Dichloro-5,6-Dicyano-1,4-Benzoquinone (DDQ) pure, 98%	25 Gms	18.56
		5 Kg	197.40			100 Gms	66.19
69246 [16980-89-5]	N6,2-O-Dibutyl-Adenosine-3,5-Cyclic-Monophosphate Sodium Salt, 97%	25 Mg	73.70	52979 [4885-02-3]	Dichloromethyl Methyl Ether pure, 97%	5 ml	28.95
		100 Mg	179.90			25 ml	72.38
26414 [1918-00-9]	DICAMBA for tissue culture, 95% (3,6-Dichloro-2-Methoxybenzoic Acid)	250 Mg	19.74	88912 [89-61-2]	2,5-Dichloronitrobenzene pure, 99% (1,4-Dichloro-2-Nitrobenzene)	100 Gms	5.92
		1 Gms	72.38			250 Gms	11.84
		5 Gms	157.92	52039 [120-83-2]	2,4-Dichlorophenol pure, 98%	25 Gms	6.58
62578 [74124-79-1]	Di-(N-Succinimidyl) Carbonate extrapure, 95%	5 Gms	11.19	87188 [87-65-0]	2,6-Dichlorophenol extrapure, 99%	250 Gms	19.74
		25 Gms	36.85			10 Gms	4.08
		100 Gms	94.75	25 Gms	9.08		
29154 [2234-16-4]	2,4-Dichloroacetophenone pure, 98%	100 Gms	9.21	42180 [68716-47-2]	2,4-Dichlorophenylboronic Acid extrapure, 98%	1 Gms	14.08
		500 Gms	28.95			5 Gms	39.09
94453 [541-73-1]	1,3-Dichlorobenzene extrapure, 99% (m-Dichlorobenzene)	250 ml	9.21			93611 [151169-75-4]	3,4-Dichlorophenylboronic Acid extrapure, 97%
		1000 ml	34.22	1 Gms	13.16		
		2500 ml	76.33	5 Gms	32.90		
91427 [50-45-3]	2,3-Dichlorobenzoic Acid pure, 98%	25 Gms	15.79	33017 [101-38-2]	2,6-Dichloroquinone-4-Chlorimide (Gibbs Reagent) extrapure AR, 99% (N,2,6-Trichloro-p-Benzoquinoneimide)	25 Gms	117.12
		100 Gms	55.27			5 Gms	21.19
62122 [50-84-0]	2,4-Dichlorobenzoic Acid extrapure, 98%	100 Gms	4.61			38762 [2831-66-5]	2,4-Dichloro-1,3,5-Triazine pure, 98%
		500 Gms	21.06	100 Gms	280.97		
66481 [51-44-5]	3,4-Dichlorobenzoic Acid pure, 98%	25 Gms	30.27	57262 [101-83-7]	Dicyclohexylamine pure, 99%	500 ml	10.92
		100 Gms	92.12			2500 ml	50.01
40583 [95408-45-0]	Dichloro[1,1'-bis(di-tert-Butylphosphino)Ferrocene]Palladium(II) extrapure, 98% (1,1'-Bis(di-tert-Butylphosphino)Ferrocene)Dichloropalladium(II))	250 Mg	38.16	79596 [538-75-0]	N,N-Dicyclohexyl Carbodiimide (DCC) pure, 99%	100 Gms	7.24
		1 Gms	63.17			500 Gms	27.64
		5 Gms	250.04	5 Kg	236.88		
33604 [19978-61-1]	Dichloro(1,2-bis(Diphenylphosphino)Ethane)Palladium (II) extrapure, 98% ([1,2-Bis(Diphenylphosphino)Ethane]Dichloropalladium(II))	250 Mg	25.00	95525 [4097-22-7]	2,3-Dideoxyadenosine (ddA) extrapure, 98%	5 Mg	38.69
		1 Gms	52.64			47248 [7481-89-2]	2,3-Dideoxycytidine (ddC) extrapure, 98%
		5 Gms	256.62	73273 [69655-05-6]	2,3-Dideoxyinosine (ddI, ddIno) extrapure, 98%		
97111 [59831-02-6]	Dichloro(1,3-bis(Diphenylphosphino)Propane)Palladium(II) extrapure, 98% ([1,2-Bis(Diphenylphosphino)Ethane]Dichloropalladium(II))	250 Mg	36.85			22328 [3416-05-5]	2,3-Dideoxythymidine (3-Deoxythymidine, ddT) extrapure, 98%
		1 Gms	72.38	17412 [5983-09-5]	2,3-Dideoxyuridine (ddU) extrapure, 98%		
		5 Gms	329.00			100 Mg	331.63
99494 [29964-62-3]	Dichloro[1,4-bis(Diphenylphosphino)Butane]Palladium(II) extrapure, 98%	250 Mg	36.85	16312 [165534-43-0]	DEPBT (3-(Diethoxyphosphoryloxy)-1,2,3-benzotriazin-4(3H)-one) extrapure, 98%	5 Gms	48.43
		1 Gms	72.38			25 Gms	134.76
70264 [927706-57-8]	Dichloro-[1,3-bis(Diisopropylphenyl)-2-Imidazolindinylidene]- (3-Chloropyridyl) Palladium(II), 98% ([1,3-Bis(2,6-Diisopropylphenyl)Imidazolindene)(3-Chloropyridyl) Palladium(II) Dichloride)	250 Mg	39.48				
		1 Gms	121.07				
		5 Gms	526.40				
18602 [821-10-3]	1,4-Dichloro-2-Butyne pure, 97%	5 Gms	39.48				
		25 Gms	138.18				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
86283	✓ p-Diethylaminobenzaldehyde pure, 99% [120-21-8]	100 Gms	34.35	86580	✓ 3,4-Dihydro-2H-pyran (3,4-DHP) pure, 97% [110-87-2] (2,3-Dihydropyran)	25 ml 100 ml 500 ml	9.34 21.58 80.01
19885	⚠ 2-Diethylaminoethyl Chloride Hydrochloride extrapure, 99% [869-24-9] (2-Chlorotriethylamine Hydrochloride)	25 Gms 100 Gms 500 Gms	10.53 21.06 78.96	65437	2,4-Dihydroxyacetophenone extrapure, 99% [89-84-9] (Resacetophenone)	25 Gms 100 Gms	9.21 29.22
33684	⚠ Diethyl Aminoethyl Hexanoate (DA-6) technical grade, 98% [10369-83-2]	5 Gms 25 Gms	28.95 101.46	41384	2,5-Dihydroxyacetophenone extrapure, 99% [490-78-8] (2-Acetylhydroquinone, Quinacetophenone)	5 Gms 25 Gms	16.45 65.80
12915	Diethyl bis(hydroxymethyl)malonate pure, 97% [20605-01-0] (Diethyl 2,2-bis(hydroxymethyl)malonate)	5 Gms 25 Gms 100 Gms	31.58 78.96 289.52	58494	2,6-Dihydroxyacetophenone extrapure, 99% [689-83-2] (2-Acetylresorcin)	5 Gms 10 Gms 25 Gms 100 Gms	18.69 33.69 73.83 257.54
79628	Diethyl Chlorophosphate pure, 97% [814-49-3] (Chlorophosphoric Acid Diethyl Ester, Diethyl Phosphoryl Chloride)	25 Gms 100 Gms	50.01 157.92	15395	2,4-Dihydroxybenzoic Acid pure, 98% [89-86-1] (β-Resocyclic Acid)	25 Gms 100 Gms 500 Gms	12.50 24.61 94.36
56701	O,O-Diethyl Dithiophosphate extrapure, 95% [298-06-6]	5 Gms 25 Gms 100 Gms	23.69 55.27 197.40	69911	1,3-Dihydroxynaphthalene (Naphthoresorcinol) extrapure AR, 99% [132-86-5] (1,3-Naphthalenediol)	1 Gms 5 Gms 25 Gms	32.90 131.60 500.08
64699	⚠ Diethylenetriaminepentaacetic Acid (DTPA) extrapure AR, 99% [67-43-6] (Pentetic Acid)	100 Gms 500 Gms	6.45 25.14	41110	⚠ 1,5-Dihydroxynaphthalene pure, 98% [83-56-7]	100 Gms 500 Gms	33.16 127.65
81346	✓ Diethylenetriaminepentaacetic Acid Pentasodium Salt (DTPA) extrapure, 40% (Liquid) [140-01-2]	500 ml 1000 ml	9.34 18.03	65796	⚠ 1,7-Dihydroxynaphthalene pure, 97% [575-38-2] (1,7-Naphthalenediol)	5 Gms 25 Gms	78.17 280.97
17598	Diethylenetriamine pure, 98% [111-40-0]	500 ml 2500 ml	11.19 50.01	33580	⚠ 2,7-Dihydroxynaphthalene pure, 98% [582-17-2] (2,7-Naphthalenediol)	5 Gms 25 Gms 100 Gms	17.11 34.22 75.54
46791	⚠ Diethyl Pyrocarbonate (DEPC) for molecular biology, 99% [1609-47-8]	5 ml 25 ml 100 ml	15.79 33.03 116.86	63370	⚠ 3,4-Dihydroxy-5-Nitro Benzaldehyde pure, 98% [116313-85-0]	25 Gms 100 Gms	49.09 122.65
84254	N,N-Diethyl-m-Toluidine pure, 98% [91-67-8]	100 ml 500 ml	13.29 41.45	33878	⚠ 2-Methylresorcinol pure, 98% [608-25-3] (2,6-Dihydroxytoluene)	25 Gms 100 Gms 250 Gms	17.11 51.06 125.28
99823	2,4-Difluoroaniline extrapure, 99% [367-25-9]	25 Gms 100 Gms	17.63 63.04	16517	⚠ DL-Dihydrozeatin (DHZ) pure, 98% [14894-18-9] (4-Hydroxy-3-Methylbutylamino)Purine)	10 Mg 25 Mg	85.93 142.00
29553	1,3-Difluorobenzene (MDFB) extrapure, 99% [372-18-9] (m-Difluorobenzene)	25 ml 100 ml 500 ml	13.16 27.77 130.68	19022	5,7-Diiodo-8-Quinololinol (Diiodohydroxyquinoline, Iodoquinol) ExiPlus, 96.5% [83-73-8] (5,7-Diiodo-8-Hydroxyquinoline)	25 Gms 100 Gms 500 Gms	28.95 76.33 289.52
72081	2,4-Difluorobenzoic Acid pure, 98% [1583-58-0]	5 Gms 25 Gms	29.74 101.46	43913	⚠ N,N-Diisopropyl Carbodiimide (DIPC) extrapure, 99% [693-13-0]	25 Gms 100 Gms 500 Gms	14.08 51.59 237.27
83488	1,5-Difluoro-2,4-Dinitrobenzene (DFDNB) pure, 97% [327-92-4]	5 Gms 25 Gms	36.85 144.76	95423	⚠ 1,2,3,4-Di-O-Isopropylidene L-Arabinopyranoside extrapure [4064-06-6]	10 Gms	90.94
10670	2,4-Difluoronitrobenzene extrapure, 99% [446-35-5]	25 Gms 100 Gms 500 Gms	26.19 62.25 286.10	94784	⚠ 1,2,3,4-Di-O-Isopropylidene α-D-Galactopyranoside extrapure, 98% [4064-06-6]	10 Gms	90.94
90309	2,4-Difluorophenylboronic Acid extrapure, 95% [144025-03-6]	5 Gms 10 Gms	71.85 124.89	10232	■ 2,3-Dimercaptosuccinic Acid (DMSA, Succimer) extrapure, 98% [304-55-2] (meso-2,3-Dimercaptosuccinic Acid)	1 Gms 5 Gms	22.90 75.54
53755	✓ Digitonin (Digitin) extrapure, 50% [11024-24-1]	100 Mg 1 Gms	41.85 358.22	98526	Bismuthiol (2,5-Dimercapto-1,3,4-Thiadiazole, DMTD) pure, 98% [1072-71-5] (1,3,4-Thiadiazole-2,5-Dithiol)	25 Gms 100 Gms 500 Gms	12.50 30.27 46.06
48712	✓ Digoxin extrapure, 95% [20830-75-5]	50 Mg 1 Gms 5 Gms	7.90 46.06 197.40				
91374	⚠ 3,4-Dihydro-3-Hydroxy-4-Oxo-1,2,3-Benzotriazine (DHOBT, DHBT) extrapure, 98% [28230-32-2]	5 Gms 25 Gms	24.87 85.67				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
76620 [1201-38-3]	2,5-Dimethoxyacetophenone pure, 99%	100 Gms 500 Gms	105.15 409.41	14157 [77-71-4]	5,5-Dimethylhydantoin (DMH) extrapure, 99% (4,4-Dimethyl-2,5-Dioxoimidazolidine, Fennosurf 300)	100 Gms 500 Gms	9.21 19.74
40824 ✓ [93-02-7]	2,5-Dimethoxybenzaldehyde (2,5-DMB) pure, 98%	25 Gms 100 Gms	18.03 69.09	83177 [108-59-8]	Dimethyl Malonate pure, 98%	250 ml 500 ml	7.11 7.90
24116 [613-45-6]	2,4-Dimethoxybenzaldehyde extrapure AR, 98%	25 Gms 100 Gms	31.19 58.83	22247 ✓ [13138-48-2]	3,3-Dimethylnaphthidine extrapure AR, 98% (4,4'-Diamino-3,3'-dimethyl-1,1'-binaphthyl)	200 Mg 1 Gms	48.43 132.65
82410 ✓ [150-78-7]	1,4-Dimethoxybenzene pure, 99% (Hydroquinone Dimethyl Ether)	250 Gms	24.61	35047 ✓ [13290-96-5]	Dimethyl 5-Nitrosophthalate pure, 99%	25 Gms 100 Gms	17.90 35.80
66053 [77-76-9]	2,2-Dimethoxypropane pure, 98%	500 ml 1000 ml 2500 ml	6.58 12.90 31.58	20923 ✓ [1123-49-5]	3,5-Dimethyl-4-Nitrosoxazole extrapure, 98%	5 Gms 25 Gms	36.32 116.07
84774 ⚠ [58-15-1]	4-Dimethylaminoantipyrine (Aminopyrine) extrapure, 99% (4-Dimethylamino-2,3-Dimethyl-1-Phenyl-3-Pyrazolin-5-one)	25 Gms 100 Gms	22.11 82.91	98950 ✓ [95-87-4]	2,5-Dimethyl Phenol pure, 98% (2,5-Xylenol)	100 Gms	26.19
42442 ⚠ [536-17-4]	5-(4-Dimethylaminobenzylidene) Rhodanine pure, 98%	1 Gms 5 Gms 25 Gms	14.48 31.58 94.75	83834 [17469-89-5]	N,N-Dimethyl-L-Phenylalanine extrapure, 98%	1 Gms 5 Gms	39.48 118.44
58451 ⚠ [6203-18-5]	p-Dimethylamino-Cinnamaldehyde extrapure, 98%	5 Gms 25 Gms	35.66 152.00	93287 ✓ [99-98-9]	N,N-Dimethyl-p-Phenylenediamine (DMPPDA) pure, 98% (4-(Dimethylamino)Aniline, 4-Amino-N,N-Dimethylaniline, N,N-Dimethyl-1,4-Phenylenediamine, DMPD)	5 Gms 25 Gms 100 Gms	32.90 65.67 215.43
58048 [108-01-0]	2-Dimethylaminoethanol extrapure, 98% (N,N-Dimethylethanolamine)	500 ml 2500 ml	7.63 34.35	67318 ✓ [120-61-6]	Dimethyl Terephthalate pure, 99%	500 Gms	8.95
18814 [4584-46-7]	2-Dimethylaminoethyl Chloride Hydrochloride pure, 98% (2-Chloro-N,N-Dimethylethylamine Hydrochloride)	100 Gms 500 Gms	5.53 20.79	91273 ✓ [518-67-2]	Dimidium Bromide extrapure, 98% (3,8-Diamino-5-Methyl-6-Phenylphenanthridinium Bromide, Trypadine)	500 Mg 1 Gms 5 Gms	19.08 34.55 144.76
49235 ● [25952-53-8]	1-(3-Dimethylaminopropyl)-3-Ethyl Carbodiimide Hydrochloride (EDC.HCl, EDAC.HCl) extrapure, 99% (N-Ethyl-N'-(3-Dimethylaminopropyl) Ethylcarbodiimide Hydrochloride)	25 Gms 100 Gms 500 Gms	12.90 43.43 170.82	84846 ✓ [97-02-9]	2,4-Dinitroaniline pure, 98%	100 Gms 500 Gms	14.87 62.25
93088 ✓ [1122-58-3]	4-Dimethylaminopyridine (DMAP) extrapure, 98%	25 Gms 100 Gms 500 Gms	6.45 16.45 58.43	58586 [99-34-3]	3,5-Dinitrobenzoic Acid extrapure, 98%	100 Gms 500 Gms	7.37 29.08
50593 [95-68-1]	2,4-Dimethylaniline pure, 98% (2,4-Xylidine)	250 ml 2500 ml	8.29 72.38	66764 [99-34-3]	3,5-Dinitrobenzoic Acid extrapure AR, 99%	100 Gms 500 Gms	9.48 39.48
33029 [87-62-7]	2,6-Dimethylaniline pure, 99% (2,6-Xylidine)	250 ml 1000 ml	11.19 42.11	87464 [99-34-3]	3,5-Dinitrobenzoic Acid extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	100 Gms 500 Gms	11.05 42.77
86330 [616-38-6]	Dimethyl Carbonate pure, 99%	500 ml 2500 ml 25 Ltr	3.16 14.48 131.60	56569 [14323-43-4]	Dinitrodiaminepalladium (II) extrapure, 45-50% Pd	250 Mg 1 Gms	50.01 131.60
21800 [75-78-5]	Dimethyl Dichlorosilane (DMDCS) pure, 98% (Dichlorodimethylsilane)	250 ml 500 ml 1000 ml	9.21 15.79 27.64	88639 [119-26-6]	2,4-Dinitrophenylhydrazine extrapure AR, 99%	25 Gms 100 Gms 500 Gms	3.03 9.74 46.98
10192 ✓ [1643-20-5]	N,N-Dimethyldodecylamine N-Oxide Solution (DDAO) pure, 30% (Lauryldimethylamine N-Oxide, LDAO)	100 ml 500 ml	15.79 39.48	85387 [119-26-6]	2,4-Dinitrophenylhydrazine extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	25 Gms 100 Gms	3.68 12.37
58764 ✓ [1643-20-5]	N,N-Dimethyldodecylamine N-Oxide (DDAO) extrapure, 95% (Lauryldimethylamine N-Oxide, LDAO)	5 Gms 25 Gms	78.96 329.00	75477	2,4-Dinitrophenylhydrazine Reagent Solution (2,4-DNP Reagent)	100 ml	3.42
70976 ✓ [2491-06-7]	N,N-Dimethyl Glycine Hydrochloride pure, 98%	10 Gms 50 Gms	21.06 78.96	10253 [609-99-4]	3,5-Dinitrosalicylic Acid pure, 98%	25 Gms 100 Gms 500 Gms	9.48 34.48 161.21



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
38707 [609-99-4]	3,5-Dinitrosalicylic Acid extrapure AR, 99%	25 Gms 100 Gms	18.16 65.93	53384 [6892-68-8]	● Dithioerythritol (DTE) for molecular biology, 99% (Clelands Other reagent)	1 Gms 5 Gms	16.71 81.59
13313 [609-99-4]	3,5-Dinitrosalicylic Acid Reagent Solution	100 ml	8.82	48086 [79-40-3]	● Dithiooxamide (Rubeanic Acid) extrapure AR, 99%	1 Gms 5 Gms 25 Gms	11.84 42.77 187.53
41131 [512-04-9]	Diosgenin extrapure, 95% ((25R)-5-Spirosten-3β-ol, 3β-Hydroxy-5-Spirostene)	1 Gms 5 Gms	22.37 65.80	84834 [3483-12-3]	● DL-Dithiothreitol (DTT) extrapure, 98% (Clelands Reagent)	1 Gms 5 Gms 25 Gms 100 Gms	7.63 26.98 127.13 493.50
37187 [102-04-5]	● 1,3-Diphenylacetone extrapure, 98%	25 Gms 100 Gms 500 Gms	30.40 82.91 345.45	46220 [3483-12-3]	● DL-Dithiothreitol (DTT) ExiPlus, Multi-Compendial, 98% meets compendial specs of BP	5 Gms	29.74
54164 [86-29-3]	✓ Diphenylacetone nitrile pure, 98%	100 Gms	11.58	17315 [3483-12-3]	● DL-Dithiothreitol (DTT) for molecular biology, 98% (Clelands Reagent)	1 Gms 5 Gms 25 Gms 100 Gms	9.08 31.85 149.23 565.88
57719 [91-01-0]	✓ Diphenylcarbinol pure, 99% (Benzhydrol)	100 Gms 500 Gms	5.66 21.45	15248 [3483-12-3]	⚡ DL-Dithiothreitol 0.1M Solution (DTT 0.1M Solution)	10 ml 100 ml	11.05 34.61
23957 [101-84-8]	Diphenyl Ether pure, 98% (Diphenyl Oxide)	500 ml 1000 ml	9.61 18.56	16927 [3483-12-3]	⚡ DL-Dithiothreitol 1M Solution (DTT 1M Solution)	10 ml 50 ml	16.58 48.43
90574 [536-46-9]	✓ N,N-Dimethyl-p-Phenylenediamine Dihydrochloride (DMPPDA.2HCl) pure, 98% (4-(Dimethylamino)aniline dihydrochloride, 4-Amino-N,N-dimethylaniline dihydrochloride, N,N-Dimethyl	10 Gms 50 Gms	50.01 218.46	97980 [60-10-6]	Dithizone pure, 70% (Diphenyl Thiocarbazone, Dithiozone)	5 Gms	8.55
66525 [1720-32-7]	⚡ 1,6-Diphenyl-1,3,5-Hexatriene (DPH) pure, 98% (Dicinnamyl, 1,6-Diphenylhexatriene)	1 Gms 5 Gms	111.86 526.40	89257 [60-10-6]	Dithizone extrapure AR, 85% (Diphenyl Thiocarbazone, Dithiozone)	5 Gms 25 Gms	10.26 48.69
34747 [57-41-0]	✓ 5,5-Diphenylhydantoin (Phenytoin) pure, 98%	100 Gms	19.74	46141 [60-10-6]	Dithizone extrapure AR, ACS, ExiPlus, Multi-Compendial, 85% (Diphenyl Thiocarbazone, Dithiozone) meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms	11.19 51.32
78190 [530-47-2]	✓ Diphenylhydrazine Hydrochloride, 97%	5 Gms 25 Gms	21.71 63.17	56266	Dithizone Reagent	100 ml	12.11
41855 [101-81-5]	⚡ Diphenylmethane pure, 98%	100 Gms 500 Gms	9.61 29.87	37237 [77-77-0]	Divinyl Sulfone (DVS) pure, 96% (Vinyl Sulfone)	5 ml 25 ml	26.32 76.06
29128 [1898-66-4]	⚡ 2,2-Diphenyl-1-Picrylhydrazyl (DPPH) extrapure, 95%	250 Mg 1 Gms 5 Gms	43.43 85.54 322.42	80704 [112-16-3]	Lauroyl Chloride extrapure, 99% (Dodecanoyl Chloride)	100 Gms 250 Gms 500 Gms	18.42 42.11 81.59
38201 [120-46-7]	✓ 1,3-Diphenyl-1,3-Propanedione (Dibenzoylmethane) extrapure, 98%	25 Gms 100 Gms	39.48 89.49	93089 [124-22-1]	✓ Dodecylamine (Laurylamine) pure, 98%	100 Gms 500 Gms	4.61 18.42
52196 [102-08-9]	✓ Diphenyl Thiourea pure, 98%	100 Gms 500 Gms	10.79 32.37	85985 [219947-93-0]	1-Dodecyl-3-Methylimidazolium Hexafluorophosphate (DMIM.PF6, C12MIMPF6) extrapure, 98% (1-Lauryl-3-Methylimidazolium Hexafluorophosphate)	5 Gms 25 Gms	58.43 222.93
12781 [68399-80-4]	DIPSO Buffer extrapure, 99% (2,2-bis(2-Hydroxyethyl) -3-Amino-2-Hydroxypropane Sulphonic Acid)	25 Gms 100 Gms	78.83 263.20	85755 [69227-93-6]	⚡ n-Dodecyl-b-D-Maltoside (DDM) extrapure, 98% (Dodecyl-Maltoside, n-Dodecyl-b-D-Maltopyranoside)	500 Mg 1 Gms 5 Gms	52.64 92.12 394.80
16722 [102783-62-0]	DIPSO Buffer Sodium Salt extrapure, 98%	10 Gms	92.25	24940 [1119-94-4]	Dodecyltrimethylammonium Bromide (DOTAB) pure, 99% (Lauryl Trimethylammonium Bromide)	25 Gms 100 Gms	9.74 19.48
93634 [119-91-5]	✓ 2,2-Biquinoline (2,2-Diquinolyl, Cuproine) extrapure AR, 99% (2,2'-Diquinolone)	1 Gms 5 Gms	13.42 60.93	42020 [112-00-5]	Dodecyltrimethylammonium Chloride (DOTAC) pure, 98% (Lauryl Trimethylammonium Chloride)	100 Gms 500 Gms	21.45 88.44
32363 [69-78-3]	● 5,5'-Dithiobis(2-Nitro Benzoic Acid) extrapure (DTNB), 98% (Ellmans Reagent)	1 Gms 5 Gms 25 Gms 100 Gms	16.06 47.38 204.37 684.32	77201 [59-92-7]	L-Dopa extrapure, 99% (L-Hydroxy Phenylalanine)	5 Gms 25 Gms	12.24 55.40
27956 [6892-68-8]	● Dithioerythritol (DTE) extrapure, 99% (Clelands Other reagent)	1 Gms 5 Gms 25 Gms	12.50 60.40 290.18				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
87943 [63-84-3]	DL-Dopa extrapure, 99% (DL-Dihydroxy Phenylalanine)	1 Gms 5 Gms 25 Gms	4.34 9.87 39.48	59508 [21087-74-1]	● Epiprogoitrin Potassium Salt Reference Standard Grade, 80% (S)-2-Hydroxy-3-Butenylglucosinolate Potassium Salt)	10 Mg	346.24
45462 [62-31-7]	⚠ Dopamine Hydrochloride (Dopamine HCl) extrapure, 98%	5 Gms 25 Gms 100 Gms	13.82 48.43 177.66	97857 [56390-09-1]	● Epirubicin Hydrochloride (EPR.HCl), 97%	10 Mg 25 Mg	47.38 92.12
65094 [24390-14-5]	● Doxycycline Hyclate (DXH), 800U/mg	1 Gms 5 Gms 10 Gms	29.74 57.77 85.93	49470 [16052-06-5]	EPPS Buffer extrapure, 99.5%	10 Gms 50 Gms 100 Gms	24.48 77.91 154.24
78985 [7688-25-7]	✓ DPPB (1,4-Bis(Diphenylphosphino)Butane) extrapure, 98% (1,4-Butanediybis(Diphenylphosphine), Tetramethylenebis(Diphenylphosphine))	5 Gms 25 Gms	23.42 93.70	50062 [55750-63-5]	■ N-(epsilon-Maleimidocaproyloxy) Succinimide extrapure, 98% (EMCS)	10 Mg 50 Mg	67.25 122.91
48237 [1663-45-2]	✓ DPPE (1,2-Bis(Diphenylphosphino)Ethane) extrapure, 98% (Diphos, Ethylenebis(Diphenylphosphine))	5 Gms 25 Gms	12.63 62.51	41120 [10025-75-9]	Erbium (III) Chloride Hexahydrate ultrapure, 99.99%	5 Gms 25 Gms	41.45 103.70
23660 [12150-46-8]	✓ DPPF (1,1-Bis(Diphenylphosphino)Ferrocene) extrapure, 98% (1,1-Ferrocenediy-bis(Diphenylphosphine))	1 Gms 5 Gms 25 Gms	12.63 47.38 161.47	54788 [13476-05-6]	Erbium (III) Nitrate Hexahydrate extrapure, 99.9%	5 Gms 25 Gms	43.43 108.57
34103 [6737-42-4]	✓ DPPP (1,3-Bis(Diphenylphosphino)Propane) extrapure, 98%	1 Gms 5 Gms 25 Gms	9.48 28.16 124.89	29831 [12061-16-4]	Erbium (III) Oxide ultrapure, 99.99%	5 Gms 25 Gms	41.45 103.70
75470 [608-66-2]	⚠ Dulcitol (D-Galactitol) extrapure, 99% (D-Galactitol)	25 Gms 100 Gms	19.21 65.67	12485 [139177-64-3]	Erbium (III) Trifluoromethanesulfonate extrapure, 97% (Erbium Triflate, Trifluoromethanesulfonic Acid Erbium Salt)	5 Gms 25 Gms	46.98 152.00
62813 [16357-59-8]	⚠ EEDQ extrapure, 99% (N-Ethoxycarbonyl-2-Ethoxy-1,2-dihydroxyquinoline)	10 Gms 25 Gms 100 Gms	18.82 30.27 105.28	56488 [149-32-6]	✓ Erythritol extrapure, 99% (Erythrite, meso-Erythritol)	25 Gms 100 Gms 500 Gms	6.84 20.00 65.54
17398	Ehrlich`s Aldehyde Reagent	100 ml	2.11	48535 [114-07-8]	⚠ Erythromycin for tissue culture	1 Gms 5 Gms	5.00 21.58
99640	Ehrlich`s Amino Sugar Reagent	100 ml	2.37	51114 [66778-17-4, 531-75-9]	⚠ Esculin Sesquihydrate extrapure, 98% (Aesculin)	5 Gms 25 Gms	16.98 78.30
81802 [112-79-8]	■ Elaidic Acid Reference Standard, 99%(GC) (trans-9-Octadecenoic Acid, trans-Oleic Acid)	1 Gms 5 Gms	65.80 236.88	77688 [1070-11-7]	✓ Ethambutol Dihydrochloride (ETB.2HCl), 98%	1 Gms 5 Gms	9.87 26.19
11814 [39445-21-1]	■ Elastase (ELA, PPE) ex. Porcine Pancreas, 10U/mg Protein	10 Mg	104.62	89737 [540-63-6]	1,2-Ethanedithiol extrapure, 98.5%	25 ml 100 ml 500 ml	46.06 171.08 789.60
19764 [155569-91-8]	Emamectin Benzoate extrapure, 90%	100 Mg 1 Gms	33.16 82.91	16844 [31005-02-4]	✓ 7-Ethoxycoumarin extrapure, 98%	25 Mg 100 Mg	23.42 62.51
73363 [518-82-1]	● Emodin ex. Polygonum Cuspidatum, 90% (Emodin ex. Fallopia Japonica, 1,3,8-Trihydroxy-6-Methyl-9,10-Anthracenedione, 1,3,8-Tri-hydroxy-6-M)	25 Mg 500 Mg 1 Gms 5 Gms	28.95 78.96 118.44 236.88	23545 [578-54-1]	2-Ethylaniline pure, 98%	100 ml 500 ml	17.77 52.64
90310	Emulgen B-66 (Emulgin B66) (Polyoxyethylene Alkyl Ether)	100 ml 500 ml	53.82 206.09	96669 [105-39-5]	Ethyl Chloroacetate pure, 98%	500 ml 2500 ml	6.05 26.32
20790 [93106-60-6]	● Enrofloxacin (EFX), 98%	5 Gms	25.66	95953 [535-13-7]	Ethyl 2-Chloropropionate practical grade, 95%	100 ml	16.58
				92052 [105-56-6]	Ethyl Cyanoacetate extrapure, 98%	500 ml 2500 ml	9.48 43.43
				69674 [126213-50-1]	⚠ 3,4-Ethylenedioxythiophene (EDOT) pure, 98%	5 Gms 25 Gms	36.85 78.96
				62858 [67-42-5]	⚠ Ethylene Glycol-O-O-bis-(2-Aminoethyl) N,N,N,N-Tetraacetic Acid (EGTA) extrapure, 98%	10 Gms 25 Gms 100 Gms	28.95 52.64 131.60



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
78214 [149-57-5]	2-Ethylhexanoic Acid extrapure, 99%	250 ml 1000 ml	3.29 11.84	64770 ✓ [223436-99-5]	1-Ethyl-1-Methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide (EMP TFSI) extrapure, 99%	1 Gms 5 Gms 25 Gms	26.32 42.11 171.08
32021 [104-76-7]	2-Ethyl-1-Hexanol pure, 99%	500 ml 2500 ml	3.95 17.77	70945 ⚠ [111-62-6]	Ethyl Oleate pure	500 ml 2500 ml	8.55 40.80
69647 [124-03-8]	Ethylhexadecyldimethylammonium Bromide (EHDDMAB) extrapure, 98% (Cetyldimethylethylammonium Bromide, Dimethylethylhexadecylammonium Bromide)	25 Gms 100 Gms 500 Gms	18.69 62.25 165.82	24489 [90002-36-1]	2-Ethylphenylboronic Acid pure, 95% (2-Ethylbenzeneboronic Acid, o-Ethylphenylboronic Acid)	1 Gms 5 Gms	29.08 124.36
71407 [103-11-7]	2-Ethylhexyl Acrylate extrapure, 99% (Acrylic acid 2-ethylhexyl Ester)	500 ml 2500 ml	7.76 33.82	42676 ✓ [5308-25-8]	1-Ethylpiperazine pure, 99% (N-Ethylpiperazine)	50 Gms 250 Gms	10.53 26.32
30484 [88122-99-0]	Ethylhexyl Triazone extrapure, 98% (2,4,6-Trianiilino(p-Carbo-2-Ethylhexyl-1-oxy)-1,3,5-Triazine)	100 Mg 1 Gms 5 Gms	26.32 89.49 125.02	72424 [80-40-0]	Ethyl p-Toluenesulfonate pure, 98% (Ethyl Tosylate, p-Toluenesulfonic Acid Ethyl Ester)	25 ml 500 ml	10.13 85.15
91018 ✓ [13224-99-2]	Ethylidene Glucose extrapure, 90%	1 Gms 5 Gms	53.82 138.44	59863 [89797-68-2]	5-(Ethylthio)-1H-Tetrazole(ETT Activator) extrapure, 99%	1 Gms 5 Gms	10.53 31.58
10674 [75-03-6]	Ethyl Iodide extrapure, 99%	25 ml 100 ml 250 ml	27.64 100.02 236.88	65770 [1530-32-1]	Ethyltriphenylphosphonium Bromide pure, 97%	25 Gms 100 Gms	6.32 15.79
78503 ⚠ [128-53-0]	N-Ethylmaleimide extrapure, 99%	5 Gms 25 Gms 100 Gms	26.32 118.44 473.76	57056 [121-32-4]	Ethyl Vanillin extrapure, 98%	100 Gms 500 Gms	9.87 44.74
81176 ⚠ [128-53-0]	N-Ethylmaleimide ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms 100 Gms	28.95 131.60 526.40	24820 ✓ [109-92-2]	Ethyl Vinyl Ether pure, 98%	100 ml 500 ml 2500 ml	7.24 23.03 111.86
85108 ✓ [62-50-0]	Ethyl Methanesulphonate (EMS) extrapure, 99%	10 Gms 100 Gms	9.34 79.09	93050 [8000-48-4]	Eucalyptus Oil extrapure, 60%	250 ml	14.48
27035 ✓ [62-50-0]	Ethyl Methanesulphonate (EMS) for tissue culture, 99%	10 Gms	28.29	69553 ⚠ [97-53-0]	Eugenol extrapure, 99% (2-Methoxy-4-(2-Propenyl)phenol, 4-Allyl-2-Methoxyphenol, 4-Allylguaiacol)	100 ml 500 ml	14.48 52.64
15371 ✓ [65039-09-0]	1-Ethyl-3-Methylimidazolium Chloride (EMIM Cl) extrapure, 98%	5 Gms 25 Gms 100 Gms	28.95 52.64 105.28	98345 [13759-92-7]	Europium (III) Chloride Hexahydrate ultrapure, 99.99%	1 Gms 5 Gms 25 Gms	30.40 81.59 234.91
10956 ✓ [342573-75-5]	1-Ethyl-3-Methylimidazolium Ethyl Sulfate (EMIM EtOSO3) extrapure, 99%	5 Gms 25 Gms	27.90 90.15	97625 [10031-53-5]	Europium (III) Nitrate Hexahydrate ultrapure, 99.99%	5 Gms 25 Gms	85.41 246.09
34543 ✓ [155371-19-0]	1-Ethyl-3-Methylimidazolium Hexafluorophosphate (EMIM PF6) extrapure, 97%	5 Gms 25 Gms	19.74 81.59	44088 [1308-96-9]	Europium (III) Oxide extrapure, 99.9%	1 Gms 5 Gms	19.35 69.09
96150 ✓ [80432-05-9]	1-Ethyl-3-Methylimidazolium Tetrachloroaluminate (EMIM AlCl4) extrapure, 95%	5 Gms 25 Gms	31.58 118.44	91883 [52093-25-1]	Europium (III) Trifluoromethanesulfonate extrapure, 98% (Europium Triflate, Trifluoromethanesulfonic Acid Europium Salt)	1 Gms 5 Gms	26.32 66.33
60887 ✓ [143314-16-3]	1-Ethyl-3-Methylimidazolium Tetrafluoroborate (EMIM BF4) extrapure, 97%	5 Gms 25 Gms	62.38 80.41	46650 [314-13-6]	Evans Blue	10 Gms 25 Gms	22.24 52.64
90329 ✓ [145022-44-2]	1-Ethyl-3-Methylimidazolium Trifluoromethanesulfonate (EMIM Otf), 98% (1-Ethyl-3-Methylimidazolium Triflate)	1 Gms 5 Gms 25 Gms	17.11 52.64 160.55	33138 [14263-94-6]	Exton's Reagent	100 ml	3.03
49544 [104-90-5]	5-Ethyl-2-Methylpyridine pure, 97%	100 ml 250 ml	11.32 20.00	66977 ⚠ [14263-94-6]	Fast Blue B Salt (DBB) (o-Dianisidine bis(Diazotized) Zinc Double Salt, Azoic Diazo No. 48, Diazo Blue B)	25 Gms 100 Gms 500 Gms	9.21 32.90 144.76
				94315 ⚠ [5486-84-0]	Fast Blue BB Salt Hemi Zinc Chloride Salt, 99% (4-Amino-2,5-Diethoxybenzaniide Diazotated Zinc Double Salt, 4-Benzoylamino-2,5-Diethoxybenzenediaz)	5 Gms 10 Gms 25 Gms	31.72 52.77 79.09



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
62003 [14726-29-5]	Fast Blue RR Hemi(Zinc Chloride) Salt 4-Benzoylamino-2,5-Dimethoxybenzenediazonium Chloride Hemi(Zinc Chloride) salt, Azoic Diazo No. 24S	1 Gms 5 Gms	52.64 236.88	50389 [2321-07-5]	Fluorescein Free Acid (C.I. No. 45350:1), 96% (Solvent Yellow 94)	25 Gms 100 Gms	3.55 11.84
60339 [2353-45-9]	Fast Green FCF (Food Green 3), 85% (C.I. No. 42053)	5 Gms 25 Gms	5.26 20.00	73698 [3326-32-7]	Fluorescein Isothiocyanate Isomer I (FITC) extrapure, 95%	25 Mg 100 Mg 250 Mg 1 Gms	30.40 46.06 107.91 282.94
79950 [89453-69-0]	Fast Red TR Salt Hemi Zinc Chloride Salt (4-Chloro-2-Methylbenzenediazonium Salt, Azoic Diazo No.11) (C.I. No. 37085)	100 Mg 500 Mg	35.14 140.55	55091 [518-47-8]	Fluorescein Sodium Salt (C.I. No. 45350) (Acid Yellow 73)	25 Gms 100 Gms 1 Kg	4.21 15.79 138.18
14977 [102-54-5]	Ferrocene extrapure, 98%	25 Gms 100 Gms 500 Gms	6.58 25.00 111.86	92458 [403-42-9]	4-Fluoroacetophenone pure, 98%	25 Gms 100 Gms	18.82 59.22
38082 [69898-45-9]	Ferrozine Monosodium extrapure, 97% (5,6-Diphenyl-3-(2-pyridyl)-1,2,4-triazine-4',4''-disulfonic acid sodium salt, PDT disulfonate)	1 Gms 5 Gms 25 Gms	27.77 123.05 584.17	57482 [348-54-9]	2-Fluoroaniline pure, 98%	100 ml 500 ml	26.32 121.07
60096 [1135-24-6]	Ferulic Acid pure, 98% (4-Hydroxy-3-Methoxycinnamic Acid)	5 Gms 25 Gms 100 Gms	10.92 31.72 111.99	61820 [372-19-0]	3-Fluoroaniline pure, 98%	25 ml 100 ml	39.48 151.34
45460 [26873-85-8]	Ficoll 400® for molecular biology (Polysucrose 400)	5 Gms 25 Gms 100 Gms	27.37 124.89 468.10	62395 [371-40-4]	4-Fluoroaniline pure, 98%	100 ml 500 ml	23.69 110.54
87939 [146-14-5]	Flavine Adenine Dinucleotide Sodium Salt (FAD) extrapure, 95%	25 Mg 100 Mg 250 Mg 500 Mg	28.16 90.54 156.08 280.97	55482 [321-28-8]	2-Fluoroanisole pure, 98%	25 ml 100 ml	41.45 131.34
69510 [525-82-6]	Flavone extrapure	5 Gms 25 Gms	10.53 47.38	45810 [456-49-5]	3-Fluoroanisole pure, 98%	25 Gms 100 Gms	34.61 124.36
89465 [1343-88-0]	Florisil 60-100 mesh for chromatography	100 Gms 250 Gms 1 Kg	32.90 65.80 250.04	51009 [459-60-9]	4-Fluoroanisole extrapure, 99%	25 Gms 100 Gms	15.79 59.22
22239 [86386-73-4]	Fluconazole (FLC), 98%	1 Gms 5 Gms	10.53 21.06	90335 [459-57-4]	4-Fluorobenzaldehyde pure, 98%	100 ml 500 ml	46.06 184.24
54083 [28920-43-6]	9-Fluorenylmethyl Chloroformate (Fmoc Chloride, Fmoc-Cl) extrapure, 99%	5 Gms 25 Gms 100 Gms	5.92 23.69 85.54	88879 [462-06-6]	Fluorobenzene pure, 99%	100 ml 500 ml 1000 ml	13.16 52.64 100.02
29175 [24324-17-2]	9-Fluorenylmethanol (Fmoc-OH) extrapure, 98% (9-Fluorenemethanol, 9-(Hydroxymethyl)fluorene)	25 Gms 100 Gms	28.95 92.12	68427 [456-22-4]	4-Fluorobenzoic Acid pure, 98%	25 Gms 100 Gms	11.05 30.40
46068 [38183-12-9]	Fluorescamine extrapure AR, 99%	25 Mg 100 Mg 500 Mg 1 Gms	22.11 56.72 124.36 183.19	94304 [1194-02-1]	4-Fluorobenzonitrile pure, 98%	25 ml 100 ml	31.98 111.20
85445 [38183-12-9]	Fluorescamine extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	25 Mg 100 Mg 500 Mg	24.87 60.80 141.73	13212 [140-75-0]	4-Fluorobenzylamine extrapure, 99%	5 Gms 25 Gms	11.05 29.08
				11821 [2341-22-2]	5-Fluorocytidine (5-FCytd) extrapure, 99%	1 Gms	55.27
				24245 [2022-85-7]	5-Fluorocytosine (5-FCtys) extrapure, 98% (5-FA, 4-Amino-5-Fluoro-2-Hydroxypyrimidine)	1 Gms 5 Gms	27.64 89.88
				81015 [50-91-9]	5-Fluoro-2-Deoxyuridine extrapure, 98%	25 Mg 100 Mg 1 Gms	22.11 69.22 426.91
				67782 [70-34-8]	1-Fluoro-2,4-Dinitrobenzene (FDNB) extrapure AR, 99%	25 ml 100 ml 250 ml	18.42 63.17 134.89
				42199 [70-34-8]	1-Fluoro-2,4-Dinitrobenzene (FDNB) for HPLC, 99% (Sanger Reagent)	5 ml	105.28



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
68632 [179897-94-0]	5-Fluoro-2-Methoxyphenyl Boronic Acid extrapure, 95%	5 Gms 10 Gms	65.80 105.28	97306 [86060-81-3]	● FMOC-S-Acetamido Methyl-L-Cysteine (Fmoc-Cys(Acm)-OH) extrapure, 98%	5 Gms 25 Gms	26.32 118.44
78447 [350-46-9]	1-Fluoro-4-Nitrobenzene extrapure, 99%	100 Gms 500 Gms	18.42 72.38	77535 [79990-15-1]	● FMOC-D-Alanine extrapure, 99%	5 Gms 25 Gms	32.51 105.28
27492 [3013-27-2]	♻️ 2-Fluoro-3-Nitrotoluene extrapure, 98% (3-Fluoro-2-nitrotoluene)	1 Gms	52.64	33213 [35661-39-3]	● FMOC-L-Alanine extrapure, 99%	5 Gms 25 Gms 100 Gms	6.84 30.27 111.20
78510 [703-95-7]	■ 5-Fluoroorotic Acid (5-FOA) for molecular biology , 98%	250 Mg 1 Gms	52.25 171.74	81433 [135112-27-5]	● FMOC-2-Aminobutric Acid extrapure, 99%	1 Gms 5 Gms	48.03 218.59
50958 [207291-81-4]	■ 5-Fluoroorotic Acid Hydrate (5-FOA Hydrate) for molecular biology , 98%	250 Mg 1 Gms	55.27 179.11	66725 [130752-32-8]	● FMOC-D-Arginine extrapure, 99%	1 Gms 5 Gms 25 Gms	28.69 127.26 572.46
11933 [220141-70-8]	■ 5-Fluoroorotic Acid Monohydrate (5-FOA Monohydrate) for molecular biology , 98%	250 Mg 1 Gms	53.82 176.21	88459 [91000-69-0]	● FMOC-L-Arginine extrapure, 98%	1 Gms 5 Gms 25 Gms 100 Gms	5.66 19.35 81.33 292.15
66079 [367-12-4]	2-Fluorophenol pure, 98%	10 ml 100 ml	22.77 117.26	23508 [108321-39-7]	● FMOC-D-Asparagine extrapure, 99%	1 Gms 5 Gms 25 Gms	9.48 39.48 164.50
47982 [372-20-3]	3-Fluorophenol pure, 98%	10 ml 50 ml	44.88 152.00	66815 [71989-16-7]	● FMOC-L-Asparagine extrapure, 99%	5 Gms 25 Gms 100 Gms	6.84 30.27 111.20
41593 [371-41-5]	4-Fluorophenol pure, 98%	100 Gms 500 Gms	44.88 170.82	49323 [132388-59-1]	● FMOC-N-Trityl-L-Asparagine (FMOC-Asn(Trt)-OH) extrapure, 99%	5 Gms 100 Gms	46.19 292.15
10573 [405-50-5]	4-Fluorophenylacetic Acid pure, 98%	5 Gms 25 Gms 100 Gms	12.63 37.11 113.97	30074 [119062-05-4]	● FMOC-L-Aspartic Acid extrapure, 99%	1 Gms 5 Gms	90.15 162.26
86567 [2629-55-2]	♻️ o-Fluoro-DL-Phenylalanine extrapure, 99%	1 Gms	97.65	59022 [86060-84-6]	● FMOC-L-Aspartic Acid-4- Benzy Ester extrapure, 98%	10 Gms 25 Gms	150.16 262.54
53933 [2629-54-1]	♻️ m-Fluoro-DL-Phenylalanine extrapure, 98%	500 Mg	58.04	24407 [53298-33-2]	● FMOC-S-Benzyl-L-Cysteine extrapure, 98%	10 Gms 25 Gms	159.89 279.78
96044 [51-65-0]	♻️ p-Fluoro-DL-Phenylalanine extrapure, 99%	1 Gms	97.65	52208 [83792-48-7]	● FMOC-O-Benzyl-L-Serine extrapure, 98%	10 Gms 25 Gms	366.24 640.76
11280 [1993-03-9]	2-Fluorophenylboronic Acid extrapure, 97%	1 Gms 5 Gms 25 Gms	12.90 26.19 114.62	31407 [71989-40-7]	● FMOC-O-Benzyl-L-Tyrosine extrapure, 98%	10 Gms 25 Gms	150.16 262.81
54271 [768-35-4]	3-Fluorophenylboronic Acid extrapure, 98%	1 Gms 5 Gms 25 Gms	10.40 22.64 96.46	22303 [200344-33-8]	● FMOC-D-Citrulline extrapure, 99%	100 Mg 1 Gms	40.27 59.88
68733 [1765-93-1]	4-Fluorophenylboronic Acid extrapure, 98%	1 Gms 5 Gms 25 Gms 100 Gms	9.74 22.64 80.41 289.39	61458 [133174-15-9]	● FMOC-L-Citrulline extrapure, 99% (FMOC-CIT-OH)	1 Gms 5 Gms	23.56 82.91
37042 [352-32-9]	4-Fluorotoluene pure, 99%	100 ml	37.51	65668 [135248-89-4]	● FMOC-L-Cysteine extrapure, 95%	25 Mg 100 Mg	59.09 196.61
21015 [446-11-7]	4-Fluoro-3-Nitrotoluene extrapure, 98%	5 Gms 25 Gms	26.32 92.12	86254 [121343-82-6]	● FMOC-L-Glutamic Acid extrapure, 99%	10 Gms 25 Gms	65.67 129.49
15088 [51-21-8]	♻️ 5-Fluorouracil (5-FU) extrapure, 99%	1 Gms 5 Gms 25 Gms	6.97 22.11 74.62	68902 [123639-61-2]	● FMOC -L-Glutamic Acid g-Benzyl Ester extrapure, 98%	10 Gms 25 Gms	151.87 265.70
28329 [316-46-1]	♻️ 5-Fluorouridine (5-FUrd) extrapure, 98%	1 Gms 5 Gms	55.27 131.34	90673 [71989-18-9]	● FMOC-L-Glutamic Acid 5-Tert-Butyl Ester (FMOC-Glu(OtBu)-OH) extrapure, 99%	10 Gms 25 Gms 100 Gms	62.38 155.68 294.92
53061	● FMOC-L-Amino Acids Kit	1 Kit	356.37				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
21323	● Fmoc-D-Glutamic Acid 5-Tert-Butyl Ester (Fmoc-D-Glu(OtBu)-OH) extrapure, 99%	5 Gms 25 Gms	39.48 157.92	47450	● Fmoc-D-Phenylalanine extrapure, 99%	1 Gms 5 Gms 25 Gms 100 Gms	8.29 33.69 117.78 423.75
59874	● Fmoc-D-Glutamine extrapure, 99%	500 Mg 2.5 Gms 25 Gms	8.29 33.16 294.26	39061	● Fmoc-L-Phenylalanine extrapure, 99%	5 Gms 25 Gms	7.90 26.32
27631	● Fmoc-L-Glutamine extrapure, 99%	25 Gms 100 Gms	23.69 78.96	54836	● Fmoc-D-Phenylglycine extrapure, 98%	25 Gms	65.80
21282	● Na-Fmoc-No-Trityl-L-Glutamine (Fmoc-Gln(TRT)-OH) extrapure, 98%	5 Gms 100 Gms	32.90 236.88	33014	● Fmoc-L-Phenylglycine extrapure, 98%	10 Gms 25 Gms	23.69 39.48
18680	● Fmoc-Glycine extrapure, 99%	5 Gms 25 Gms	11.05 35.93	53412	● Fmoc-D-Proline extrapure, 99%	5 Gms	56.98
17849	● Fmoc-L-Histidine extrapure, 98%	5 Gms	50.80	12047	● Fmoc-L-Proline extrapure, 99%	5 Gms 25 Gms 100 Gms	8.29 34.35 121.07
90688	● Fmoc-D-Isoleucine extrapure, 99%	500 Mg	225.83	53534	● Fmoc-D-Serine extrapure, 99%	25 Gms	65.80
22834	● Fmoc-L-Isoleucine extrapure, 99%	5 Gms 25 Gms 100 Gms	8.29 34.35 121.07	18126	● Fmoc-L-Serine extrapure, 99%	1 Gms 5 Gms	19.61 42.51
16515	● Fmoc-D-Leucine extrapure, 99%	1 Gms 5 Gms 25 Gms	8.29 33.16 138.05	13334	● Fmoc-O-Tert-Butyl-L-Serine (Fmoc-Ser(tBu)-OH) extrapure, 99%	10 Gms 100 Gms	39.48 210.56
99284	● Fmoc-L-Leucine extrapure, 99%	25 Gms 100 Gms	30.27 85.41	56859	● Fmoc-D-Threonine extrapure, 98%	1 Gms 5 Gms	46.06 171.08
20340	● Na-Fmoc-Nε-BOC-L-Lysine (Fmoc-Lys(BOC)-OH) extrapure, 98%	10 Gms 25 Gms 100 Gms	40.80 96.73 172.79	64712	● Fmoc-L-Threonine extrapure, 99%	5 Gms 25 Gms 100 Gms	12.63 53.03 189.37
67377	● Fmoc-N-ε-Z-L-Lysine extrapure, 98%	10 Gms 25 Gms	187.66 319.00	36877	● Na-Fmoc-N(im)-Trityl-L-Histidine (Fmoc-His(Trt)-OH) extrapure, 99%	10 Gms 100 Gms	39.48 210.56
77712	● Fmoc-L-Lysine extrapure, 99%	1 Gms 5 Gms	18.56 70.80	38217	● Fmoc-O-Tert-Butyl-D-Threonine (Fmoc-D-Thr(tBu)-OH) extrapure, 98%	1 Gms 5 Gms	19.74 78.96
23694	● Fmoc-D-Methionine extrapure, 99%	1 Gms 5 Gms 25 Gms	13.69 56.98 237.27	42366	● Fmoc-D-Tryptophan extrapure, 99%	5 Gms 25 Gms	28.95 105.28
50606	● Fmoc-L-Methionine extrapure, 99%	5 Gms 25 Gms 100 Gms	6.84 30.27 111.20	70309	● Fmoc-L-Tryptophan extrapure, 99%	5 Gms 25 Gms	13.16 34.61
61215	● N-α-Fmoc-N-ε-4-Methyltrityl-L-Lysine (Fmoc-Lys(MTT)-OH) extrapure, 98%	1 Gms 5 Gms	39.48 144.76	96532	● Na-Fmoc-N(in)-BOC-D-Tryptophan (Fmoc-D-Trp(BOC)-OH) extrapure, 98%	1 Gms 5 Gms	28.95 105.28
95562	● Fmoc-D-Norleucine extrapure, 99%	1 Gms 5 Gms	50.14 228.06	54034	● Fmoc-D-Tyrosine extrapure, 99%	1 Gms 5 Gms 25 Gms	13.69 56.98 237.27
35941	● Fmoc-L-Norleucine extrapure, 99%	1 Gms 5 Gms	35.53 161.34	79199	● Fmoc-L-Tyrosine extrapure, 99%	5 Gms 25 Gms 100 Gms	18.82 78.96 278.47
73648	● Fmoc-D-Norvaline extrapure, 99%	1 Gms 5 Gms	50.14 228.06	22292	● Fmoc-O-Tert-Butyl-L-Tyrosine (Fmoc-Tyr(tBu)-OH) extrapure, 98%	5 Gms 100 Gms	27.77 210.56
31631	● Fmoc-L-Norvaline extrapure, 99%	1 Gms 5 Gms	39.74 180.69	15917	● Fmoc-D-Valine extrapure, 99%	1 Gms 5 Gms 25 Gms	17.90 73.96 308.08
24626	● Fmoc-4-Nitro-L-Phenylalanine extrapure (Fmoc-L-Phe(4NO2)-OH), 98%	10 Gms 25 Gms	112.52 196.74				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
47834 ● Fmoc-L-Valine extrapure, 99% [68858-20-8]		5 Gms	5.40	81309 ✓ 2-Furoic Acid pure, 98% [88-14-2] (Furan-2-Carboxylic Acid)		100 Gms	13.16
		25 Gms	24.61			500 Gms	50.01
		100 Gms	92.25				
79235 ● Fmoc-OSu extrapure AR, 99% [82911-69-1]		5 Gms	8.55	81294 ✓ 3-Furoic Acid pure, 98% [488-93-7] (Furan-3-Carboxylic Acid)		5 Gms	32.90
		25 Gms	31.58			25 Gms	125.02
		100 Gms	95.41	99124 ✓ 2-Furoyl Chloride pure, 98% [527-69-5] (Furan-2-Carbonyl Chloride)		20 ml	19.74
		500 Gms	434.28			100 ml	65.80
33866 ✓ Folic acid (ATCA, NATCA) pure, 99% [5025-82-1/54 323-50-1] (3-Acetyl-1,3-Thiazolidine-4-Carboxylic acid, R-Aminofol)		1 Gms	21.06	90068 ✓ 3-Furoyl Chloride pure, 97% [26214-65-3] (Furan-3-Carbonyl Chloride)		1 Gms	52.64
		5 Gms	65.80			5 Gms	190.82
43164 ✓ Folic Acid pure, 98% [59-30-3] (Vitamin B9, Vitamin M, Pteroyl-L-Glutamic acid)		25 Gms	6.58	79108 ✓ Furfurylacrylic Acid pure, 99% [539-47-9] (3-(2-Furyl)acrylic Acid, Furan-2-Acrylic Acid, Furfurylideneacetic Acid)		25 Gms	26.58
		100 Gms	23.69		58327 ⚠ G-418 Sulphate (Geneticin) extrapure [108321-42-2]		100 Mg
		500 Gms	105.28			1 Gms	82.91
24791 ✓ Folic Acid ExiPlus, Multi-Compendial, 98% [59-30-3] (Vitamin B9, Vitamin M, Pteroyl-L-Glutamic acid) meets compendial specs of BP		10 Gms	4.21	87858 ⚠ G-418 Sulphate (Geneticin) for tissue culture [108321-42-2]		100 Mg	29.22
		25 Gms	8.55			1 Gms	106.07
17989 ✓ Folic Acid for tissue culture, 98% [59-30-3] (Vitamin B9, Vitamin M, Pteroyl-L-Glutamic acid)		25 Gms	9.21			5 Gms	480.47
		100 Gms	28.95	45734 Gaby-Hadley Reagent A		100 ml	3.95
		500 Gms	128.97			100 ml	5.66
39520 Folin & Ciocalteus Phenol (FCP) Reagent AR		100 ml	7.90	94536 Gaby-Hadley Reagent B		100 ml	5.66
		250 ml	18.42		45781 Gadolinium (III) Chloride Hexahydrate ultrapure, 99.99% [13450-84-5]		5 Gms
		500 ml	32.90			25 Gms	65.80
64684 Folin's Uric Acid Reagent		250 ml	7.76	10438 Gadolinium (III) Nitrate Hexahydrate ultrapure, 99.99% [19598-90-4]		5 Gms	34.22
49244 ✓ Forchlorfenuron (KT-30, CPPU, N-(2-Chloro-4-pyridyl)-N-phenylurea) extrapure, 99% [68157-60-8]		1 Gms	40.01			25 Gms	69.75
		5 Gms	96.86	31353 Gadolinium (III) Oxide extrapure, 99.9% [12064-62-9]		5 Gms	12.11
53870 4-Formylphenylboronic Acid extrapure, 95% [87199-17-5]		5 Gms	20.40			25 Gms	44.22
		25 Gms	81.59			100 Gms	156.60
85925 Fouchet's Reagent		100 ml	3.29	52480 Gadolinium (III) Trifluoromethanesulfonate extrapure, 98% [52093-29-5] (Gadolinium(III) Triflate, Trifluoromethanesulfonic Acid Gadolinium(III) Salt)		1 Gms	24.87
54704 ● D-Fructose-1,6-Diphosphate Octahydrate Trisodium Salt extrapure, 99% [81028-91-3]		250 Mg	6.32			5 Gms	55.27
		1 Gms	16.45	14725 D-Galactosamine Hydrochloride extrapure, 98% [1772-03-8]		250 Mg	7.63
25760 ● D-Fructose-6-Phosphate Disodium Salt extrapure, 95% [26177-86-6]		100 Mg	41.72			1 Gms	18.42
		500 Mg	124.89		5 Gms	55.27	
73212 ⚠ L-Fucose extrapure, 99% [2438-80-4] (L-Fuc, 6-Deoxy-L-Galactose)		500 Mg	20.00	88176 D-Galactose extrapure [59-23-4]		25 Gms	6.58
		1 Gms	32.37			100 Gms	19.74
		5 Gms	130.68			500 Gms	81.59
76007 ⚠ D-(+)-Fucose extrapure [3615-37-0] (6-Deoxy-L-Galactose, Rhodose)		500 Mg	94.75	27146 ■ B-Galactosidase (BGAL) ex. E. Coli, 500U/mg solids [9031-11-2] (Lactase, B-D-Galactoside Galactohydrolase)		5 K.Units	507.32
		1 Gms	164.50		20096 β-D-Galactose Pentaacetate extrapure, 99% [4163-60-4]		25 Gms
47462 Furfural pure, 99% [98-01-1]		500 ml	9.21	83055 ■ Galantamine Hydrobromide extrapure, 98% [1953-04-4]			250 Mg
		2500 ml	36.85		14101 Gallium (III) Nitrate Hydrate extrapure, 99.9% [69365-72-6]		5 Gms
86133 Furfural extrapure AR, ACS, 99% [98-01-1]		500 ml	14.87			25 Gms	193.32
	11049 Furfurylamine pure, 98% [617-89-0]		500 ml	19.48	23813 ⚠ Geldanamycin (GLD), 98% [30562-34-6]		5 Mg
		2500 ml	76.06				
18641 Furosemide (Frusemide), 98.5% [54-31-9]		5 Gms	46.85				
		25 Gms	130.68				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
72394 [71010-52-1]	Gelrite Gellan Gum	100 Gms 250 Gms 500 Gms 1 Kg 5 Kg	26.45 62.12 113.97 191.48 893.17	57400 [52153-09-0]	L-Glucono-1,5-Lactone pure, 85% (3,4,5-Trihydroxy-6-(Hydroxymethyl)Tetrahydro-2H-Pyran-2-one, L-Gluconolactone)	25 Mg	85.67
53409 [6902-77-8]	Genipin extrapure, 98%	25 Mg 100 Mg	39.48 105.28	55195 [90-80-2]	D-Glucono-1,5-Lactone extrapure, 99% (D-(+)-Gluconic Acid d-Lactone, D-Gluconolactone, Glucono-Delta-Lactone)	100 Gms 500 Gms	20.79 31.85
37636 [1405-41-0]	Gentamicin Sulphate (GM)	1 Gms 5 Gms 25 Gms	5.40 21.58 80.01	74587 [21414-41-5]	Glucoraphanin Potassium Salt Reference Standard Grade, 90% (4-Methylsulfinylbutyl Glucosinolate Potassium Salt)	10 Mg	442.18
50827 [1405-41-0]	Gentamicin Sulphate (GM) for tissue culture	1 Gms 5 Gms 25 Gms	12.63 31.58 103.83	15546 [108844-81-1]	Glucoraphenin Potassium Salt Reference Standard Grade, 95% (4-Methylsulfinyl 3-Butenylglucosinolate Potassium Salt)	10 Mg	483.63
95677 [554-91-6]	β-D-Gentiobiose extrapure, 95% (Amygdalose)	100 Mg 500 Mg	36.85 118.44	73360 [32449-92-6]	D-Glucono-3,6-Lactone extrapure, 99%	25 Gms 100 Gms 500 Gms	30.40 45.53 135.42
32614 [1310-53-8]	Germanium Dioxide electronic grade ultrapure, 99.999%	10 Gms 25 Gms 100 Gms	93.70 221.09 616.28	28453 [9032-08-0]	Glucosylase ex. Rhizopus Sp., 30U/mg	1000 Units	92.78
56397 [4562-36-1]	Gitoxin extrapure, 98%	5 Mg 25 Mg 500 Mg	78.96 157.92 684.32	45648 [66-84-2]	Glucosamine Hydrochloride extrapure, 99%	25 Gms 100 Gms 500 Gms	9.87 21.71 90.15
38490 [5996-06-5]	Glaucine Hydrobromide, 97%	10 Gms	78.96	14810 [9028-53-9]	Glucose Dehydrogenase ex. Microorganism, 250U/mg	5 K.Units	203.98
76052 [9074-98-0]	β-Glucanase ex. Aspergillus Niger, 10U/mg powder	5 Gms 25 Gms	11.84 52.64	61788 [9001-37-0]	Glucose Oxidase (GOD) ex. Aspergillus Niger, 100U/mg solids	10 K.Units 25 K.Units	28.56 64.09
40193 [21087-78-5]	Glucobarbarin Potassium Salt Reference Standard Grade, 90%	10 Mg	621.81	12419 [604-68-2]	α-D-Glucose Pentaacetate extrapure, 99%	25 Gms	16.58
63878 [15592-36-6]	Glucosaminyl Potassium Salt Reference Standard Grade, 95% (3-Methylsulfonylpropyl Glucosinolate Potassium Salt)	10 Mg	759.99	65776 [604-69-3]	β-D-Glucose Pentaacetate extrapure, 99%	25 Gms 100 Gms	14.21 46.98
61404 [15592-37-7]	Glucosaminyl Potassium Salt Reference Standard Grade, 95% (4-Methylthiobutyl Glucosinolate Potassium Salt)	10 Mg	773.81	23208 [6736-77-2 (anhy)]	D-Glucose-1-Phosphate Dipotassium Salt Hydrate (G1P.K2 Hydrate) extrapure, 98% (Cori Ester Dipotassium Salt Hydrate)	1 Gms 5 Gms	19.35 89.88
97968 [60046-25-5]	D-Glucoheptonic Acid-1,4-Lactone pure, 98% (D-Glycero-D-Gulo-Heptono-1,4-Lactone, D-Gluco-Heptono-Gamma-Lactone)	5 Gms 10 Gms	100.02 192.27	62591 [150399-99-8]	D-Glucose-1-Phosphate Disodium Salt Tetrahydrate (G1P.Na2 Tetrahydrate) extrapure, 98% (Cori Ester Disodium Salt Tetrahydrate)	1 Gms 5 Gms 25 Gms	7.63 27.64 127.92
20378 [15592-34-4]	Glucosaminyl Potassium Salt Reference Standard, 85% (3-Methylsulfinylpropyl Glucosinolate Potassium Salt)	10 Mg	469.81	32994 [3671-99-6]	D-Glucose-6-Phosphate Disodium Salt Dihydrate (G6P.Na2 Dihydrate) extrapure, 99% (Robinson Ester)	1 Gms 5 Gms 25 Gms	13.42 57.90 276.36
84553 [245550-57-6]	Glucosaminyl Potassium Salt Reference Standard, 90% (3-Butenyl Glucosinolate Potassium Salt)	10 Mg	469.81	74262 [9001-40-5]	Glucose-6-Phosphate Dehydrogenase ex. Leuconostoc Mesenteroides, 400U/mg solids	1 K.Units 5 K.Units	99.75 270.44
27429 [18425-76-8]	Glucosaminyl Potassium Salt Reference Standard, 95% (2-Phenylethyl Glucosinolate Potassium Salt)	10 Mg	580.36	11997 [9001-40-5]	α-Glucose-6-Phosphate-Dehydrogenase ex. Leuconostoc Mesenteroides, 500U/mg solids	5 K.Units	110.81
45063 [1198-69-2]	D-Glucono-1,4-Lactone pure, 85%	50 Mg	93.96	75551 [9001-42-7]	α-Glucosidase (Maltase) ex. Yeast, 100U/mg	10 Mg 100 Mg	42.24 382.30
				13275 [9001-22-3]	β-Glucosidase ex. Sweet Almonds (Type 2A), 10U/mg solids (Gentiobiase, Cellobiase)	250 Units 1000 Units	49.22 111.86
				41369 [9001-22-3]	β-Glucosidase ex. Sweet Almonds (Type 2B), 10U/mg solids (Gentiobiase, Cellobiase)	25 Mg 100 Mg 1 Gms	26.32 78.96 289.52



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
70077 [5115-71-9]	■ Glucotropaeolin Potassium Salt Reference Standard Grade, 95%	10 Mg	236.88	11514 [70-18-8]	● Glutathione Reduced (GSH) for molecular biology, 99.5%	1 Gms 5 Gms 25 Gms 100 Gms	9.74 28.29 106.07 246.22
88229 [6556-12-3]	✓ D-Glucuronic Acid extrapure, 98%	1 Gms 5 Gms 25 Gms	12.50 46.06 157.92	14210 [453-17-8]	✓ D-(+)-Glyceraldehyde extrapure, 85%	1 Gms	197.40
74117 [9029-12-3]	■ Glutamate Dehydrogenase (L-GLDH) ex. Bovine Liver, 10U/mg	100 Mg	107.65	62423 [9030-66-4]	■ Glycerol Kinase (GK) ex. Microorganism, 30U/mg solids	1 K.Units	124.63
61126 [6893-26-1]	D-Glutamic Acid extrapure CHR, 99%	1 Gms 5 Gms	8.29 22.11	36324 [9075-65-4]	■ Glycerol-3-Phosphate Dehydrogenase ex. Rabbit Muscle, 15U/mg	500 Units	90.80
20655 [72669-53-5]	⚗ g-L-Glutamic Acid 7-Amido-4-Methylcoumarin extrapure, 98% (γ-L-Glutamic Acid-AMC)	10 Mg 25 Mg 100 Mg	89.62 174.11 497.32	36451 [106-91-2]	Glycidyl Methacrylate pure, 97%	100 ml 500 ml	8.82 31.85
76228 [1676-73-9]	● L-Glutamic Acid r-Benzyl Ester extrapure, 99% (5-Benzyl-L-Glutamate)	5 Gms 25 Gms 100 Gms	15.79 32.90 105.28	63956 [113728-13-5]	⚗ Glycine-7-Amido-4-Methylcoumarin Hydrobromide Salt extrapure, 98% (Glycine-AMC.HBr sal)	10 Mg 25 Mg	131.34 255.30
98087 [9000-97-9]	■ Glutamic Oxaloacetic Transaminase (GOT) ex. Porcine Heart, 180U/mg Solids	1 K.Units	184.50	56204 [2462-31-9]	■ Glycine Benzyl Ester Hydrochloride extrapure, 98%	5 Gms 25 Gms	39.09 151.73
17632 [5959-95-5]	D-Glutamine extrapure, 99%	1 Gms 5 Gms	39.48 72.38	67536 [1738-76-7]	⚗ Glycine Benzyl Ester p-Toluene Sulfonate extrapure, 98%	25 Gms	79.62
12381 [56-85-9]	L-Glutamine extrapure CHR, 99%	100 Gms 500 Gms 1 Kg	10.53 42.11 78.96	85055 [107-43-7]	⚗ Betaine (Glycine Betaine) pure, 98%	25 Gms 100 Gms 500 Gms	11.84 25.00 65.80
31498 [67953-08-6]	⚗ L-r-Glutamyl-p-Nitroanilide Hydrochloride extrapure, 99%	500 Mg 1 Gms	36.06 60.54	99993 [623-33-6]	⚗ Glycine Ethyl Ester Hydrochloride extrapure, 99%	100 Gms 500 Gms	7.37 28.56
37394 [110-94-1]	✓ Glutaric Acid pure, 99%	100 Gms 500 Gms	12.63 57.77	18308 [7758-33-0]	⚗ Glycyl Histidine Glycine extrapure, 95%	100 Mg	120.28
87175 [108-55-4]	✓ Glutaric Anhydride pure, 98%	100 Gms 500 Gms	19.74 78.96	47055 [72957-37-0]	⚗ Glycine-L-Histidine-L-Lysine extrapure, 98%	100 Mg	160.68
94980 [27025-41-8]	● Glutathione Oxidized (GSSG) extrapure, 99%	250 Mg 1 Gms 5 Gms 25 Gms 100 Gms	17.77 46.72 201.35 552.72 1118.60	98803 [31692-85-0]	GlycofuroI extrapure, 99% (Tetraglycol, Tetrahydrofurfuryl alcohol Polyethylene GlycoI ether)	100 ml 500 ml	39.48 157.92
41422 [27025-41-8]	● Glutathione Oxidized (GSSG) ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	1 Gms 25 Gms 100 Gms	59.75 592.20 1381.80	74078 [9005-79-2]	⚗ Glycogen ex. Oyster extrapure, 85%	5 Gms 25 Gms	44.74 197.40
22151 [27025-41-8]	● Glutathione Oxidized (GSSG) for molecular biology, 99.5%	250 Mg 1 Gms 5 Gms	39.48 65.67 302.68	49740 [9005-79-2]	⚗ Glycogen ex. Oyster for molecular biology, 85%	1 Gms 5 Gms 25 Gms	13.16 53.96 248.72
48938 [70-18-8]	● Glutathione Reduced (GSH) extrapure, 99%	5 Gms 25 Gms 100 Gms	11.19 50.01 184.24	50006 [23147-58-2]	✓ Glycolaldehyde Dimer extrapure, 95%	500 Mg	52.51
16111 [70-18-8]	● Glutathione Reduced (GSH) for tissue culture, 99.5%	1 Gms 5 Gms 25 Gms	5.00 22.90 91.20	50391 [64480-66-6]	⚗ Glycoursodeoxycholic Acid (GUDCA) extrapure, 97% (Glycylursodeoxycholic Acid, Ursodeoxycholylglycine)	1 Gms 5 Gms	61.59 224.51
77285 [70-18-8]	● Glutathione Reduced (GSH) ExiPlus, Multi-Compendial, 99% meets compendial specs of Ph.Eur	5 Gms 25 Gms	25.66 85.41	97291 [13115-71-4]	⚗ Glycyl-L-Glutamine extrapure, 99%	1 Gms 5 Gms	25.79 103.04
				11530 [556-50-3]	⚗ Glycyl Glycine extrapure, 99%	10 Gms 25 Gms 100 Gms	12.37 27.37 86.07
				72998 [102601-58-1]	⚗ Z-Glycyl-Glycyl-L-Arginine 7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 95% (Z-Glycine-Glycine-Arginine-AMC.HCl Salt)	5 Mg 25 Mg	123.18 512.58
				15746 [65022-15-3]	■ Z-Glycyl-L-Proline-4-Nitroanilide (Z-Gly-Pro-4-Nitroanilide) extrapure, 98%	25 Mg 100 Mg	52.64 105.28



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
41675 [556-33-2]	Glycyl-Glycyl-L-Glycine (Triglycine) extrapure, 99%	1 Gms	21.58	11777 [6322-07-2]	D-Gulono-1,4-Lactone extrapure, 98%	1 Gms	30.79
		5 Gms	96.20			5 Gms	147.66
		25 Gms	353.61				
27057 [69242-40-6]	Glycyl-Glycyl-L-Isoleucine extrapure, 99%	1 Gms	61.33	97514 [1128-23-0]	L-Gulono-1,4-Lactone extrapure, 98%	10 Gms	71.59
		5 Gms	252.41			25 Gms	129.10
70039 [14857-82-0]	Glycyl-Glycyl-L-Leucine extrapure, 99%	1 Gms	58.83	37421	Gunzburg Reagent	100 ml	8.16
		5 Gms	248.72				
29764 [20274-89-9]	Glycyl-Glycyl-L-Valine extrapure, 99%	25 Mg	93.70	95068 [9008-02-0]	Haemoglobin Powder ex. Bovine Erythrocytes	100 Gms	25.66
		100 Mg	280.97				
82725 [19461-38-2]	Glycyl-L-Isoleucine extrapure, 99%	1 Gms	25.79	52293 [304-21-2]	Harmaline pure, 98%	1 Gms	63.96
		5 Gms	99.62				
96010 [869-19-2]	Glycyl-L-Leucine extrapure, 99%	1 Gms	22.37	99132 [148893-10-1]	HATU extrapure, 98%	5 Gms	14.48
		5 Gms	98.83			25 Gms	59.22
27587 [103213-38-3]	Glycyl Leucine Phenylalanine extrapure, 99%	100 Mg	214.64			100 Gms	210.56
25952 [115035-46-6]	Glycyl-L-Proline-7-Amido-4-Methylcoumarin Hydrobromide Salt extrapure, 98% (H-Gly-Pro-AMC-HBr, GP-AMC.HBr Salt)	25 Mg	447.44	44424 [94790-37-1]	HBTU extrapure, 98%	5 Gms	4.74
						25 Gms	21.06
74329 [658-79-7]	Glycyl-L-Tyrosine extrapure, 99%	1 Gms	25.79			100 Gms	72.38
		5 Gms	103.04			500 Gms	315.84
34601 [1963-21-9]	Glycyl-L-Valine extrapure, 99%	1 Gms	32.51	73322 [330645-87-9]	HCTU extrapure, 98% (O-(6-Chlorobenzotriazol-1-yl)-N,N,N',N'-Tetramethyluronium Hexafluorophosphate)	5 Gms	11.19
		5 Gms	134.36			25 Gms	31.58
92245 [107-22-2]	Glyoxal 40% aq. solution pure	500 ml	5.66			100 Gms	111.86
		2500 ml	22.11	23315 [150-39-0]	HEDTA (N-(2-Hydroxyethyl) ethylenediaminetriacetic acid) extrapure, 99%	25 Gms	15.79
35657	Griess Reagent for Nitrite extrapure	100 ml	45.93				
						500 Gms	210.56
53613 [90-05-1]	Guaiacol extrapure, 99%	250 Gms	11.84	28394 [517-28-2]	Hematoxylin Monohydrate (Natural Black I)	5 Gms	27.64
		1 Kg	44.74			25 Gms	129.89
44260 [73-40-5]	Guanine extrapure, 99%	25 Gms	7.37			100 Gms	421.12
		100 Gms	15.79	78372 [16009-13-5]	Hemin Chloride cryst. ex. Bovine extrapure, 98% (Hematin Hydrochloride, Chlorohemin)	1 Gms	19.35
		1 Kg	125.02			5 Gms	69.09
37567 [635-39-2]	Guanine Hydrochloride extrapure, 98%	5 Gms	4.34	98457 [16009-13-5]	Hemin Chloride cryst. ex. Porcine extrapure, 98% (Hematin Hydrochloride, Chlorohemin)	1 Gms	19.35
		25 Gms	18.56			5 Gms	69.09
48306 [10333-92-3]	Guanine Sulphate extrapure, 98%	1 Gms	21.06	58389 [9041-08-1]	Heparin Sodium Salt ex. Bovine Intestinal Mucosa, 150 IU/mg	20 K.Units	14.48
						100	44.74
57892 [118-00-3]	Guanosine extrapure, 99%	25 Gms	8.42			K.Units	
		100 Gms	31.58	50661 [9041-08-1]	Heparin Sodium Salt ex. Bovine Intestinal Mucosa, 150 IU/mg	100 Mg	15.79
		500 Gms	105.28			1 Gms	65.80
95494 [5550-12-9]	Guanosine-5-Monophosphate Disodium Salt (5-GMP-Na2) extrapure, 96%	1 Gms	4.34	29768 [161308-36-7]	HEPBS Buffer extrapure, 99%	10 Gms	97.52
		5 Gms	16.06			25 Gms	129.89
		25 Gms	66.85			100 Gms	470.60
		100 Gms	228.72				
70564 [56001-37-7]	Guanosine-5-Triphosphate Disodium Salt (5-GTP-Na2) extrapure, 90%	100 Mg	39.48	63732 [7365-45-9]	HEPES Buffer extrapure, 99% (N-[2-Hydroxyethyl] Piperazine-N[2-Ethane Sulphonic Acid])	25 Gms	6.97
		500 Mg	65.80			100 Gms	22.11
						500 Gms	96.73
11945 [65202-07-5]	Guayule (DCPTA) for tissue culture, 98% (2-(3,4-Dichlorophenoxy)-N,N-diethylethanamine)	25 Gms	30.40			1 Kg	179.63
		100 Gms	103.70	48489 [7365-45-9]	HEPES Buffer for tissue culture, 99% (N-[2-Hydroxyethyl] Piperazine-N[2-Ethane Sulphonic Acid])	25 Gms	10.40
						100 Gms	27.64
				16826 [7365-45-9]	HEPES Buffer for molecular biology, 99.5% (N-(2-Hydroxyethyl) Piperazine-N(2-Ethane Sulphonic Acid))	25 Gms	11.05
						100 Gms	30.40
						500 Gms	110.54



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
78805	HEPES Buffer 1M Solution pH-7.3 for molecular biology	100 ml	44.22	97843	Hippuric Acid Reference Standard, 100%	10 Gms	55.27
68744	HEPES Sodium Salt extrapure, 99%	25 Gms	12.50	[495-69-2]			
[75277-39-3]	(N-2-Hydroxyethyl piperazine N-2-Ethane Sulphonic Acid Sodium Salt)	100 Gms	35.93	98808	Hippuryl-L-Phenylalanine, 99%	100 Mg	39.09
		500 Gms	121.60	[744-59-2]		250 Mg	92.12
32225	HEPES Sodium Salt for molecular biology, 99%	25 Gms	20.79	83597	Histamine Dihydrochloride (HSM), 98%	1 Gms	14.08
[75277-39-3]	(N-2-Hydroxyethyl piperazine N-2-Ethane Sulphonic Acid Sodium Salt)	100 Gms	49.74	[56-92-8]		5 Gms	39.09
		500 Gms	165.82			25 Gms	105.28
39764	HEPES Sodium Salt for tissue culture, 99.5%	25 Gms	19.35	81240	HOAT (1-Hydroxy-7-azobenzotriazole) pure, 98%	1 Gms	10.26
[75277-39-3]	(N-2-Hydroxyethyl piperazine N-2-Ethane Sulphonic Acid Sodium Salt)	100 Gms	44.22	[39968-33-7]		5 Gms	26.32
						25 Gms	111.86
86017	2-Heptanone (Methyl-n-Amyl Ketone, MAK) extrapure 99%	100 ml	5.26	38653	HOBT Anhydrous extrapure, 99%	25 Gms	3.95
[110-43-0]	(Methyl Pentyl Ketone)	500 ml	19.74	[2592-95-2]		100 Gms	13.82
						500 Gms	46.06
18338	Heptanoyl Chloride pure, 98%	25 Gms	25.00			1 Kg	85.54
[2528-61-2]	(Enanthic Chloride, Oenanthic Chloride)	100 Gms	46.85	27645	HOBT Monohydrate pure, 99%	25 Gms	3.95
				[123333-53-9]		100 Gms	14.21
29681	Hexaammine Cobalt (III) Chloride extrapure, 99%	5 Gms	39.48			500 Gms	42.11
[10534-89-1]	(Cobalt Hexaammine Trichloride, Hexaamminecobalt Trichloride, Luteo-cobaltic Chloride)	25 Gms	118.44	93864	D-Homocitrulline extrapure CHR, 98%	1 Gms	112.39
				[121080-96-4]		5 Gms	382.30
28373	Hexadecylamine (Cetylamine) pure, 98%	5 Gms	10.53	94194	D-Homophenylalanine extrapure, 97%	500 Mg	31.32
[143-27-1]		25 Gms	23.69	[82795-51-5]		5 Gms	124.89
		100 Gms	44.74	78523	L-Homophenylalanine extrapure, 97%	500 Mg	23.42
21437	1,1,1,3,3,3-Hexafluoro-2-Propanol (HFIP) extrapure, 99%	25 ml	31.58	[943-73-7]		1 Gms	39.09
[920-66-1]	(Hexafluoroisopropanol)	100 ml	94.75			5 Gms	93.70
		500 ml	447.44	58931	Homophthalic Acid pure, 98%	25 Gms	18.95
98573	1,1,1,3,3,3-Hexafluoro-2-Propanol (HFIP) for UV spectroscopy, 99%	25 ml	52.38	[89-51-0]		100 Gms	67.25
[920-66-1]	(Hexafluoroisopropanol)	100 ml	130.68	69080	Homovanillic Acid extrapure, 99%	250 Mg	15.40
				[306-08-1]		1 Gms	51.32
28437	1,1,1,3,3,3-Hexamethyldisilazane pure (HMDS), 98%	100 ml	5.26			10 Gms	296.63
[999-97-3]		500 ml	19.74	27698	Hyaluronic Acid Sodium Salt - Type 1 (600-1000 KD) extrapure, 90%	100 Mg	72.38
		2500 ml	85.54	[9067-32-7]	(HA, Hyaluronan, Hyaluronate, Hyasis 850P, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acet		
79404	(2S,5S)-2,5-Hexanediol extrapure, 99%	1 Gms	202.53	75810	Hyaluronic Acid Sodium Salt - Type 2 (1000-2000 kD) extrapure, 90%	100 Mg	72.38
[34238-96-0]		2.5 Gms	497.84	[9067-32-7]	(HA, Hyaluronan, Hyaluronate, Hyasis 850P, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acet		
56464	n-Hexanol pure, 98%	500 ml	9.21	39678	Hyaluronic Acid Sodium Salt - Type 3 (80-100 kD) extrapure, 90%	100 Mg	65.80
[111-27-3]		2500 ml	43.43	[9067-32-7]	(HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1->3]-b-N-acetylglucosamin		
98669	n-Hexanol extrapure AR, 99%	250 ml	9.54	89002	Hyaluronic Acid Sodium Salt - Type 4 (40-50 kD) extrapure, 90%	100 Mg	65.80
[111-27-3]		500 ml	15.79	[9067-32-7]	(HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acetylglucosamine		
		2500 ml	65.80				
68497	Hexanoyl Chloride pure, 98%	100 ml	14.48				
[142-61-0]		500 ml	55.27				
69502	Hexokinase ex. Saccharomyces Sp. 150U/mg	5000 Units	85.93				
[9001-51-8]							
46639	4-Hexylresorcinol extrapure, 99%	5 Gms	13.82				
[136-77-6]	(Antascarin, Ascarinol, 4-Hexyl-1,3-Dihydroxybenzene)	25 Gms	48.69				
		100 Gms	147.39				
35696	Hippuric Acid pure, 99%	100 Gms	5.40				
[495-69-2]	(Benzoylglycine, Benzoylaminoacetic Acid)	500 Gms	14.48				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
43384 [9067-32-7]	■ Hyaluronic Acid Sodium Salt - Type 5 (8-15 kD) extrapure, 90% (HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acetylglucosamine)	100 Mg	65.80	81073 [3006-96-0]	● HMBA Linker (4-(Hydroxymethyl)benzoic Acid) extrapure, 99%	1 Gms 5 Gms 25 Gms	42.24 171.74 390.06
98512 [5341-61-7]	Hydrazine Dihydrochloride pure, 98%	100 Gms 500 Gms	6.45 24.74	84818 [68858-21-9]	● HMPA Linker (4-(Hydroxymethyl)phenoxyacetic Acid) extrapure, 98%	250 Mg 1 Gms	25.00 56.32
36681 [619-67-0]	4-Hydrazinobenzoic Acid extrapure, 95%	25 Gms 100 Gms	41.32 122.91	56043 [128446-35-5]	✓ Hydroxypropyl-B-Cyclodextrin (HPBCD) ExiPlus, Multi-Compdial, 98% meets compdial specs of USP	25 Gms 100 Gms	39.09 109.36
40935 [122-66-7]	Hydrazobenzene pure, 97% (1,2-Diphenylhydrazine)	25 Gms 100 Gms	7.11 26.32	58240 [13161-30-3]	2-Hydroxypyridine-N-oxide pure (HOPO), 98%	25 Gms 100 Gms	65.01 237.67
13542 [50-23-7]	Hydrocortisone pure, 97%	1 Gms	5.79	44923 [1306-06-5]	⚠ Hydroxylapatite ~ 25% solids suspension (10g solids/40ml) in 0.001M	40 ml 100 ml	26.06 49.61
28449 [123-31-9]	Hydroquinone pure, 98% (1,4-Dihydroxybenzene, Quinol)	100 Gms 500 Gms	5.92 26.32	62953 [67-47-0]	⚠ 5-Hydroxymethylfurfural (HMF) extrapure, 98%	1 Gms 5 Gms 25 Gms 100 Gms	21.98 72.38 329.00 763.28
25311 [123-31-9]	Hydroquinone extrapure AR, 99%	100 Gms 500 Gms	6.84 31.58	77491 [67-47-0]	⚠ 5-Hydroxymethylfurfural (HMF) ExiPlus, Multi-Compdial, 98% meets compdial specs of BP, Ph.Eur	1 Gms 5 Gms 25 Gms	27.64 106.60 368.48
17732 [123-31-9]	Hydroquinone extrapure AR, ExiPlus, Multi-Compdial, 99% meets compdial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	7.90 34.22	79897 [87199-15-3]	3-(Hydroxymethyl) Phenylboronic acid extrapure, 95%	1 Gms 5 Gms 10 Gms	32.90 155.29 288.73
91893 [118-93-4]	o-Hydroxyacetophenone pure, 95%	100 ml 500 ml	12.90 54.09	93740 [63451-35-4]	Hydroxynaphthol Blue	5 Gms 25 Gms	4.61 17.11
58245 [121-71-1]	m-Hydroxyacetophenone pure, 98%	25 Gms 100 Gms	7.50 18.56	69399 [524-38-9]	N-Hydroxyphthalimide pure, 98%	25 Gms 100 Gms 500 Gms	5.66 19.08 65.80
54564 [99-93-4]	p-Hydroxyacetophenone extrapure, 98%	100 Gms 500 Gms	6.84 28.03	26921 [51-35-4]	L-Hydroxyproline extrapure CHR, 99%	25 Gms 100 Gms	7.90 30.27
66616 [100-83-4]	m-Hydroxybenzaldehyde pure, 98%	25 Gms 100 Gms 500 Gms	7.11 15.79 72.38	57803 [142-08-5]	2-Hydroxypyridine pure, 98%	100 Gms 500 Gms	36.85 138.18
85692 [123-08-0]	p-Hydroxybenzaldehyde pure, 99%	100 Gms 500 Gms 5 Kg	6.32 26.98 236.88	64675 [109-00-2]	3-Hydroxypyridine pure, 98%	25 Gms 100 Gms 500 Gms	9.48 31.85 144.23
78957 [99-96-7]	p-Hydroxybenzoic Acid pure, 99%	100 Gms 500 Gms	4.08 12.50	87228 [626-64-2]	4-Hydroxypyridine practical grade, 95%	25 Gms 100 Gms	19.74 67.25
59645 [1137-42-4]	4-Hydroxybenzophenone pure, 98%	100 Gms 500 Gms	48.30 163.45	47913 [6066-82-6]	N-Hydroxysuccinimide pure, 97% (NHS)	25 Gms 100 Gms 500 Gms	10.00 32.77 149.50
29893 [623-05-2]	4-Hydroxybenzyl Alcohol (4-HBA) pure, 98%	25 Gms 100 Gms 500 Gms	17.24 60.93 118.44	88997 [14348-40-4]	● 3-Hydroxy-2,4,6-Tribromo-Benzoic Acid (TBHBA), 97%	1 Gms 5 Gms	9.34 43.16
12197 [9028-38-0]	■ D-3-Hydroxybutyrate Dehydrogenase (3-HBDH) ex. Pseudomonas Sp., 100U/mg (b-Hydroxybutyrate Dehydrogenase, (R)-3-Hydroxybutanoate: NAD+ oxidoreductase)	1000 Units	359.27	84688 [53279-72-4]	● 3-Hydroxy-2,4,6-Triiodobenzoic Acid (HTBA), 97%	1 Gms	65.80
82739 [54970-72-8]	2-Hydroxy-3,5,- Dichlorobenzene Sulphonic Acid Sodium Salt (DCHBS), 98% (DHBS, 3,5-Dichloro-2-hydroxybenzenesulfonic acid, Sodium 3,5-dichloro-2-hydroxybenzenesulfonate, Tr	5 Gms 25 Gms 100 Gms	44.88 207.53 789.60	67941 [4350-09-8]	5-Hydroxy-L-Tryptophan extrapure, 98% (Serotonin precursor)	1 Gms 5 Gms	23.69 105.28
				11056 [31282-04-9]	⚠ Hygromycin B (HGR) for tissue culture, 90%	100 Mg 250 Mg	32.37 78.43



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
67317 [31282-04-9]	Hygromycin B (HGR), 90%	100 Mg	18.56	60704 [1204-06-4]	Indole-3-Acrylic Acid extrapure, 99.5% (3-Indoleacrylic Acid)	1 Gms	38.16
		250 Mg	44.61			5 Gms	190.43
		1 Gms	144.76				
94663 [31282-04-9]	Hygromycin B (HGR Solution), 50mg/ml in Aq. Solution	20 ml	128.97	97637 [830-96-6]	Indole-3-Propionic Acid pure, 98%	5 Gms	14.48
		100 ml	506.66			25 Gms	43.30
63573 [68-94-0]	Hypoxanthine extrapure, 99%	5 Gms	3.55	69447 [487-89-8]	Indole-3-Carboxyaldehyde extrapure, 99% (3-Indolylaldehyde)	10 Gms	16.45
		25 Gms	11.05			25 Gms	24.87
		100 Gms	41.45			100 Gms	78.96
36693 [3034-50-2]	4-Imidazolecarboxaldehyde pure, 98% (4-Formylimidazole, 1H-Imidazole-4-Carbaldehyde, 5-Imidazolecarboxaldehyde)	1 Gms	32.37	96553 [126787-65-3]	Indoxyl-β-D-Galactopyranoside extrapure, 98%	25 Mg	50.01
		5 Gms	72.38				
52106 [606-23-5]	1,3-Indanedione pure, 96% (1,3-Diketohydrindene, 1,3-Dioxindan)	5 Gms	32.37	39627 [3318-43-2]	3-Indoxyl Phosphate Disodium Salt extrapure, 98%	25 Mg	44.61
		25 Gms	130.68			100 Mg	84.62
32328 [615-13-4]	2-Indanone pure, 98%	10 Gms	26.32	25670 [2642-37-7]	3-Indoxyl Sulfate Potassium Salt extrapure, 98%	50 Mg	33.95
		25 Gms	52.64			250 Mg	78.43
		100 Gms	184.24				
46486 [860-22-0]	Indigo Carmine extrapure AR	25 Gms	4.61	51113 [58-63-9]	Inosine extrapure, 99%	10 Gms	8.16
		100 Gms	13.82			25 Gms	17.11
		500 Gms	56.59			100 Gms	65.14
31016 [22519-64-8]	Indium (III) Chloride Tetrahydrate ultrapure, 99.99% (Indium Chloride)	5 Gms	59.22	19594 [352195-40-5]	Inosine-5-Monophosphate Disodium Salt Hydrate (5-IMP-Na2 Hydrate) extrapure, 99% (Disodium Inosate)	5 Gms	15.27
		25 Gms	105.28				
52859 [20661-21-6]	Indium (III) Hydroxide ultrapure, 99.99%	5 Gms	34.61			77985 [36051-67-9]	Inosine-5-Triphosphate Disodium Salt (ITP-Na2) extrapure, 97%
		25 Gms	96.73	100 Mg	78.17		
84697 [7440-74-6]	Indium Metal Ingots, 99.9%	10 Gms	46.06	98211 [87-89-8]	Inositol pure, 99% (Vitamin B8)	100 Gms	10.26
						500 Gms	35.53
95867 [207398-97-8]	Indium (III) Nitrate Hydrate extrapure, 99.9%	5 Gms	59.22			1 Kg	60.54
		10 Gms	105.28	5 Kg	263.20		
		50 Gms	315.84				
43095 [1312-43-2]	Indium (III) Oxide extrapure, 99.9% (Diindium Trioxide, Indium Sesquioxide)	5 Gms	59.22	87114 [87-89-8]	Inositol for tissue culture, 99% (Vitamin B8)	100 Gms	11.19
		10 Gms	84.22			500 Gms	39.48
		25 Gms	164.50			1 Kg	65.80
64331 [13464-82-9]	Indium (III) Sulphate Anhydrous extrapure, 99%	10 Gms	28.95	5 Kg	289.52		
		25 Gms	65.80				
75920 [13464-82-9]	Indium (III) Sulphate Anhydrous ultrapure, 99.99%	10 Gms	59.22	53860 [9005-80-5]	Inulin extrapure	25 Gms	13.82
		50 Gms	276.36			100 Gms	46.32
96535 [7440-74-6]	Indium Wire Ø 0.5 mm, 99.9%	5 Gms	50.01	61568 [9001-57-4]	Invertase (Saccharase) ex. Candida Sp., 100U/mg (Invertase-β-D-Fructofuranoside Fructohydrolase)	2 K.Units	161.21
		10 Gms	92.12				
19228 [120-72-9]	Indole crystalline extrapure AR, 99%	25 Gms	7.11	51611 [88-67-5]	2-Iodobenzoic Acid pure, 98%	25 Gms	15.79
		100 Gms	89.49			100 Gms	47.38
69522 [1912-33-0]	Indole-3-Acetic Acid Methyl Ester extrapure, 98% (Methyl-3-Indolylacetate)	1 Gms	21.58	55129 [626-62-0]	Iodocyclohexane (Stabilized w/ Cu) extrapure, 98% (Cyclohexyl Iodide)	10 Gms	44.22
		10 Gms	123.05			25 Gms	94.75
						100 Gms	142.13
63661 [57105-50-7]	Indole-3-Acetyl-L-Phenylalanine extrapure, 98% (N-(3-Indolylacetyl)-L-Phenylalanine, IAA-L-Phe)	1 Gms	454.15	82104 [2050-77-3]	1-Iododecane (Stabilized with Cu) extrapure, 98% (Decyl Iodide, Decyliodide)	25 ml	24.48
		5 Gms	1362.32			100 ml	78.17
13550 [57105-42-7]	Indole-3-Acetyl-L-Valine extrapure, 99%	25 Mg	30.79	83441 [54-42-2]	5-Iodo-2-Deoxyuridine extrapure, 98%	500 Mg	20.00
						5 Gms	137.52
				40686 [146-68-9]	2-(4-Iodophenyl)-3-(4-Nitrophenyl)-5-Phenyl-2H-Tetrazolium Chloride (INT) extrapure AR, 98%	1 Gms	23.69
						5 Gms	105.28



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
99918 ● [696-07-1]	5-Iodouracil extrapure, 98%	5 Gms	26.32	36321 [108-21-4]	Isopropyl Acetate pure, 99%	500 ml	5.26
		10 Gms	44.74			2500 ml	22.37
63088 [538-93-2]	Isobutyl Benzene pure, 98%	500 ml	6.32	61386 † [7724-76-7]	N6-(2-Isopentenyl) Adenosine pure, 98% (6-(?,?-Dimethylallylamino)purine riboside, N6-(3,3-Dimethylallylamino)purine riboside, 6-(3,3-Dimet	50 Mg	26.32
		2500 ml	30.27			200 Mg	92.12
34516 [84110-40-7]	Isobutylboronic Acid extrapure, 98% (2-Methylpropylboronic acid)	1 Gms	20.13	58571 † [2210-25-5]	N-Isopropylacrylamide (NIPAM) extrapure, 99%	10 Gms	21.06
		5 Gms	45.53			25 Gms	42.11
		25 Gms	204.51			100 Gms	157.92
78521 [78-77-3]	Isobutyl Bromide (Stabilized w/ Ag) pure, 98%	100 ml	11.19	45273 [80041-89-0]	Isopropylboronic Acid extrapure, 97%	1 Gms	39.09
		500 ml	52.64			5 Gms	171.74
30671 [513-38-2]	Isobutyl Iodide (1-Iodo-2-Methylpropane) (Stabilized w/Ag) pure, 97%	25 ml	52.64			25 Gms	304.26
		100 ml	144.76	500 ml	18.56		
		250 ml	329.00				
39634 [79-31-2]	Isobutyric Acid extrapure, 99%	500 ml	13.16	16390 [75-26-3]	Isopropyl Bromide (Stab w/ Ag) pure, 99%	100 ml	4.61
		2500 ml	61.59			500 ml	18.56
35853 [79-30-1]	Isobutyryl Chloride pure, 98.5%	250 ml	17.63	18346 [105-48-6]	Isopropyl Chloroacetate pure, 98%	500 ml	10.13
		1000 ml	63.96				
70170 [79-30-1]	Isobutyryl Chloride specially purified, 98.5%	250 ml	23.69	38525 [75-30-9]	Isopropyl Iodide pure, 98%	25 ml	23.69
		1000 ml	80.28			100 ml	81.59
						250 ml	197.40
42615 [1637-73-6]	DL-Isocitrate Trisodium Salt, 94%	1 Gms	26.98	52469 [142-91-6]	Isopropyl Palmitate pure, 90%	500 ml	8.82
		5 Gms	98.70			2500 ml	78.96
90189 [25339-17-7]	Isodecanol pure, 98%	500 ml	14.21	54110 † [367-93-1]	Isopropyl-B-D-Thiogalactopyranoside (IPTG) (dioxan free), 99%	5 Gms	23.42
60672 † [97-54-1]	Isoeugenol (mixture of cis and trans) pure, 98%	100 ml	15.79			25 Gms	106.20
		500 ml	65.80			100 Gms	390.06
33401 [319-78-8]	D-Isoleucine extrapure, 98%	250 Mg	118.44	1 Kg	3421.60		
		1 Gms	289.52	67208 † [367-93-1]	Isopropyl-B-D-Thiogalactopyranoside (IPTG) (dioxan-free) for MB, 99%	5 Gms	25.66
		5 Gms	947.52			25 Gms	113.97
26731 [73-32-5]	L-Isoleucine extrapure CHR, 99%	25 Gms	6.45	100 Gms	421.25		
		100 Gms	11.19	1 Kg	3750.60		
		500 Gms	52.64	82202 † [142-91-6]	IPTG Solution (20mg/ml)	1 ml	14.48
		1 Kg	92.12			5 x1 ml	32.90
94082 ✓ [499-40-1]	Isomaltose extrapure, 98%	25 Mg	59.22	86577 † [590-86-3]	Isovaleraldehyde pure, 98%	100 ml	5.92
		100 Mg	115.81			500 ml	19.74
						1000 ml	36.85
42021 ✓ [3371-50-4]	Isomaltotriose extrapure, 97% (6-O-[6-O-(α-D-Glucopyranosyl)-α-D-Glucopyranosyl]-D-Glucose)	25 Mg	111.86	51656 [108-12-3]	Isovaleryl Chloride pure, 98% (Isopentanoyl Chloride, 3-Methylbutyryl Chloride)	100 Gms	14.48
						500 Gms	52.64
88109 ✓ [35997-20-7]	Isomaltotetraose extrapure, 95%	5 Mg	46.06	35798 [97-65-4]	Itaconic Acid pure, 99%	250 Gms	8.29
45433 ✓ [6082-32-2]	Isomaltopentaose extrapure, 95%	1 Mg	678.79				
94885 ✓ [54-85-3]	Isoniazid extrapure, 99% (Isonicotinic Acid Hydrazide, 4-Pyridinecarboxylic Acid Hydrazide)	5 Gms	3.95	18443 † [70288-86-7]	Ivermectin (IVM), 95-102%	1 Gms	10.53
		100 Gms	10.53			5 Gms	26.32
		500 Gms	47.38			25 Gms	78.96
68866 † [2365-40-4]	N6-[2-Isopentenyl] Adenine extrapure, 98%	250 Mg	35.53	79238 † [77026-92-7]	Jasmonic Acid for molecular biology, 95%	25 Mg	212.14
		500 Mg	59.22			98314 [61789-91-1]	Jojoba oil extrapure
		1 Gms	105.28	500 ml	46.06		
18018 [121-91-5]	Isophthalic Acid pure, 99%	500 Gms	3.95	70878 † [64013-70-3]	Kanamycin Acid Sulphate (KS) extrapure, 670U/mg (Kanamycin Disulfate, Kanamycin A, Kanamycin Acid Sulfate)	1 Gms	6.58
67742 † [99-63-8]	Isophthaloyl Chloride pure, 98%	100 Gms	21.06			5 Gms	26.32
		500 Gms	65.80			25 Gms	98.70



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
89346 [64013-70-3]	Kanamycin Acid Sulphate (KS) for tissue culture, 670U/mg (Kanamycin Disulfate, Kanamycin A, Kanamycin Acid Sulfate)	1 Gms	9.21	15932 [8006-54-0]	Lanolin anhydrous extrapure (Wool Wax, Wool Grease)	500 Gms	27.37		
		5 Gms	39.48			56839 [79-63-0]	Lanosterol pure, ~60%	1 Gms	15.27
		25 Gms	125.02					10 Gms	105.28
99311 [25389-94-0]	Kanamycin Monosulphate (KM) extrapure, 750mcg/mg	1 Gms	7.63	20351 [10025-84-0]	Lanthanum Chloride Heptahydrate extrapure AR, ACS, 99%	100 Gms	22.37		
		5 Gms	30.14			500 Gms	85.54		
		25 Gms	112.65			34032 [10277-43-7]	Lanthanum Nitrate Hexahydrate extrapure AR, 99%	100 Gms	15.79
76061 [25389-94-0]	Kanamycin Monosulphate (KM) for tissue culture, 750mcg/mg	5 Gms	9.87	500 Gms	50.01				
		25 Gms	142.26	91288 [10277-43-7]	Lanthanum Nitrate 0.1M			500 ml	20.27
14259 [600-18-0]	2-Ketobutyric Acid pure, 97% (a-Ketobutyric acid, Propionylformic Acid, 2-Oxobutyric Acid)	5 Gms	98.70			1000 ml	39.09		
		25 Gms	394.80	36917 [312696-10-9]	Lanthanum Oxalate Hydrate extrapure AR, 99.5%	10 Gms	5.79		
93929 [328-50-7]	a-Ketoglutaric Acid extrapure, 99%	25 Gms	8.03			100 Gms	34.61		
		100 Gms	27.77			500 Gms	165.82		
		500 Gms	115.41	59415 [1312-81-8]	Lanthanum Oxide extrapure, 99.9%	100 Gms	12.90		
28386 [328-50-7]	a-Ketoglutaric Acid (High Purity) extrapure AR, 99.5%	25 Gms	10.13			500 Gms	57.90		
		100 Gms	38.56			47835 [52093-26-2]	Lanthanum (III) Trifluoromethanesulfonate extrapure, 98% (Lanthanum Triflate, Trifluoromethanesulfonic Acid Lanthanum Salt)	1 Gms	13.82
		500 Gms	176.87	5 Gms	42.77				
22826 [305-72-6]	a-Ketoglutaric Acid Disodium Salt Anhydrous extrapure, 95%	25 Gms	39.61	92044 [111-82-0]	Lauric Acid Methyl Ester Reference Standard, 99.5%(GC) (Methyl Laurate)			5 Gms	23.69
		100 Gms	132.52			25 Gms	85.54		
		500 Gms	605.36			87444 [142-18-7]	L-Lauroyl-Rac-Glycerol extrapure (Imwitor 312), 99%	1 Gms	50.93
18223 [305-72-6]	a-Ketoglutaric Acid Disodium Dihydrate extrapure, 98% (2-Oxoglutaric Acid Sodium Salt)	25 Gms	33.95	5 Gms	204.90				
		100 Gms	110.81	74090 [137-16-6]	N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium) pure, 98%	25 Gms	20.00		
		500 Gms	526.40			100 Gms	52.64		
90814 [22202-68-2]	a-Ketoglutaric Acid Monosodium Salt extrapure, 98% (2-Oxoglutaric acid monosodium salt, 2-Oxopentanedioic acid monosodium salt, Sodium 2-oxoglutarate m)	25 Gms	65.80			500 Gms	118.44		
		100 Gms	250.04	2.5 Kg	539.56				
		61341 [525-79-1]	Kinetin extrapure AR, 99%	1 Gms	3.55	15448 [137-16-6]	N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium) for molecular biology, 98% (Sodium Lauroyl Sarcosine)	25 Gms	31.58
5 Gms	12.50			100 Gms	63.17				
25 Gms	62.25			250 Gms	92.12				
34154 [525-79-1]	Kinetin for tissue culture, 99%	1 Gms	7.63	1 Kg	289.52				
		5 Gms	30.40	67983 [137-16-6]	N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium Solution) 30% Aq. Solution	500 ml	11.84		
		25 Gms	124.36			2500 ml	52.64		
83296 [4338-47-0]	Kinetin Riboside extrapure, 98%	100 Mg	48.43			63645 [8000-28-0]	Lavender oil extrapure, 30-60% LA	10 ml	7.90
		1 Gms	165.82	25 ml	14.48				
19744 [501-30-4]	Kojic acid extrapure, 99% (5-Hydroxy-2-Hydroxymethyl-4-Pyrano ne)	5 Gms	2.76	100 ml	39.48				
		25 Gms	7.24	71707 [7758-97-6]	Lead (II) Chromate pure, 98% (Plumbous Chromate)	500 Gms	13.82		
		100 Gms	26.98			21854 [7439-92-1]	Lead Metal Lumps, 99%	500 Gms	8.95
98158 [2140-29-6]	Kojibiose extrapure, 99%	10 Mg	41.85					62603 [7439-92-1]	Lead Metal Powder extrapure AR, 99.5%
		50 Mg	141.86	59557 [8002-43-5]	Lecithin ex. Egg, 60% (L-a-Phosphatidylcholine)	25 Gms	71.99		
		81662 [4338-47-0]	Kovac's Indole Reagent for microbiology			100 ml	4.34		
69068 [4338-47-0]	Kraut's Reagent					100 ml	8.95	59561 [8002-43-5]	Lecithin ex. Soya, 30% (L-a-Phosphatidylcholine)
				53110 [9028-36-8]	D-Lactate Dehydrogenase (D-LDH) ex. Microorganism, 400U/mg solids	2500 Units	65.80		
		5000 Units	125.02			64613 [10466-61-2]	L-Leucinamide Hydrochloride extrapure, 99%		
5000 Units	92.25								
10000 Units	166.08								
82334 [9001-60-9]	r-D-Lactate Dehydrogenase (r-D-LDH) ex. E. Coli (Thermostable), 200U/mg solids	5000 Units	92.25						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
61304 [328-38-1]	D-Leucine extrapure, 99%	5 Gms	24.87	89141 [867-55-0]	Lithium Lactate (specially purified) extrapure, 99% (Lactic Acid Lithium Salt)	100 Gms	39.48
		25 Gms	65.80			500 Gms	184.24
99664 [33105-81-6]	tert-DL-Leucine extrapure, 98%	500 Mg	69.09	69375 [7439-93-2]	Lithium Metal, 99.5%	100 Gms	302.68
47736 [62480-44-8]	L-Leucine 7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 98% (L-Leucine-AMC.HCl Salt)	10 Mg	110.54	23410 [553-91-3]	Lithium Oxalate extrapure, 99%	25 Gms	28.95
		25 Mg	221.09			100 Gms	55.27
40528 [9082-71-7]	Leucine Dehydrogenase (LeuDH) ex. Bacillus Sp., 20U/mg	100 Units	187.27	16350 [14283-07-9]	Lithium Tetrafluoroborate Dried, 99%, water 1%	5 Gms	43.43
27029 [893-36-7]	L-Leucine-β-Naphthylamide Hydrochloride extrapure, 97%	100 Mg	34.61	29288 [434-13-9]	Lithocholic Acid (LCA) pure, 98%	10 Gms	98.70
						25 Gms	236.88
11127 [7298-84-2]	L-Leucyl-L-Alanine Hydrate extrapure, 98%	1 Gms	63.17	52737 [98079-52-8]	Lomefloxacin Hydrochloride (LMF), 98.5%	1 Gms	16.58
		5 Gms	263.20			5 Gms	42.90
37520 [997-05-7]	D-Leucyl-Glycine extrapure, 98%	100 Mg	33.16	50320 [2591-17-5]	D-Luciferin ex. Firefly, 99% (S)-4,5-Dihydro-2-(6-Hydroxy-2-Benzothiazolyl)-4-Thiazolecarboxylic Acid)	10 Mg	52.64
		500 Mg	156.60			50 Mg	236.88
23467 [100986-85-4, 138199-71-0]	Levofloxacin (LVX), 98%	1 Gms	36.85	58891 [115144-35-9]	D-Luciferin Potassium Salt ex. Firefly, 99%	25 Mg	39.48
		5 Gms	72.38			100 Mg	78.96
		25 Gms	223.72			500 Mg	289.52
60011 [5141-20-8]	Light Green SF Yellowish, 65% (C.I. No. 42095)	25 Gms	11.84	62851 [103404-75-7]	D-Luciferin Sodium Salt ex. Firefly, 99%	25 Mg	52.64
		100 Gms	42.77			100 Mg	144.76
		500 Gms	197.40			500 Mg	526.40
98099 [60-33-3]	Linoleic Acid (Free Acid) extrapure, 98%	5 ml	39.48	49982 [521-31-3]	Luminol extrapure, 98%	5 Gms	14.08
		25 ml	72.38			25 Gms	54.75
		100 ml	105.28			100 ml	25.00
13562 [60-33-3]	Linoleic Acid (Free Acid) Reference Standard, 99%(GC)	1 Gms	21.58	60445 [201853-23-8]	Luminol - Peroxide Chemiluminisence Solution for ELISA	10 Mg	116.73
		5 Gms	89.88			25 Mg	238.85
49462 [112-63-0]	Linoleic Acid Methyl Ester Reference Standard, 99%(GC) (Methyl Linoleate)	1 Gms	34.61	70795 [97281-40-8]	7-Amido-4-Methylcoumarin Acetate Salt extrapure, 98% (L-Lysine-AMC.Acetate salt)	10 Mg	106.86
		5 Gms	62.25			25 Mg	242.01
		25 Gms	234.91				
60770 [9001-62-1]	Lipase (Steapsin) ex. Aspergillus Sp., 40U/mg solids	25 Gms	6.84	72890 [97281-40-8]	L-a-Lysophosphatidylethanolamine (Egg Lyso PE) ex. Egg, 99% (L-a-Lysocephalin, 3-sn-Lysophosphatidylethanolamine)	10 Mg	106.86
		100 Gms	19.74			25 Mg	242.01
		500 Gms	78.96				
15471 [9004-02-8]	Lipoprotein Lipase (LPL) ex. Pseudomonas Sp., 20U/mg solids	10 Mg	32.37	45822 [12650-88-3]	Lysozyme (3x cryst) ex. Egg white (Muramidase) for molecular biology, 15000U/mg	1 Gms	11.05
		50 Mg	92.25			5 Gms	40.66
92661 [9029-60-1]	Lipoxidase ex. Glycine Max (Soyabean), 50000U/mg solids	100 Mg	82.91	35355 [1114-34-7]	D-Lyxose extrapure	1 Gms	24.87
		250 Mg	172.79			5 Gms	74.62
		1 Gms	525.08				
68457 [6108-17-4]	Lithium Acetate Dihydrate ultrapure, 99%	100 Gms	43.43	38894 [1949-78-6]	L-Lyxose extrapure	100 Mg	19.35
		250 Gms	103.96			1 Gms	110.54
		500 Gms	203.98				
86701 [16853-85-3]	Lithium Aluminium Hydride extrapure, 95%	100 Gms	315.84	81889 [9032-75-1]	Macerozyme "R-10" ex. Rhizopus Sp., 3000U/g (Pectinase)	500 Mg	65.80
24966 [6080-58-6]	Lithium Citrate Tribasic Tetrahydrate extrapure AR (High Purity), 99.5%	100 Gms	18.42			1 Gms	118.44
		250 Gms	42.11			5 Gms	565.88
91740 [17023-24-4]	Lithium Iodide Monohydrate pure, 98%	25 Gms	26.32	66638 [9032-75-1]	Macerozyme "R-10" ex. Trichoderma & Aspergillus Niger, 10000U/g (Pectinase)	500 Mg	42.77
		100 Gms	85.54			1 Gms	72.38
43904 [2044-56-6]	Lithium Lauryl Sulphate extrapure, 99% (Lithium Dodecyl Sulphate)	5 Gms	26.45	40169 [9001-64-3]	Malate Dehydrogenase (MDH) ex. Microorganism, 40U/mg	1 K.Units	35.66
		25 Gms	107.39			5 K.Units	84.09
		100 Gms	394.80				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
87448	■ r-Malate Dehydrogenase (r-MDH) (Thermostable), 500U/mg	5000 Units	100.02	72002	⚠ D-Mannose-6-Phosphate Barium Salt Hydrate extrapure, 98% [104872-94-8]	25 Mg	330.05
		10000 Units	184.50			50 Mg	65.80
84225	Maleic Anhydride extrapure AR, 99% [108-31-6]	500 Gms	5.92	43804	⚠ Marfeys Reagent extrapure AR, 98% [95713-52-3] (FDAA, FDNP-ALA-NH ₂ , Na-(2,4-Dinitro-5-Fluorophenyl)-L-Alaninamide)	200 Mg	118.44
		5 Kg	55.27			1 Gms	500.08
18808	✓ Bis-Maleimide pure, 95% [13676-54-5]	100 Gms	90.15	70902	■ Melatonin extrapure, 99% [73-31-4]	1 Gms	7.90
55114	● 4-Maleimidobutyric Acid N-Hydroxysuccinimide Ester extrapure (GMBS), 99%	25 Mg	106.60	10030	Meldolas Blue extrapure [7057-57-0] (8-Dimethylamino-2,3-Benzophenoxazine Hemi(zinc Chloride) Salt, Naphthol Blue R, Basic Blue 6)	5 Gms	26.32
		100 Mg	286.76	71405	⚠ Meldrum's Acid extrapure, 98% [2033-24-1] (2,2-Dimethyl-1,3-dioxane-4,6-dione cycl-Isopropylidene Malonate Malonic Acid Cyclic Isopropylidene)	25 Gms	9.21
57096	Malonamide extrapure, 98% [108-13-4]	25 Gms	5.00	61495	Menadione O/S (Vitamin K3) pure, 98% [58-27-5]	100 Gms	13.16
		100 Gms	13.82			5 Gms	42.11
		500 Gms	59.35			25 Gms	118.44
43541	Malonic Acid pure, 99% [141-82-2]	250 Gms	7.24	83709	D-Melezitose Monohydrate extrapure, 99% [10030-67-8]	25 Gms	197.40
		500 Gms	12.50	61495	Menadione O/S (Vitamin K3) pure, 98% [58-27-5]	100 Gms	43.43
		100 Gms	4.34	500 Gms	92.12	44111	✓ Menadione Sodium Bisulphite Trihydrate W/S (Vitamin K3 Sodium Bisulphite Trihydrate) pure, 95% [6147-37-1] (2-Methyl-1,4-Napthoquinone Sodium Bisulfite)
26504	Malonic Acid extrapure AR, 99% [141-82-2]	250 Gms	8.55	26531	1-Thioglycerol (3-Mercapto-1,2-Propanediol) pure, 90% [96-27-5] (Monothioglycerol)	25 ml	15.00
		500 Gms	15.79			100 ml	46.19
		100 Gms	4.34			500 ml	222.93
32261	Malononitrile extrapure, 98% [109-77-3] (Malonic Dinitrile, Dicyanomethane)	100 Gms	8.29	54474	⚠ Mecillinam (MCL) extrapure, 95% [32887-01-7]	25 Mg	39.48
		500 Gms	36.06	100 Mg	118.44		
43786	Maltotriose (DP3) extrapure, 90% [1109-28-0] (a-1,4-Glucotriose)	250 Mg	42.11	56868	3-Mercaptopropionic Acid pure, 98% [107-96-0]	100 ml	15.13
		1 Gms	90.80	500 ml	65.80		
		5 Gms	434.28	18382	⚠ 6-Mercaptopurine Monohydrate extrapure, 99% [6112-76-1]	1 Gms	12.50
28083	■ Maltotetraose (DP4) extrapure, 97% [34612-38-9] (a-D-Glucopyranosyl-1,4-O-a-D-Glucopyranosyl-1,4-O-a-D-Glucopyranosyl-1,4-D-Glucopyranose)	10 Mg	78.96	81439	MES Free Acid Buffer extrapure, 99% [4432-31-9] (4-Morpholineethanesulfonic Acid)	5 Gms	60.54
		25 Mg	131.60			25 Gms	13.82
10450	⚠ Maltopentaose (DP5) extrapure, 95% [34620-76-3]	10 Mg	157.92	31808	MES Monohydrate Buffer extrapure, 99% [145224-94-8] (2-Morpholineethane Sulphonic Acid Monohydrate)	100 Gms	45.67
		25 Mg	354.00			500 Gms	158.97
27607	⚠ Maltohexaose (DP6) extrapure, 65% [34620-77-4]	50 Mg	157.92	86751	MES Monohydrate Buffer for tissue culture, 99% [145224-94-8] (2-Morpholineethane Sulphonic Acid Monohydrate)	25 Gms	15.27
12894	⚠ Maltoheptaose (DP7) extrapure, 80% [34620-78-5] (Amyloheptaose)	25 Mg	103.96	26854	MES Monohydrate Buffer for molecular biology, 99% [145224-94-8] (2-Morpholineethane Sulphonic Acid Monohydrate)	100 Gms	49.09
58199	✓ R-(-)-Mandelic Acid extrapure, 99% [611-71-2] (D-(-)-Mandelic Acid)	25 Gms	12.11			25 Gms	19.35
30727	✓ S-(+)-Mandelic Acid extrapure, 99% [17199-29-0] (L-(+)-Mandelic Acid, S-Z-Hydroxyphenyl Acetic Acid)	100 Gms	37.11	43396	MES Hemisodium Salt Buffer extrapure, 98% [117961-21-4]	25 Gms	71.46
		25 Gms	12.11			100 Gms	243.46
		100 Gms	32.77			100 Gms	243.46
27072	DL-Mandelic Acid pure, 99% [90-64-2]	100 Gms	15.79				
94551	⚠ D-Mannosamine Hydrochloride extrapure, 98% [5505-63-5]	500 Gms	72.38				
		100 Mg	26.58				
13735	D-Mannose extrapure AR, 99% [3458-28-4]	500 Mg	126.47				
		25 Gms	7.90				
		100 Gms	23.69				
58476	D-Mannose for tissue culture, 99% [3458-28-4]	500 Gms	105.28				
		25 Gms	12.50				
		100 Gms	42.11				
87875	D-Mannose extrapure AR, ExiPlus, Multi-Compendial, 99% [3458-28-4] meets compendial specs of BP, Ph.Eur	25 Gms	15.79				
		100 Gms	47.38				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
69408 [71119-23-8]	MES Sodium Salt Buffer extrapure, 99%	10 Gms	30.14	97799 ✓	MES12: ICP 68 Element Multi Standard 2 Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100µg/ml (Standard 2 contains 12 elements) 5% HNO ₃ , tr. HF	100 ml	473.76
		25 Gms	43.03				
		100 Gms	133.18				
72841 [104206-82-8]	Mesitrione extrapure, 98% (2-(4-Mesy-2-nitrobenzoyl)-1,3-cyclohexanedione)	100 Mg	10.53	45688 ✓	MES13: ICP 68 Element Multi Standard 3 Au, Ir, Os, Pd, Pt, Rh, Ru, Te @ 100 µg/ml (Standard 3 contains 8 elements) 10% HCl	100 ml	592.20
		1 Gms	65.80				
47062 ✓	MES1: Spectrometric Oil Standard D12 Ag, Al, Cr, Cu, Fe, Mg, Na, Ni, Pb, Si, Sn, Ti @ 10 µg/g Aviation Reference Oil	100 Gms	500.08	53816 ✓	MES14: ICP Detector Calibration Multi-Element Mix 7Li, Be, Mg, Sc, Co, Y, In, Ce, Tb, Tl, U (various conc.) 5% HNO ₃	100 ml	763.28
19278 ✓	MES2: Metals in Biodiesel Standard Ca, K, Mg, Na, P @ 10 µg/g	100 Gms	1263.36				
55049 ✓	MES3: ICP Alkali's & Alkaline Earths Ba, Be, Ca, Cs, K, Li, Mg, Na, Rb, Sr @ 100 µg/ml 5% HNO ₃	100 ml	434.28	91353 ✓	MES15: ICP Internal Standard Multi-Element Mix 1 6Li, Sc, Ga, Y, In, Tb, Bi @ 100 µg/ml 5% HNO ₃	100 ml	763.28
25562 ✓	MES4: ICP Noble Metals Au, Ir, Os, Pd, Pt, Re, Rh, Ru @ 100 µg/ml 20% HCl	100 ml	552.72				
21551 ✓	MES5: ICP Rare Earth & Geo Elements Ba, Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Rb, Sc, Sm, Sr, Tb, Th, Tm, U, Y, Yb @ 100 µg/ml 5% HNO ₃	100 ml	842.24	51587 ✓	MES16: ICP Internal Standard Multi-Element Mix 2 6Li, Sc, Ga, Y, In, Tb, Bi (various conc.) 2% HNO ₃	100 ml	763.28
82634 ✓	MES6: ICP Non-Metals As, B, P, S, Se, Si, Te @ 100 µg/ml 5% HCl, tr. HF	100 ml	394.80				
18263 ✓	MES7: ICP Common Elements Mix 1 Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/ml 5% HNO ₃	100 ml	460.60	67084 ✓	MES17: ICP Internal Standard Multi-Element Mix 3 6Li, Sc, Ge, In, Tb, Lu, Bi @ 100 µg/ml 5% HNO ₃ , tr. HF	100 ml	763.28
63924 ✓	MES8: ICP Common Elements Mix 2 Ag, Al, B, Ca, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, P, Pb, Si, Sn, Ti, V, Zn @ 100 µg/ml 5% HNO ₃ , tr. HF	100 ml	710.64				
58498 ✓	MES9: ICP Comprehensive Mix A Ag, Al, As, Ba, Bi, Ca, Cd, Ce, Dy, Er, Eu, Ga, Gd, Ho, La, Lu, Mg, Na, Nd, P, Pb, Pr, Rb, Sc, Se, Sm, Sr, Tb, Th, Tl, Tm, U, Y, Yb @ 10 µg/ml 40% Aqua Regia	100 ml	842.24	31805 ✓	MES18: ICP Internal Standard Multi-Element Mix 4 6Li, Sc, Ge, Te, In, Tb, Bi (various conc.) 5% HNO ₃ , tr. HF	100 ml	763.28
36719 ✓	MES10: ICP Comprehensive Mix B Au, B, Be, Co, Cr, Cu, Fe, Ge, Hf, Ir, K, Li, Mn, Mo, Nb, Ni, Os, Pd, Pt, Re, Rh, Ru, Sb, Si, Sn, Ta, Te, Ti, V, W, Zn, Zr @ 10 µg/ml 40% Aqua Regia, tr. HF	100 ml	1118.60				
76134 ✓	MES11: ICP 68 Element Multi Standard 1 Al, As, B, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Dy, Er, Eu, Fe, Ga, Gd, Ho, In, K, La, Li, Lu, Mg, Mn, Na, Nd, Ni, P, Pb, Pr, Rb, Re, Sc, Se, Sm, Sr, Tb, Th, Tl, Tm, U, V, Y, Yb, Zn @ 100 µg/ml (Standard 1 contains 48 elements) 5% HNO ₃	100 ml	723.80	86382 ✓	MES19: ICP Calibration Standard for Petroleum Mix 1	100 Gms	658.00
				26027 ✓	MES20: ICP Calibration Standard for EPA 6020	100 ml	539.56
				83069 ✓	MES21: ICP 21 Calibration Standard	100 ml	539.56
				73584 ✓	MES22: ICP 19 Calibration Standard	100 ml	539.56
				59878 ✓	MES23: ICP 29 Calibration Standard	25 ml	565.88
				50138 ✓	MES24: ICP Environmental Calibration Standard A	100 ml	763.28
				73844 ✓	MES25: ICP Calibration Standard for EPA 6010	25 ml	565.88
				57183 ✓	MES26: ICP Water Pollution Standard 1	25 ml	460.60
				60648 ✓	MES27: ICP Common & Transition Elements Standard (1000 µg/mL)	100 ml	763.28
				76332	Metanilic Acid pure, 98% [121-47-1]	250 Gms	2.63
						1 Kg	9.48
				20302 ✓	Methane Sulphonic Anhydride pure, 97% (Metic Anhydride) [7143-01-3]	5 Gms	7.76
						25 Gms	21.98
						100 Gms	84.62
				54322	D-Methionine extrapure, 99% [348-67-4]	5 Gms	16.06
						25 Gms	60.93
				65309	DL-Methionine extrapure CHR, 99% [59-51-8]	100 Gms	6.05
						500 Gms	23.03
						1 Kg	42.11



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
98183 ✓ [15985-39-4]	L-Methionine Sulfoximine (MSX) extrapure, 95% (L-S-(3-Amino-3-Carboxypropyl)-S-Methylsulfoximine, L-Methionine Sulphoximine)	250 Mg 500 Mg 1 Gms 5 Gms	123.70 210.56 342.16 1381.80	34428 [116-54-1]	Methyl Dichloroacetate extrapure, 99%	500 ml	15.79
40043 ⚡ [7314-32-1]	L-Methionine Sulphone extrapure, 99%	1 Gms	45.14	45880 [41798-81-6]	3-Methyl-1,5-Di-p-Tolyl-1,4-Pentazadiene pure, 97% (N,N-bis[(4-Methylphenyl)diazonyl]Methanamine)	1 Gms 5 Gms	54.75 257.54
19485 ⚡ [3226-65-1]	L-Methionine Sulphoxide extrapure, 99%	1 Gms 5 Gms	49.61 98.70	31535 [1934-16-3]	New Methylene Blue N extrapure, 70% (Basic Blue 24, Methylene Blue N)	1 Gms 5 Gms 25 Gms	18.42 48.69 157.92
86596 ⚡ [133073-73-1]	Methotrexate Hydrate (MTR), 98%	100 Mg 500 Mg 1 Gms	39.48 118.44 210.56	28710 [6586-05-6]	New Methylene Blue N Zinc Chloride Double Salt, 90%	5 Gms 25 Gms	20.27 78.96
91842 [100-06-1]	p-Methoxyacetophenone pure, 99% (4-Acetylanisole)	100 Gms 500 Gms	8.03 19.74	73603 [6586-05-6]	New Methylene Blue N Zinc Chloride Double Salt for tissue culture, 90%	5 Gms	46.19
81142 [2396-60-3]	4-Methoxyazobenzene (4-MAB) extrapure AR, 98% (p-Methoxyazobenzene, 4-Phenylazoanisole)	1 Gms 5 Gms	17.37 64.09	84753 [93-15-2]	Methyl Eugenol extrapure, 99%	100 ml 500 ml 2500 ml	17.24 73.43 338.21
75797 [105-13-5]	4-Methoxybenzyl Alcohol (p-Anisyl Alcohol) pure, 98% (p-Methoxybenzyl Alcohol)	100 Gms 500 Gms	12.37 42.11	28409 [93-61-8]	N-Methylformanilide extrapure, 99%	100 ml 500 ml	9.87 39.87
13573 ● [93102-05-7]	N-Methoxymethyl-N-Trimethylsilylmethyl-Benzylamine extrapure, 98%	5 Gms 25 Gms	133.44 500.34	77007 [107-31-3]	Methyl Formate pure, 99%	500 ml 2500 ml	10.53 50.01
51234 [5720-06-9]	2-Methoxyphenylboronic Acid extrapure, 95% (Boronic Acid, 2-Methoxyphenylboronic Acid)	1 Gms 5 Gms	18.16 81.20	49281 [97-30-3]	Methyl-α-D-Glucopyranoside extrapure, 99% (α-Methyl-D-Glucoside)	100 Gms 500 Gms	28.16 113.18
40632 [5720-07-0]	4-Methoxyphenylboronic Acid extrapure, 98%	1 Gms 5 Gms 25 Gms	11.32 21.98 106.20	37685 [603-76-9]	1-Methylindole pure, 97%	5 ml 25 ml 100 ml	15.79 39.48 118.44
23438 [163105-89-3]	2-Methoxypyridine-5-Boronic Acid extrapure, 98% (6-Methoxy-3-Pyridinylboronic Acid)	1 Gms 5 Gms	20.66 63.17	96595 [7114-03-6]	Methyl Green Zinc Chloride Double Salt	5 Gms 25 Gms	11.32 52.64
24252 ■ [54344-92-2]	4-Methoxy-2,3,6-Trimethyl Benzaldehyde extrapure, 98% (2,3,6-Trimethyl-p-Anisaldehyde)	1 Gms 5 Gms	39.48 118.44	74916 [7114-03-6]	Methyl Green Zinc Chloride Double Salt ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms	12.37 54.48
88381 [105-45-3]	Methyl Acetoacetate pure, 98%	500 ml 2500 ml 25 Ltr	12.90 58.04 552.72	85544 ⚡ [134253-42-2]	1-O-Methyl-beta-D-Glucuronic Acid Sodium Salt extrapure, 99% (1-OMe-β-D-GlcA.Na)	50 Mg	50.01
21392 [105-45-3]	Methyl Acetoacetate extrapure AR, 99%	500 ml 2500 ml	15.27 67.77	86720 ⚡ [693-98-1]	2-Methylimidazole pure, 99%	100 Gms 500 Gms 1 Kg	5.00 19.74 36.06
64330 [122-00-9]	p-Methylacetophenone pure, 98%	100 Gms 250 Gms	6.71 15.40	15913 [93-16-3]	Methylisoeugenol (mixture of cis and trans) (1,2-Dimethoxy-4-propenylbenzene) pure, 98% (4-(1-Propenyl)-1,2-Dimethoxybenzene, Isoeugenyl Methyl Ether)	25 ml 100 ml 500 ml	7.90 23.69 78.96
93149 [100-61-8]	N-Methylaniline pure, 98%	500 ml 2500 ml	8.55 40.80	74384 [66-27-3]	Methyl Methanesulphonate (MMS) extrapure, 99%	25 ml 100 ml	12.90 46.98
29879 ● [38894-11-0]	3-Methyl-2-Benzothiazolinone Hydrazone HCl Monohydrate (MBTH) extrapure AR (High Purity), 99%	1 Gms 5 Gms 25 Gms	16.19 52.38 233.72	42067 [66-27-3]	Methyl Methanesulphonate (MMS) for tissue culture, 99%	10 ml	20.79
23343 [98139-72-1]	3-Methylbutylboronic acid extrapure, 95%	1 Gms 5 Gms	47.51 230.96	71512 ⚡ [50-66-8]	6-Methylmercaptapurine extrapure, 98% (6-Methyl(thio)purine)	100 Mg 1 Gms	31.58 190.82
39876 [96-34-4]	Methyl Chloroacetate extrapure, 99%	500 ml	8.95	66960 [93-04-9]	Methyl 2-Naphthyl Ether pure, 99% (Yara Yara)	250 Gms 1 Kg	5.92 16.45
64426 ■ [3100-04-7]	1-Methylcyclopropene (1-MCP), 98%	100 Mg 500 Mg	36.85 105.28				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
67915 [109-01-3]	1-Methylpiperazine extrapure, 99% (N-Methylpiperazine)	100 ml 500 ml 2500 ml	3.95 17.11 80.28	51504 [199329-67-4, 881005-91-0]	4-Methylumbelliferyl-b-D-Glucuroni de Trihydrate (MUG) extrapure, 99%	100 Mg 1 Gms 5 Gms	24.87 42.11 157.92
40610 [16419-60-6]	2-Methylphenylboronic Acid extrapure, 97%	1 Gms 5 Gms 25 Gms	20.79 32.90 136.60	77337 [1463-10-1]	5-Methyluridine extrapure, 98% (Ribothymidine)	5 Gms 25 Gms	27.77 87.65
20622 [17933-03-8]	3-Methylphenylboronic Acid extrapure (m-Tolylboronic Acid) extrapure, 97%	1 Gms 5 Gms 25 Gms	11.05 31.32 151.34	25828 [22832-87-7]	Miconazole Nitrate (MCN)extrapure, 98%	1 Gms 5 Gms 25 Gms	11.32 32.90 65.80
43322 [107-87-9]	Methyl-n-Propyl Ketone pure, 99%	500 ml 2500 ml	14.48 60.54	67424 [72432-03-2]	Miglitol extrapure, 98% (N-(b-Hydroxyethyl) -1-Deoxynojirimycin, Glyset)	1 Gms 5 Gms	72.38 157.92
87964 [1340-02-9]	Methyl Purple Indicator 0.1% Solution extrapure AR	250 ml	10.66	15761	Molisch Reagent	100 ml	5.40
29783 [119-36-8]	Methyl Salicylate pure, 99%	500 ml 2500 ml	9.87 43.43	64563 [500-44-7]	Mimosine ex. Koa Hoale Seeds, 98%	25 Mg 100 Mg	60.01 171.08
41652 [80-48-8]	Methyl p-Toluenesulfonate pure, 98% (Methyl p-Tosylate, p-Toluenesulfonic Acid Methyl Ester)	100 ml 500 ml	11.84 34.48	55690 [22373-78-0]	Monensin Sodium Salt (MSN), 97%	1 Gms 5 Gms	39.09 101.46
44243 [1779-49-3]	Methyltriphenylphosphonium Bromide pure, 98%	100 Gms 500 Gms	14.08 55.27	37233 [1317-33-5]	Molybdenum Disulfide pure, 98%	100 Gms 250 Gms 500 Gms	17.11 72.38 138.18
18040 [90-33-5]	β-Methylumbelliferone extrapure AR, 99%	10 Gms 25 Gms 100 Gms	6.84 11.05 29.61	75556 [7439-98-7]	Molybdenum Metal Sheet 99.9%	1 piece	338.21
13050 [37067-30-4]	4-Methylumbelliferyl-N-Acetyl-β-D- Glucosaminide extrapure, 99%	25 Mg 50 Mg 100 Mg	71.06 118.44 225.04	68078 [1132-61-2]	10X MOPS Buffer for molecular biology	100 ml 500 ml	7.90 25.79
15208 [20671-66-3]	4-Methylumbelliferyl Caprylate extrapure, 99%	25 Mg 50 Mg 100 Mg	26.32 46.06 78.96	69824 [1132-61-2]	MOPS Buffer extrapure, 99% (3-Morpholinopropane Sulphonic Acid)	25 Gms 100 Gms 500 Gms	13.16 30.40 124.36
21896 [72626-61-0]	4-Methylumbelliferyl-β-D-Cellobiosi de extrapure, 98%	25 Mg 50 Mg	48.82 85.41	85123 [117961-20-3]	MOPS Hemisodium Salt Buffer extrapure, 99%	25 Gms 100 Gms	68.30 219.11
34391 [6160-78-7]	4-Methylumbelliferyl- β-D-Galactopyranoside extrapure	100 Mg 250 Mg	14.08 21.06	57851 [71119-22-7]	MOPS Sodium Salt Buffer extrapure, 99.5%	50 Gms 100 Gms 500 Gms	42.24 79.62 329.00
48838 [18997-57-4]	4-Methylumbelliferyl-β-D- Glucopyranoside extrapure	100 Mg 500 Mg	16.98 76.06	66043 [1132-61-2]	MOPS Buffer for molecular biology, 99% (3-Morpholinopropane Sulphonic Acid)	25 Gms 100 Gms 500 Gms	18.03 44.22 157.92
92009 [24589-78-4]	N-Methyl-N-Trimethylsilyl Trifluoroacetamide (MSTFA) extrapure, 98%	5 ml 25 ml 100 ml	36.85 131.60 394.80	38602 [68399-77-9]	MOPSO Buffer extrapure, 99% (3-Morpholino-2-Hydroxy Propane Sulphonic Acid)	25 Gms 100 Gms	27.77 106.07
83294 [24589-78-4]	MSTFA+TMCS (99:1) (N-Methyl-N- (trimethylsilyl)trifluoroacetamide, Trimethylchlorosilane)	10 x1 ml	78.96	82595 [79803-73-9]	MOPSO Sodium Salt Buffer extrapure, 99%	50 Gms 250 Gms	52.64 223.72
86338 [66966-09-4]	4-Methylumbelliferyl-a-L-Iduronide Free Acid extrapure, 97%	1 Mg	345.45	24829 [480-16-0, 6472-38-4]	Morin Hydrate (Aluminium Ionophore I, C.I. 75660) extrapure AR, 98% (2',3,4',5,7-Pentahydroxyflavone)	1 Gms 5 Gms	15.00 55.27
49959	4-Methylumbelliferyl Myo-Inositol-1-Phosphate, N-Methyl-Morpholine Salt, Biosynth patent(WO99/48899)	25 Mg	199.77	14189 [526-99-8]	Mucic Acid extrapure, 99%	25 Gms 100 Gms 500 Gms	9.08 29.08 103.70
21400 [15220-11-8]	4-Methylumbelliferyl Sulfate Potassium Salt extrapure, 99%	100 Mg 500 Mg	60.80 165.55	93027 [84082-64-4]	Mucin ex. Porcine Stomach, Type III, 90%	10 Gms	76.33
				57868	Myosin II (in 4% SDS) ex. rabbit skeletal muscle, 95%	1 Mg 2 Mg	140.55 218.46



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
15358 [529-44-2]	Myricetin cryst pure, 98%	10 Mg	29.61	79388 [1523-11-1]	β-Naphthyl Acetate extrapure AR, 99%	5 Gms	13.16		
		25 Mg	50.93			10 Gms	24.35		
		100 Mg	155.68			25 Gms	41.72		
		100 Gms	141.21						
45945 [544-63-8]	Myristic Acid pure, C14-95% (GC)	500 Gms	7.76	11939 [132-75-2]	1-Naphthylacetoneitrile pure, 97%	25 Gms	64.48		
36459 [544-63-8]	Myristic Acid extrapure AR, C14-99% (GC)	100 Gms	3.16	61166 [1465-25-4]	N-(1-Naphthyl)Ethylenediamine Dihydrochloride (NEDA) extrapure AR, ACS, 98% (Bratton-Marshall Reagent, Marshall's Reagent)	100 Gms	249.78		
		500 Gms	14.08			5 Gms	7.90		
86442 [544-63-8]	Myristic Acid (High Purity) extrapure, C14-99.5% (GC)	5 Gms	3.95	84942 [1465-25-4]	N-(1-Naphthyl)Ethylenediamine Dihydrochloride (NEDA) extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% (Bratton-Marshall Reagent, Marshall's Reagent) meets compendial specs of BP	10 Gms	11.84		
		25 Gms	14.08			25 Gms	26.32		
70718 [124-10-7]	Myristic Acid Methyl Ester Reference Standard, 99%(GC)	5 Gms	21.06	27734 [10236-47-2]	Naringin pure, 97%	100 Gms	92.12		
		25 Gms	42.11			5 Gms	11.84		
		100 Gms	118.44			25 Gms	26.32		
28136 [112-72-1]	Myristyl Alcohol (1-Tetradecanol) pure, 98%	100 ml	2.76	95956 [67604-48-2]	Naringenin pure, 95%	100 Gms	52.38		
		500 ml	11.05			1 Gms	14.48		
20346 [389-08-2]	Nalidixic Acid free acid extrapure, 99% (8-Naphthyridine-3-Carboxylic Acid)	1 Gms	3.95			93007 [484-11-7, 654054-57-6]	Neocuproine extrapure, 99% (2,9-Dimethyl-1,10-Phenanthroline)	5 Gms	26.32
		5 Gms	17.37	25 Gms	78.96				
96676 [120-18-3]	Naphthalene-2-Sulphonic Acid Monohydrate extrapure, 98%	25 Gms	16.45	35449 [7296-20-0]	Neocuproine Hydrochloride Monohydrate extrapure AR, 99% (2,9 Dimethyl-1-10-Phenanthroline Hydrochloride)			1 Gms	17.24
		100 Gms	52.38			5 Gms	68.43		
55335 [123409-01-8]	1,3,6-Naphthalenetrilsulfonic Acid Trisodium Salt Hydrate (NTSA Sodium Hydrate) extrapure, 95%	250 Gms	92.12			23049 [10024-93-8]	Neodymium (III) Chloride Anhydrous, 99.9%	25 Gms	263.20
		1 Kg	210.56	1 Gms	21.58				
57955 [604-59-1]	a-Naphthoflavone extrapure AR, 98%	1 Gms	9.61	78442 [13477-89-9]	Neodymium (III) Chloride Hexahydrate extrapure, 99.9%			5 Gms	68.43
		5 Gms	34.87			25 Gms	263.20		
		25 Gms	158.45			1 Gms	17.24		
93051 [1163-67-3]	Naphthol-AS-Acetate extrapure, 99%	100 Mg	18.82	37499 [1313-97-9]	Neodymium (III) Oxide extrapure AR, 99.9%	5 Gms	68.43		
		500 Mg	68.70			25 Gms	263.20		
56061 [1237-75-8]	Naphthol AS-BI extrapure, 98%	5 Gms	9.48	86879 [16454-60-7]	Neodymium (III) Nitrate Hexahydrate extrapure, 99.9%	1 Gms	21.58		
		70430 [37-87-6]	Naphthol-AS-BI-b-D- Glucuronide extrapure, 99%			25 Mg	109.36	99080 [34622-08-7]	Neodymium (III) Trifluoromethanesulfonate extrapure, 98% (Neodymium Triflate, Neodymium Perfluoromethanesulfonate)
100 Mg	343.34					5 Gms	52.51		
87408 [13989-98-5]	Naphthol-AS-Phosphate extrapure, 95%	250 Mg	109.36	35282 [1405-10-3]	Neomycin Sulphate (NMS), 600U/mg	25 Gms	8.55		
		500 Mg	152.92			100 Gms	19.74		
11401 [1919-91-1]	Naphthol-AS-BI- Phosphate extrapure, 98%	100 Mg	54.75	27309 [126-30-7]	Neopentyl Glycol pure, 98%	500 Gms	7.11		
		250 Mg	124.89			5 ml	81.33		
87791 [1064-48-8]	Naphthol Blue Black B	25 Gms	6.97	13607 [15501-33-4]	Neopentyl Iodide extrapure, 98% (2,2-Dimethyl-1-Iodopropane, 1-Iodo-2,2-Mimethylpropane)	25 ml	260.30		
		100 Gms	25.00			100 ml	7.90		
45838 [521-24-4]	1,2-Naphthoquinone-4- Sulphonic Acid Sodium Salt extrapure AR, 99%	5 Gms	6.58	14678	Nessler's Reagent				
		25 Gms	28.95						
10150 [86-86-2]	1-Naphthyl Acetamide (NAD) technical grade, 98%	5 Gms	45.93						
		25 Gms	180.29						
42383 [2183-17-7]	1-Naphthyl Phosphate Disodium Salt extrapure (a-Naphthyl Phosphate Disodium Salt, Disodium 1-Naphthyl Phosphate)	25 Mg	24.08						
		250 Mg	71.99						
59523 [120-23-0]	2-Naphthoxyacetic Acid (BNOA) extrapure, 98%	25 Gms	7.50						
		100 Gms	25.66						
43036 [830-81-9]	a-Naphthyl Acetate extrapure AR, 99%	5 Gms	13.16						
		10 Gms	23.82						
		25 Gms	48.17						
		100 Gms	149.50						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
60609 [56391-57-2]	Netilmicin Sulphate (NTC Sulphate), 595ug/mg	100 Mg	55.27	55615 [68141-45-7]	β-Nicotinamide Adenine Dinucleotide Phosphate Monopotassium Salt (Oxidized) (β-NADP.K)extrapure, 95%	100 Mg 500 Mg 1 Gms	38.69 61.85 123.70
72860 [98-92-0]	Nicotinamide extrapure, 99.5% (Niacinamide, Pyridine-3-Carboxylic Acid Amide)	100 Gms 500 Gms	4.21 15.79	88991 [20111-18-6]	β-Nicotinamide Adenine Dinucleotide Sodium Salt (β-NAD.Na) extrapure, 95%	500 Mg 1 Gms 5 Gms	34.48 39.09 148.31
26759 [53-84-9]	β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD, DPN) extrapure, 98%	1 Gms 5 Gms 25 Gms 100 Gms	11.84 50.01 223.72 789.60	95130 [1094-61-7]	β-Nicotinamide Mononucleotide (β-NMN) extrapure, 95% (β-Nicotinamide ribose monophosphate, NMN, Nicotinamide ribotide, Nicotinamide-1-ium-1-β-D-ribofuran	100 Mg 1 Gms 5 Gms	26.32 52.64 210.56
19628 [53-84-9]	β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD, DPN) ExiPlus, Multi-Compendial, 98%	1 Gms 5 Gms 25 Gms 100 Gms	12.77 53.96 250.04 921.20	26478 [10026-12-7]	Niobium Chloride ultrapure, 99.9% (Niobium Pentachloride)	5 Gms 25 Gms	26.32 78.96
	meets compendial specs of BP, Ph.Eur			73387 [1313-96-8]	Niobium Pentoxide extrapure AR, 99.9%	10 Gms 25 Gms 100 Gms 500 Gms	8.29 16.84 55.40 265.96
87253 [53-84-9]	β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD, DPN) for molecular biology, 98%	1 Gms 5 Gms	18.56 67.12	31162 [150824-47-8]	Nitenpyram extrapure, 98%	1 Gms 5 Gms	30.40 110.54
77268 [606-68-8]	β-Nicotinamide Adenine Dinucleotide Disodium Salt (Reduced) (β-NADH.Na2, DPNH.Na2) extrapure, 98%	500 Mg 1 Gms 5 Gms 25 Gms	16.45 26.32 105.28 355.32	39180 [121-89-1]	m-Nitroacetophenone pure, 98%	100 Gms 500 Gms	8.29 38.82
54941 [606-68-8]	β-Nicotinamide Adenine Dinucleotide Disodium Salt (Reduced) (β-NADH.Na2, DPNH.Na2) for MB, 98%	100 Mg 1 Gms 5 Gms	9.21 32.90 128.97	21254 [552-89-6]	2-Nitrobenzaldehyde extrapure AR, 99% (o-Nitrobenzaldehyde)	25 Gms 100 Gms	9.74 33.95
44566 [64417-72-7]	β-Nicotinamide Adenine Dinucleotide Lithium Salt (Oxidized) (β-NAD.Li) extrapure, 95%	500 Mg 1 Gms 5 Gms	30.00 56.85 149.76	17735 [555-16-8]	p-Nitrobenzaldehyde extrapure, 99%	25 Gms 100 Gms	8.42 21.85
82819 [1184-16-3]	β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt (β-NADP.Na, TPN.Na) extrapure, 98%	100 Mg 1 Gms 5 Gms 25 Gms	10.79 26.32 105.28 407.96	17644 [99-61-6]	m-Nitrobenzaldehyde pure, 98%	100 Gms 500 Gms	9.61 39.35
72970 [1184-16-3]	β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt (β-NADP.Na) for MB, 98%	100 Mg 1 Gms	15.79 42.11	17003 [127-68-4]	m-Nitrobenzene Sulphonic Acid Sodium Salt pure, 98% (Sodium 3-Nitrobenzenesulfonate, Resist Salt)	1 Kg 5 Kg	11.58 50.67
57451 [24292-60-2]	β-Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt (β-NADP.Na2, TPN.Na2) extrapure, 95%	100 Mg 500 Mg 1 Gms 5 Gms	11.19 43.16 73.83 238.33	96144 [121-92-6]	m-Nitrobenzoic Acid pure, 99%	100 Gms 500 Gms	6.58 29.35
56640 [24292-60-2]	β-Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt (β-NADP.Na2, TPN.Na2) for MB, 95%	100 Mg 1 Gms	16.19 135.28	81431 [121-92-6]	m-Nitrobenzoic Acid extrapure AR, 99%	25 Gms 100 Gms 250 Gms	5.66 16.84 36.85
99197 [2646-71-1]	β-Nicotinamide Adenine Dinucleotide Phosphate Tetrasodium Salt (Reduced) (β-NADPH.Na4) extrapure, 98% (TPNH2.Na4)	25 Mg 100 Mg 1 Gms	12.37 35.40 299.78	79303 [62-23-7]	p-Nitrobenzoic Acid pure, 99%	100 Gms 500 Gms	5.13 23.42
57647 [2646-71-1]	β-Nicotinamide Adenine Dinucleotide Phosphate Tetrasodium Salt (Reduced) (β-NADPH.Na4) for MB, 98% (TPNH2.Na4)	25 Mg 100 Mg	33.95 73.83	27500 [122-04-3]	4-Nitrobenzoyl Chloride (PNBC) pure, 98% (p-Nitrobenzoic Acid Chloride)	25 Gms 100 Gms 500 Gms	9.74 19.35 56.46
				39996 [619-73-8]	p-Nitrobenzyl Alcohol pure, 97%	25 Gms 100 Gms	14.34 45.01
				12790 [100-11-8]	p-Nitrobenzyl Bromide (PNBBR) pure, 99%	25 Gms 100 Gms 500 Gms	6.71 11.98 56.72
				97695 [1083-48-3]	4-(4-Nitrobenzyl)Pyridine extrapure AR, 99%	5 Gms 25 Gms	75.01 289.52



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
11207 [298-83-9]	■ Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT) extrapure AR, 99%	100 Mg	8.03	92734 [2492-87-7]	● p-Nitrophenyl-β-D-Glucopyranoside extrapure, 98%	100 Mg	12.11
		250 Mg	14.48			1 Gms	57.90
		1 Gms	43.43			5 Gms	190.82
		5 Gms	202.66				
48898 [298-83-9]	■ Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT) for molecular biology, 99%	100 Mg	11.58	12735 [3767-28-0]	● p-Nitrophenyl-α-D-Glucopyranoside extrapure, 98%	100 Mg	15.40
		250 Mg	20.27			250 Mg	26.45
1 Gms	63.69	1 Gms	59.61				
		5 Gms	223.72				
13001 [298-83-9]	■ Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT) for tissue culture, 99%	100 Mg	23.16	92822 [10344-94-2]	● p-Nitrophenyl-β-D-Glucuronide (PNPG (Gus)) extrapure, 99%	50 Mg	32.24
15527 [88-73-3]	o-Nitrochlorobenzene (ONCB) pure, 99%	500 Gms	6.19			100 Mg	64.48
		5 Kg	50.01			500 Mg	177.27
76773 [4883-67-4]	2-Nitrocyclohexanone extrapure, 99%	5 Gms	269.78	27166 [13331-27-6]	3-Nitrophenylboronic Acid extrapure, 97%	1 Gms	14.87
84258 [67-20-9]	⚠ Nitrofurantoin extrapure, 98-102% (N-(5-Nitro-2-Furfurylidene)-1-Aminohydantoin, Furadoxyl)	5 Gms	17.37			5 Gms	29.48
		25 Gms	39.09			25 Gms	134.89
90728 [88-75-5]	o-Nitrophenol extrapure AR, 99%	100 Gms	15.53	82582 [100-16-3]	p-Nitrophenylhydrazine extrapure AR, 99%	10 Gms	12.24
		1 Gms	102.65			25 Gms	20.53
5 Gms	315.84						
18432 [830-03-5]	p-Nitrophenyl Acetate extrapure, 99%	1 Gms	5.79	88485 [333338-18-4/ 4264-83-9]	■ p-Nitrophenylphosphate Disodium Salt Hexahydrate (PNPP) Crystalline Reagent Grade, 99%	5 Gms	9.08
		5 Gms	19.74			25 Gms	40.53
		25 Gms	57.25			250 Gms	361.90
13463 [3740-52-1]	2-Nitrophenylacetic Acid pure, 98%	5 Gms	9.21	90341 [333338-18-4/ 4264-83-9]	■ p-Nitrophenylphosphate Disodium Salt Hexahydrate (pNPP) for molecular biology, 99%	5 Gms	9.87
		25 Gms	31.98			25 Gms	47.77
		100 Gms	111.47				
68146 [104-03-0]	p-Nitrophenylacetic Acid pure, 98%	25 Gms	16.32	93413 [68189-42-4]	■ p-Nitrophenylphosphate Ditriss Salt crystalline (PNPP-d) extrapure, 99%	1 Gms	8.42
		100 Gms	56.59			5 Gms	25.00
						25 Gms	89.49
72565 [3459-18-5]	■ 4-Nitrophenyl-N-Acetyl-β-D-Glucosaminide extrapure, 99%	100 Mg	42.11	53456 [398128-60-4]	4-Nitrophenyl trans-Ferulate extrapure, 98% (3-Methoxy-4-Hydroxycinnamic Acid 4-Nitrophenyl Ester, PNP-trans-Ferulate)	25 Mg	72.38
		1 Gms	315.84			100 Mg	210.56
72367 [207591-86-4]	⚠ 4-Nitro-L-Phenylalanine Monohydrate extrapure, 99%	25 Gms	141.73	85173 [603-11-2]	3-Nitrophthalic Acid pure, 98%	100 Gms	8.16
						500 Gms	33.56
83602 [3482-57-3]	⚠ p-Nitrophenyl β-D-Cellobioside extrapure, 98% (4-Nitrophenyl-beta-D-Cellobioside, PNP-beta-D-cellobioside)	100 Mg	155.29	46384 [610-27-5]	4-Nitrophthalic Acid pure, 98%	100 Gms	31.85
		500 Mg	400.59			500 Gms	103.04
38325 [96597-16-9]	● 4-Nitrophenyl-4,6-Ethylidene-α-D-Maltoheptaoside (pNP-G7, EPS), EPS 90% (Ethylidene-4-Nitrophenyl-α-D-Maltoheptaoside, EPS-PNP-G7)	25 Mg	72.51	43713 [525-05-3]	Nitroso R-Salt extrapure AR	25 Gms	5.40
		100 Mg	153.05			100 Gms	16.19
66398 [369-07-3]	● o-Nitrophenyl-β-D-Galactopyranoside (ONPG) extrapure, 99%	1 Gms	11.84	21872 [99-08-1]	3-Nitrotoluene extrapure, 99%	250 ml	4.47
		5 Gms	41.45			60944 [611-08-5]	⚠ 5-Nitrouracil extrapure, 98%
		25 Gms	184.24	25 Gms	72.51		
64685 [7493-95-0]	● p-Nitrophenyl α-D-Galactopyranoside extrapure, 98%	250 Mg	49.09	81787 [6635-20-7]	✓ 5-Nitrovanillin pure, 98% (3-Methoxy-4-Hydroxy-5-Nitrobenzaldehyde)	5 Gms	36.85
		1 Gms	138.97			25 Gms	73.70
96226 [3150-24-1]	● p-Nitrophenyl-β-D-Galactopyranoside (PNPG) extrapure, 98%	250 Mg	16.06	64659 [821-55-6]	2-Nonanone pure, 98% (n-Heptyl Methyl Ketone)	25 ml	7.24
		500 Mg	28.95			100 ml	17.11
		1 Gms	51.98			500 ml	42.11
				56986 [51-98-9]	⚠ Norethisterone Acetate extrapure, 99% (Norethindrone Acetate)	100 Mg	45.40
						1 Gms	108.57
				43000 [70458-96-7]	⚠ Norfloxacin (NFX), 98%	5 Gms	197.40
						1 Gms	28.16
						5 Gms	65.67
				49021 [616-06-8]	DL-Norleucine extrapure, 99%	5 Gms	10.53
						25 Gms	39.48



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
27434	Novobiocin Sodium Salt (NVB), 95% [1476-53-5]	100 Mg 1 Gms 5 Gms	14.61 69.09 193.45	76207	Oxidase Reagent (Gordon-Macleod Reagent)	100 ml	5.92
56221	L-Norvaline extrapure, 99% [6600-40-4]	1 Gms 5 Gms	23.42 48.43	91088	Oxolinic Acid (OXO), 99% [14698-29-4]	5 Gms	65.80
68547	Nuclear Fast Red (C.I. No. 60760) [6409-77-4]	1 Gms 5 Gms	19.74 97.38	29779	Oxolinic Acid Sodium (OXO-Na), 98% [59587-05-8]	1 Gms 5 Gms	35.40 120.28
89249	Nylander`s Reagent	50 ml	5.66	55540	Oxytetracycline Dihydrate (OTC.2H2O) extrapure, 98% [6153-64-6]	1 Gms	5.40
56083	Obermayor`s Reagent	100 ml	2.50	12455	Oxytetracycline Hydrochloride (OTC), 95% [2058-46-0]	1 Gms 5 Gms	10.92 50.14
62339	Octadecylamine technical, 70% (Stearylamine) [124-30-1]	500 Gms 5 Kg	3.95 36.85	61799	Ovalbumin ex. Chicken Egg White for molecular biology, 90% [9006-59-1]	1 Gms 5 Gms 25 Gms	36.85 164.50 789.60
51038	Octadecylamine pure, 98% [124-30-1]	250 Gms 1 Kg 5 Kg	7.90 28.95 111.86	13788	Ovalbumin ex. Chicken Egg White for molecular biology, 98% [9006-59-1]	250 Mg 1 Gms	107.91 210.56
27703	Octanoyl Chloride pure, 99% [111-64-8]	25 ml 100 ml 500 ml	6.19 16.19 49.88	57590	Paclobutrazol pure, 95% [76738-62-0] (a-tert-Butyl-β-(4-Chlorobenzyl)-1H-1,2,4-Triazole-1-Ethanol, PACZEE)	5 Gms 25 Gms	11.84 46.06
60507	Octyl α-D-Galactopyranoside extrapure, 98% [149342-80-3]	50 Mg	36.85	42883	Paclitaxel (Taxol, PCXL), 99% [33069-62-4]	10 Mg 50 Mg 250 Mg	16.58 52.64 98.70
63777	Octyl β-D-Galactopyranoside extrapure, 98% [40427-75-6]	50 Mg	36.85	15028	Palmitic Acid pure, C16-98% [57-10-3]	500 Gms 5 Kg	8.55 84.22
25253	Octyl α-D-Glucopyranoside extrapure, 98% [29781-80-4]	100 Mg	184.24	34262	Palmitic Acid Reference Standard, C16-99% (GC) [57-10-3]	5 Gms 25 Gms 100 Gms	7.63 28.95 100.02
33134	Octyl β-D-Glucopyranoside extrapure, 98% [29836-26-8]	1 Gms 5 Gms	72.38 329.00	77065	Palmitic Acid Methyl Ester Reference Standard, 99%(GC) (Methyl Palmitate) [112-39-0]	5 Gms 25 Gms	26.32 77.38
33910	Octylphenyl Polyethylene Glycol (IGEPAL CA-630®) for molecular biology ((Octylphenoxy)polyethoxyethanol) [9002-93-1]	100 ml 500 ml	11.84 52.64	62199	Palmitoyl Chloride pure, 98% [112-67-4] (Hexadecanoyl Chloride, Palmitic Acid Chloride)	25 ml 100 ml 500 ml	23.69 52.64 105.28
62799	Ofloxacin (OFX), 98% [82419-36-1]	1 Gms 5 Gms	39.48 78.96	83162	Pamoic Acid pure, 98% [130-85-8]	25 Gms 100 Gms	15.79 52.64
23576	Oil Red O for molecular biology, 75% [1320-06-5] (Solvent Red 27, Sudan Red 5B) (C. I. No. 26125)	25 Gms 100 Gms	9.34 29.22	74635	PAN Indicator (1(2-Pyridylazo)-2-Naphthol) extrapure AR, 99% [85-85-8] (1(2-Pyridylazo)-2- Naphthol)	1 Gms 5 Gms 25 Gms	13.16 52.64 236.88
23534	Oleandomycin Phosphate extrapure, 100U/mg (Matromycin) [7060-74-4]	100 Mg 1 Gms	52.64 131.60	37740	Pancreatin 3x ex. Porcine Pancreas, 75U/mg [8049-47-6]	100 Gms 500 Gms	13.29 64.62
70855	Orange Oil extrapure [8008-57-9]	100 ml 500 ml	11.05 51.19	41421	Pancreatin 4NF ex. Porcine Pancreas, 100U/mg [8049-47-6]	100 Gms 500 Gms	38.16 157.26
30774	Orcein [1400-62-0]	5 Gms 10 Gms 25 Gms	18.03 31.58 65.80	95907	Papain 1x USP ex. Papaya Latex, 6000USP U/mg [9001-73-4]	100 Gms 500 Gms	5.26 22.77
86848	L-Ornithine Monohydrochloride extrapure CHR, 99% [3184-13-2]	25 Gms 100 Gms 500 Gms	7.24 13.03 57.90	80400	Papain 5x USP ex. Papaya Latex, 30000USP U/mg (Papainase, Carica Papaya) [9001-73-4]	25 Gms 100 Gms 500 Gms	12.37 46.06 151.34
98499	Oxacillin Sodium Salt Monohydrate (OXC.Na.H2O), 815ug/mg [7240-38-2]	5 Gms	56.98	59196	PAR extrapure, 99% [16593-81-0] (4-(2-Pyridylazo)-Resorcinol Monosodium Salt Hydrate)	1 Gms 5 Gms	11.32 48.43
62704	Oxalacetic Acid extrapure, 98% [328-42-7] (Oxaloacetic Acid, Ketosuccinic Acid, Oxobutanedioic Acid, 2-Oxosuccinic Acid)	1 Gms 5 Gms 25 Gms	14.61 61.59 248.72	27436	Paromomycin Sulfate (PRM) [1263-89-4]	1 Gms 5 Gms 25 Gms	41.45 117.12 450.99



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
13684 [9046-40-6]	Pectic Acid pure	100 Gms	48.69	87913 [9003-99-0]	■ Peroxidase ex. Horseradish RZ >2.0, w/o Stab., Salt free (HRP Type 3), 180U/mg solids	5 K.Units 25 K.Units	56.72 123.31
90464 [9032-75-1]	■ Pectinase ex. Aspergillus Niger, 3U/mg powder (Macerozyme)	1000 Units 5000 Units 10000 Units	28.95 65.80 105.28	30709 [66-71-7]	1,10-Phenanthroline Anhydrous extrapure, 99%, water 2%	5 Gms 25 Gms 100 Gms	10.53 36.85 105.28
27295 [9032-75-1]	■ Pectinase ex. Aspergillus Niger, 3000 IU/g powder (Macerozyme)	100 Gms 500 Gms	36.85 105.28	65898 [5144-89-8]	1,10-Phenanthroline Monohydrate extrapure AR, 99.5%	5 Gms 25 Gms 100 Gms 500 Gms	7.37 26.32 76.33 342.16
38215 [1002-84-2]	Pentadecanoic Acid (Pentadecylic Acid) extrapure, 98% (Pentadecylate, n-Pentadecylate)	5 Gms 25 Gms 100 Gms	32.90 85.54 248.72	81067 [5144-89-8]	1,10-Phenanthroline Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	5 Gms 25 Gms 100 Gms 500 Gms	8.95 31.58 86.86 381.64
41991 [602-94-8]	Pentafluorobenzoic Acid pure, 98% (2,3,4,5,6-Pentafluorobenzoic Acid)	5 Gms 25 Gms 100 Gms	12.37 43.16 99.23		meets compendial specs of USP		
40309 [69-57-8]	✓ Penicillin G Sodium Salt (PNL), 98%	1 Gms 5 Gms	32.90 85.54	31888 [18851-33-7]	1,10-Phenanthroline Hydrochloride Monohydrate extrapure AR, 99.5%	5 Gms 25 Gms	11.84 52.64
13585 [771-61-9]	Pentafluorophenol (PFP) extrapure, 99% (2,3,4,5,6-Pentafluorophenol)	5 Gms 25 Gms	18.69 77.38	55782 [299-11-6]	● Phenazonium Methosulphate (PMS) extrapure, 99% (N-Methylphenazonium Methyl Sulphate, N-Methylphenazonium Methosulphate, Phenazine Methosulphate)	1 Gms 5 Gms	10.66 43.16
20895 [42075-32-1]	⚗ (2R,4R)-2,4-Pentanediol extrapure, 99%	1 Gms 2.5 Gms	437.44 1060.04	13920 [299-11-6]	● Phenazonium Methosulphate (PMS) for tissue culture, 99% (N-Methylphenazonium Methyl Sulphate, N-Methylphenazonium Methosulphate, Phenazine Methosulphate)	1 Gms 5 Gms 25 Gms	13.95 64.62 269.12
10610 [72345-23-4]	⚗ (2S,4S)-2,4-Pentanediol extrapure, 99%	1 Gms 2.5 Gms	364.53 883.83	48914 [68807-90-9]	Phenolphthalein Diphosphate Tetrasodium Salt extrapure AR, 95% (Phenolphthalein Bisphosphate Tetrasodium Salt)	1 Gms 5 Gms 25 Gms	23.69 57.11 219.11
16165 [54-95-5]	⚗ Pentylene-tetrazole (Pentetrazole) extrapure, 99% (1,5-Pentamethylene-tetrazole) (Pentylene-tetrazole, 1,5-Pentamethylene-tetrazole)	5 Gms 25 Gms	11.84 39.48	95444 [122-59-8]	Phenoxyacetic Acid extrapure, 99% (Glycolic Phenyl Ether)	100 Gms 500 Gms	6.71 24.87
32212 [8006-90-4]	Peppermint oil extrapure, 50%	100 ml 500 ml	7.90 28.95	19630 [108321-84-2]	⚗ L-Phenylalanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt extrapure, 98% (L-Phenylalanine-AMC.TFA Salt)	25 Mg 50 Mg	153.31 222.93
12647 [9001-75-6]	■ Pepsin 1:3000 ex. Porcine Stomach Mucosa, 0.8Anson U/mg	25 Gms 100 Gms 500 Gms	12.50 30.40 138.18	79455 [2462-32-0]	● L-Phenylalanine Benzyl Ester Hydrochloride extrapure, 99%	25 Gms	154.10
48062 [9001-75-6]	■ Pepsin 1:10000 ex. Porcine Stomach Mucosa, 2.5Anson U/mg	25 Gms 100 Gms 500 Gms	24.87 88.44 400.72	34351 [3182-93-2]	● L-Phenylalanine Ethyl Ester Hydrochloride extrapure, 99%	1 Gms 5 Gms 25 Gms	13.16 54.09 160.68
11787 [9001-75-6]	■ Pepsin 1:10000 ex. Porcine Stomach Mucosa extrapure AR, 2.5Anson U/mg	25 Gms 100 Gms 500 Gms	27.64 96.73 449.15	78586 [7524-50-7]	● L-Phenylalanine Methyl Ester Hydrochloride extrapure, 99%	1 Gms 5 Gms 25 Gms	11.58 32.90 101.33
63364 [9001-75-6]	■ Pepsin 2x cryst. ex. Porcine Stomach Mucosa, 2500U/mg solids	1 Gms 5 Gms 25 Gms 100 Gms	39.48 125.02 460.60 987.00	89311 [65147-22-0]	● Z-Phenylalanylarginine 7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 99% (Z-Phe-Arg-AMC.HCl Salt)	25 Mg	461.26
28498 [9003-99-0]	■ Peroxidase ex. Horseradish RZ >3.0, w/o Stab., Salt free (HRP Type 1), 250U/mg solids	1.25 K.Units 5 K.Units 25 K.Units	41.45 76.06 310.97	14059 [91-40-7]	N-Phenylanthranilic Acid (2-Anilinobenzoic Acid) extrapure AR, 99%	25 Gms 100 Gms	18.82 70.27
73292 [9003-99-0]	■ Peroxidase ex. Horseradish RZ >2.0, w/ 30% Stab., Salt free (HRP Type 2), 110U/mg solids	5 K.Units 25 K.Units 50 K.Units	42.24 106.20 179.50				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
53993 [1689-82-3]	4-Phenylazophenol (Solvent Yellow 7, 4-HAB) extrapure, 98% (p-Hydroxyazobenzene)(C.I. No. 11800)	25 Gms	11.05	90365 [66778-08-3]	Phenylphosphate Disodium Salt Dihydrate (High Purity) extrapure AR, 98%	25 Gms	28.16		
		100 Gms	38.69			100 Gms	84.36		
92890 [98-80-6]	Phenylboronic Acid extrapure, 95%	25 Gms	25.00	50478 [118-55-8]	Phenyl Salicylate (Salol) extrapure, 99%	100 Gms	13.55		
		100 Gms	92.12			500 Gms	51.32		
70291 [1821-12-1]	4-Phenyl Butyric Acid pure, 99%	25 Gms	46.06	21726 [2936-70-1]	Phenyl β-D-Thioglucopyranoside extrapure, 98%	25 Mg	59.35		
		100 Gms	144.76			50 Mg	103.57		
27644 [95-54-5]	o-Phenylenediamine free base (OPD) extrapure AR, 99%	5 Gms	31.58	16795 [103-85-5]	N-Phenylthiourea extrapure, 97%	10 Gms	28.16		
		25 Gms	105.28			25 Gms	50.01		
		100 Gms	236.88						
73229 [615-28-1]	o-Phenylenediamine Dihydrochloride (OPD.2HCl) extrapure AR, 99%	5 Gms	50.01	30746	Phleomycin (PLM) Solution (20mg/mL in 20mM HEPES)	1 ml	98.70		
		25 Gms	142.00			69353 [108-73-6]	Phloroglucinol Anhydrous extrapure AR, 99%	25 Gms	17.11
59576 [64-04-0]	2-Phenyl Ethylamine pure, 99%	250 ml	14.87	99529 [18472-87-2]	Phloxin B	25 Gms	5.26		
		500 ml	28.16			100 Gms	18.42		
27861 [2871-15-0]	Phenyl-α-D-Galactopyranoside extrapure, 98%	250 Mg	144.10	500 Gms	78.96				
77334 [2818-58-8]	Phenyl-β-D-Galactopyranoside extrapure, 97%	1 Gms	89.88	95131	1X Phosphate Buffered Saline (PBS) for molecular biology	100 ml	6.97		
45754 [122-60-1]	Phenyl Glycidyl Ether (PGE) extrapure, 98% (2,3-Epoxypropyl Phenyl Ether, 1,2-Epoxy-3-phenoxypropane)	100 ml	8.55	78529	10X Phosphate Buffered Saline (PBS) for molecular biology	100 ml	8.69		
		500 ml	26.32			500 ml	20.00		
23116 [2935-35-5]	L-Phenyl Glycine extrapure, 99%	10 Gms	3.95	13435	10X Phosphate Buffered Saline Tween-20 (PBST) for molecular biology	200 ml	7.90		
		25 Gms	9.48			1000 ml	32.90		
		100 Gms	21.98			40083 [10526-80-4]	Phosphoenolpyruvate Monocyclohexylammonium Salt (PEP MCHA Salt) extrapure, 98%	100 Mg	9.34
		500 Gms	96.86			250 Mg	18.69		
17083 [103-72-0]	Phenyl Isothiocyanate (PITC) pure, 98%	25 ml	19.74	1 Gms	44.88				
		100 ml	52.64	5 Gms	218.59				
		500 ml	230.30	31569 [35556-70-8]	Phosphoenolpyruvate Tricyclohexylammonium Salt (PEP TCHA Salt) extrapure, 98%	100 Mg	15.53		
18962 [103-72-0]	Phenyl Isothiocyanate (PITC) extrapure AR, 99%	25 ml	36.85	69400 [9001-87-0]	Phospholipase D (Lecithinase D) ex. Streptomyces chromofuscus, 40U/mg	250 Mg	23.29		
		100 ml	79.22			1 Gms	69.62		
15127 [103-72-0]	Phenyl Isothiocyanate (PITC) for HPLC & Sequencing, 99%	5 x1 ml	26.32	84122 [26016-99-9]	Phosphomycin Disodium Salt (Fosfomycin Disodium Salt) extrapure, 99% ((-)-(1R,2S)-(1,2-Epoxypropyl)Phosphonic Acid, Phosphonomycin)	1 Gms	46.98		
		5 ml	23.69			5 Gms	93.96		
		5 x5 ml	107.91			65312 [9012-69-5]	Phosphorylase B ex. Rabbit Muscle, 50U/mg	10 Mg	78.96
98152 [941-69-5]	N-Phenylmaleimide extrapure, 98%	5 Gms	10.53	27329 [643-79-8]	o-Phthalaldehyde (OPA) extrapure AR, 99% (Phthalaldehyde)	5 Gms	12.37		
		25 Gms	28.95			25 Gms	53.03		
		100 Gms	46.06			89886 [88-96-0]	Phthalamide (Phthalic Acid Diamide) pure, 98%	25 Gms	16.58
89793 [62-38-4]	Phenylmercuric Acetate (PMA) pure, 98% (Mercury Phenyl Acetate)	5 Gms	10.53	62747 [85-41-6]	Phthalamide extrapure, 99% (Phthalic Dicarboximide, 1,3-Dihydro-1,3-Dioxoisindole, 1,3-Dioxoisindoline)	25 Gms	7.63		
		25 Gms	40.80			5 Kg	73.30		
		100 Gms	144.76			45501 [87-41-2]	Phthalide pure, 98% (1-Iso-Benzofuranone)	100 Gms	6.97
		23358 [8003-05-2]	Phenylmercuric Nitrate (Basic) (PMN) pure, 98% (Mercury Phenyl Nitrate)			5 Gms	21.06	26603 [4192-28-3]	N-Phthaloyl-L-Alanine extrapure, 98%
25 Gms	85.54	1 Gms	14.21						
100 Gms	296.10	5 Gms	64.35						
87606 [329-98-6]	Phenylmethane Sulphonyl Fluoride (PMSF) extrapure, 99%	1 Gms	9.87						
		5 Gms	31.58						
		25 Gms	111.86						
		100 Gms	368.48						
84375 [329-98-6]	Phenylmethane Sulphonyl Fluoride (PMSF) for molecular biology, 99%	1 Gms	12.50						
		5 Gms	39.48						
		25 Gms	157.92						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
44729	N-Phthaloyl-L-Glutamic Acid [340-90-9] extrapure, 98%	5 Gms	58.56	72328	Piperazine Anhydrous pure, 98% [110-85-0]	250 Gms 500 Gms 5 Kg	11.84 21.06 177.66
19971	N-Phthaloyl-L-Methionine extrapure, 98%	1 Gms 5 Gms	24.08 101.20	15861	Pivaloyl Chloride extrapure, 99% [3282-30-2]	100 ml 250 ml 500 ml	6.32 11.19 21.71
15187	N-Phthaloyl-L- Phenylalanine [5123-55-7] extrapure, 99%	1 Gms 5 Gms	11.98 41.72	20924	■ Polyadenylic Acid Potassium Salt [26763-19-9] (POLY A Potassium) extrapure	25 Mg 100 Mg 1 Gms	26.32 72.38 460.60
64073	N-Phthaloyl-L-Valine extrapure, 98%	1 Gms 5 Gms	21.98 101.20	44196	■ Polycytidylic Acid Potassium Salt [26936-40-3] (POLY C Potassium) extrapure	25 Mg	69.09
92486	Phthalyl Hydrazide pure, 98% [1445-69-8]	25 Gms 100 Gms	26.32 61.59	62995	■ Polyinosinic Acid Potassium Salt [26936-41-4] (POLY I Potassium) extrapure	10 Mg	69.09
58924	■ Phytosphingosine Hydrochloride [554-62-1] extrapure, 98%	1 Gms 5 Gms	89.49 236.88	54422	■ Poly-L-Lysine Hydrobromide (PLL [25988-63-0] HBr), 70-150kDa (L-Lysine Homopolymer Hydrobromide)	25 Mg 100 Mg 250 Mg	85.54 302.68 658.00
67432	Picloram extrapure, 95% [1918-02-1] (4-Amino-3,5,6-Trichloropicolinic Acid, 4-Amino-3,5,6-Trichloropyridine-2-Carb oxylic Acid)	1 Gms 5 Gms 25 Gms	21.06 52.64 157.92	27007	■ Poly-D-Lysine Hydrobromide (PDL [27964-99-4] HBr), 70-150KDa (D-Lysine Homopolymer Hydrobromide)	25 Mg 100 Mg	85.54 236.88
41238	a-Picolinic Acid pure, 98% [98-98-6]	25 Gms 100 Gms 500 Gms	7.90 23.69 105.28	22107	■ Poly-e-L-Lysine Hydrochloride (PLL [28211-04-3] HCl), 3500-4500Da (e-Poly-L-Lysine HCl, N6- [(Phenylmethoxy)carbonyl]-L-Lysine Homopolymer)	25 Gms 100 Gms	118.44 407.96
93418	Picrotoxin pure, 98% [124-87-8]	1 Gms 5 Gms	21.06 92.12	90347	■ r-Polyglutamic Acid technical [25513-46-6] grade, 20%	1 Gms 5 Gms	10.53 39.48
90670	Pimelic Acid (Heptanedioic acid) [160-60-0] extrapure, 98%	25 Gms 100 Gms	43.30 153.31	67258	Polygluronic Acid extrapure, 80% [36562-70-6]	1 Gms 5 Gms	190.82 815.92
99487	✓ Pinacol pure, 98% [76-09-5] (2,3-Dimethyl-2,3-Butanediol, Tetramethylethylene Glycol)	25 Gms 100 Gms 500 Gms	10.53 32.90 118.44	83011	■ Polymyxin B Sulphate (Aerosporin, [1405-20-5] PXNS), 6000U/mg	250 Mg 1 Gms	18.42 52.64
31826	Piperonylamine pure, 97% [2620-50-0] (1,3-Benzodioxole-5-Methylamine, 3,4- (Methylenedioxy)Benzylamine)	5 ml	92.12	22810	✓ Polyoxyethylene (5) [68412-54-4] Nonylphenylether Branched (IGEPAL CO-520) for molecular biology	100 Gms 500 Gms	14.48 48.69
70375	PIPES Buffer extrapure, 99% [5625-37-6] (Piperazine-1,4-bis(2-Ethanesulphonic, Acid))	25 Gms 100 Gms 500 Gms	13.16 40.80 140.94	20659	✓ Polyoxyethylene (9) [68412-54-4] Nonylphenylether Branched (IGEPAL CO-630) for molecular biology	100 Gms 500 Gms	15.79 52.64
49159	PIPES Buffer for molecular biology, [5625-37-6] 99% (Piperazine-1,4-bis(2-Ethanesulphonic, Acid))	100 Gms 500 Gms	45.67 164.50	47380	Polyoxyl 40 Hydrogenated Castor [61788-85-0] Oil extrapure (Macr(Macrogolglycerol Hydroxystearate, PEG-40 hydrogenated castor oil))	500 Gms	33.16
48112	PIPES Buffer for tissue culture, [5625-37-6] 99% (Piperazine-1,4-bis(2-Ethanesulphonic, Acid))	25 Gms 100 Gms	19.35 55.27	14749	■ Polyuridylic Acid Potassium Salt [27416-86-0] (POLY U Potassium) extrapure	25 Mg	39.48
58842	PIPES Dipotassium Salt Buffer [108321-27-3] extrapure, 99%	25 Gms	113.57	38610	Ponceau S [6226-79-5]	25 Gms 100 Gms	10.40 40.14
55025	PIPES Disodium Salt Buffer [76836-02-7] extrapure, 99%	25 Gms 100 Gms 500 Gms	63.30 160.42 469.94	14092	Ponceau S Staining Solution	100 ml	23.03
44033	PIPES Sesquisodium Salt Buffer [100037-69-2] extrapure, 99%	25 Gms 100 Gms 250 Gms	47.11 162.13 397.04	41186	POPSO Buffer extrapure, 99% [68189-43-5] (Piperazine-1,4-bis (2-Hydroxypropanesulphonic Acid))	25 Gms 100 Gms	39.48 131.60
94348	PIPES Sodium Salt Buffer [10010-67-0] extrapure, 99%	25 Gms 100 Gms 250 Gms	38.69 103.70 210.03	81800	POPSO Sesquisodium Salt Buffer [108321-08-0] extrapure, 98%	25 Gms	78.96



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
20883 [299-27-4]	Potassium Gluconate extrapure, 99% (D-Gluconic Acid Potassium Salt, Potassium-D-Gluconate)	100 Gms	3.95	35981 [7531-52-4]	L-Prolinamide extrapure, 98% ((2S)-2-Pyrrolidinecarboxamide, (-)-Prolinamide, (2S)-2-Carbamoylpyrrolidine)	5 Gms	11.84
		500 Gms	16.58			25 Gms	32.90
48320 [865-47-4]	Potassium tert-Butoxide pure, 98%	100 Gms	9.87	57732 ⓘ [68832-13-3]	D-Prolinol extrapure, 98% ((R)-(-)-2-(Hydroxymethyl)pyrrolidine, (R)-(-)-2-Pyrrolidinemethanol)	100 Gms	118.44
		500 Gms	42.11			500 Gms	552.72
95056 [24634-61-5]	Potassium Sorbate pure, 99%	500 Gms	14.48	46457 ⓘ [23356-96-9]	L-Prolinol extrapure, 98% ((S)-(+)-2-(Hydroxymethyl)pyrrolidine, (S)-(+)-2-Pyrrolidinemethanol)	1 ml	26.98
		1 Kg	26.32			5 ml	105.41
28008 [19423-77-9]	Praseodymium (III) Chloride Hydrate extrapure, 99.9%	25 Gms	60.80	41622 [93-55-0]	Propiophenone pure, 99%	25 ml	181.48
		100 Gms	124.36			5 ml	26.32
83218 [15878-77-0]	Praseodymium (III) Nitrate Hexahydrate extrapure, 99.9% (Praseodymium Trinitrate Hexahydrate)	25 Gms	46.32	84215 [106-94-5]	n-Propyl Bromide pure, 98%	100 ml	12.90
		100 Gms	159.24			500 ml	46.06
99350 [52093-27-3]	Praseodymium (III) Trifluoromethanesulfonate extrapure, 98% (Praseodymium Triflate, Trifluoromethanesulfonic Acid Praseodymium Salt)	5 Gms	53.96	45799 [108-32-7]	Propylene Carbonate pure, 99%	100 ml	6.32
		25 Gms	201.74			500 ml	21.06
63639 [12037-29-5]	Praseodymium (III, IV) Oxide extrapure, 99.9%	10 Gms	9.74	56082 [107-08-4]	n-Propyl Iodide extrapure, 99%	2500 ml	81.59
		50 Gms	38.69			500 ml	7.90
10693 ● [57-83-0]	Progesterone extrapure, 97-103% (4-Pregnene-3,20-Dione)	5 Gms	17.24	25034 [106-36-5]	Propyl Propionate extrapure, 99%	2500 ml	35.01
		25 Gms	52.64			250 ml	14.87
54236 [21087-77-4]	Progoitrin Potassium Salt Reference Standard Grade, 75% (R)-2-Hydroxy-3-Butenylglucosinolate Potassium Salt)	10 Mg	394.80	11195 ⓘ [25535-16-4]	Propidium Iodide (PI) for molecular biology, 95% (3,8-Diamino-5-[3-(diethylmethylammonio)propyl]-6-Phenylphenanthridinium Diiodide)	1000 ml	55.80
						10 Mg	30.93
92825 ● [127277-53-6]	Prohexadione Calcium technical grade, 95%	100 Mg	26.32	78349 ⓘ [9009-65-8]	Protamine Sulfate for molecular biology, 90-110% (Protamine Sulphate)	25 Mg	56.32
		1 Gms	118.44			100 Mg	164.50
31651 [72556-74-2]	Phosphocholine Chloride Calcium Salt Tetrahydrate pure, 97% (Calcium phosphorylcholine chloride, Choline chloride phosphate calcium salt, Choline phosphate chlo)	5 Gms	33.29	79546 ■ [25535-16-4]	Propidium Iodide Solution (1mg/ml in H2O)	1 Gms	39.48
		25 Gms	71.33			10 ml	34.22
74152 ⓘ [115388-93-7]	L-Proline-7-Amido-4-Methylcoumarin Hydrobromide Salt extrapure, 98% (L-Proline-AMC.HBr Salt)	10 Mg	59.75	84589 ● [9036-06-0]	Protease ex. Aspergillus Oryzae (Fungal) (Type 1 - Acidic, powder), 500kHUT/g (Subtilisin A)	5 Gms	144.76
		25 Mg	99.49			10 Gms	263.20
79380 ⓘ [70375-23-4]	Z-Proline-Arginine-7-Amido-4-Methylcoumarin Hydrochloride extrapure, 99% (Z-Pro-Arg-AMC-HCl)	10 Mg	938.04	38207 ● [9036-06-0]	Protease ex. Bacillus Licheniformis (Type 4 - Neutral, powder), 10U/mg (Subtilisin A)	25 Gms	63.96
		25 Mg	2009.80			25 Mg	51.19
16110 ⓘ [16652-71-4]	L-Proline Benzyl Ester Hydrochloride extrapure, 99%	5 Gms	28.95	81525 ● [9036-06-0]	Protease ex. Bacillus Sp. (Type 5 - Neutral, granules), 8kNPU/g (Subtilisin A)	100 Mg	134.36
		25 Gms	105.28			100 Gms	9.61
73978 ⓘ [97216-17-6]	L-Proline-β-Naphthylamide Hydrobromide extrapure, 99%	100 Mg	58.43	66789 ● [9036-06-0]	Protease ex. Bacillus Subtilis (Type 2 - Alkaline, granules), 100kAPU/g (Subtilisin A)	500 Gms	41.59
						250 Gms	51.19
16680 ■ [72162-84-6]	Proline Specific Endopeptidase ex. Flavobacterium Sp., 5U/mg	50 Units	128.97	23434 ● [9036-06-0]	Protease ex. Bacillus Subtilis (Type 3 - Alkaline, granules), 1000kAPU/g (Subtilisin A)	500 Gms	28.82
31798 [107-19-7]	Propargyl Alcohol pure, 99%	250 ml	14.81	84244 ● [9036-06-0]	Protease ex. Bacillus Subtilis (Type 6 - Neutral, powder), 100kNPU/g (Subtilisin A)	100 Gms	46.45
		500 ml	27.64				
		2500 ml	134.23				
90557 [62937-45-5]	D-Prolinamide extrapure, 98% ((R)-Pyrrolidine-2-Carboxamide)	5 Gms	62.51				
		25 Gms	234.12				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
49936 [39450-01-6]	■ Proteinase K ex. Tritirachium Album (Type A) for molecular biology, 30U/mg (Endopeptidase K)	25 Mg	14.48	31129 [7291-22-7]	✓ Pyridine-d5 For NMR Spectroscopy, 99.5 Atom%D	10 ml	315.84		
		100 Mg	47.38			73512 [1692-25-7]	3-Pyridineboronic Acid extrapure, 98%	1 Gms	26.85
		500 Mg	210.56					5 Gms	111.60
		1 Gms	368.48					25 Gms	490.87
		5 Gms	1289.68						
36331	⚡ Proteinase K Solution (20 mg/ml)	1 ml	31.58	16539 [499-83-2]	Pyridine-2,6-Dicarboxylic Acid extrapure, 99%	25 Gms	11.19		
		5 x1 ml	65.80			100 Gms	32.90		
		5 x5 ml	223.72			500 Gms	144.76		
32753 [39450-01-6]	■ Proteinase K ex. Pichia Pastoris (Type D - Recombinant) for molecular biology & PCR, 30U/mg (Endopeptidase K)	25 Mg	17.11	12644 [636-73-7]	Pyridine-3-Sulphonic Acid (P3SA) extrapure, 98% (3-Pyridinesulfonic Acid)	25 Gms	26.32		
		100 Mg	55.27			52928 [41468-25-1]	✓ Pyridoxal-5-Phosphate Monohydrate extrapure, 98%	1 Gms	13.42
		500 Mg	250.04					5 Gms	60.93
		1 Gms	447.44					25 Gms	195.03
5 Gms	1513.40								
45073 [39450-01-6]	■ Proteinase K ex. Pichia Pastoris (Type E - Recombinant) for molecular biology & PCR, 40U/mg (Endopeptidase K)	25 Mg	27.77	88205 [58-56-0]	✓ Pyridoxine Hydrochloride (Vitamin B6) pure, 98%	25 Gms	6.71		
		100 Mg	96.20			100 Gms	18.42		
66893 [9057-02-7]	✓ Pullulan (Polymaltotriose, PULL) extrapure	5 Gms	39.48	47330 [1046-56-6]	✓ 3-(2-Pyridyl)-5,6-Diphenyl-1,2,4-Triazine (PDT) extrapure AR, 99%	1 Gms	37.51		
		25 Gms	78.96			5 Gms	163.84		
		100 Gms	236.88						
93909 [58-58-2]	⚡ Puromycin Dihydrochloride (PRM), 98%	10 Mg	43.16	16315 [68181-17-9]	⚡ 3-(2-Pyridyldithio)propionic Acid N-Hydroxysuccinimide Ester (SPDP Crosslinker) extrapure, 95% (N-Succinimidyl 3-(2-Pyridyldithio)Propionate, 3-(2-Pyridyldithio)-Propionic Acid-OSu)	100 Mg	50.01		
		25 Mg	84.22			250 Mg	68.43		
		100 Mg	236.88			1 Gms	118.44		
85492 [110-60-1]	Putrescine free base extrapure, 99% (1,4-Diaminobutane, 1,4-Butanediamine, Tetramethylenediamine)	25 Gms	22.37	77504 [79551-14-7]	✓ Ferene Disodium Salt extrapure, 98% (3-(2-Pyridyl)-5,6-di(2-Furyl)-1,2,4-Triazine-5,5-Disulfonic Acid Disodium Salt)	1 Gms	72.38		
		100 Gms	69.75			10 Gms	436.91		
		500 Gms	329.00						
81343 [333-93-7]	⚡ Putrescine Dihydrochloride extrapure, 99%	1 Gms	6.19	77577 [98-79-3]	⚡ L-Pyroglutamic Acid extrapure, 99%	100 Gms	10.53		
		5 Gms	18.82			500 Gms	26.32		
		25 Gms	78.17						
		100 Gms	280.97						
49270 [333-93-7]	⚡ Putrescine Dihydrochloride for tissue culture, 99%	1 Gms	12.37	36306 [66642-36-2]	⚡ L-Pyroglutamic Acid-7-Amido-4-Methylcoumarin extrapure, 98% (L-Pyroglutamic Acid-AMC)	10 Mg	131.73		
		5 Gms	43.16			25 Mg	255.96		
		25 Gms	113.83						
57322 [98-96-4]	Pyrazinamide extrapure, 98% (Pyrazinecarboxamide, Pyrazinamide, Pyrazinoic Acid Amide)	5 Gms	19.74	97079 [89-32-7]	Pyromellitic Dianhydride (PMDA) extrapure, 98% (Benzene-1,2,4,5-Tetracarboxylic Dianhydride)	25 Gms	18.03		
		25 Gms	42.11			100 Gms	29.08		
						500 Gms	92.65		
31412 [288-13-1]	Pyrazole extrapure, 98% (1,2-Diazole)	5 Gms	10.53	75612 [92-32-0]	⚡ Pyronin G (Pyronin Y), 50% (C.I. No. 45005)	1 Gms	12.37		
		25 Gms	21.06			5 Gms	44.09		
		100 Gms	65.80			25 Gms	210.56		
32357	⚡ Pyrene Actin (10%) ex. Rabbit Skeletal Muscle extrapure, 99%	1 Mg	1170.19	71692 [109-97-7]	Pyrrole extrapure, 99%	25 ml	9.21		
39433 [67000-89-9]	1-Pyrenebutanol extrapure, 99%	500 Mg	58.56			100 ml	28.95		
		1 Gms	112.39			500 ml	118.44		
81284 [19694-02-1]	1-Pyrenecarboxylic Acid pure, 97%	500 Mg	57.77	91402 [123-75-1]	Pyrrolidine pure, 99%	25 ml	3.29		
		1 Gms	103.04			100 ml	7.24		
		5 Gms	452.57			500 ml	32.90		
59503 [93324-65-3]	1-Pyrenemethylamine Hydrochloride (PyNH2) pure, 95%	500 Mg	53.82	88543 [123-75-1]	Pyrrolidine extrapure AR, 99.5%	25 ml	4.21		
		1 Gms	98.44			100 ml	10.53		
67172 [289-80-5]	⚡ Pyridazine pure, 98%	5 Gms	35.93			250 ml	21.06		
		25 Gms	165.82						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
73694 [616-45-5]	2-Pyrrolidone pure, 99%	250 ml	9.21	42650 [62758-13-8]	Resazurin Sodium extrapure AR, 85%	1 Gms	18.42		
		500 ml	16.45			5 Gms	81.59		
		2500 ml	72.38			25 Gms	381.64		
63884 [9014-20-4]	■ Pyruvate Dehydrogenase ex. Microorganism, 2.0U/mg	10 Units	135.81	42817 [62758-13-8]	Resazurin Sodium extrapure AR, ExiPlus, Multi-Compendial, 85%	1 Gms	19.74		
29986 [9001-59-6]	■ Pyruvate Kinase ex. Rabbit Muscle, 300U/mg	2000 Units	78.96			5 Gms	85.54		
		4000 Units	151.34			25 Gms	407.96		
59150 [127-17-3]	⚠ Pyruvic Acid pure, 98%	25 ml	11.84	meets compendial specs of USP					
		100 ml	31.58	46861 ✓ [50-55-5]	✓ Reserpine extrapure, 99%	1 Gms	45.40		
71923 [6151-25-3, 849061-97-8]	⚠ Quercetin Dihydrate extrapure, 98%	25 Gms	26.32	5 Gms	171.74	39798 [108-46-3]	Resorcinol ACS, 99%	100 Gms	8.16
		100 Gms	85.54	500 Gms	30.27				
97899 [117-92-0]	⚠ Quinaldine Red	1 Gms	18.82	22173 [108-46-3]	Resorcinol ACS, ExiPlus, Multi-Compendial, 99%	100 Gms	8.95	500 Gms	32.90
		5 Gms	87.51			meets compendial specs of BP			
81076 [77-95-2]	⚠ Quinic Acid extrapure, 98%	5 Gms	14.87	69040 [10030-85-0]	L-Rhamnose Monohydrate extrapure	5 Gms	8.55	25 Gms	19.74
		25 Gms	46.85			100 Gms	65.80		
		100 Gms	157.66			59652 [7440-15-5]	Rhenium Powder extrapure, 99.99%, -325mesh		
32648 [91-22-5]	Quinoline pure, 97%	500 ml	24.21	5 Gms	46.06	45165 [20765-98-4]	Rhodium (III) Chloride Trihydrate pure, 98% (Rhodium Trichloride Hydrate)	250 Mg	111.86
		2500 ml	115.81	1 Gms	381.64				
51649 [17629-30-0]	D-Raffinose Pentahydrate extrapure	25 Gms	23.69	46729 ✓ [73482-96-9]	Rhodium (II) Octanoate Dimer extrapure, 97%	250 Mg	39.48	1 Gms	128.97
		100 Gms	89.49			34392 [83-88-5]	Riboflavin pure, 98% (Vitamin B2)		
21719 [212783-75-0]	● Ramage Linker (FMOC-Suberol) extrapure, 98%	100 Mg	35.14	100 Gms	26.32	57443 ⚠ [130-40-5]	Riboflavine-5-Phosphate Disodium Salt extrapure, 73-79%	25 Gms	8.69
		1 Gms	79.62	98915 ■ [9001-99-4]	■ Ribonuclease A (RNase A) ex. Bovine Pancreas for molecular biology, 50Kunitz/mg			100 Mg	46.06
24527 ⚠	Rapeseed Glucosinolate Mixture Reference Standard Grade, 90%	10 Mg	124.36	500 Mg	197.40	62910 ■ [63231-63-0]	Ribonucleic Acid (RNA) Free Acid ex. Yeast, 85%	25 Gms	18.42
36474 [2580-78-1]	Reactive Blue 19 (Remazol Brilliant Blue R) (Reactive Blue 19)	25 Gms	32.77	100 Gms	52.64			61866 ■ [73049-77-1]	Ribonucleic Acid Sodium Salt (RNA Sodium, Sodium Nucleinate) ex. Yeast for molecular biology, 85%
		100 Gms	111.86	25 Gms	36.85	100 Gms	128.97		
95238 [12236-86-1]	Reactive Blue 21 (Remazol Turquoise Blue G-133)	25 Gms	36.98	48259 ⚠ [50-69-1]	D-Ribose extrapure	25 Gms	7.24	100 Gms	11.84
		100 Gms	105.41			1 Kg	92.12		
12176 [12225-83-1]	Reactive Orange 16 (Remazol Brilliant Orange 3R) (C.I. No. 17757)	25 Gms	36.98	76538 ⚠ [50-69-1]	D-Ribose for tissue culture	5 Gms	4.61	25 Gms	9.21
		100 Gms	91.33			100 Gms	28.95		
65637 [12220-08-5]	Reactive Orange 107 (Remazol Golden Yellow RNL)	25 Gms	18.42			72377 [15673-79-7]	D-Ribose-5-Phosphate Barium Salt Hexahydrate extrapure, 98%		
		100 Gms	52.64	12310 ⚠ [13292-46-1]	Rifampicin (RFP) (Rifampin), 97-102%			1 Gms	9.48
15034 [11099-79-9]	Reactive Red 21 (Remazol Red BB)	25 Gms	52.64			5 Gms	31.58	81319 ■ [80621-81-4]	Rifaximin (RFX) extrapure, 98%
		35832 [12226-12-9]	Reactive Red 35 (Remazol Brilliant Red 5B)	25 Gms	7.90	5 Gms	92.12		
79740 [61951-82-4]	Reactive Red 120 (Reactive Brilliant Red HE3B) (C.I. 292775)	25 Gms	18.42						
		100 Gms	52.64						
23176 [98114-32-0]	Reactive Red 180 (Remazol Brilliant Red F3B)	5 Gms	9.21						
		25 Gms	18.42						
		100 Gms	52.64						
80539 [12226-38-9]	Reactive Violet 5 (Remazol Brilliant Violet 5R) (C.I. No. 18097)	25 Gms	18.42						
		100 Gms	52.64						
67074 [20317-19-5]	Reactive Yellow 17 (Remazol Golden Yellow G) (C.I. No. 18852)	25 Gms	39.48						
		100 Gms	118.44						
55200 [62758-13-8]	Resazurin Sodium extrapure AR, 20-30%	1 Gms	15.79						
		5 Gms	72.38						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
23311 [145069-56-3]	Rink Amide Linker Resin (Knorr Linker) extrapure, 99% (4-[(2,4-Dimethoxyphenyl)(Fmoc-amino)Methyl]phenoxyacetic Acid)	1 Gms	23.69	92082 [13759-83-6]	Samarium (III) Nitrate Hexahydrate ultrapure, 99.95% (Trinitric Acid Samarium (III) Hexahydrate)	5 Gms	19.74		
		5 Gms	92.12			25 Gms	52.64		
34140 [431041-83-7]	Rink Amide MBHA Resin (100-200 mesh), Loading 0.3-0.8mmol/g (4-(2,4-Dimethoxyphenyl-FMOC-Aminomethyl) Phenoxyacetamido-Norleucyl-MBHA Resin)	1 Gms	26.32	31372 [12060-58-1]	Samarium (III) Oxide ultrapure, 99.95% (Samaria)	5 Gms	19.74		
		5 Gms	92.12			25 Gms	52.64		
		25 Gms	394.80	54043 [52093-28-4]	Samarium (III) Trifluoromethanesulfonate extrapure, 98% (Samarium (III) Triflate, Trifluoromethanesulfonic Acid Samarium (III) Salt)	1 Gms	21.06		
		5 Gms	55.27						
90780 [569-61-9]	p-Rosaniline Hydrochloride (Pararosaniline Hydrochloride, Pararosaniline Chloride, Basic Parafuchsin) (C.I. No. 42500)	25 Gms	11.84	68580 [144026-79-9]	Scandium (III) Trifluoromethanesulfonate extrapure, 98% (Scandium Triflate, Trifluoromethanesulfonic Acid Scandium Salt)	1 Gms	19.74		
		100 Gms	39.48			5 Gms	68.43		
		500 Gms	171.08						
60549 [632-69-9]	Rose Bengal (Acid Red 94) (C.I. No. 45440)	10 Gms	8.16	80967 [8047-15-2]	Saponin ex. Quillaja for molecular biology, 9% Sapogenin	25 Gms	78.96		
		25 Gms	19.35			100 Gms	144.76		
		100 Gms	65.80						
10641 [8007-01-0]	Rose Oil extrapure	10 ml	18.42	99474 [8047-15-2]	Saponin ex. Gypsophila Roots for molecular biology, 25% Sapogenin	5 Gms	23.69		
		25 ml	34.22			25 Gms	59.22		
		100 ml	105.28			100 Gms	157.92		
66412 [603-45-2]	p-Rosolic Acid (Aurin)	25 Gms	11.84	10147 [9029-22-5]	Sarcosine Oxidase (SOX) ex. Recombinant E.coli, 20U/mg	500 Units	78.17		
		100 Gms	39.48			1 K.Units	148.31		
		500 Gms	171.08						
18325 [250249-75-3]	Rutin Trihydrate pure, 95% (Vitamin P Trihydrate, Rutoside, Quercetin-3-Rutinoside)	25 Gms	18.42	21032 [12060-08-1]	Scandium Oxide, 99.99%	1 Gms	34.61		
		100 Gms	34.22			5 Gms	92.12		
		500 Gms	105.28						
16281	Safranine 0.5 w/v Aq. Solution	125 ml	2.90	17386	Schiff's Reagent	500 ml	6.97		
		500 ml	9.21						
16593 [477-73-6]	Safranine O (Basic red 2) (C.I. No. 50240)	25 Gms	6.97	32380 [92-61-5]	Scopoletin extrapure, 98%	25 Mg	92.12		
		100 Gms	24.61			100 Mg	421.12		
		500 Gms	118.44						
10673 [138-52-3]	D-(-)-Salicin extrapure	5 Gms	23.69	62330 [111-20-6]	Sebacic Acid pure, 98%	500 Gms	14.21		
		25 Gms	63.17						
57467 [959-36-4]	Salicylaldehyde Azine extrapure, 97% (2-Hydroxybenzaldehyde azine)	1 Gms	12.50	19182 [563-41-7]	Semicarbazide Hydrochloride extrapure, 98%	100 Gms	8.82		
		5 Gms	26.32			44779 [7446-08-4]	Selenium Dioxide pure, 98%	100 Gms	26.32
		25 Gms	98.70					500 Gms	105.28
77386 [65-45-2]	Salicylamide pure, 98%	500 Gms	20.40	90945 [7782-49-2]	Selenium Metal Powder extrapure, 99.9%, 100 mesh	25 Gms	9.21		
		5 Kg	184.24			100 Gms	32.90		
						500 Gms	98.70		
45549	Salt Mixture Bernhart Tommarelli (Dietary Mineral Mix acc to Bernhart-Tommarelli)	500 Gms	16.45	51200 [7782-49-2]	Selenium Metal Powder ultrapure, 99.999%, 100 mesh	25 Gms	46.98		
		1 Kg	31.58			100 Gms	172.79		
		5 Kg	151.34						
13464	Salt Mixture H.M.W. (acc. to Hubble Mendal and Wakeman) (Dietary Mineral Mix acc to HMW)	500 Gms	16.45	77855 [7782-49-2]	Selenium Metal Granular ultrapure, 99.999%, 1-6mm	25 Gms	49.74		
		1 Kg	31.58			100 Gms	186.61		
		5 Kg	151.34						
71637	Salt Mixture as per USP XIV (Dietary Mineral Mix acc to USP XIV)	500 Gms	19.74	29815	Seliwanoff's Reagent	100 ml	3.82		
		1 Kg	37.51						
		5 Kg	177.66						
93538 [13465-55-9]	Samarium (III) Chloride Hexahydrate pure, 99.9% (Samarium trichloride hydrate)	10 Gms	32.90	64088	Seralose® 2B (2% Beaded Agarose Susp., 60-200micron)	100 ml	59.22		
		50 Gms	128.97			500 ml	236.88		
				54540	Seralose® 4B (4% Beaded Agarose Susp., 45-165micron)	100 ml	59.22		
						500 ml	236.88		
				12585	Seralose® 6B (6% Beaded Agarose Susp., 45-165micron)	100 ml	59.22		
						500 ml	236.88		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
81862	Seralose® CL-2B (2% Beaded Agarose Cross-Linked Susp., 60-200micron)	100 ml	78.96	73081 [7440-21-3]	Silicon Metal powder, 98.5%, -200 mesh	100 Gms	4.21
		500 ml	315.84			500 Gms	12.90
11974	Seralose® CL-4B (4% Beaded Agarose Cross-Linked Susp., 45-165micron)	100 ml	78.96	43800 [26042-64-8]	Silver Hexafluoroantimonate(V) extrapure, 98%	5 Kg	124.36
		500 ml	315.84			1 Gms	44.74
22264	Seralose® CL-6B (6% Beaded Agarose Cross-Linked Susp., 45-165micron)	100 ml	78.96	32422 [7440-22-4]	Silver Metal powder, 99.9%, -400 mesh	5 Gms	197.40
		500 ml	315.84			10 Gms	43.43
85165 [55819-71-1]	DL-Serine Hydrazide Hydrochloride pure, 98% (DL-Serinohydrazide Hydrochloride)	5 Gms	206.48	43491 [2386-52-9]	Silver Methanesulfonate (Silver MSA) extrapure, 47.8%-58.4% Ag (Methanesulfonic Acid Silver Salt, Silver Methylsulfonate, Silver Methylsulphonate, Methanesulphonic)	25 Gms	103.96
						100 Gms	407.96
17017 [5680-80-8]	L-Serine Methyl Ester Hydrochloride extrapure, 99%	5 Gms	12.63	46241 [9008-42-8]	Silver Proteinate extrapure, 8% Ag	1 Gms	19.74
		25 Gms	54.75			5 Gms	65.80
		100 Gms	148.31			25 Gms	210.56
18472 [3722-51-8]	Sieber Linker (3-Hydroxyxanthone) extrapure, 99%	100 Mg	34.48	27821 [2923-28-6]	Silver Trifluoromethanesulfonate extrapure, 98% (Silver Triflate, Trifluoromethanesulfonic Acid Silver Salt)	5 Gms	26.32
		1 Gms	78.17			5 Gms	56.72
		5 Gms	124.89			25 Gms	138.18
77996	Silica Cysteine-Functionalized extrapure (Particle Size — 40-63µm, Pore Size - 60A)	5 Gms	262.81	69717 [13497-94-4]	Silver Vanadate pure	5 Gms	47.38
		10 Gms	437.83			10 Mg	442.18
46400	Silica DMT-Functionalized extrapure	5 Gms	147.79	90677 [16411-05-5]	Sinalbin Potassium Salt Reference Standard Grade, 98% (p-Hydroxybenzylglucosinolate Potassium Salt, Glucosinalbin Potassium Salt)	25 Gms	615.10
		25 Gms	615.10			25 Mg	82.91
31156	Silica Imidazole-Functionalized extrapure	5 Gms	87.65	28945 [3952-98-5]	Sinigrin Potassium Salt Reference Standard Grade, 97% (2-Propenyl Glucosinolate Potassium Salt, Sinigrin Potassium Salt)	100 Mg	135.42
		25 Gms	364.80			5 Gms	32.90
68360	Silica TAAcOH-Functionalized extrapure	5 Gms	126.34	94846 [122-34-9]	Simazine extrapure, 98% (2,4-Bis(ethylamino)-6-chloro-1,3,5-triazine)	5 Gms	32.90
		25 Gms	526.27			25 Gms	52.64
28466	Silica TAAcONa-Functionalized extrapure	5 Gms	126.34	56226 [83-46-5]	b-Sitosterol ex. Rice Bran, 98% (Beta Sitosterol)	5 Gms	26.32
		25 Gms	526.27			25 Gms	123.70
39343	Silica Thiol-Functionalized (STF) extrapure	5 Gms	105.67	13728 [83-46-5]	b-Sitosterol ex. Glycine Max (Soyabean), 95% (Beta Sitosterol)	25 Gms	58.43
		25 Gms	439.68			100 Gms	229.12
20356	Silica DPP-Pd Catalyst extrapure	5 Gms	497.32	89658 [1333-83-1]	Sodium Bifluoride pure, 98%	500 Gms	18.82
		10 Gms	828.69			100 Gms	56.98
45570	Silica TEMPO Catalyst extrapure	5 Gms	243.59	53713 [7782-82-3]	Sodium Biselenite pure, 98%	25 Gms	14.48
		10 Gms	405.99			100 Gms	23.69
78339	Silica C18 (17%) Bonded monomeric extrapure	5 Gms	69.22	22308 [156-54-7]	Sodium Butyrate Reagent Grade, 98.5%	500 Gms	89.49
		25 Gms	199.90			100 Gms	19.35
43139	Silica Carbonate Bonded extrapure	5 Gms	121.86	41059 [9005-46-3]	Sodium Caseinate extrapure (Casein Sodium Salt)	500 Gms	72.64
		25 Gms	507.58			500 Gms	8.42
35228	Silica Cyano Bonded extrapure	5 Gms	77.25	43624 [7775-11-3]	Sodium Chromate pure, 98%	100 Gms	19.74
		10 Gms	150.68			500 Gms	92.12
30753	Silica Diol Bonded extrapure	5 Gms	76.06	60947 [22722-98-1]	Sodium Dihydro-bis-Methoxyethoxy Aluminate (VITRIDE) pure, 68-71%	10 Gms	5.53
		25 Gms	316.37			25 Gms	11.19
92868	Silica TMA Acetate Bonded non-endcapped extrapure	5 Gms	108.44	46288 [6152-67-6]	Sodium Diphenylamine-4-Sulfonate extrapure AR, ACS	100 Gms	39.48
		25 Gms	451.39				
50648	Silica Tosic Acid Bonded extrapure	5 Gms	131.99				
		25 Gms	549.69				
79427 [7440-21-3]	Silicon Metal powder, 98.5%, -4 mesh	500 Gms	17.11				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
25818	● Sodium Diphenyl Reagent AR [5137-46-2] (Sodium Biphenyl Complex)	15 ml 10 x15 ml	12.63 117.12	19099	⚡ Sodium Rhodizonate Dibasic extrapure AR, 99% [523-21-7] Rhodizonic Acid Sodium Salt, 3,4,5,6-Tetraoxocyclohexene-1,2-diol disodium salt, Rhodizonic acid dis	1 Gms 5 Gms 25 Gms	7.63 18.16 83.43
67516	● Sodium Diphenyl Reagent ExiPlus, Multi-Compendial [5137-46-2] (Sodium Biphenyl Complex)	15 ml 10 x15 ml	18.82 137.39	95335	⚡ Sodium Selenite Anhydrous extrapure, 98% [10102-18-8]	25 Gms 100 Gms 500 Gms	10.26 34.35 134.36
55083	⚡ Sodium Dodecylbenzenesulfonate (SDBS) pure, 80% [25155-30-0] (Dodecylbenzenesulfonic Acid Sodium Salt)	100 Gms 500 Gms 5 Kg	5.92 10.86 94.75	80451	⚡ Sodium Selenite Anhydrous extrapure AR, 99% [10102-18-8]	25 Gms 100 Gms 500 Gms	10.79 38.82 146.34
36511	⚡ Sodium Fucidate (Na-FC), 97.5% [751-94-0] (Fucidic Acid Sodium Salt)	1 Gms 5 Gms	39.48 105.28	17169	⚡ Sodium Selenite Anhydrous for tissue culture, 99% [17013-01-3]	25 Gms 100 Gms 500 Gms	12.63 37.37 185.16
55655	⚡ Sodium Fumarate extrapure AR, 99.5% [17013-01-3]	100 Gms 500 Gms	5.26 23.69	58529	⚡ Sodium Taurochenodeoxycholate (STCDC) extrapure, 95% [6009-98-9] (Taurochenodeoxycholic Acid Sodium Salt)	250 Mg 1 Gms	65.80 157.92
15331	⚡ Sodium-β-Glycerophosphate Hydrate extrapure AR, 99% [55073-41-1, 154804-51-0] (Sodium-β-Glycerol Phosphate Hydrate, β-GP, β-Glycerolphosphate, Disodium β-glycerol phosphate)	5 Gms 25 Gms 100 Gms	26.32 59.22 197.40	63703	⚡ Sodium Taurocholate Hydrate (STC Hydrate) extrapure, 98% [345909-26-4] (Taurocholic Acid Sodium Salt Hydrate)	1 Gms 5 Gms 25 Gms 100 Gms	31.19 81.59 355.32 1118.60
97971	⚡ Sodium Glycochenodeoxycholate (SGCDC) extrapure, 97% [16564-43-5] (Glycochenodeoxycholic Acid Sodium Salt)	1 Gms 5 Gms 25 Gms 100 Gms	105.28 329.00 1381.80 3684.80	57861	⚡ Sodium Taurodeoxycholate Dried (STDC Dried) extrapure, 97% [1180-95-6]	1 Gms 5 Gms 25 Gms	46.06 131.60 552.72
31287	⚡ Sodium Glycocholate Dried (SGC Dried) extrapure, 98% [863-57-0]	500 Mg 1 Gms 5 Gms 25 Gms	48.56 72.38 223.72 1052.80	40391	⚡ Sodium Taurodeoxycholate Hydrate (STDC Hydrate) extrapure, 97% [207737-97-1]	1 Gms 5 Gms 25 Gms 100 Gms	32.90 105.28 447.44 1579.20
15556	⚡ Sodium Glycocholate Hydrate (SGC Hydrate) extrapure, 98% [338950-81-5]	1 Gms 5 Gms 25 Gms 100 Gms	52.64 197.40 894.88 2368.80	31102	⚡ Sodium Tauroursodeoxycholate (TUDCA Sodium) extrapure, 98% [35807-85-3] (Tauroursodeoxycholic Acid Sodium Salt)	1 Gms 5 Gms	39.48 157.92
43453	⚡ Sodium Gluconate pure, 99% [527-07-1]	500 Gms 5 Kg	4.61 43.43	78786	⚡ Sodium Thioglycolate extrapure, 99% [367-51-1]	100 Gms 250 Gms 500 Gms	12.77 23.69 42.11
54565	⚡ Sodium Malonate extrapure, 99% [141-95-7]	100 Gms 500 Gms	11.84 43.30	48950	✓ Sodium Triacetoxyborohydride (STAB) pure, 98% [56553-60-7]	25 Gms 100 Gms 500 Gms	7.90 23.69 105.28
81020	✓ Sodium DL-Mandelate extrapure, 99% [114-21-6] (DL-Mandelic Acid Sodium Salt)	5 Gms 25 Gms	11.84 55.27	69128	⚡ Sodium Trifluoromethanesulfinate (Langlois reagent) extrapure, 95% [2926-29-6] (Sodium Trifluoromethylsulfinate, Trifluoromethanesulfonic Acid Sodium Salt, Sodium Triflinate)	5 Gms 25 Gms	50.01 157.92
18444	⚡ Sodium Metavanadate extrapure, 99% [13718-26-8] (Sodium Trioxovanadate, Sodium Vanadium Oxide, Sodium Vanadium Trioxide)	25 Gms 100 Gms 500 Gms	11.05 36.85 157.92	99957	⚡ a-Solamargine extrapure, 98% [20311-51-7] (Solasodine-L-Rhamnosido-D-Glucosi de)	10 Mg 25 Mg	59.22 118.44
85247	⚡ Sodium-2-Naphthyl Phosphate Disodium Salt extrapure AR, 99% [31681-98-8]	1 Gms 5 Gms	12.90 62.38	53771	⚡ Solasodine extrapure, 98% [126-17-0] (Purapuridine, Solancarpidine)	10 Mg 25 Mg	59.22 118.44
86766	✓ Sodium Orthovanadate pure, 45% [13721-39-6] (Sodium Vanadium Oxide)	10 Gms 50 Gms 250 Gms	26.32 105.28 236.88	89725	⚡ Solasodine extrapure, 98% [19121-58-5] (Solasodamine)	25 Mg	118.44
14215	⚡ Polyanetholesulphonic Acid Sodium Salt (Sodium Polyanetholesulphonate, SPS) extrapure [55963-78-5] (Sodium PolyanetholSulphonate)	1 Gms 5 Gms 25 Gms	6.58 29.87 105.28	54281	■ Somatostatin extrapure, 97% [38916-34-6]	5 Mg 25 Mg	26.32 105.28
23569	⚡ Sodium Pyruvate (Pyruvic Acid Sodium Salt) extrapure AR, 99%	25 Gms 100 Gms 500 Gms	4.47 13.55 40.14				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
62468 [87-79-6]	L-(-)-Sorbose extrapure, 99%	5 Gms	26.32	39895 [83-48-7]	Stigmasterol extrapure, 95%	1 Gms	15.40
		25 Gms	68.43			5 Gms	46.06
		100 Gms	263.20			25 Gms	157.92
51719 [22189-32-8]	Spectinomycin Dihydrochloride Pentahydrate extrapure, 98%	1 Gms	15.79	87610 [9013-20-1]	Streptavidin (SA) ex. Streptomyces Avidinii for molecular biology, 15U/mg Protein	5 Mg	106.86
		5 Gms	52.64			10 Mg	196.48
		25 Gms	171.08				
17030 [124-20-9]	Spermidine extrapure, 99%	250 Mg	14.48	54224 [9013-20-1]	r-Streptavidin (r-SA) ex. Streptomyces Acidinii in E.Coli - Type 1, 17U/mg protein	5 Mg	584.17
		1 Gms	46.06				
		5 Gms	197.40				
91710 [71-44-3]	Spermine Free Base extrapure, 99%	250 Mg	26.32	91014 [3810-74-0]	Streptomycin Sulphate (STM)	5 Gms	5.40
		1 Gms	59.22			25 Gms	17.77
22310 [306-67-2]	Spermine Tetrahydrochloride extrapure, 99%	1 Gms	45.53	62463 [3810-74-0]	Streptomycin Sulphate for tissue culture	5 Gms	12.24
		5 Gms	118.18			25 Gms	24.48
		10 Gms	227.27			100 Gms	44.48
		25 Gms	409.01				
26413 [85187-10-6]	Sphingomyelin (Type I) ex. Bovine Brain Sphingolipids extrapure, 99%	10 Mg	101.46	14653 [18883-66-4]	Streptozotocin (STZ) extrapure, 98%	100 Mg	24.35
		100 Mg	530.48			500 Mg	111.86
			1 Gms			210.56	
			5 Gms			855.40	
95852 [85187-10-6]	Sphingomyelin (Type II) ex. Bovine Heart Sphingolipids extrapure, 99%	10 Mg	101.46	28065 [100-42-5]	Styrene Monomer (Stab w/ tBC) extrapure, 99.5% (Phenylethylene, Vinylbenzene)	500 ml	12.50
		25 Mg	226.35			2500 ml	57.90
		100 Mg	592.99				
77061 [657408-07-6]	S-Phos (2-Dicyclohexylphosphino-2,6-Dimethoxybiphenyl) extrapure, 98%	1 Gms	23.69	48142 [108-30-5]	Succinic Anhydride extrapure, 99.5%	100 Gms	5.00
		5 Gms	85.54			500 Gms	19.74
		25 Gms	329.00				
63056 [122341-56-4]	3-(2'-Spiroadamantane)-4-Methoxy-4-(3''-Phosphoryloxy) Phenyl-1,2-Dioxetane (AMPPD) extrapure, 98%	5 Mg	275.31	72368 [115223-09-1]	N-Succinimidyl Ferrocenecarboxylate pure, 97% (Ferrocenecarboxylic Acid N-Succinimidyl Ester)	1 Gms	52.64
						5 Gms	236.88
67715 [52-01-7]	Spironolactone extrapure, 97%	500 Mg	68.56	24088 [64987-85-5]	Succinimidyl-4-(N-(N-maleimidomethyl) cyclohexane-1-carboxylate (SMCC), 98%	50 Mg	34.48
		1 Gms	122.52			250 Mg	140.55
12590	20X SSC Buffer pH 6.9-7.1 for molecular biology	200 ml	4.34	20721 [386229-69-2]	Sucrose Heptasulphate Potassium Salt pure, 80% (1,3,4,6-Tetra-O-Sulfo-b-D-Fructofuranosyl-a-D-Glucopyranoside-2,3,4-Tris(Hydrogen Sulfate)Potassium)	25 Mg	236.88
		500 ml	9.74				
78305	20X SSPE Buffer pH-7.4 suitable for molecular biology	200 ml	11.84	47973 [54182-58-0]	Sucrose Octasulphate Aluminium Salt (Sucralfate) extrapure, 30-36% (Sucrose Octasulfate-Aluminum Complex)	5 Gms	39.48
		1000 ml	32.90			25 Gms	105.28
80268 [10094-58-3]	StachyoseTetrahydrate extrapure, 98%	25 Mg	41.45	69538 [26446-38-8]	Sucrose Palmitate extrapure, 90% (b-D-Fructofuranosyl-a-D-Glucopyranoside Monoheptadecanoate)	25 Gms	28.95
		100 Mg	163.84			100 Gms	88.17
		250 Mg	377.56				
31384 [57-11-4]	Stearic Acid pure, C18-98%	500 Gms	8.55	67787 [85-86-9]	Sudan III	25 Gms	2.76
		5 Kg	84.22			100 Gms	8.03
73878 [57-11-4]	Stearic Acid extrapure, C18-99%	5 Gms	3.95	81329 [6209-17-2]	Sulfacetamide Sodium Monohydrate extrapure, 99%-101% (N-Acetylsulfanilamide Sodium Salt Monohydrate)	5 Gms	36.19
		25 Gms	15.13			50 Gms	105.28
		100 Gms	57.90				
73439 [57-11-4]	Stearic Acid ExiPlus, Multi-Compendial, C18-99%	5 Gms	6.71	16775 [68-35-9]	Sulfadiazine (SFD) extrapure, 99-101% (4-Amino-N-(2-Pyrimidinyl)Benzenesulfonamide)	50 Gms	34.61
		25 Gms	28.95			100 Gms	65.67
		100 Gms	92.12				
	meets compendial specs of Ph.Eur						
61609 [112-61-8]	Stearic Acid Methyl Ester Reference Standard, 99% (GC) (Methyl Stearate)	5 Gms	46.06	28277 [547-32-0]	Sulfadiazine Sodium Salt (SFD Sodium) extrapure, 99% (4-Amino-N-(2-Pyrimidinyl)Benzenesulfonamide Sodium Salt)	25 Gms	38.16
		25 Gms	128.97			100 Gms	119.76
61600	STET Lysis Buffer	500 ml	39.48				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
69181 [7704-34-9]	Sulfur Precipitated pure, 98%	500 Gms	3.03	47064 ⚠ [125700-67-6]	TBTU extrapure, 98%	10 Gms 25 Gms	8.55 19.48
86684 ⚠ [723-46-6]	Sulphamethoxazole (SMX), 99%	5 Gms 25 Gms	30.93 84.36			100 Gms 500 Gms	65.80 236.88
72701 [126-33-0]	Sulpholane Anhydrous pure, 99% (Sulfolane Anhydrous)	500 ml 2500 ml	10.53 48.69	92481 [7446-07-3]	Tellurium Dioxide ultrapure, 99.999%	5 Gms 25 Gms	38.69 92.12
13674 [126-33-0]	Sulpholane Anhydrous extrapure AR, 99% (Sulfolane Anhydrous)	500 ml 2500 ml	13.49 66.46	59479 [13494-80-9]	Tellurium Metal powder, 99.9%, -200 mesh	10 Gms 100 Gms	20.79 107.78
31249 ■ [9054-89-1]	Superoxide Dismutase (SOD) ex. Bovine Erythrocytes, 3000U/mg	20 K.Units 100 K.Units	163.84 530.48	67813 [13798-24-8]	Terbium (III) Chloride Hexahydrate extrapure, 99.9%	5 Gms 25 Gms	55.27 241.88
47406 [14414-32-5]	Syringaldazine pure, 95%	1 Gms	59.22	52633 [13451-19-9]	Terbium (III) Nitrate Hexahydrate ultrapure, 99.99%	2 Gms 10 Gms	55.01 202.66
41719 [134-96-3]	Syringaldehyde extrapure, 99%	5 Gms 25 Gms 100 Gms	8.29 24.21 85.93	52313 [57584-27-7]	Terbium (III) Nitrate Pentahydrate extrapure, 99.9%	5 Gms 25 Gms	57.90 253.33
64614 [530-57-4]	Syringic Acid pure, 96% (3,5-Dimethoxy-4-Hydroxybenzoic Acid, Gallic Acid 3,5-Dimethyl Ether)	5 Gms 25 Gms 25 Gms	21.06 52.64 184.24	99186 [148980-31-8]	Terbium (III) Trifluoromethanesulfonate extrapure, 98% (Terbium(III) Triflate, Trifluoromethanesulfonic Acid Terbium(III) Salt)	1 Gms 5 Gms	41.45 152.00
71989 ⚠ [100-ml]	10X TAE Buffer pH-8.3 for molecular biology	100 ml 500 ml	7.76 13.69	62369 [12037-01-3]	Terbium (III,IV) Oxide ultrapure, 99.99%	1 Gms 5 Gms	48.43 135.42
83170 ⚠ [200-ml]	10X TBE Buffer pH-8.3 for molecular biology	200 ml 500 ml	8.69 14.87	96104 [100-20-9]	Terephthaloyl Chloride pure, 99%	100 Gms 500 Gms	17.11 71.06
51782 ⚠ [100-ml]	10X TE Buffer pH-8.0 for molecular biology	100 ml 500 ml	16.58 55.27	14676 [7365-44-8]	TES Buffer extrapure, 99% (N-Tris(Hydroxymethyl) Methyl-2-Aminoethane Sulphonic Acid)	5 Gms 25 Gms 100 Gms	10.53 36.85 138.18
89528 [7440-25-7]	Tantalum Metal Sheet (Type 1), 99.9%	1 piece	142.26	51318 [70331-82-7]	TES Buffer Sodium Salt extrapure, 99%	25 Gms 100 Gms	77.64 235.96
27101 [7440-25-7]	Tantalum Metal Sheet (Type 2), 99.9%	1 piece	212.40	19914 ● [58-22-0]	Testosterone (free base) extrapure, 99% (17β-Hydroxy-4-Androsten-3-one)	1 Gms 5 Gms 25 Gms	23.69 46.06 157.92
70040 [7440-25-7]	Tantalum Metal Sheet (Type 3), 99.9%	1 piece	124.23	83651 ● [315-37-7]	Testosterone Enanthate extrapure, 99% (17β-Hydroxy-4-Androsten-3-one 17-Enanthate)	1 Gms 5 Gms 25 Gms	26.32 65.80 171.08
10964 [29915-38-6]	TAPS Buffer extrapure, 99% (N-Tris (hydroxymethyl) Methyl-3-Aminopropane Sulphonic Acid)	25 Gms 100 Gms	15.66 41.32	71344 ● [57-85-2]	Testosterone Propionate extrapure, 98% (17β-Hydroxy-4-Androsten-3-one 17-Propionate)	5 Gms 25 Gms	21.98 97.65
44194 [68399-81-5]	TAPSO Buffer extrapure, 99% (3-[Tris-(hydroxymethyl) Methylamino] -2- Hydroxypropane Sulphonic Acid)	25 Gms 100 Gms	32.11 106.20	93831 ✓ [13035-61-5]	1,2,3,5-Tetra-O-Acetyl-b-D-Ribofura nose extrapure, 98% (beta-D-Ribofuranose-1,2,3,5-Tetraacet ate)	5 Gms 25 Gms	34.48 124.89
28682 [147-71-7]	D-(-)-Tartaric Acid extrapure, 99%	100 Gms 250 Gms	7.11 17.24	76333 [79-34-5]	1,1,2,2-Tetrachloroethane extrapure AR, 99%	500 ml 1000 ml	23.03 45.14
60301 [87-69-4]	L-(+)-Tartaric Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7% (L-Threarc Acid) meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	7.90 71.06	82175 ■ [64-75-5]	Tetracycline Hydrochloride (TC) for tissue culture, 95%	5 Gms 25 Gms 100 Gms	13.82 52.64 146.08
63904 [133-37-9]	DL-Tartaric Acid extrapure, 99%	500 Gms 5 Kg	6.97 65.80	38614 ■ [64-75-5]	Tetracycline Hydrochloride (TC), 95%	5 Gms 25 Gms 100 Gms	5.79 28.56 104.62
15711 [107-35-7]	Taurine extrapure CHR, 99% (2-Aminoethanesulfonic Acid)	100 Gms 1 Kg 5 Kg	15.79 105.28 427.70				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
58128 [1191-50-0]	Tetradecyl Sulphate Sodium Salt (Tergitol-4), 95% (Sodium Myristyl Sulfate, Sodium Tetradecyl Sulfate, STDS)	100 Mg	19.74	52300 [637-01-4]	N,N,N,N-Tetramethyl-p-phenylenedi amine Dihydrochloride (Wursters Reagent, Tmppd) extrapure AR, 99%	5 Gms	16.32		
		500 Mg	76.33			25 Gms	73.70		
64090 [68-05-3]	Tetraethylammonium Iodide extrapure, 99%	25 Gms	19.74	91902 [2564-83-2]	2,2,6,6-Tetramethylpiperidine-1-Oxy I (TEMPO) pure, 98%	5 Gms	6.58		
		100 Gms	59.22			25 Gms	28.95		
		500 Gms	276.36			100 Gms	92.12		
23231 [74163-81-8]	✓ (S)-(-) 1,2,3, 4-Tetrahydroisoquinoline -3-Carboxylic Acid pure, 98%	1 Gms	33.82	33379 [75-76-3]	■ Tetramethyl Silane (TMS) for NMR spectroscopy, 99.8%	25 ml	64.62		
		5 Gms	130.28			100 ml	184.50		
55633 [14221-01-3]	Tetrakis(Triphenylphosphine) Palladium (0) extrapure, 97%	1 Gms	50.01	77204 [1941-30-6]	Tetrapropylammonium Bromide extrapure, 99%	100 Gms	16.06		
		5 Gms	230.30			84990 [4499-86-9]	Tetrapropylammonium Hydroxide (TPAH) 10% aq. solution	100 ml	20.79
		25 Gms	1052.80					500 ml	55.27
76265 [529-34-0]	1-Tetralone pure, 98%	100 ml	17.11	98078 [4499-86-9]	Tetrapropylammonium Hydroxide (TPAH) 20% aq. solution	100 ml	26.32		
		500 ml	69.09			500 ml	110.54		
98500 [25103-58-6]	Tert-Dodecylmercaptan (mix. of isomers) extrapure, 98.5% (tert-Dodecanethiol, tert-Laurylmercaptan)	100 ml	23.69	58146 [4499-86-9]	Tetrapropylammonium Hydroxide (TPAH) 40% aq. solution	100 ml	50.53		
		500 ml	36.85			500 ml	214.24		
19028 [75-57-0]	Tetramethylammonium Chloride pure, 98%	100 Gms	8.82	75311 [288-94-8]	1-H-Tetrazole sublimed extrapure, 99%	1 Gms	3.95		
		500 Gms	41.59			5 Gms	17.77		
82774 [75-58-1]	Tetramethylammonium Iodide extrapure, 99%	100 Gms	47.77	92739 [1719-71-7]	Tetrazolium Violet extrapure, 95%	1 Gms	38.82		
		84821 [54827-17-7]	3,3,5,5-Tetramethyl Benzidine (TMB) pure, 98%			1 Gms	25.66	62183 [1719-71-7]	Tetrazolium Violet (high purity) extrapure AR, 98%
5 Gms	96.07			1 Gms	54.09				
69860 [54827-17-7]	3,3,5,5-Tetramethyl Benzidine (TMB) extrapure AR, 98%	25 Gms	383.75	44826 [3081-61-6]	L-Theanine extrapure, 99%	5 Gms	13.16		
		100 Mg	8.03			25 Gms	32.90		
		1 Gms	40.01			100 Gms	105.28		
68738 [54827-17-7]	3,3,5,5-Tetramethylbenzidine (TMB) extrapure AR, ExiPlus, Multi-Compendial, 98% meets compendial specs of BP, Ph.Eur	1 Gms	56.06	83155 [326-91-0]	3(2-Thenoyl)-1,1,1- Trifluoroacetone (TTFA) extrapure AR, 99% (2-Thenoyltrifluoroacetone, TTA (extractant), TTB)	10 Gms	16.58		
		55597 [64285-73-0]	3,3,5,5-Tetramethylbenzidine Dihydrochloride anhydrous (TMB.dHCl anhy) extrapure AR, 99%			100 Mg	35.93	82500 [67-03-8]	Thiamine Hydrochloride for tissue culture, 98.5% (Vitamin B1)
1 Gms	76.59			100 Gms	48.43				
36746 [207738-08-7]	3,3,5,5-Tetramethyl Benzidine Dihydrochloride Hydrate (TMB.2HCl.xH2O) extrapure, 98% (TMB DiHCl)	500 Mg	39.48	71081 [67-03-8]	Thiamine Hydrochloride pure, 98.5% (Vitamin B1)	10 Gms	5.26		
		1 Gms	75.80			25 Gms	10.79		
		5 Gms	258.07			100 Gms	35.93		
64407	TMB Solution A (1% TMB in DMSO)	100 ml	20.53	79903 [15318-45-3]	Thiamphenicol (TMP), 98%	1 Gms	15.79		
38783	TMB Solution B (30% H2O2)	100 ml	11.98			5 Gms	39.48		
		99986 [366-29-0]	N,N,N,N-Tetramethyl Benzidine extrapure AR, 95%	100 Mg	20.00	33611 [298-93-1]	Thiazolyl Blue Tetrazolium Bromide (MTT) extrapure AR, 98%	100 Mg	6.32
1 Gms	57.51			500 Mg	21.06				
13618 [3010-96-6]	2,2,4,4-Tetramethyl-1,3-Cyclobutan ediol (CBDO) (mixture of isomers) extrapure, 99%	5 Gms	69.09	1 Gms	39.48				
		25 Gms	203.98	5 Gms	144.76				
88001 [3277-26-7]	1,1,3,3-Tetramethyldisiloxane (TMDS) extrapure, 98%	25 ml	16.19	58945 [298-93-1]	Thiazolyl Blue Tetrazolium Bromide (MTT) for tissue culture, 98%	500 Mg	26.32		
		100 ml	49.22			1 Gms	47.38		
53180 [80-70-6]	✓ 1,1,3,3-Tetramethylguanidine extrapure AR, 99% N,N,N,N'-Tetramethylguanidine	100 ml	27.64	58910 [57360-69-7]	Thiazolyl Blue Formazan (MTT Formazan) extrapure AR, 98% (1-(4,5-Dimethylthiazol-2-yl) -3,5-Diphenylformazan)	250 Mg	60.54		
		500 ml	107.78			1 Gms	148.71		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
11652 ⓘ [51707-55-2]	Thidiazuron (TDZ) extrapure, 97%	1 Gms	59.22	41862 [3688-92-4]	Thorin extrapure AR	1 Gms	31.58
		5 Gms	105.28			5 Gms	144.76
		25 Gms	342.16				
88098 ⓘ [51707-55-2]	Thidiazuron (TDZ) for tissue culture, 97%	250 Mg	39.48	50444 [632-20-2]	D-Threonine (allo-free) extrapure, 99%	5 Gms	23.69
		1 Gms	72.38			25 Gms	86.59
		5 Gms	157.92			100 Gms	314.66
10083 [507-09-5]	Thioacetic Acid pure, 97%	100 ml	13.82	75164 [80-68-2]	DL-Threonine extrapure CHR, 99%	5 Gms	6.71
		500 ml	39.48			25 Gms	24.87
						100 Gms	92.51
94066 ⓘ [602-41-5]	Thiocolchicoside extrapure, 98% (2-Demethoxy-2-Glucosidoxythiocolchicine)	50 Mg	26.32		1 Kg	891.98	
		250 Mg	42.11	88355 [72-19-5]	L-Threonine extrapure CHR, 99%	25 Gms	4.34
		1 Gms	105.28			100 Gms	8.55
		500 Gms	39.48				
46913 ● [1077-28-7]	DL-6,8-Thioctic Acid extrapure (α-Lipoic Acid), 98%	5 Gms	33.43		1 Kg	72.38	
		25 Gms	78.96	5 Kg	329.00		
		250 Gms	118.44				
45487 [70-49-5]	Thiomalic Acid (Mercaptosuccinic Acid) pure, 99%	25 Gms	11.05	62667 [72-19-5]	L-Threonine for tissue culture, 99%	25 Gms	6.58
		100 Gms	18.03			100 Gms	23.69
		500 Gms	80.14			500 Gms	98.70
85090 [54-64-8]	Thiomersal (Thimerosal) Reagent Grade, 98%	5 Gms	56.59	24815 [44520-55-0]	D-Threosinol extrapure, 98%	500 Mg	80.67
		10 Gms	108.57			1 Gms	138.84
		25 Gms	263.20				
		100 Gms	987.00				
27662 [54-64-8]	Thiomersal (Thimerosal) ExiPlus, Multi-Compendial (Suitable for Vaccine&Diagnostic Production), 98% meets compendial specs of BP, Ph.Eur	10 Gms	118.44	20724 ⓘ [50-89-5]	Thymidine extrapure, 99% (2-Deoxythymidine, B-Thymidine, Thymine Deoxyriboside, 5-Methyldeoxyuridine)	5 Gms	22.77
		25 Gms	289.52			25 Gms	94.75
		100 Gms	1079.12				
40413 [6165-68-0]	Thiophene-2-Boronic Acid extrapure, 98% (2-Thienylboronic Acid, Thien-5-ylboronic Acid)	1 Gms	10.66	45764 ■ [33430-62-5]	Thymidine-5-Monophosphate Disodium Salt (TMP-Na2) extrapure, 98%	100 Mg	22.11
		5 Gms	29.22			250 Mg	46.98
		25 Gms	131.34				
57589 [527-72-0]	Thiophene-2-Carboxylic Acid pure, 98%	5 Gms	21.58	57046 ⓘ [65-71-4]	Thymine extrapure, 98%	10 Gms	8.29
		25 Gms	71.46			25 Gms	17.37
		100 Gms	212.67			100 Gms	52.90
39416 ■ [4090-29-3]	Thionicotinamide Adenine Dinucleotide (Thio-NAD) extrapure, 90%	25 Mg	45.67	47110 ✓ [89-83-8]	Thymol Crystal pure, 99%	100 Gms	7.24
		100 Mg	170.82			500 Gms	28.95
						5 Kg	263.20
35020 ■ [1921-48-8]	Thionicotinamide Adenine Dinucleotide Disodium Salt Reduced (Thio-NADH) extrapure, 93%	25 Mg	31.58	77675 [1913-93-5]	Thymolphthelexone	1 Gms	40.14
		100 Mg	85.54			5 Gms	152.92
						5 Gms	6.19
29808 [1918-77-0]	Thiophene-2-Acetic Acid pure, 98%	5 Gms	12.24	86637 [7512-38-1]	Thymol Violet	5 Gms	6.19
		25 Gms	39.48				
		100 Gms	133.31	12558 [1596-67-4]	L-Thyronin extrapure, 98%	100 Mg	93.17
		90196 [80-59-1]	Tiglic Acid extrapure, 98%			25 Gms	17.24
				100 Gms	60.80		
14055 ⓘ [98-03-3]	2-Thiophenecarboxaldehyde pure, 98% (Thiophene-2-Carboxaldehyde, Thenaldehyde, Thiophene-2-Aldehyde)	25 ml	11.84	87347 ✓ [7550-45-0]	Titanium Tetrachloride 1M in Dichloromethane (Titanium (IV) Chloride in MDC)	100 ml	14.21
		100 ml	36.85			500 ml	65.67
		250 ml	89.49	83692 ✓ [7550-45-0]	Titanium Tetrachloride 1M in Toluene (Titanium (IV) Chloride in Toluene)	100 ml	14.21
		500 ml	65.67				
28033 [34592-47-7]	L-Thioproline extrapure, 98% (L-4-Thiazolidinecarboxylic Acid)	10 Gms	7.90	84161 ⓘ [125700-73-4]	TNTU extrapure, 99%	10 Gms	53.82
		25 Gms	15.79			25 Gms	105.81
83203 [147-93-3]	Thiosalicylic Acid pure, 98% (2-Mercaptobenzoic Acid)	25 Gms	11.05	56183 ⓘ [32986-56-4]	Tobramycin (TBM)	50 Mg	15.79
		100 Gms	29.08			500 Mg	92.12
96768 [141-90-2]	2-Thiouracil extrapure, 98% (2-Mercaptopyrimidine-4-ol)	25 Gms	13.82				
		100 Gms	51.19				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
59844 [7695-91-2]	DL-a-Tocopherol Acetate (Vitamin E Acetate) for tissue culture, 98%	5 Gms 25 Gms 100 Gms	4.74 16.45 62.77	68084 [3588-17-8]	trans,trans-Muconic acid (ttMA) extrapure, 98% (trans,trans-2,4-Hexadienedioic Acid, trans,trans-1,3-Butadiene-1,4-Dicarboxylic Acid)	1 Gms 5 Gms	31.32 146.73
52885 [887144-97-0]	Togni's Reagent (3,3-Dimethyl-1-(trifluoromethyl)-1,2-benziodoxole) extrapure, 97% (1-Trifluoromethyl-3,3-Dimethyl-1,2-Benziodoxole)	250 Mg 1 Gms 5 Gms	71.06 184.24 315.84	42618 [288-88-0]	1,2,4-Triazole pure, 98%	100 Gms 500 Gms	3.82 17.11
67593 [119-93-7]	o-Tolidine extrapure AR, 98% (3,3-Dimethyl Benzidine)	25 Gms 100 Gms 500 Gms	9.08 27.64 49.74	93572 [41253-21-8]	1,2,4-Triazole Sodium extrapure, 98% (Sodium-1,2,4-Triazolide)	25 Gms 100 Gms 500 Gms	10.00 36.85 65.80
65954 [119-93-7]	o-Tolidine extrapure AR, ExiPlus, Multi-Compendial, 98% (3,3-Dimethyl Benzidine) meets compendial specs of USP, BP, Ph.Eur	25 Gms 100 Gms 500 Gms	10.40 33.16 55.27	78411 [626-39-1]	1,3,5-Tribromobenzene pure, 98%	25 Gms	48.69
82897 [118-90-1]	o-Toluic Acid pure, 99.5%	250 Gms 500 Gms	6.58 11.71	76074 [90131-68-3]	Tribulus Terrestris Extract, 45% FS	5 Gms 25 Gms	34.22 65.80
70097 [90-04-7]	m-Toluic Acid pure, 98%	250 Gms 500 Gms	7.24 11.84	99486 [108-70-3]	1,3,5-Trichlorobenzene (1,3,5-TCB) pure, 99%	100 Gms 500 Gms	36.85 125.02
61421 [90-94-5]	p-Toluic Acid pure, 98%	250 Gms 500 Gms	6.32 11.19	94076 [115-20-8]	2,2,2-Trichloroethanol pure, 98% (Trichloroethyl alcohol, β,β,β -Trichloroethyl alcohol, 2,2,2-Trichloroethan-1-ol)	25 ml 100 ml 250 ml	28.95 98.70 157.92
12358 [106-49-0]	p-Toluidine pure, 98%	500 Gms	9.87	27740 [5704-04-1]	TRICINE Buffer Reagent Grade, 99% (N-Tris-(hydroxymethyl) Methylglycine)	25 Gms 100 Gms 500 Gms	14.48 57.90 263.20
86003 [106-49-0]	p-Toluidine specially purified extrapure, 99%	500 Gms	16.45	67490 [2622-14-2]	Tricyclohexylphosphine (Cy3P) extrapure, 94% (P(Cy) ₃ , PCy ₃)	5 Gms 25 Gms 100 Gms	19.74 85.54 329.00
22134 [92-31-9]	Toluidine Blue O, 90% (Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium Chloride)	10 Gms 25 Gms 100 Gms	4.47 10.13 35.01	63437 [58656-04-5]	Tricyclohexylphosphine Tetrafluoroborate extrapure, 98%	1 Gms 5 Gms	28.56 85.41
37699 [92-31-9]	Toluidine Blue O for tissue culture, 90% (Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium Chloride)	10 Gms 25 Gms	11.98 26.98	80184 [637-39-8]	Triethanolamine Hydrochloride extrapure AR, 99%	100 Gms 500 Gms	5.66 19.74
20611 [1576-35-8]	p-Toluenesulfonyl Hydrazide pure, 98% (p-Toluenesulfonic Acid Hydrazide, p-Toluenesulphonyl Hydrazide, Tosylhydrazide)	25 Gms 100 Gms 500 Gms	9.74 27.64 102.25	80058 [75-89-8]	2,2,2-Trifluoroethanol pure, 99%	25 ml 100 ml 500 ml	5.53 13.82 57.90
68913 [75737-38-1]	meta-Topolin (mT) for molecular biology, 98% (6-(3-Hydroxybenzylamino)purine)	25 Mg 100 Mg	26.32 63.17	14428 [10009-20-8]	N-6-Trifluoroacetyl-L-Lysine extrapure, 98% (H-Lys(Tfa)-OH)	5 Gms 25 Gms	21.58 43.43
56521 [82692-93-1]	TOOS extrapure, 98%	1 Gms 5 Gms	59.22 236.88	12631 [1423-26-3]	3-Trifluoromethyl Phenylboronic Acid extrapure, 97%	1 Gms 5 Gms 25 Gms	17.63 32.90 163.84
95595 [136849-72-4]	TOTU extrapure, 99%	5 Gms 25 Gms 100 Gms	27.64 78.96 289.52	79009 [70-00-8]	5-Trifluorothymidine extrapure, 99%	100 Mg 1 Gms	55.27 421.12
25793 [3682-35-7]	TPTZ extrapure AR (2,4,6-Tri-(2-pyridyl)-5-triazine), 99%	1 Gms 5 Gms 25 Gms	15.79 59.22 210.56	37758 [88-82-4]	2,3,5-Triiodobenzoic Acid (TIBA) extrapure AR, 98%	5 Gms 10 Gms 25 Gms	7.90 15.79 32.90
49011 [593-50-0]	Triacantanol (TRIA) extrapure, 90%	500 Mg 1 Gms	105.28 184.24	35241 [6893-02-3]	3,3,5-Triiodo-L-Thyronine extrapure, 95% (3,3,5-Triiodothyronin)	100 Mg 1 Gms	59.22 342.16
				14219 [538-24-9]	Trilaurin pure, 98%(GC) (Glycerol Trilaurate, Glyceryl Trilaurate, Glyceryl Tridodecanoate)	5 Gms 25 Gms 100 Gms	19.74 48.69 113.18



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price		
84217 [538-24-9]	Trilaurin Reference Standard, 99% (GC) (Glycerol Trilaurate, Glycerol Trilaurate, Glycerol Tridodecanoate)	100 Mg	28.95	83676 [555-45-3]	Trimyristin Reference Standard, 99%(GC) (Glycerol Trimyristate, Glycerol Trimyristate)	1 Gms	52.64		
		1 Gms	78.96			5 Gms	157.92		
		5 Gms	171.08			25 Gms	276.36		
57355 [554-95-0]	Trimesic Acid extrapure, 98% (Benzene-1,3,5-Tricarboxylic acid, 1,3,5-Benzenetricarboxylic Acid)	5 Gms	9.74	84050 [1116-76-3]	Trioctylamine (Tri-n-Octylamine) pure, 95%	100 ml	13.82		
		25 Gms	34.61			500 ml	48.43		
		100 Gms	55.27						
20139 [75-77-4]	Trimethyl Chlorosilane (TMCS) extrapure, 98%	250 ml	9.21	37958	● Triolein Reference Standard, 99% (GC)	500 Mg	64.09		
		1000 ml	28.95			1 Gms	110.81		
		2500 ml	57.90						
66889 [142-25-6]	N,N,N-Trimethylethylenediamine pure, 97%	5 Gms	42.11	59708 [555-44-2]	Tripalmitin pure, 85%(GC)	25 Gms	65.80		
		25 Gms	144.76			100 Gms	157.92		
18879 [738-70-5]	Trimethoprim (TMP), 98.5%	5 Gms	9.87	75700 [555-44-2]	Tripalmitin Reference Standard, 99%(GC)	100 Mg	15.79		
		25 Gms	39.22			500 Mg	46.06		
66069 [86-81-7]	3,4,5-Trimethoxy Benzaldehyde pure, 98%	25 Gms	11.84	1 Gms	78.96	38015 [5893-05-0]	N-Triphenyl Methyl Glycine extrapure, 98%	25 Gms	262.15
		100 Gms	39.48					24651 [603-35-0]	Triphenylphosphine pure, 98%
41569 [621-23-8]	1,3,5-Trimethoxybenzene pure, 99%	25 Gms	39.74	500 Gms	50.01	43068 [14243-64-2]	Triphenylphosphinegold(I) Chloride ((Ph ₃ P)AuCl), 98% (Chloro(triphenylphosphine)Gold(I))		
								500 Mg	63.17
40017 [118-41-2]	3,4,5-Trimethoxybenzoic Acid extrapure, 99% (Gallic Acid Trimethyl Ether, Trimethylgallic Acid)	25 Gms	12.50	1 Gms	125.02	95474 [6399-81-1]	Triphenylphosphine Hydrobromide pure, 98%	5 Gms	16.32
		100 Gms	41.45	25 Gms	40.93				
49601 [35141-30-1]	N-(3-Trimethoxysilylpropyl) Diethylenetriamine (TMSPD) pure, 95% (2-[2-(3-Trimethoxysilylpropylamino)ethylamino]ethylamine, 3-[2-(2-Aminoethylamino)ethylamino]propyl)	100 ml	65.80	32098 [791-28-6]	Triphenylphosphine Oxide (TPPO) pure, 98.5% (Triphenyl Phosphorus Oxide)	25 Gms	4.61		
		500 ml	263.20			100 Gms	15.79		
90265 [75-77-4]	Trimethyl Chlorosilane (TMCS) extrapure, 99%	250 ml	10.53	70874 [1034-39-5]	Triphenylphosphonium Dibromide pure, 98%	5 Gms	31.58		
		1000 ml	31.58			25 Gms	67.12		
		2500 ml	63.17			100 Gms	184.24		
67883 [75-77-4]	Trimethyl Chlorosilane (TMCS) 1M Solution in THF	100 ml	46.06	53730 [531-52-2]	1,3,5-Triphenyltetrazolium Formazan (TTC Formazan) extrapure, 95%	1 Gms	21.06		
41020 [10108-86-8]	Trimethyloctylammonium Chloride (TMOACl) extrapure, 98% (Octyltrimethylammonium Chloride)	25 Gms	26.32			5 Gms	61.85		
		100 Gms	85.54	25 Gms	111.86				
68989 [149-73-5]	Trimethyl Orthoformate (TMOF) pure, 98%	500 ml	6.97	65599 [298-96-4]	● 2,3,5-Triphenyltetrazolium Chloride (TTC) extrapure, 99%	10 Gms	26.32		
		2500 ml	28.95			25 Gms	52.64		
		25 Ltr	276.36			50 Gms	92.12		
49901 [996-50-9]	N-(Trimethylsilyl)diethylamine (TMSDEA) extrapure, 97% (Diethylamino)trimethylsilane, N,N-Diethyltrimethylsilylamine)	25 ml	67.25	100 Gms	171.08	98635	10X Tris Acetate-SDS Buffer pH-8.3 for molecular biology (TA-SDS Running Buffer)	500 ml	10.53
		100 ml	191.87	1000 ml	19.74				
45238 [18156-74-6]	N-Trimethylsilylimidazole (TMSIM) extrapure, 98% (1-(Trimethylsilyl)imidazole)N-Trimethylsilylimidazole, TSIM)	5 ml	9.21	47804	20X Tris Acetate-SDS Buffer pH-8.3 for molecular biology (TA-SDS Running Buffer)	500 ml	19.74		
		25 ml	27.64			1000 ml	37.51		
		100 ml	89.49						
97039 [5683-30-7]	3-Trimethylsilylpropionic Acid (TMSPA) extrapure, 95%	1 ml	71.99	65421 [60804-74-2]	Tris(2,2-bipyridine)ruthenium(II) Hexafluorophosphate ((Ru(BPY) ₃ (PF ₆) ₂), 97% (Ruthenium-tris(2,2'-bipyridyl) dihexafluorophosphate)	250 Mg	55.27		
		5 ml	231.88			1 Gms	197.40		
39671 [1774-47-6]	Trimethylsulfoxonium Iodide (TMSI) extrapure, 99%	25 Gms	11.58	26055 [50525-27-4]	Tris(2,2-bipyridyl)dichlororuthenium(II) Hexahydrate (Ru(BPY) ₃), 98% (Ruthenium-tris(2,2'-bipyridyl) dichloride, Tris(2,2'-bipyridyl)ruthenium(II) chloride hexahydrate)	250 Mg	50.01		
		100 Gms	26.32			1 Gms	92.12		
		500 Gms	115.81						
18779 [555-45-3]	Trimyristin pure, 95%(GC) (Glycerol Trimyristate, Glycerol Trimyristate)	5 Gms	26.32						
		25 Gms	60.54						



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
55664	Tris(2-carboxyethyl) Phosphine Hydrochloride (TCEP) extrapure AR, 98%	1 Gms 5 Gms 25 Gms	15.79 36.85 105.28	43235	Tris(Hydroxymethyl)-Aminomethane Phosphate Monobasic extrapure (Tris Phosphate Monobasic), 98%	100 Gms	21.58
79175	Tris(dibenzylideneacetone)dipalladium(0) (Pd2(dba)3) extrapure, 22-25% Pd	500 Mg 1 Gms 5 Gms 25 Gms	61.59 102.65 473.76 1579.20	63291	Tris(Hydroxymethyl)-Aminomethane Succinate extrapure (Tris Succinate), 99%	100 Gms	21.58
96455	Tris(Dibenzylideneacetone)Dipalladium-Chloroform Adduct extrapure, 20% Pd (Dipalladium-tris(Dibenzylideneacetone)Chloroform Complex, Pd2(dba)3.CHCl3)	250 Mg 1 Gms 5 Gms	23.69 81.59 329.00	47952	Tris(Hydroxymethyl)-Aminomethane Sulphate extrapure (Tris Sulphate), 98%	100 Gms	14.34
87326	10X Tris-Glycine pH-8.3 Tank Buffer for molecular biology	200 ml 1000 ml	11.05 41.45	50615	Tristearin pure, 90%(GC) (Glycerol Tristearate, Glyceryl Tristearate)	25 Gms 100 Gms	31.32 113.97
57806	10X Tris-Glycine-SDS Buffer for molecular biology (TG-SDS Running Buffer)	200 ml 1000 ml	6.32 14.08	11085	Tristearin Reference Standard, 99% (GC) (Glycerol Tristearate, Glyceryl Tristearate)	500 Mg 1 Gms 5 Gms	32.90 52.64 210.56
83471	10X Tris Buffered Saline (TBS) for molecular biology (10X TBS Buffer)	500 ml	25.79	48445	S-Trityl-L-Cysteine extrapure, 98%	1 Gms	59.35
63825	10X Tris Buffered Saline Tween-20 (TBST) for molecular biology	500 ml	6.84	58026	Trypan Blue (Direct blue 14) (C.I. No. 23850)	25 Gms 100 Gms	13.95 53.96
79091	1M Tris Hydrochloride Buffer (1M Tris HCl) pH-7.2 for molecular biology (Tris(hydroxymethyl)aminomethane, Hydrochloric Acid)	100 ml 500 ml	14.61 61.59	31591	Trypan Blue for tissue culture (Direct blue 14) (C.I. No. 23850)	25 Gms	21.98
55904	1M Tris Hydrochloride Buffer (1M Tris HCl) pH-8.0 for molecular biology (Tris(hydroxymethyl)aminomethane, Hydrochloric Acid)	100 ml 500 ml	21.58 64.62	12788	Trypan Blue 0.4% Solution	50 ml 125 ml	5.26 12.50
37852	10X Tris-Tricine-SDS Buffer for molecular biology (TT-SDS Running Buffer)	500 ml	15.92	60484	Trypsin (3x cryst.) ex Bovine Pancreas, 7500BAEE U/mg (2500NF U/mg)	250 Mg 1 Gms 5 Gms	15.53 31.32 139.50
62850	Tris(Hydroxymethyl) Aminomethane Acetate extrapure AR (Tris Acetate Buffer), 99%	100 Gms 500 Gms	18.42 85.93	42657	Trypsin Inhibitor ex. Soyabean, 10000 BAEE U/mg	25 Mg 100 Mg 250 Mg 500 Mg 1 Gms	46.06 118.44 236.88 368.48 671.16
34969	Tris(Hydroxymethyl) Aminomethane Acetate for molecular biology (Tris Acetate Buffer), 99%	100 Gms 500 Gms	25.00 117.12	12094	Tryptamine Hydrochloride extrapure, 98%	1 Gms 5 Gms 25 Gms	8.03 26.32 118.44
23017	Tris(Hydroxymethyl)-Aminomethane Carbonate extrapure (Tris Carbonate), 99%	100 Gms	27.24	67654	L-Tryptophan Methyl Ester Hydrochloride extrapure, 99%	5 Gms 25 Gms	28.16 121.73
32119	Tris(Hydroxymethyl)-Aminomethane Maleate extrapure (Tris Maleate), 99.5%	100 Gms	20.40	51335	Tungsten Metal Powder, 99.9%, -325 mesh	100 Gms 500 Gms	33.95 128.97
25913	Tris(Hydroxymethyl)-Aminomethane Nitrate extrapure (Tris Nitrate), 99%	100 Gms	27.24	17472	Tungstic Acid pure, 98%	100 Gms 250 Gms	15.79 36.85
55088	Tris(Hydroxymethyl)-Aminomethane Oxalate extrapure (Tris Oxalate), 99%	100 Gms	19.08	55401	Tungstic Acid extrapure AR, 99%	100 Gms 500 Gms	17.77 84.22
68353	Tris(Hydroxymethyl)-Aminomethane Phosphate Dibasic extrapure (Tris Phosphate Dibasic), 98%	100 Gms	21.58	98328	Turpentine oil extrapure	500 ml 2500 ml 25 Ltr	5.26 25.00 223.72
				33541	Tyramine Hydrochloride extrapure, 98%	25 Gms 100 Gms 500 Gms	46.06 98.70 157.92



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
94870	■ Tyrosinase (Polyphenol Oxidase) ex. Mushroom, 800U/mg [9002-10-2] (Catechol Oxidase, Monophenol Monoxygenase, Dihydroxyphenylalanine:Oxygen Oxidoreductase)	25 K.Units 100 K.Units	98.70 375.06	44762	Valeraldehyde pure (Pentanal), 98% [110-62-3] (Pentanal)	100 ml 500 ml	6.19 15.79
46121	🔗 Umbelliferone (7-Hydroxycoumarin) extrapure, 98% [93-35-6]	10 Gms 25 Gms	27.64 59.22	31477	n-Valeric Acid pure, C5-99% (GC) [109-52-4]	500 ml 1000 ml	13.95 26.19
46487	🔗 Undecylenic Acid extrapure, C11-99% (GC) [112-38-9]	100 Gms 500 Gms	8.55 36.98	22128	Valeronitrile (Butyl Cyanide) pure, 99% [110-59-8] (Butyl Cyanide)	100 ml 500 ml	5.26 17.77
23622	🔗 Uracil extrapure, 99% [66-22-8]	25 Gms 100 Gms 1 Kg 5 Kg	5.66 20.40 157.92 658.00	80634	Valerophenone pure, 98% [1009-14-9]	100 ml 500 ml 2500 ml	6.58 23.69 105.28
81405	✓ Uranyl Acetate Dihydrate ACS, 98% [6159-44-0]	1 Gms 5 Gms 25 Gms	43.43 164.50 789.60	95091	Valeroyl Chloride pure, 98% [638-29-9]	100 ml 500 ml	9.21 36.85
70780	Uranyl Magnesium Acetate extrapure, 98% [20596-93-4]	1 Gms 5 Gms	52.64 223.72	21562	D-Valine extrapure CHR, 99% [640-68-6]	5 Gms 25 Gms 100 Gms	7.90 25.00 85.54
74495	✓ Uranyl Nitrate Hexahydrate extrapure, 98% [13520-83-7]	1 Gms 5 Gms 25 Gms	52.64 223.72 987.00	14159	DL-Valine extrapure CHR, 99% [516-06-3]	25 Gms 100 Gms 500 Gms 1 Kg	10.53 38.16 177.66 329.00
64807	■ Urease ex. Jack Beans, 200U/mg solids [9002-13-5]	3000 Units 10000 Units 25 K.Units 100 K.Units	16.45 36.85 85.93 148.31	83185	🔗 L-Valine Benzyl Ester Hydrochloride extrapure, 98% [2462-34-2]	25 Gms	138.44
64632	■ r-Urease (Thermostable) ex. E. Coli, 150U/mg [9002-12-4]	10000 Units	172.92	38052	🔗 L-Valine Methyl Ester Hydrochloride extrapure, 99% [6306-52-1]	1 Gms 5 Gms 25 Gms 100 Gms	4.74 12.63 37.51 109.36
90739	🔗 Uric Acid extrapure AR, 99% [69-93-2]	25 Gms 100 Gms 500 Gms	49.35 184.24 789.60	40652	🔗 Valinomycin, 95% [2001-95-8]	10 Mg	59.22
95410	■ r-Uricase (Thermostable) ex. Yeast, 3U/mg [9002-12-4]	500 Units	85.41	45344	Vanadium Metal Powder, 99.7% [7440-62-2]	5 Gms 25 Gms	22.37 92.12
62205	🔗 Uridine extrapure, 99% [58-96-8]	5 Gms 25 Gms 100 Gms	11.45 46.45 105.28	61078	🔗 Vancomycin Hydrochloride (VNC), 90% [1404-93-9]	1 Gms 5 Gms	39.48 92.12
20964	● Uridine 5'-Diphosphoglucose Disodium Salt Hydrate extrapure (UDPG.2Na Hydrate), 98% [28053-08-9, 117756-22-6]	25 Mg 100 Mg 1 Gms	18.42 42.11 157.92	72241	🔗 Vanillylmandelic Acid extrapure, 99% [2394-20-9] (VMA, DL-4-Hydroxy-3-Methoxy Mandelic Acid)	250 Mg 1 Gms 5 Gms	17.11 57.38 205.82
48301	● Uridine 5-Monophosphate Disodium Salt Hydrate (5-UMP-Na2) extrapure, 98.5% [3387-36-8]	5 Gms 25 Gms	17.11 72.38	11547	🔗 n-Veratraldehyde pure, 98% [120-14-9]	100 Gms 250 Gms	13.82 28.95
56613	● Uridine-5-Triphosphate Trisodium Salt Dihydrate (UTP-Na3) extrapure, 90% [19817-92-6]	100 Mg 500 Mg 1 Gms	26.32 65.80 118.44	96011	Veratrole pure, 98% [91-16-7] (1,2-Dimethoxy Benzene)	100 ml 500 ml	4.61 19.74
50178	🔗 Ursodeoxycholic Acid (UDCS) extrapure, 99% [128-13-2]	1 Gms 5 Gms 25 Gms	12.50 19.74 78.96	77472	🔗 Vitamin B12 for molecular biology, 97% [68-19-9] (Cyanocobalamin)	250 Mg 1 Gms 5 Gms	10.13 28.95 128.97
24436	🔗 (+)- Usnic Acid, 98% [7562-61-0]	1 Gms 5 Gms 25 Gms	19.74 39.48 118.44	56437	🔗 Vitamin B12 for tissue culture, 97% [68-19-9] (Cyanocobalamin)	250 Mg 1 Gms	14.48 36.85
				54911	🔗 Vitamin K1 extrapure, 98% [84-80-0] (Phytonadione, Phylloquinone, 2-Methyl-3-phytyl-1,4-Napthoquinone, 3-Phytymenadione)	1 Gms 5 Gms	20.79 93.96
				50342	🔗 Vanadyl Acetylacetonate pure, 98% [3153-26-2] (Vanadyl Acetoacetate, Vanadium(IV) oxide acetylacetonate, VO(acac)2, Vanadium(IV)-oxy acetylacetonate)	25 Gms 100 Gms	11.19 39.48



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
23761 [123334-20-3]	Vanadyl Sulphate Hydrate pure, 97% (Vanadium (IV) Oxide Sulfate Hydrate, Oxysulphato Vanadium (IV) Hydrate, Vanadium Oxysulphate)	25 Gms 100 Gms 500 Gms	9.21 30.27 138.18	84974 [58-86-6]	D-(+)-Xylose extrapure	100 Gms 500 Gms	5.53 14.48
40996 [83480-29-9]	Voglibose extrapure, 98% (Basen, Glustat, N-(1,3-Dihydroxy-2-propyl)valiolamine)	100 Mg 500 Mg	39.48 118.44	29426 [58-86-6]	D-(+)-Xylose ExiPlus, Multi-Compendial meets compendial specs of USP, BP	100 Gms 500 Gms	6.71 17.11
66532 [201058-08-4]	Wang Resin, 1% DVB, 0.4-2mmol/g, 100-200 mesh (p-Benzyloxybenzyl Alcohol Resin, DVB cross linked)	5 Gms 25 Gms 100 Gms	42.24 165.82 373.09	98468 [609-06-3]	L-(-)-Xylose extrapure, 99%	5 Gms 25 Gms	19.74 78.96
76374 [247021-90-5]	Weinreb Linker extrapure, 98% (N-FMOC-N-Methoxy-3-Aminopropionic Acid)	1 Gms	109.36	31832 [65-19-0]	Yohimbine Hydrochloride extrapure, 99%	1 Gms 5 Gms	31.58 105.28
13111 [68988-92-1]	Wright Stain (Eosine Methylene Blue solution according to Wright)	25 Gms 100 Gms 500 Gms	7.90 30.79 144.76	36744 [10361-91-8]	Ytterbium (III) Chloride anhydrous, 99.9%	5 Gms	52.64
72465 [193149-74-5]	WST-8, 95% (2-(2-Methoxy-4-Nitrophenyl)-3-(4-Nitrophenyl)-5-(2,4-Disulphophenyl)-2H-Tetrazolium Sodium Salt)	50 Mg	105.28	24099 [10035-01-5]	Ytterbium (III) Chloride Hexahydrate extrapure, 99.9% (Ytterbium Trichloride Hexahydrate)	10 Gms 50 Gms	32.90 72.38
52714	X-Gal Solution (20mg/ml)	1 ml	28.16	20435 [35725-34-9]	Ytterbium (III) Nitrate Pentahydrate extrapure, 99.9%	10 Gms 50 Gms	39.48 84.22
20748 [69-89-6]	Xanthine extrapure CHR, 99%	5 Gms 25 Gms	10.79 43.16	58985 [1314-37-0]	Ytterbium (III) Oxide extrapure, 99.9%	10 Gms 50 Gms	32.90 72.38
39607 [9002-17-9]	Xanthine Oxidase Suspension ex. Butter Milk, 1-4 U/mg protein	5 Units 25 Units	59.22 118.44	61813 [252976-51-5]	Ytterbium (III) Trifluoromethanesulfonate Hydrate extrapure, 98% (Ytterbium triflate, Trifluoromethanesulfonic Acid Ytterbium Salt)	1 Gms 5 Gms 25 Gms	12.50 28.95 111.86
62965 [9002-17-9]	Xanthine Oxidase ex. Microorganism, 15U/mg	250 Units	192.27	63190 [10361-92-9]	Yttrium (III) Chloride anhydrous ultrapure, 99.99% (Yttrium Trichloride)	10 Gms 50 Gms	44.74 118.44
94623 [6754-58-1]	Xanthohumol ex. Hop (Humulus Lupulus), 94%	5 Mg	245.96	63390 [10025-94-2]	Yttrium (III) Chloride Hexahydrate extrapure AR, 99.9%	5 Gms 25 Gms 100 Gms	10.53 17.11 52.64
62630 [59-00-7]	Xanthurenic Acid extrapure, 90%	500 Mg 1 Gms	42.11 72.38	51515 [13494-98-9]	Yttrium (III) Nitrate Hexahydrate extrapure AR, 99.9%	25 Gms 100 Gms	14.48 36.85
55962 [161265-03-8]	XantPhos (4,5-Bis(Diphenylphosphino)-9,9-Dimethylxanthine) extrapure, 98%	1 Gms 5 Gms 25 Gms 100 Gms	15.79 46.06 177.66 658.00	21412 [52093-30-8]	Yttrium (III) Trifluoromethanesulfonate extrapure, 98% (Yttrium triflate, Trifluoromethanesulfonic Acid Yttrium Salt)	5 Gms 25 Gms	39.48 128.97
27540 [564483-18-7]	X-Phos (2-Dicyclohexylphosphino-2,4,6-Triisopropylbiphenyl) extrapure, 98%	1 Gms 5 Gms	19.74 78.96	37482	Z-L-Amino Acids Kit	1 Kit	340.45
91186 [9014-63-5]	Xylan from Beechwood	5 Gms 10 Gms 25 Gms 100 Gms	35.53 65.80 118.44 526.40	68280 [2304-94-1]	Z-b-Alanine extrapure, 99%	1 Gms 5 Gms 25 Gms	7.63 19.48 77.25
30565 [9014-63-5]	Xylan from Corn Cob, 95%	10 Gms 25 Gms 100 Gms 500 Gms	15.79 32.90 92.12 315.84	15701 [26607-51-2]	Z-D-Alanine extrapure, 99%	1 Gms 5 Gms 25 Gms	7.90 31.98 145.81
13814 [37278-89-0]	Xylanase ex. Aspergillus Niger, 60MU/g	25 Gms 100 Gms 500 Gms	16.19 52.64 236.88	24368 [4132-86-9]	Z-DL-Alanine extrapure, 99%	5 Gms	31.72
64949 [87-99-0]	Xylitol extrapure	100 Gms 500 Gms	6.58 15.79	46096 [1142-20-7]	Z-L-Alanine extrapure, 99%	5 Gms 25 Gms 100 Gms	7.11 29.22 104.89
				30211 [42918-86-5]	Z-2-Aminobutyric Acid extrapure, 99%	1 Gms 5 Gms 25 Gms	12.50 55.27 267.54





Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
94475 [6382-93-0]	● Z-D-Arginine extrapure, 99%	1 Gms 5 Gms 25 Gms	80.01 266.36 968.18	14088 [13504-85-3]	● Z-L-Hydroxyproline extrapure, 99%	1 Gms 5 Gms 25 Gms	18.42 83.30 325.32
60020 [1234-35-1]	● Z-L-Arginine extrapure, 99%	25 Gms	55.40	34913 [3160-59-6]	● Z-L-Isoleucine extrapure, 95%	5 Gms 25 Gms	26.45 82.64
55237 [56672-63-0]	● Z-L-Arginine HCl extrapure, 99%	25 Gms 100 Gms	68.83 257.94	46817 [28862-79-5]	● Z-D-Leucine extrapure, 99%	1 Gms 5 Gms 25 Gms	14.34 59.35 247.41
92873 [4474-86-6]	● Z-D-Asparagine extrapure, 99%	1 Gms 5 Gms 25 Gms	14.34 59.09 246.22	76353 [3588-60-1]	● Z-DL-Leucine extrapure, 99%	5 Gms 25 Gms	24.08 114.49
60164 [29880-22-6]	● Z-DL-Asparagine extrapure, 98%	1 Gms 5 Gms	20.00 65.54	85612 [2018-66-8]	● Z-L-Leucine extrapure, 98%	5 Gms 25 Gms	20.00 56.98
13328 [2304-96-3]	● Z-L-Asparagine extrapure, 99%	1 Gms 5 Gms 25 Gms 100 Gms	4.08 13.03 34.08 113.57	39218 [70671-54-4]	● Z-D-Lysine extrapure, 99%	1 Gms 5 Gms	65.80 157.92
32899 [78663-07-7]	● Z-D-Aspartic Acid extrapure, 99%	1 Gms 5 Gms 25 Gms	8.42 35.01 145.81	54420 [2212-75-1]	● Z-L-Lysine extrapure, 99%	1 Gms 5 Gms	16.84 77.64
84275 [4515-21-3]	● Z-DL-Aspartic Acid extrapure, 99%	5 Gms 25 Gms	9.21 31.58	71691 [2212-76-2]	● Z-N-e-Lysine Dicyclohexyl Ammonium Salt extrapure, 98% (Z-Lysine(BOC)-OH.Dicyclohexylamine Salt)	5 Gms	78.30
63143 [1152-61-0]	● Z-L-Aspartic Acid extrapure, 99%	5 Gms 10 Gms 25 Gms	6.05 11.32 27.11	91642 [28862-80-8]	● Z-D-Methionine extrapure, 99%	1 Gms 5 Gms	19.74 39.48
78064 [3479-47-8]	● Z-L-Aspartic Acid-4-Benzyl Ester extrapure, 98% (Z-L-Asp(OBzl)-OH)	10 Gms 25 Gms	178.45 312.29	11751 [4434-61-1]	● Z-DL-Methionine extrapure, 99%	1 Gms 5 Gms	9.74 45.80
97300 [5680-86-4]	● Z-L-Glutamic Acid-5-Benzyl Ester extrapure, 98%	10 Gms 25 Gms	185.95 325.32	55768 [1152-62-1]	● Z-L-Methionine extrapure, 99%	1 Gms 5 Gms 25 Gms	9.08 37.51 123.05
73971 [63648-73-7]	● Z-D-Glutamic Acid extrapure, 98%	1 Gms 5 Gms	10.00 35.01	21200 [5680-86-4]	● Z-4-Nitro-L-Phenylalanine extrapure, 99%	10 Gms 25 Gms	142.65 249.65
67271 [1155-62-0]	● Z-L-Glutamic Acid extrapure, 99%	5 Gms 25 Gms 100 Gms	4.74 19.21 68.70	66829 [15027-14-2]	● Z-D-Norleucine extrapure, 99%	500 Mg 2.5 Gms	60.67 272.41
83309 [13139-52-1]	● Z-D-Glutamine extrapure, 99%	1 Gms 5 Gms 25 Gms	16.19 67.25 279.91	12185 [15027-13-1]	● Z-DL-Norleucine extrapure, 99%	1 Gms	41.45
44096 [2650-64-8]	● Z-L-Glutamine extrapure, 99%	5 Gms 25 Gms 100 Gms	9.87 34.08 113.57	90175 [39608-30-5]	● Z-L-Norleucine extrapure, 99%	1 Gms 5 Gms	54.35 247.28
86632 [1138-80-3]	● Z-Glycine extrapure, 99%	5 Gms 25 Gms 100 Gms	9.21 18.69 56.85	34201 [21691-43-0]	● Z-D-Norvaline extrapure, 99%	1 Gms 5 Gms	36.72 166.61
21793 [19728-57-5]	● Z-DL-Histidine extrapure, 99%	1 Gms 5 Gms	45.80 217.93	21693 [21691-43-0]	● Z-DL-Norvaline extrapure, 99%	1 Gms 5 Gms	30.40 137.92
57156 [14997-58-1]	● Z-L-Histidine extrapure, 99%	1 Gms 5 Gms 25 Gms	15.79 71.46 280.18	75427 [21691-44-1]	● Z-L-Norvaline extrapure, 99%	1 Gms 5 Gms	36.72 166.61
				72850 [3304-51-6]	● Z-L-Ornithine extrapure, 99%	1 Gms 5 Gms	65.93 299.52
				24317 [2448-45-5]	● Z-D-Phenylalanine extrapure, 99%	1 Gms 5 Gms 25 Gms	8.42 35.01 145.29
				32900 [3588-57-6]	● Z-DL-Phenylalanine extrapure, 99%	5 Gms 25 Gms	30.40 137.92



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
42182 [1161-13-3]	● Z-L-Phenylalanine extrapure, 99%	25 Gms	29.48	70443 [13139-17-8]	● Z-OSu (Z-ONSu) extrapure, 99% (Z-ONSu)	25 Gms	15.79
		100 Gms	104.10			100 Gms	59.22
27486 [35909-92-3]	● Z-L-Phenylalanine Methyl Ester extrapure, 98%	10 Gms	161.08	81055 [13114-27-7]	⚠ Zeatin mixed Isomers for tissue culture, ~95%	25 Mg	38.69
		25 Gms	281.76			100 Mg	98.70
41739 [19647-71-3]	● Z-Phenylalanine-p-Nitroanilide extrapure	1 Gms	99.88	67299 [13114-27-7]	⚠ Zeatin mixed Isomers, ~95%	25 Mg	28.43
16881 [2578-84-9]	● Z-L-Phenylalanine-4-Nitrophenyl Ester extrapure, 98%	10 Gms	145.02			100 Mg	78.96
		25 Gms	253.59			250 Mg	157.92
12399 [17609-52-8]	● Z-D-Phenylglycine extrapure, 98%	10 Gms	97.38	80440 [6025-53-2]	⚠ Zeatin Riboside extrapure, 99%	10 Mg	26.32
		25 Gms	170.29			25 Mg	42.11
74157 [53990-33-3]	● Z-L-Phenylglycine extrapure, 99%	10 Gms	85.41			100 Mg	107.91
		25 Gms	149.50			500 Mg	473.76
24037 [6404-31-5]	● Z-D-Proline extrapure, 99%	500 Mg	12.24	25910 [7699-45-8]	Zinc Bromide Anhydrous, 99% (Zinc Dibromide)	100 Gms	14.48
		1 Gms	20.66			500 Gms	31.85
		5 Gms	79.49	86849 [62625-22-3]	Zincon Sodium Salt ACS, 98%	1 Gms	5.00
		25 Gms	397.17			5 Gms	17.11
31688 [1148-11-4]	● Z-L-Proline extrapure, 99%	5 Gms	16.58	52049 [1314-23-4]	Zirconium Dioxide pure, 99% (Zirconia, Zirconium (IV) Oxide)	100 Gms	11.05
		25 Gms	49.74			500 Gms	39.48
63273 [6081-61-4]	● Z-D-Serine extrapure, 99%	500 Mg	28.69				
		1 Gms	44.22				
		5 Gms	184.63				
75675 [1145-80-8]	● Z-L-Serine extrapure, 99%	1 Gms	5.53				
		5 Gms	14.48				
		25 Gms	65.80				
52287 [80384-27-6]	● Z-D-Threonine extrapure, 99%	1 Gms	17.11				
		5 Gms	68.43				
11228 [19728-63-3]	● Z-L-Threonine extrapure, 99%	5 Gms	17.11				
39868 [2279-15-4]	● Z-D-Tryptophan extrapure, 99%	1 Gms	23.69				
		5 Gms	72.38				
57591 [7432-21-5]	● Z-L-Tryptophan extrapure, 99%	25 Gms	27.64				
59268 [64205-12-5]	● Z-D-Tyrosine extrapure, 99%	1 Gms	48.69				
		5 Gms	131.60				
31078 [1164-16-5]	● Z-L-Tyrosine extrapure, 99%	5 Gms	25.66				
		25 Gms	65.54				
39463 [16677-29-5]	● Z-O-Benzyl-L-Tyrosine extrapure, 98% (Z-L-Tyr(Bzl)-OH)	10 Gms	99.75				
74556 [1685-33-2]	● Z-D-Valine extrapure, 99%	1 Gms	17.37				
		5 Gms	39.48				
		25 Gms	131.60				
17520 [3588-63-4]	● Z-DL-Valine extrapure, 99%	5 Gms	36.72				
		25 Gms	174.37				
73743 [1149-26-4]	● Z-L-Valine extrapure, 99%	25 Gms	23.69				
		100 Gms	61.59				
92186 [10314-98-4]	● Z-Isonipecotic Acid extrapure, 99% (1-Carbobenzoxy-4-Piperidinecarboxylic Acid)	10 Gms	52.64				
		25 Gms	78.96				
88291 [78190-11-1]	● Z-Nipecotic Acid, 95%	10 Gms	85.15				

Part B1

Animal Cell Culture





















Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
68161 [7365-82-4]	ACES Buffer for cell culture, 99.5%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	68.43 161.21	68722 [11028-71-0]	■ Concanavalin A Lectin ex. Canavalia Ensiformis Type 2 for cell culture, 20 ug/ml, (BET) 0.05EU/mg	25 Mg 100 Mg	35.14 79.09
23568 [87-32-1]	⚠ N-Acetyl-DL-Tryptophan for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms	39.48 118.44	15353 [60-27-5]	✓ Creatinine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms 1 Kg	18.03 57.25 552.72
52937 [3244-88-0]	Acid Fuchsin for cell culture, Endotoxin (BET) 0.05EU/mg (Acid Violet 19, Fuchsin S, Fuchsin acid, Rubine S) (C.I. No. 42685)	25 Gms	21.06	67133 [10510-54-0]	Cresyl Violet Acetate for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms	131.60
75250 [56-41-7]	L-Alanine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	13.82 32.77	29751 [548-62-9]	Crystal Violet for cell culture, Endotoxin (BET) 1EU/mg (Methyl Violet 10B) (C.I. No.42555)	25 Gms 100 Gms	23.03 76.33
96409 [9048-46-8]	● Albumin Bovine (pH 7) fraction V for cell culture (Bovine Serum Albumin,BSA), 98%, (BET) 0.05EU/mg (Bovine Serum Albumin, BSA)	5 Gms 25 Gms 100 Gms 500 Gms	11.84 46.06 151.34 671.16	70134 [7048-04-6]	L-Cysteine Hydrochloride Monohydrate for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	15.13 42.77
31539 [33864-99-2]	Alcian Blue for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms	72.38 315.84	54676 [50-99-7]	Dextrose for cell culture, Endotoxin (BET) 0.05EU/mg (D-Glucose Anhydrous)	100 Gms 500 Gms	6.58 19.08
68860 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms 1 Kg	17.77 32.90	28525 [3483-12-3]	● DL-Dithiothreitol (DTT) for cell culture, 98%, Endotoxin (BET) 1EU/mg (Clelands reagent)	1 Gms 5 Gms	26.32 92.12
15875 [1397-89-3]	■ Amphotericin B (AMT) Solution (250ug/ml) for cell culture, Endotoxin (BET) 1EU/ml	20 ml 100 ml	24.48 70.54	81614 [17372-87-1]	Eosin Yellow (water soluble) for cell culture, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	29.61 59.22
20969 [74-79-3]	L-Arginine (free base) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	15.13 46.72	74516 [122-99-6]	Ethylene Glycol Monophenyl Ether for cell culture, 99%, Endotoxin (BET) 0.05EU/ml (Phenyl Cellosolve, 2-Phenoxyethanol)	100 ml 500 ml	31.58 59.22
33468 [1405-87-4]	● Bacitracin (BCT) ex. Bacillus Licheniformis for cell culture, Endotoxin (BET) 0.05EU/mg	50000 Units 250000 Units	18.42 59.22	11324 [7782-63-0]	Ferrous Sulphate Heptahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg (Iron (II) Sulphate Heptahydrate)	500 Gms	15.79
36884 [10191-18-1]	BES Buffer for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (N,N-bis(2-Hydroxyethyl)-2-Aminoethane Sulphonic Acid)	25 Gms 100 Gms	21.71 71.06	98131 [518-47-8]	Fluorescein Sodium Salt (C.I. No. 45350) for cell culture, Endotoxin (BET) 0.05EU/mg (Acid Yellow 73)	100 Gms	32.90
92370 [3513-03-9]	■ Blasticidin S Hydrochloride for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	10 Mg 25 Mg	80.54 190.43	76611 [59-30-3]	✓ Folic Acid for cell culture, 98%, Endotoxin (BET) 0.05EU/mg (Vitamin B9, Vitamin M, Pteroyl-L-Glutamic acid)	5 Gms 25 Gms	9.87 42.77
55594 [3513-03-9]	■ Blasticidin S HCl Solution in HEPES Buffer (10mg/ml) Sterile for cell culture	1 ml 5 x1 ml	92.12 329.00	20596 [632-99-5]	Fuchsin Basic for cell culture, Endotoxin (BET) 0.05EU/mg (Basic Fuchsin) (C.I. No. 42510)	25 Gms 100 Gms	28.95 105.28
81642 [64485-93-4]	⚠ Cephotaxime Sodium Salt (CFT) for cell culture, 916-964ug/mg, Endotoxin (BET) 0.20EU/mg	100 Mg 1 Gms	32.90 78.96	77469 [51811-82-6]	Giemsa Stain for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms	52.64 203.98
84483 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	32.90 78.96	75931 [6106-04-3]	L-Glutamic Acid Monosodium Salt Monohydrate (MSG) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (Monosodium Glutamate, Monosodium L-Glutamate)	100 Gms 500 Gms	11.84 36.19
97900 [57-88-5]	● Cholesterol ex. Sheep Wool (Lanolin) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms 100 Gms	31.58 138.18 394.80	80952 [56-85-9]	L-Glutamine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	10 Gms 25 Gms	12.50 23.69
70553 [86393-32-0]	● Ciprofloxacin Hydrochloride Hydrate (CPFX) for cell culture, 98-102%, Endotoxin (BET) 0.05EU/mg	1 Gms 5 Gms	9.08 30.27	74693 [27025-41-8]	● Glutathione Oxidized (GSSG) for cell culture, 99%, Endotoxin (BET) 1EU/mg	100 Mg 250 Mg 1 Gms 5 Gms	26.32 48.69 92.12 427.70
81395 [11028-71-0]	■ Concanavalin A Lectin ex. Canavalia Ensiformis Type 1 for cell culture, 64ug/ml, (BET) 0.05EU/mg (Con A) (Jack bean)	25 Mg 40 Mg	48.43 71.85				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
65542 [56-81-5]	Glycerol (Glycerine) Anhydrous for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 ml	17.11	42125 [63-68-3]	L-Methionine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	14.48 52.64
34268 [56-40-6]	Glycine for cell culture, 99.5%, Endotoxin (BET) 1EU/mg (Aminoacetic Acid)	100 Gms	22.37	13908 [1132-61-2]	MOPS Buffer for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (3-Morpholinopropane Sulphonic Acid)	25 Gms 100 Gms 500 Gms	42.11 102.65 223.72
39149 [7365-45-9]	HEPES Buffer for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg (N-(2-Hydroxyethyl) piperazine-N(2-Ethane Sulphonic Acid))	25 Gms 100 Gms 500 Gms	25.66 84.22 348.74	69599 [1405-10-3]	Neomycin Sulphate (NMS) for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms	10.53 25.00
16509 [71-00-1]	L-Histidine (base) for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	16.45 46.06	64257 [53-84-9]	β-Nicotinamide Adenine Dinucleotide (β-NAD,DPN) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	100 Mg 1 Gms 5 Gms	13.29 61.59 227.01
86877 [5934-29-2]	L-Histidine Hydrochloride Monohydrate for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	14.48 46.06	10581 [606-68-8]	β-Nicotinamide Adenine Dinucleotide Disodium Salt (Reduced) (β-NADH.Na2,DPNH.Na2) for cell culture, 98%	100 Mg 1 Gms 5 Gms	26.45 135.42 497.84
54661 [3258-02-4]	N-Hydroxycytidine (EIDD-1931) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	10 Mg 25 Mg	92.12 184.24	88722 [24292-60-2]	β-Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt for cell culture, 95%, (BET) 0.05EU/mg	100 Mg 1 Gms	48.43 278.20
75054 [99011-02-6]	Imiquimod for cell culture, 98%	250 Mg	177.66	28771 [1184-16-3]	β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt for cell culture, 98%, (BET) 0.05EU/mg	100 Mg 1 Gms	46.85 175.69
77379 [87-89-8]	Inositol for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (Vitamin B8)	25 Gms 100 Gms	13.16 42.11	93517 [98-92-0]	Nicotinamide for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg (Niacinamide, Pyridine-3-Carboxylic Acid Amide)	100 Gms 500 Gms	16.45 49.35
72828 [11061-68-0]	r-Insulin ex. Human for cell culture, 25 USP U/mg, Endotoxin (BET) 1.0EU/mg (Recombinant Insulin)	50 Mg 100 Mg	92.12 171.08	63509 [1094-61-7]	β-Nicotinamide Mononucleotide (β-NMN) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Mg	85.01
11894 [73-32-5]	L-Isoleucine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	17.11 56.59	50275 [59-67-6]	Nicotinic Acid (Pyridine-3-Carboxylic Acid) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (3-Picolinic Acid, Niacin, Vitamin B3)	100 Gms 500 Gms	12.50 39.48
95793 [62851-42-7]	Jenners Stain (Eosin-methylene blue) for cell culture, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	40.80 128.97	16828 [1400-61-9]	Nystatin (Mycostatin) for cell culture, 85%, Endotoxin (BET) 0.05EU/mg (Fungicidin)	250 Mg 1 Gms 5 Gms	8.82 30.79 117.12
95419 [61-90-5]	L-Leucine for cell culture, 99%, Endotoxin (BET) 1EU/ml	100 Gms 500 Gms	39.48 105.28	17565 [1400-61-9]	Nystatin (Mycostatin) Solution (10000U/ml) for cell culture, Endotoxin (BET) 10.0EU/ml (Fungicidin)	20 ml	16.32
95173 [56-87-1]	L-Lysine (free base) Anhydrous for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	52.64 157.92	56341 [3184-13-2]	L-Ornithine Monohydrochloride for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	21.06 59.22
29011 [12650-88-3]	Lysozyme (3x cryst) ex.Egg white (Muramidase) for cell culture, 15000U/mg, Endotoxin (BET) 0.05EU/mg	1 Gms 5 Gms 25 Gms	39.48 177.66 526.40	30917 [328-42-7]	Oxalacetic Acid for cell culture, 98%, Endotoxin (BET) 0.05EU/mg (Oxaloacetic Acid, Ketosuccinic Acid, Oxobutanedioic Acid, 2-Oxosuccinic Acid)	1 Gms 5 Gms	18.42 67.12
22352 [7786-30-3]	Magnesium Chloride Anhydrous for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	100 Gms	23.69	79311 [34487-61-1]	Phenol Red Sodium Salt (water soluble) for cell culture, 95%, Endotoxin (BET) 0.05EU/mg (Phenolsulfonephthalein Sodium Salt)	5 Gms 25 Gms	14.48 52.64
13546 [7791-18-6]	Magnesium Chloride Hexahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms	39.48	68793 [63-91-2]	L-Phenylalanine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	14.48 39.48
36502 [7487-88-9]	Magnesium Sulphate Dried for cell culture, 62-70% MgSO4, 99%, Endotoxin (BET) 0.05EU/mg	500 Gms	23.03	77839 [329-98-6]	Phenylmethane Sulphonyl Fluoride (PMSF) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	1 Gms 5 Gms	17.11 57.90
12493 [6363-53-7]	D-Maltose Monohydrate for cell culture, Endotoxin (BET) 0.05EU/mg	100 Gms 500 Gms	13.16 52.64				
20490 [60-24-2]	2-Mercaptoethanol for cell culture, 99%, Endotoxin (BET) 0.05EU/ml	100 ml 250 ml	17.11 34.87				
55311 [145224-94-8]	MES Monohydrate Buffer for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (2-Morpholineethane Sulphonic Acid Hydrate)	25 Gms 100 Gms	50.01 111.86				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
62374  [11006-33-0]	Phleomycin (PLM) ex. Streptomyces verticillus for cell culture, Endotoxin (BET) 1.0EU/mg (Zeocin)	5 Mg	48.69	88726 [72-19-5]	L-Threonine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms	32.90
		25 Mg	118.44			100 Gms	98.70
		100 Mg	315.84				
52819  [1405-20-5]	Polymyxin B Sulphate (Aerosporin, PXNS), 6000U/mg for cell culture, Endotoxin (BET) 0.05EU/mg	250 Mg	28.95	53073  [4697-14-7]	Ticarcillin Disodium Salt extrapure, 85%, Endotoxin (BET) 0.05EU/mg	1 Gms	25.66
		1 Gms	64.09			5 Gms	116.60
67209 [9005-65-6]	Polysorbate 80 (Tween 80) for cell culture, Endotoxin (BET) 0.05EU/mg (Polyoxyethylene Sorbitan Monoleate)	500 Gms	39.48	24000  [92-31-9]	Toluidine Blue O for cell culture, 90%, Endotoxin (BET) 0.05EU/mg (Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium Chloride)	10 Gms	43.43
						25 Gms	81.59
47425 [7447-40-7]	Potassium Chloride for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms	45.40	30766 [5704-04-1]	TRICINE Buffer for cell culture, 99%, Endotoxin (BET) 0.1EU/mg (N-Tris(Hydroxymethyl) Methylglycine)	25 Gms	31.58
						100 Gms	72.38
65897 [147-85-3]	L-Proline for cell culture, 99%, Endotoxin (BET) 1.0EU/mg	25 Gms	13.82	35416  [38748-32-2]	Triptolide ex. Tripterigium Wilfordii for cell culture, 98% (PG 490)	5 Mg	197.40
		100 Gms	44.09				
82361  [58-58-2]	Puromycin Dihydrochloride (PRM) for cell culture, Endotoxin (BET) 10EU/mg	10 Mg	65.80	12695 [77-86-1]	Tris Buffer for cell culture, 99.9%, Endotoxin (BET) 0.05 EU/mg (Tris(hydroxymethyl)aminomethane, Tromethamine)	100 Gms	12.50
		25 Mg	118.44			500 Gms	52.64
14050  [58-56-0]	Pyridoxine Hydrochloride (Vitamin B6) for cell culture, 99%, Endotoxin (BET) 1EU/mg	10 Gms	19.74	65972  [9002-07-7]	r-Trypsin - Type Standard ACF ex. Porcine for cell culture, 800U/mg, Endotoxin (BET) 0.05EU/mg (Recombinant Trypsin)	100 Mg	66.98
		25 Gms	46.06			1 Gms	222.93
77387 [83-88-5]	Riboflavin for cell culture, 98%, Endotoxin (BET) 0.05EU/mg (Vitamin B2)	25 Gms	15.13			5 Gms	445.86
		100 Gms	46.06				
46143  [13292-46-1]	Rifampicin (RFP) (Rifampin) for cell culture, 97-102%, Endotoxin (BET) 0.05EU/mg	1 Gms	55.27	74055  [9002-07-7]	Trypsin 1:250 ex. Bovine Pancreas for cell culture, 1000BAEE U/mg, Endotoxin (BET) 0.05EU/mg	25 Gms	21.71
		5 Gms	197.40			100 Gms	60.54
31904 [477-73-6]	Safranin O for cell culture, Endotoxin (BET) 0.05EU/mg (Basic Red 2)	25 Gms	69.75	23560  [9002-07-7]	r-Trypsin 1x w/ EDTA Soln in Phosphate Buffer for cell culture (AOF), 150U/ml, Endotoxin (BET) 1EU/ml	100 Gms	289.52
		100 Gms	125.02			100 ml	43.95
59260 [56-45-1]	L-Serine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms	32.90	52682  [9002-07-7]	Trypsin ex. Bovine Pancreas for cell culture, 0.2Anson U/g (2000U/g), Endotoxin (BET) 0.05EU/mg	100 Gms	12.50
		100 Gms	69.75			500 Gms	61.06
16670 [156-54-7]	Sodium Butyrate for cell culture, 99%, Endotoxin (BET) 1.0EU/mg (Butyric Acid Sodium Salt)	5 Gms	39.48			1 Kg	112.52
		100 Gms	171.08				
89360 [7647-14-5]	Sodium Chloride for cell culture, 99.9%, Endotoxin (BET) 0.05EU/mg	500 Gms	26.32	20374  [9002-07-7]	Trypsin ex. Porcine Gastric Mucosa for cell culture, 0.2Anson U/g(2000U/g), Endotoxin(BET) 0.05EU/mg	100 Gms	13.03
		1 Kg	51.32			500 Gms	60.27
		5 Kg	167.79			1 Kg	117.52
66003 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg (Disodium Hydrogen Phosphate Anhydrous)	500 Gms	46.06	80149 [60-18-4]	L-Tyrosine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms	17.11
		5 Kg	421.12			100 Gms	63.17
16120 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg (Disodium hydrogen phosphate Dihydrate)	500 Gms	22.37	78168 [57-13-6]	Urea for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms	26.32
		5 Kg	131.60			5 Kg	125.02
27621 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (Sodium Dihydrogen Phosphate Anhydrous)	100 Gms	26.32	20451 [72-18-4]	L-Valine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms	11.19
		500 Gms	72.38			100 Gms	39.48
68350  [18883-66-4]	Streptozotocin (STZ) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	100 Mg	36.85	12540  [68-19-9]	Vitamin B12 for cell culture, 97%, Endotoxin (BET) 0.05EU/mg (Cyanocobalamin)	250 Mg	20.66
		1 Gms	250.04			1 Gms	53.96
68250 [57-50-1]	Sucrose for cell culture, Endotoxin (BET) 0.05EU/mg	500 Gms	39.48	18681  [111072-31-2]	XTT Sodium for cell culture, 90%, Endotoxin (BET) 5.0EU/mg	25 Mg	85.54
		1 Kg	72.38			100 Mg	197.40
		5 Kg	289.52				
				30108 [7646-85-7]	Zinc Chloride for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	500 Gms	35.53
						92647 [7446-20-0]	Zinc Sulphate Heptahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg
				500 Gms	44.74		

Part C

Nanopowders & Carbon Nanotubes (CNTs)

(Carbon Nanotubes, Nanodispersants and Nanodispersions, Nanowires, Nanofilms and Nanopowders)





Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
75964 [1344-28-1]	Alumina (Alpha) Nanopowder, 20-30nm, 99.9%	25 Gms 100 Gms 250 Gms	29.87 74.62 134.23	69126	CdSe/ZnS Core Shell Quantum Dots, Fluorescence 560nm, (Hydrophobic) (CdSe/ZnS560) (Hydrophobic)	10 Mg	283.33
25536 [1344-28-1]	Alumina (Gamma) Nanopowder, 15nm, 99.5% (Hydrophilic)	25 Gms 100 Gms	121.73 182.53	33618	CdSe/ZnS Core Shell Quantum Dots, Fluorescence 600nm, (Hydrophobic) (CdSe/ZnS600) (Hydrophobic)	10 Mg	283.33
96202 [7429-90-5]	Aluminium Nanopowder (Type 1), 40nm, 99%	1 Gms 5 Gms	159.63 428.09	15377	CdSe/ZnS Core Shell Quantum Dots, Fluorescence 630nm, (Hydrophobic) (CdSe/ZnS639) (Hydrophobic)	10 Mg	283.33
18412 [7429-90-5]	Aluminium Nanopowder (Type 2), 70 nm, 99.9%	1 Gms 5 Gms	159.63 428.09	50439	CdTe Core Type COOH Functionalized Quantum Dots, Fluorescence 510 nm (Hydrophilic)	10 Mg	290.18
41892 [1318-23-6]	Aluminium Oxide (Boehmite) Nanodispersion (50nm), 20% in water	25 Gms 100 Gms	37.37 113.31	37909	CdTe Core Type COOH Functionalized Quantum Dots, Fluorescence 610 nm (Hydrophilic)	10 Mg	290.18
29603 [12004-39-6]	Aluminium Titanate Nanopowder, 25nm, 98.5%	2 Gms	177.13	19960	CdTe Core Type COOH Functionalized Quantum Dots, Fluorescence 710 nm (Hydrophilic)	10 Mg	290.18
38818 [7782-42-5]	Aminated Graphene Amino-PEG covalently linked (GnAmPG) Nanopowder (Reduced Graphene Oxide-NH2)	10 Mg 50 Mg	65.80 210.56	37194 [7440-44-0]	Carbon Porous Nanopowder, 5000-8000nm	1 Gms 10 Gms 50 Gms	15.79 52.64 236.88
19158 [7782-42-5]	Aminated Graphene Octadecylamine covalently linked (GnAm18d) Nanopowder (Reduced Graphene Oxide-NH-(CH2)17-CH3)	10 Mg 50 Mg	65.80 210.56	28186	CNT Dispersant AC	20 ml	151.34
67801 [1309-64-4]	Antimony Trioxide Nanopowder, 80-200nm, 99.9% (Diantimony Trioxide, Antimony (III) Oxide)	5 Gms 25 Gms	17.50 50.80	35210	CNT Dispersant AQ	20 ml	151.34
10842 [12047-27-7]	Barium Titanate Nanopowder, 100nm, 99.5%	25 Gms 100 Gms	41.45 110.54	59800 [308068-56-6]	TCNT Type 1- Carbon Nanotubes Thin Walled, Length 5-30µm, OD 2-5nm, 90%	25 Mg 100 Mg	162.39 419.54
78768 [1403674-49-6]	Bis(2',4'-Bis(Hexyloxy)Biphenyl-4-yl)Amine extrapure, 95% (Z-907 Modified Red Dye)	25 Mg	168.45	73953 [308068-56-6]	SWCNT Type 1 Carbon Nanotubes Single- Walled, Length 5-30µm, OD 1-2nm, 99%	250 Mg 1 Gms	157.92 421.12
14683 [1304-76-3]	Bismuth (III) Oxide Nanopowder, 200nm, 99.8% (Dibismuth Trioxide)	25 Gms 100 Gms	82.91 234.91	20770 [308068-56-6]	SWCNT Type 2 Carbon Nanotubes Single- Walled (Short), Length 0.5-2.0µm, OD 1.0-2.0nm, 90%	100 Mg	128.97
21772 [1318-23-6]	Boehmite Nanopowder, 20nm, 99.9%	5 Gms 25 Gms	37.37 140.94	29129 [308068-56-6]	SWCNT Type 3 Carbon Nanotubes Single- Walled COOH Functionalized, Length 0.5-2.0µm, OD 1-2nm, 90%	25 Mg 100 Mg	65.80 118.44
62554 [12069-32-8]	Boron Carbide Nanopowder, 50nm, 99%	10 Gms 25 Gms	105.28 223.72	18989 [308068-56-6]	SWCNT Type 4 Carbon Nanotubes Single-Walled, Length 5-30µm, OD 1-2nm, 90% (-COOH Functionalized)	50 Mg 250 Mg	78.96 315.84
50943 [10043-11-5]	Boron Nitride (hBN) Aerosol Spray (13Oz/369g) (hexagonal Boron Nitride)	1 piece	167.26	55024 [308068-56-6]	SWCNT Type 5 Carbon Nanotubes Single-Walled (-OH Functionalized)	50 Mg 250 Mg	140.68 383.61
75454 [10043-11-5]	Boron Nitride Nanopowder, 70nm, 99%	25 Gms 100 Gms	41.45 110.54	27404 [308068-56-6]	SWCNT Type 6 Carbon Nanotubes Single-Walled, Length 5-30µm, OD 1-2nm, 99% (-NH2 Functionalized)	50 Mg 250 Mg	213.19 824.08
45882 [10043-11-5]	Boron Nitride Nanotubes (C) Cylindrical, 50-100nm	50 Mg	421.12	95425 [308068-56-6]	SWCNT Type 7 Carbon Nanotubes Single-Walled in aq. media pure, Length 0.5-4µm, OD 1-2nm, 99% (Semiconducting)	20 ml	652.21
74899 [471-34-1]	Calcium Carbonate Nanopowder, 80nm, 98%	25 Gms 100 Gms 500 Gms	13.55 50.01 236.88	52710 [308068-56-6]	SWCNT Type 8 Carbon Nanotubes Single-Walled in aq. media extrapure (Semiconducting)	20 ml	895.14
72893 [12049-50-2]	Calcium Titanate Nanopowder, 90nm, 99.9%	1 Gms	190.69				
12918 [12013-47-7]	Calcium Zirconium Oxide Nanopowder, 50nm, 99.5%	1 Gms 5 Gms	187.92 599.96				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
42480 [308068-56-6]	SWCNT Type 9 Carbon Nanotubes Single-Walled in aq. media pure (Metallic/Conducting)	20 ml	767.23	58255 [308068-56-6]	MWCNT Type 10 Carbon Nanotubes Multi-Walled, Length 10-30µm, OD 10-20nm, 95% (-COOH Functionalized)	1 Gms 5 Gms	31.58 65.80
68069 [308068-56-6]	SWCNT Type 10 Carbon Nanotubes Single-Walled in aq. media extrapure (Metallic/Conducting)	20 ml	1790.15	29466 [308068-56-6]	MWCNT Type 11 Carbon Nanotubes Multi-Walled, Length 10-30µm, OD 20nm, 95% (-NH2 Functionalized)	50 Mg 100 Mg 1 Gms 5 Gms	42.64 63.96 213.19 639.44
81868 [308068-56-6]	SWCNT Type 11 Carbon Nanotubes Single-Walled ultrapure (Semiconducting)	50 Mg	1074.12	82903 [308068-56-6]	MWCNT Type 12 Carbon Nanotubes Multi-Walled, Length 10-30µm, OD 10-20nm, 95% (-OH Functionalized)	500 Mg 1 Gms 5 Gms	35.53 63.96 127.92
28989 [308068-56-6]	SWCNT Type 12 Single-Walled Carbon Nanotubes ultrapure (Metallic/Conducting)	50 Mg	1074.12	28658 [308068-56-6]	MWCNT Type 13 Carbon Nanotubes Multi-Walled, Length 10-30µm, OD 30-50nm, 95% (-COOH Functionalized)	500 Mg 1 Gms 5 Gms 25 Gms	31.32 56.85 113.70 369.53
36078 [308068-56-6]	DWCNT Type 1 Carbon Nanotubes Double Walled, Length 50µm, OD 2-4nm, 60%	100 Mg 500 Mg	284.26 710.51	65875 [308068-56-6]	MWCNT Type 14 Carbon Nanotubes Multi-Walled, Length 10-30µm, OD 30-50nm, 95% (-NH2 Functionalized)	50 Mg 100 Mg	142.13 213.19
85143 [308068-56-6]	DWCNT Type 2 Carbon Nanotubes Double Walled (Short), Length 0.5-2µm, OD 2-4nm, 60%	100 Mg	297.81	24968 [308068-56-6]	MWCNT Type 15 Carbon Nanotubes Multi-Walled, Length~ 10-30µm, OD 30-35nm, 95% (-OH Functionalized)	500 Mg 1 Gms 5 Gms	31.32 39.48 92.12
45565 [308068-56-6]	DWCNT Type 3 Carbon Nanotubes Double-Walled (-COOH Functionalized)	50 Mg	155.95	33670 [308068-56-6]	MWCNT Type 16 Carbon Nanotubes Multi-Walled Short, Length 0.5-2µm, OD 8nm, 95%	500 Mg 1 Gms 5 Gms	59.22 92.12 355.19
69072 [308068-56-6]	DWCNT Type 4 Carbon Nanotubes Double-Walled (-OH Functionalized)	50 Mg 250 Mg	155.95 487.18	28174 [308068-56-6]	MWCNT Type 17 Carbon Nanotubes Multi-Walled Short, Length 0.5-2µm, OD 10-20nm, 95%	500 Mg 1 Gms 5 Gms	39.48 69.09 263.20
34528 [308068-56-6]	HMWCNT Type1- Carbon Nanotubes Multi Walled Helical, Length 10µm, OD 100-200nm,(C) 90%	250 Mg 1 Gms	162.39 219.25	90797 [308068-56-6]	MWCNT Type 18 Carbon Nanotubes Multi-Walled Short, Length 0.5-2.0µm, OD 30-50nm, 95%	1 Gms 5 Gms	71.06 241.62
57743 [308068-56-6]	MWCNT Type 1 Carbon Nanotubes Multi Walled, Length 10-30µm, OD 8nm, 95%	1 Gms 5 Gms 25 Gms	46.98 163.05 469.81	42927 [308068-56-6]	MWCNT Type 19 - Carbon Nanotubes Multi Walled (Conducting), Length 3-6micron,OD 10nm	1 Gms 5 Gms	255.83 852.50
88440 [308068-56-6]	MWCNT Type 2 Carbon Nanotubes Multi Walled, Length 10-30µm, OD 8-15nm, 95%	5 Gms 25 Gms	65.80 171.08	58908 [308068-56-6]	MWCNT-Ni Type 1 Carbon Nanotubes Multi Walled, Nickel coated, Length 10-30 micron, OD 5-20nm, 98%	1 Gms 5 Gms	149.23 554.17
68465 [308068-56-6]	MWCNT Type 3 Carbon Nanotubes Multi Walled, Length 10-30µm, OD 10-20nm, 95%	1 Gms 5 Gms 25 Gms	26.32 65.80 263.20	53105 [308068-56-6]	MWCNT-Ni Type 2 Carbon Nanotubes Multi Walled , Nickel coated	1 Gms 5 Gms	149.23 554.17
41067 [308068-56-6]	MWCNT Type 4 Carbon Nanotubes Multi Walled, Length 10-30µm, OD 20-30nm, 95%	5 Gms 25 Gms	46.06 131.60	90500 [308068-56-6]	MWCNT-Ni Type 3 Carbon Nanotubes Multi Walled , Nickel coated	1 Gms 5 Gms	149.23 554.17
41335 [308068-56-6]	MWCNT Type 5 Carbon Nanotubes Multi Walled, Length 10-30µm, OD 30-50nm, 95%	5 Gms 25 Gms 100 Gms	39.48 78.96 289.52	75288 [308068-56-6]	MWCNT-Ni Type 4 Carbon Nanotubes Multi Walled , Nickel coated	1 Gms 5 Gms	149.23 554.17
96390 [308068-56-6]	MWCNT Type 6 Carbon Nanotubes Multi Walled, Length 10-30µm, OD 50nm, 95%	5 Gms 25 Gms 100 Gms	42.11 85.54 302.68	65468 [9012-76-4]	Chitosan Nanopowder, 80-100nm, 99%	5 Gms 25 Gms	44.74 134.23
35203 [308068-56-6]	MWCNT Type 7 Carbon Nanotube Multi Walled (Graphitized), 99.9%	1 Gms 5 Gms	105.54 351.64	44316 [1308-38-9]	Chromium (III) Oxide Nanopowder, 90nm, 99% (Chromia)	10 Gms	184.24
73235 [308068-56-6]	MWCNT Type 8 Carbon Nanotubes Multi-Walled, Length 20µm, OD 10-20nm, 99.9% (Graphitized, -COOH Functionalized)	500 Mg 1 Gms	50.01 78.96				
46918 [308068-56-6]	MWCNT Type 9 Carbon Nanotubes Multi-Walled, Length 20µm, OD 10-20nm, 99.9% (Graphitized -OH Functionalized)	500 Mg 1 Gms	50.01 78.96				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
64835	■ C106 Dye, 90% [1152310-69-4] (Cis-Bis(Isothiocyanato)(2,2-Bipyr-4,4-Dicarboxylato)(4,4-bis(5(Hexylthio)thiophen2yl)2,2-Bipy)Ru(II))	25 Mg	120.28	73225	↓ Gold Nanoparticles Dispersion (Spherical) (AU05), 0.05mg/ml Citrate, 0.1mM in PBS [7440-57-5]	10 ml 25 ml	72.38 151.34
35347	✓ K19 Dye (Sensitizer), 85% [847665-45-6] (cis-Bis(Thiocyanato)(2,2-Bipyr-4,4-Dicarboxylic Acid)-(4,4-bis(Phexyloxystyryl)-2,2-Bipyr)Ru(II))	25 Mg	121.60	36848	↓ Gold Nanoparticles Dispersion (Spherical) (AU10), 0.05mg/ml Citrate, 0.1mM in PBS [7440-57-5]	10 ml 25 ml	72.38 151.34
74373	Clay Nanopowder, 80-150nm, 99% [1332-58-7]	5 Gms 25 Gms	89.49 134.23	72123	↓ Gold Nanoparticles Dispersion (Spherical) (AU20), 0.05mg/ml Citrate, 0.1mM in PBS [7440-57-5]	10 ml 25 ml	72.38 151.34
31570	Cobalt Iron Oxide Nanopowder, 50nm, 99.9% [12052-28-7] (Cobalt Ferrite)	1 Gms 5 Gms	15.79 52.64	60974	↓ Gold Nanoparticles Dispersion (Spherical) (AU40), 0.05mg/ml Citrate, 0.1mM in PBS [7440-57-5]	10 ml 25 ml	72.38 151.34
74613	Cobalt Zinc Iron Oxide Nanopowder, 50nm, 99.9% [12052-28-7]	5 Gms 25 Gms	78.96 210.56	91082	↓ Gold Nanoparticles Dispersion (Spherical) (AU60), 0.05mg/ml Citrate, 0.1mM in PBS [7440-57-5]	10 ml 25 ml	72.38 151.34
74343	Copper Nanopowder, 50nm, 99.9% [7440-50-8]	5 Gms	389.01	27944	Single Layer Graphene (SLG) Nanopowder, 98% [7782-42-5]	10 Mg 100 Mg	78.96 236.88
73612	Copper Nanowires [7440-50-8]	10 Mg	460.60	73949	Single Layer Graphene Factory (SLGF) Nanopowder, 98% [7782-42-5]	100 Mg 250 Mg	69.09 172.79
28954	Cupric Oxide Nanopowder, 40nm, 99% [1317-38-0] (Copper (II) Oxide)	5 Gms 25 Gms 100 Gms	25.00 71.59 131.21	89922	Graphene Carboxyl (GCOOH) Nanopowder, 1000-5000nm, 99% [7782-42-5]	25 Mg	157.92
19151	✓ Diamond Nanopowder, 4-7nm [7782-40-3]	1 Gms	285.57	60703	Graphene Carboxyl (GCOOH) Nanodispersion, 5mg/ml in water [7782-42-5]	20 ml	579.04
85476	↓ Diisobutyl 2,2-Bipyridine-4,4-Dicarboxylate extrapure, 95% [1141011-53-1]	100 Mg	168.45	88398	Graphene Film (Super Paper) (GFSP), 20000nm, 98% [7782-42-5]	1 piece	1974.00
91287	Ferric Oxide (Alpha) Nanopowder, 30nm, 99% [1309-37-1] (Iron (III) Oxide (Alpha))	5 Gms 25 Gms 100 Gms 250 Gms	25.14 67.64 217.40 313.47	87185	Graphene Nitrogen-doped (GNdp) Nanopowder, 500-5000nm [7782-42-5]	50 Mg 250 Mg	80.14 368.48
51744	Ferric Oxide (Gamma) Nanopowder, 20-50nm, 99.9% [1309-37-1] (Iron (III) Oxide (Gamma))	5 Gms 25 Gms 100 Gms 250 Gms	20.79 54.35 160.29 285.57	90251	Graphene Oxide Film (Super Paper) (GOFSP), 20000nm, 98% [7782-42-5]	1 piece	1476.55
16708	Ferrous Ferric Oxide Nanopowder (Type 1), 20-50nm, 99.9% [1317-61-9] (Iron (II, III) Oxide)	5 Gms 25 Gms 100 Gms	27.64 62.25 197.40	55093	Graphene Platelet Nanopowder (GPN Type 1), 6-8nm, 99.5% [7782-42-5]	5 Gms 25 Gms	72.38 263.20
85993	Formamidinium Bromide extrapure, 99% [146958-06-7] (Methanimidamide Bromide, Formamidine Hydrobromide, Iminomethylamine Hydrobromide)	1 Gms 5 Gms	59.22 125.02	36529	Graphene Platelet Nanopowder (GPN Type 2), 11-15 nmnm, 99.5% [7782-42-5]	1 Gms 5 Gms	17.11 55.27
67537	Formamidinium Iodide extrapure, 99% [879643-71-7] (Formamidine Hydroiodide, Methanimidamide Hydroiodide)	1 Gms 5 Gms	32.90 105.28	98585	Graphene Platelet Nanopowder (GPN Type 3), 2-10nm, 99.5% [7782-42-5]	5 Gms 25 Gms	39.48 118.44
37461	Fullerene C60, 99.5%	250 Mg 1 Gms	128.97 315.84	53927	Graphene Quantum Dots (1mg/ml) (GQD), 15nm, 80% [7440-40-0]	5 ml 25 ml	89.36 331.63
44170	Fullerene C70, 99%	100 Mg 500 Mg	157.92 526.40	49888	Single Layer Graphene Oxide (SLGO) Nanopowder, 0.8-1.2nm, 99% [7782-42-5]	25 Mg 100 Mg 500 Mg	59.22 144.76 552.72
84500	Gold Nanopowder, 90nm, 99.99% [7440-57-5]	1 Gms	1232.04	58531	Single Layer Graphene Oxide (SLGOE) Nanodispersion, 5mg/ml in ethanol [7782-42-5]	10 ml	274.12
				72536	Single Layer Graphene Oxide (SLGOW) Nanodispersion, 5mg/ml in water [7782-42-5]	10 ml 25 ml	135.42 230.04
				68908	Graphite Nanopowder (Type 2), 1-18nm, 87% [7440-44-0]	1 Gms 5 Gms	129.49 487.18
				85833	Graphite Nanopowder (Type 1), 400nm, 98% [7782-42-5]	5 Gms 25 Gms 100 Gms	32.90 98.70 329.00
				69869	Graphite Nanopowder Lubricant Grade, 50nm, 99.5% [7782-42-5]	5 Gms 25 Gms	85.54 329.00



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
38058 [51311-17-2]	Graphite Fluoride (Carbon Monofluoride) Nanopowder, 1000-10000nm	1 Gms 5 Gms	34.61 98.17	30786 [207347-46-4]	N719 Dye, 95% Di-Tetrabutylammonium cis-Bis(Isothiocyanato)Bis(2,2-Bipyridyl-4,4-Dicarboxylato) Ruthenium(II), N-7	50 Mg 250 Mg 1 Gms	76.06 152.00 442.18
39525 [7782-42-5]	Graphite Oxide Nanopowder, Dia 500-1500nm	100 Mg 500 Mg 1 Gms	34.61 89.88 158.97	52716 ⓘ [359415-47-7]	N749 Dye (Black Dye), 95% (Triisothiocyanato-(2,2:6,6-Terpyridyl-4,4,4-Tricarboxylato) Ruthenium(II) Di(Tetra-Butylammonium))	50 Mg	273.60
11934 [7782-42-5]	Graphite Pyrolytic Micronpowder, 50micron	5 Gms	110.54	35001 [7440-02-0]	Nickel Nanopowder, 20nm, 99.9%	5 Gms	380.59
69895 [12167-74-7]	Hydroxyapatite Micronpowder, 12micron, 99% (Calcium Hydroxyapatite, Calcium Phosphate Tribasic)	5 Gms 25 Gms	76.06 159.63	32293 [1313-99-1]	Nickel (II) Oxide Nanopowder, 50nm, 99.5% (Nickel Monoxide)	25 Gms	92.12
13616 [12167-74-7]	Hydroxyapatite Nanopowder, 20nm, 99% (Calcium Hydroxyapatite, Calcium Phosphate Tribasic)	5 Gms 25 Gms	78.96 200.43	73985	Nickel Titanium Alloy Nanopowder, 30-120nm	250 Mg 1 Gms	243.59 730.77
66614 [1312-43-2]	Indium (III) Oxide Nanopowder ultrapure, 50nm, 99.99%	1 Gms	434.81	69691 [12645-50-0]	Nickel Zinc Iron Oxide (NZFO) Nanopowder, APS 50nm, 99.9% (Nickel Zinc Ferrite)	5 Gms 25 Gms	39.48 118.44
45974 [1312-81-8]	Lanthanum Oxide Nanopowder ultrapure, 90nm, 99.99%	5 Gms 25 Gms	48.43 172.79	74380 ⓘ	Perovskite Quantum Dots (pQD 450), Fluorescence 450nm (Hydrophobic)	50 Mg	248.72
52726 ✓ [15365-14-7]	Lithium Iron (II) Phosphate Micronpowder, 2micron, 98% (Ferrous Lithium Phosphate, Iron Lithium Phosphate, LFP, Triphylite)	5 Gms 25 Gms	56.72 113.31	15360 ⓘ	Perovskite Quantum Dots (pQD 480), Fluorescence 480nm (Hydrophobic)	50 Mg	248.72
53768 [12031-95-7]	Lithium Titanate (LTO) (Spinel) Nanopowder, 200nm, 99% (Tetralithium Titanate)	5 Gms 10 Gms	151.34 236.88	77345 ⓘ	Perovskite Quantum Dots (pQD 510), Fluorescence 510nm (Hydrophobic)	50 Mg	248.72
69667 [12068-51-8]	Magnesium Aluminate (Spinel) Nanopowder, 50nm, 99%	1 Gms 2 Gms	54.22 94.75	23300 ⓘ	Perovskite Quantum Dots (pQD 550), Fluorescence 550nm (Hydrophobic)	50 Mg	248.72
71829 [1309-48-4]	Magnesium Oxide Nanopowder, 50nm, 99.5%	5 Gms 25 Gms	32.90 98.70	22116 [7440-05-3]	Palladium Nanopowder (Type I), 30nm, 99.9%	100 Mg 500 Mg	78.96 289.52
56176 [73905-81-4]	Magnetic Iron Oxide Nanocrystals Powder, 20nm, 99%	20 Mg	1574.20	41341 [7440-05-3]	Palladium Nanopowder (Type II)	100 Mg	460.60
85918 [1317-34-6]	Manganese (III) Oxide Nanopowder, 30nm, 99% (Manganese Sesquioxide)	10 Gms	110.54	14387 [7440-06-4]	Platinum Nanopowder, 50nm, 99.9%	250 Mg	723.80
39543 [6876-37-5]	Methylammonium Bromide extrapure, 99% (Methanamine Hydrobromide, Methylamine Hydrobromide)	1 Gms 5 Gms	76.33 197.40	65469 [9002-88-4]	Polyethylene Nanospheres - Type 1, 740nm-4990nm	25 Mg 100 Mg	85.54 164.50
25334 [14965-49-2]	Methylammonium Iodide extrapure, 98% (Methanamine Hydriodide)	1 Gms 5 Gms 25 Gms	30.27 53.96 144.76	50349 [9002-88-4]	Polyethylene Nanospheres - Type 2, 200nm-9900nm	25 Mg 100 Mg	88.17 205.95
31562 [247058-06-6]	Methyl 4,4''-Dimethyl-[2,2':6',2''-Terpyridine]-4'-Carboxylate extrapure, 95%	50 Mg 100 Mg	154.37 238.46	64798 [9011-14-7]	Poly(Methyl Methacrylate) (pMMAC) Nanospheres, 1500nm-11500nm	100 Mg 500 Mg	58.30 238.85
83005 [1317-33-5]	Molybdenum Disulfide Nanopowder Lubricant Grade, 90nm, 99%	5 Gms 10 Gms	148.05 279.12	28699 [7782-49-2]	Selenium Nanopowder in aq. media, 0.1mg/ml, 50nm	2 ml	1562.88
95822 [12316-56-2]	MXene Nanoflakes, Multilayer, 100-200nm	100 Mg 500 Mg	236.88 789.60	26112 [7440-21-3]	Silicon Nanopowder, 40nm, 99%	1 Gms 5 Gms	68.43 315.84
22701 [12363-89-2]	MXene Nanoflakes, 1-10 layers (few-layer MXene Ti3C2Tx nanoflakes)	25 Mg 100 Mg	236.88 460.60	43362 [409-21-2]	Silicon Carbide Nanopowder, 50nm, 98%	25 Gms 100 Gms	73.30 255.83
16806 ✓ [141460-19-7]	N3 Red Dye, 95% (N-3 Red Dye, Bis(Isothiocyanato)Bis(2,2-Bipyridyl-4,4-Dicarboxylato) Ruthenium(II))	100 Mg	103.70	69294 [7631-86-9]	Silicon Dioxide Nanopowder, 15nm, 99.5%	25 Gms 100 Gms	29.22 92.38
				22806 [7631-86-9]	Silicon Dioxide (Silica) Nanodispersion Type A (20nm), 40% in water	25 Gms 100 Gms	25.66 78.17
				69337 [7631-86-9]	Silicon Dioxide (Silica) Nanodispersion Type B (20nm), 40% in water	25 Gms 100 Gms	25.66 78.17



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
38475 [10097-28-6]	Silicon Monoxide Nanopowder, 400nm, 99.99%	1 Gms 5 Gms	111.99 442.18	64394 [13463-67-7]	Titanium Dioxide Rutile Nanodispersion (30nm), 40% in water (Titanium (IV) Oxide)	25 Gms	102.65
63338 [12033-89-5]	Silicon Nitride Nanopowder, 20nm, 99%	5 Gms 25 Gms	65.80 157.92	16547 [13463-67-7]	Titanium Dioxide Nanowires (Type 1) (Titanium (IV) Oxide)	50 Mg	164.50
44416 [7440-22-4]	Silver Nanopowder (Type I), 100nm, 99.9%	1 Gms 5 Gms 10 Gms	55.27 171.08 315.84	22091 [13463-67-7]	Titanium Dioxide Nanowires (Type 2) (Titanium (IV) Oxide)	50 Mg	164.50
36214 [7440-22-4]	Silver Nanopowder (Type II), 20nm, 99.9%	1 Gms 5 Gms 10 Gms	39.48 144.76 236.88	52163 [25583-20-4]	Titanium Nitride Nanopowder, 20nm, 97% (Titanium (III) Nitride)	5 Gms 10 Gms	75.01 144.76
53941 [7440-22-4]	Silver Nanowires	10 Mg 50 Mg	76.33 302.68	75513 ✓ [1392221-69-0]	FK 102 Co(II) PF6 Salt Complex, 98% (Tris(2-(1H-Pyrazol-1-yl)Pyridine)Cobalt(II) Di[hexafluorophosphate])	1 Gms 5 Gms	48.43 165.82
46912 ⚡ [7440-22-4]	Silver Nanoparticles Dispersion (Spherical) (AG20), 0.02mg/ml in Citrate (5mM)	10 ml 25 ml	72.38 151.34	51632 ✓ [1346416-71-4]	FK 102 Co(III) PF6 Salt Complex, 98% (Tris(2-(1H-Pyrazol-1-yl)pyridine)cobalt(III) Tri[Hexafluorophosphate])	1 Gms 5 Gms	62.25 207.27
49241 ⚡ [7440-22-4]	Silver Nanoparticles Dispersion (Spherical) (AG40), 0.02mg/ml in Citrate (2mM)	10 ml 25 ml	72.38 151.34	66142 ✓ [1392221-69-0]	FK 102 Co(II) TFSI Salt Complex, 98% (Tris(2-(1H-Pyrazol-1-yl)pyridine)cobalt(II) Di[bis(Trifluoromethane)sulfonimide])	1 Gms 5 Gms	48.43 165.82
58322 ⚡ [7440-22-4]	Silver Nanoparticles Dispersion (Spherical) (AG60), 0.02mg/ml in Citrate (2mM)	10 ml 25 ml	72.38 151.34	84076 ✓ [2057441-94-6]	FK 102 Co(III) TFSI Salt Complex, 98% (Tris(2-(1H-pyrazol-1-yl)pyridine)cobalt(III) Tri[bis(Trifluoromethane)sulfonimide])	1 Gms 5 Gms	34.61 117.52
15669 [18282-10-5]	Stannic Oxide Nanopowder, 60nm, 99.5% (Tin (IV) Oxide)	5 Gms 25 Gms	55.27 158.97	33139 ⚡ [1197995-33-7]	Triethyl [2,2':6',2''-Terpyridine] -4,4',4''-Tricarboxylate extrapure, 95%	50 Mg	140.29
27873 [7440-25-7]	Tantalum Nanopowder, 70nm, 99.9%	250 Mg 1 Gms	157.92 421.12	88917 [7440-33-7]	Tungsten Nanopowder, 50nm, 99.9%	1 Gms 5 Gms	59.22 184.24
74708 ■ [7440-25-7]	Tectomer 2-Tailed (C8H16(CH2NHGLY4)2.2HCl), 90%	5 Mg	172.79	51456 [12070-12-1]	Tungsten Carbide Nanopowder, 200nm, 99%	25 Gms 100 Gms	93.96 351.50
73330 ■ [7440-25-7]	Tectomer 3-Tailed (CH3C(CH2-NH-Gly7)3.3CF3CO2H), 90%	5 Mg	172.79	23882 [12138-09-9]	Tungsten Disulfide (WS2) Aerosol Spray (13Oz/369g)	1 piece	171.08
27570 ■ [318286-59-8]	Tectomer 4-Tailed (C(CH2-NH-Gly7)4.4HCl), 90%	5 Mg	172.79	53032 [12138-09-9]	Tungsten Disulfide Micronpowder, 0.6micron, 99.9% (Tungsten (IV) Sulphide)	25 Gms 100 Gms 500 Gms	46.06 87.51 410.20
72951 [7440-32-6]	Titanium Nanopowder, 50nm, 99.9%	1 Gms	125.41	78519 [12138-09-9]	Tungsten Disulfide Nanopowder, 90nm, 99%	1 Gms 5 Gms	41.06 150.42
74629 [13463-67-7]	Titanium Dioxide Photocatalyst Nanopowder, 7nm, 95% (Titanium (IV) Oxide)	25 Gms 100 Gms	53.96 138.18	23851 [1314-35-8]	Tungsten Trioxide Nanopowder, 60-90nm, 99.5% (Tungsten (VI) Oxide, Tungstic Anhydride)	5 Gms 25 Gms	29.08 124.36
90885 [13463-67-7]	Titanium Dioxide Catalyst Nanopowder, 50nm, 98% (Titanium (IV) Oxide)	25 Gms 100 Gms	44.74 134.23	82874 ✓ [502693-09-6]	Z907 Dye, 95% cis-Bis(Isothiocyanato) (2,2-Bipyridyl-4,4-Dicarboxylato) (4,4-Di-Nonyl-2-Bipyridyl) Ruthenium(II), Mo	50 Mg 250 Mg	76.06 214.24
94632 [13463-67-7]	Titanium Dioxide AnataseNanodispersion (15nm), 15% in water (Titanium (IV) Oxide)	25 Gms	125.02	19366	Zeolite - Mesoporous Carbon Nanopowder (CMK-3 Type),Dia. 3-6nm	100 Mg 250 Mg	172.79 262.54
40566 [13463-67-7]	Titanium Dioxide Ultrapure Nanopowder, 250nm, 99.97% (Titanium (IV) Oxide)	25 Gms 100 Gms	52.64 147.39	31755	Zeolite - Mesoporous Silica Molecular Sieve KIT-5	1 Gms	165.82
35299 [13463-67-7]	Titanium Dioxide Rutile Nanopowder, 20nm, 92% (Titanium (IV) Oxide)	25 Gms	51.32				
10161 [13463-67-7]	Titanium Dioxide Rutile Nanopowder, 50nm, 99%	25 Gms	52.64				
86729 [13463-67-7]	Titanium Dioxide Rutile Nanopowder (Hydrophilic), 50nm, 99% (Titanium (IV) Oxide)	25 Gms 100 Gms	51.32 151.34				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
65276	Zeolite - Mesoporous Silica Molecular Sieve Kit-6	1 Gms	165.82				
83881 [7631-86-9]	Zeolite - Mesoporous Silica Nanopowder (SBA-15 Type), Dia. 6-11nm	250 Mg 1 Gms	41.45 124.76				
97621 [7631-86-9]	Zeolite - Mesoporous Silica Nanopowder (1D-Hexagonal SBA-41 Type)	250 Mg 500 Mg	191.87 281.36				
63876 [7631-86-9]	Zeolite - Mesoporous Silica Nanopowder (3D-Cubic MCM-48 Type)	250 Mg 500 Mg	191.87 281.36				
79132	Zeolite - Molecular Sieve SAPO-11	5 Gms	127.92				
52201	Zeolite - Ultrastable Y	5 Gms	135.42				
74601 [7440-66-6]	Zinc Nanopowder, 50nm, 99.9%	5 Gms	72.38				
50841 [12063-19-3]	Zinc Iron Oxide Nanopowder, 50nm, 98.5% (Zinc Ferrite)	10 Gms	111.86				
91148 [1314-13-2]	Zinc Oxide Nanopowder (Type I), 30nm, 99.9%	10 Gms 25 Gms 100 Gms 500 Gms	28.82 57.51 86.20 358.74				
60345 [1314-13-2]	Zinc Oxide Nanopowder (Type II), 240nm, 99.999%	5 Gms 25 Gms 100 Gms 500 Gms	28.82 57.51 86.20 358.74				
64168 [1314-13-2]	Zinc Oxide Nanodispersion Type A-Nonionic (70nm), 50% in water	10 Gms	133.97				
80467 [1314-13-2]	Zinc Oxide Nanodispersion Type B-Anionic (70nm), 50% in water	10 Gms	128.57				
74963 [1314-13-2]	Zinc Oxide Nanodispersion Type C-Cationic (70nm), 50% in water	10 Gms	128.57				
99997 [12036-43-0]	Zinc Titanate Nanopowder, 90 nm, 99.5%	1 Gms	221.35				
38501 [1314-23-4]	Zirconium Dioxide Nanopowder, 45nm, 99.5% (Zirconia, Zirconium (IV) Oxide)	25 Gms 100 Gms	46.06 118.44				

Media for Gel Filtration and Affinity Chromatography

Gel Filtration (Molecular Sieving or Size Exclusion Chromatography) and Affinity Chromatography are rapidly becoming indispensable to biochemists and molecular biologists. Gel Filtration is used for the separation of macromolecules from smaller molecules, for fractionation of mixtures of various biopolymers on the basis of molecular size, for characterizing macromolecules and determining molecular weights and molar masses, for pathological screening of body fluids and for structure determination studies. Affinity Chromatography, besides being put to many of the above uses, is mainly employed for the isolation and purification of biologically active substances like enzymes, antibodies, antigens, lectins, viruses and toxins. Affinity Chromatography has the advantage of being rapid and highly selective.



SRL Seraloses™	Particle size in wet state (microns)	Fractionation Range (as molecular weight)		Approximate Exclusion Limits (as molecular weight)		
		Proteins	Polysaccharides	Proteins	Polysaccharides	DNA (basis pairs-bp)
Seralose™ 2B Seralose™ CI-2B	60-250	$7.5 \times 10^4 - 45 \times 10^6$	$1 \times 10^5 - 20 \times 10^6$	45×10^6	20×10^6	1353 bp
Seralose™ 4B Seralose™ CI-4B	40-190	$5 \times 10^4 - 20 \times 10^6$	$3 \times 10^4 - 5 \times 10^6$	20×10^6	5×10^6	872 bp
Seralose™ 6B Seralose™ CI-6B	40-190	$1 \times 10^4 - 5 \times 10^6$	$1 \times 10^4 - 1 \times 10^4$	5×10^6	10×10^6	194 bp

Detailed literature available on request

Seralite Products

Ion Exchange Resins

Our important range of Seralite products is very critical for ion exchange applications. These are acidic/basic exchange resins consisting of different polymers and copolymers. The particle size of these resins is between 20 – 50 mesh and are excellent for cross-linking. Typical application of these resins are for water conditioning, softening and deionisation, removal of recovery of high molecular weight anions, fractional separation of organic acids, amino acids, metals, peptides, inorganic and rare earth metals. They can also be used for the treatment of sugar solutions, amino acids and enzymes. SRL Ion exchange resins are highly recommended products for critical separation work.

Product Name	Particle Size	Ion Exchange Capacity	pH Range	Ionoc Form
Seralite SRA-400	20 – 50 mesh BSS	3.0-3.5meq/g	0-14	Cl-
Seralite SRC-120	20 – 50 mesh BSS	min 4.5meq/g	0-14	H+
Seralite SRA-400	20 – 50 mesh BSS	min 10meq/g	5-14	H+

Our Seralite series is equivalent to the Amberlite series of the Rohm and Haas Company

Part D

Dehydrated Culture Media Products

- Product Listing • Media Supplements
- ChroMed™ • Media Kits



Harmonized Culture Media

In recent years, much of the focus has started shifting to newer methods of microbiological testing, led by the leading international pharmaceutical bodies across the world, namely European Pharmacopoeia, Japanese Pharmacopoeia and US Pharmacopoeia. These new methods include harmonization in microbiological testing and this will greatly simplify drug manufacturing norms.

SRL Harmonized Culture Media are manufactured, formulated, labelled and performance tested in compliance with the new harmonized standards.

SRL is ready to face the challenges of the future, be in Biotech, Pharmaceutical R & D, Diagnostics, or any application or research in Microbiology. We offer this new range of products to cater to the new demands that we will be fulfilling through this range.



Important highlights of our Harmonized Media:

- The usage of only the Finest Quality of Bacteriological ingredients
- Strict quality control of Raw Material testing
- Highly trained microbiologists ensure that our Harmonized media are comparable to the best international products
- Very sensitive and precise instrumentation and media manufacturing equipments make sure that each batch is consistent in quality
- Constant R & D and customer interaction helps us to design appropriate products

With our dedicated team of highly skilled microbiologists, an ISO 9001-2008 quality management system and our CE certification.



Conformité Européenne

All **SRL** culture media products are CE certified and now meet EU consumer safety, health and environmental requirements.

All the manufacturing, testing parameters and packaging are done according to the CE norms.



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
38515	✓ A1 Broth (A-1 Medium)	100 Gms	19.74	59640	✓ A. K. Agar No. 2 (Sporulating Agar, Arret & Kirshbaum Medium)	100 Gms	18.42
		500 Gms	84.22			500 Gms	61.85
	For the detection of faecal coliforms in foods, treated wastewater and seawater by Most Probable Number (MPN) Method.				Used for production of spores of Bacillus subtilis ATCC 6633.		
26408	✓ AATCC Bacteriostasis Agar (FDA Agar) (FDA Agar, ATCC Medium 182) APHA, FDA recommended medium for detecting plate counts of microorganisms in food, water and waste water.	100 Gms	19.74	55418	✓ Aeromonas Isolation Medium Base	100 Gms	22.37
		500 Gms	56.59			500 Gms	75.01
					For the selective differentiation and isolation of Aeromonas hydrophila and other Aeromonas species from clinical specimens and foods.		
49025	✓ AATCC Bacteriostasis Broth (FDA Broth)	100 Gms	15.79	63013	⚡ Aeromonas Selective Supplement (2.5mg/vl)	5 vl	17.11
		500 Gms	55.27				For the selective isolation and cultivation of Aeromonas species.
	For testing antibacterial activities of antiseptics and disinfectants.						
59235	✓ Acetamide Agar	100 Gms	15.79	34609	✓ Aero Pseudo Selective Agar (GSP Agar)	100 Gms	17.11
		500 Gms	57.90			500 Gms	68.43
	For the differentiation of non-fermentative gram negative bacteria especially Pseudomonas aeruginosa.				Used for detection of Aeromonas and Pseudomonas in food, as well as in equipments and water supplies of food industry.		
20605	✓ Acetamide Broth	100 Gms	14.48	77981	Agar powder BactoBio for microbiology [9002-18-0]	100 Gms	26.32
		500 Gms	53.96			500 Gms	98.70
	For the confirmation of Pseudomonas aeruginosa in bottle water.					2.5 Kg	471.13
					Specially manufactured to provide clear, high gel strength agar, suitable for use in preparation of microbiological media.		
64773	✓ Acetate Differential Agar (Sodium Acetate Agar)	100 Gms	17.11	35799	✓ Aleksandrow Agar	100 Gms	17.11
		500 Gms	55.27			500 Gms	63.17
	For the differentiation of Shigella species from those of the Escherichia genus.						
31257	✓ Acetobacter Agar (Glucose)	100 Gms	17.11			100 Gms	17.11
		500 Gms	59.22			500 Gms	59.22
	Used for the cultivation and maintenance of glucose positive Acetobacter species.				Widely used media for isolation and identification of Potassium solubilizing bacteria from soil samples.		
85514	✓ Acid Broth	100 Gms	15.79	72439	✓ Algae Culture Broth	100 Gms	13.16
		500 Gms	52.64			500 Gms	55.27
	For the isolation of acid tolerant bacteria from canned foods.				Used for the isolation and cultivation of algae from soil, water and sewage.		
76557	✓ Actidione Agar Base w/o Actidione	100 Gms	21.06	36191	✓ Algae Culture Agar	100 Gms	14.48
		500 Gms	66.46			500 Gms	56.59
	Used for the enumeration and detection of bacteria in specimens containing large numbers of yeasts and moulds.				Used for isolation and cultivation of algae from soil, water and sewage.		
15126	⚡ Actinomyces Broth	100 Gms	15.79	45712	✓ Alicyclobacillus Detection Agar (Alicyclobacillus Agar)	100 Gms	30.27
		500 Gms	52.64			500 Gms	107.91
	Used for the maintenance and cultivation of Actinomyces species.				Used for detection of Alicyclobacillus in fruit juices.		
24729	✓ Actinomycete Isolation Agar	100 Gms	17.11	80501	✓ Alkaline Peptone Water	100 Gms	10.53
		500 Gms	56.59			500 Gms	38.16
	Used for the isolation and cultivation of Actinomyces species from soil and water.				For the cultivation of Vibrio species from sea foods and clinical specimens.		
31047	✓ Adams Agar	100 Gms	14.48	84893	✓ Alkaline Peptone Water (I)	100 Gms	10.53
		500 Gms	53.96			500 Gms	38.16
	Used for examining sporulation in yeasts.				Used for the enrichment of Vibrio species.		
				83863	✓ Alkaline Peptone Water (B/S)	100 Gms	10.53
						500 Gms	38.16
					Used for the enrichment of Vibrio species.		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
58784	✓ Alkaline Saline Peptone Water (I)	100 Gms	13.16	50747	✓ Ampicillin Dextrin Broth Base	100 Gms	14.48
		500 Gms	47.38			500 Gms	60.54
	Used for the enrichment of <i>Vibrio</i> species from food and water samples.				Recommended for the selective isolation, differentiation and quantitative enumeration of <i>Aeromonas</i> species from water, food and environmental samples by the membrane filter method.		
44860	✓ AC Agar (All Culture Agar)	100 Gms	13.16	24891	⚠ Ampicillin Dextrin Selective Supplement	5 vl	13.82
		500 Gms	55.27			5 x5 vl	50.01
	For growth of aerobic, anaerobic and microaerophilic organisms. Recommended for sterility testing of solutions and materials not containing mercurial preservatives.				Used for selective isolation and differentiation of <i>Aeromonas</i> species.		
87091	✓ AC Broth (All Culture Broth)	100 Gms	11.84	78162	⚠ Ampicillin Supplement (10mg/vl)	5 vl	19.74
		500 Gms	51.32				
	For cultivation and isolation of aerobic, anaerobic and microaerophilic organisms. Recommended for sterility testing of solutions and materials not containing mercurial preservatives.				For the selective isolation of <i>Aeromonas</i> species.		
52023	✓ Alternative Thioglycollate Medium (I/P)(U/P) (NIH Thioglycollate Broth)	100 Gms	6.58	12213	✓ Anaerobic Agar	100 Gms	15.79
		500 Gms	22.37			500 Gms	63.17
	For the sterility testing of biological products which are turbid or viscous as mentioned in pharmacopeia.				For the cultivation of anaerobic bacteria, especially <i>Clostridium</i> species.		
39422	✓ Alternative Thioglycollate Medium, Sterile	100 Gms	7.90	20911	✓ Anaerobic Agar (Brewer)	100 Gms	18.42
		500 Gms	31.58			500 Gms	63.17
	Gamma irradiated sterile powder used for sterility testing of biological products which are turbid or viscous.				For the isolation and sensitivity testing of facultative and obligatory anaerobes.		
98349	✓ Amies Transport Medium w/ Charcoal	100 Gms	15.79	97394	✓ Anaerobic Blood Agar Base	100 Gms	18.42
		500 Gms	48.69			500 Gms	65.14
	For the transport of swab specimens to prolong the survival of microorganisms, especially <i>Neisseria gonorrhoeae</i> .				Recommended for isolation and cultivation of Group A and Group B <i>Streptococci</i> from throat cultures and other clinical samples		
24193	✓ Amies Transport Medium w/o Charcoal	100 Gms	15.79	59821	✓ Anaerobic Agar w/o Dextrose	100 Gms	17.11
		500 Gms	48.69			500 Gms	59.22
	For the transport of swab specimens to prolong the survival of microorganisms.				For cultivation of variety of anaerobic bacilli, especially <i>Clostridium</i> species.		
90600	✓ Ammonium Phosphate Agar	100 Gms	17.11	19422	✓ Anaerobic Egg Yolk Agar Base	100 Gms	18.42
		500 Gms	77.64			500 Gms	65.80
	For the detection of microorganisms that can use ammonium phosphate as nitrogen source.				For the detection of <i>Clostridium</i> species, especially from food samples.		
69084	✓ Ampicillin Dextrin Agar Base	100 Gms	17.11	85198	✓ Anaerobic Tryptone Soya Agar	100 Gms	17.11
		500 Gms	69.09			500 Gms	56.59
	Recommended for the selective isolation, differentiation and quantitative enumeration of <i>Aeromonas</i> species from water, food and environmental samples by the membrane filter method.				Used for screening of anaerobes in cosmetics (Talcum powder).		
				47702	✓ Andrade Lactose Peptone Water	100 Gms	11.05
						500 Gms	42.11
					To study fermentation reactions of members of the <i>Enterobacteriaceae</i> .		
				41449	✓ Andrade Peptone Water	100 Gms	12.50
						500 Gms	55.27
					A basal medium to study fermentation reactions by adding various carbohydrates		
				90295	✓ Andrade Peptone Water BioVeg	100 Gms	14.48
						500 Gms	59.22
					A basal medium to study fermentation reactions by adding various carbohydrates.		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
70197	✓ Antibiotic Assay Medium No. 5 (Streptomycin Assay Agar w/ Yeast Extract)	100 Gms	15.79	22599	✓ Aqua Test E.Coli Medium	100 Gms	103.96
		500 Gms	68.43			500 Gms	
	For antibiotic assay testing. For the streptomycin assay using Bacillus subtilis as the test organism.				Aqua Test Ecoli Medium, is used for detection of faecal indicator bacteria in drinking water, especially in low-income countries and outside controlled laboratory settings.		
24301	✓ Antibiotic Assay Medium No. 8 (Base Agar w/Low pH)	100 Gms	15.79	41524	✓ Arabinose Agar Base	100 Gms	17.11
		500 Gms	68.43			500 Gms	67.12
	For microbiological assay testing of Tetracycline, Vancomycin, Oxytetracycline, et c.				Used for selective isolation of Enterococcus faecium from faeces, sewage and water samples.		
52812	✓ Antibiotic Assay Medium No. 9 (Polymyxin Base Agar)	100 Gms	14.48	85908	✓ Arginine Dihydrolase Broth	100 Gms	14.48
		500 Gms	55.27			500 Gms	59.22
	Used as base agar for the plate assay of Carbenicillin, Colistimethate and Polymixin B.				Used for the detection of arginine dihydrolase producing microorganisms.		
26751	✓ Antibiotic Assay Medium No. 10 (Polymyxin Seed Agar)	100 Gms	18.42	15577	✓ Aseptic Commissioning Medium (Aseptic Packing Line Medium)	100 Gms	15.79
		500 Gms	55.27			500 Gms	56.59
	Used as seed agar for plate assay of Carbenicillin, Colistimethate and Polymixin B.				It is an ideal medium used for validation of aseptic packing and filling lines.		
87878	✓ Antibiotic Assay Medium No. 1 (Seed Agar) (Penassay Seed Agar, Seed Agar, Agar Medium A)	100 Gms	14.48	64778	✓ Ascospore Agar	500 Gms	56.59
		500 Gms	65.80				
	For antibiotic assay testing, detection of antibiotics in milk and determination of the antimicrobial effectiveness of antibiotics.				Ascospore Agar is a solid medium recommended for use in qualitative procedures for the cultivation of ascomycetous yeasts.		
50741	✓ Antibiotic Assay Medium No. 2 (Base Agar, Penassay Base Agar) (Penassay Base Agar, Base Agar)	100 Gms	15.79	88277	♻ Ashby's Glucose Agar	100 Gms	17.11
		500 Gms	68.43			500 Gms	61.85
	For use as a base layer in antibiotic assay testing.				For the cultivation of Azotobacter species that can utilize glucose as carbon and atmospheric nitrogen as nitrogen source.		
66729	✓ Antibiotic Medium No. 3 (U/P) (I/P) (Assay Broth, Penassay Broth)	100 Gms	13.16	26569	✓ Ashby's Mannitol Agar	100 Gms	17.11
		500 Gms	43.43			500 Gms	61.85
	For microbiological assay of antibiotics.				For the cultivation of Azotobacter species that can utilize mannitol as carbon and atmospheric nitrogen as nitrogen source.		
10892	✓ Antifungal Assay Agar	100 Gms	17.11	75830	✓ ASLA Agar	100 Gms	15.79
		500 Gms	56.59			500 Gms	57.90
	For assaying antifungal activity.				Used for isolation and cultivation of Propionibacterium species from food.		
12797	✓ APRY Agar Base	100 Gms	14.48	57624	✓ Aspergillus Differentiation Medium Base	100 Gms	19.74
		500 Gms	55.27			500 Gms	74.35
	For the cultivation of acid resistant yeasts.						
26126	✓ APT Agar (APHA)	100 Gms	15.79	53903	✓ Asparagine Nitrate Medium	100 Gms	43.43
		500 Gms	57.90				
	Used for the cultivation of heterofermentative lactobacilli requiring high thiamine content.				Recommended media for isolation and cultivation of denitrifying bacteria.		
31990	✓ APT Broth (APHA)	100 Gms	15.79	69318	✓ Asparagine Proline Broth	100 Gms	15.79
		500 Gms	55.27			500 Gms	57.90
	Used for the cultivation of heterofermentative lactobacilli requiring high thiamine content.				For the cultivation of Pseudomonas aeruginosa by membrane filter technique.		
				95670	✓ Asparagine Proline Broth BioVeg	100 Gms	17.11
						500 Gms	64.48
					For cultivation of Pseudomonas aeruginosa by membrane filter technique.		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
92301	✓ Ayers and Johnson Agar (Stock Culture Agar)	100 Gms	17.11	97676	✓ B.C.P. - D.C.L.S. Agar (Bromocresol Purple-Deoxycholic Acid-Citrate-Lactose-Sucrose Agar) Used for the selective isolation of Salmonella and Shigella species.	100 Gms	17.11
		500 Gms	61.85			500 Gms	63.17
94692	✓ Azide Blood Agar Base	100 Gms	17.11	69574	✓ Beef Extract Agar (ex. Buffalo)	100 Gms	13.16
		500 Gms	59.22			500 Gms	53.96
47479	✓ Bacillus Differentiation Agar	100 Gms	22.37	39359	✓ Beef Extract Broth (ex. Buffalo)	100 Gms	11.84
		500 Gms	69.75			500 Gms	47.38
51747	✓ Bacillus Medium	100 Gms	11.84	60856	✓ Beef Extract ex. Buffalo BactoBio for bacteriology [68990-09-0]	500 Gms	26.32
		500 Gms	47.38			5 Kg	230.30
74664	✓ Bacillus Cereus Agar	100 Gms	14.48	57542	✓ Beijerinckia Medium	100 Gms	17.11
		500 Gms	59.22			500 Gms	67.12
98947	✓ Bacteroides Bile Esculin (BBE) Agar Base	100 Gms	42.11	29141	✓ BIGGY Agar (Nickerson Medium) (Nickerson Agar)	100 Gms	14.48
		500 Gms	169.76			500 Gms	61.85
83141	✓ Bacteroides Selective Supplement (50mg/vl)	5 vl	15.79	49319	✓ Bile Broth Base	100 Gms	17.11
						500 Gms	68.43
50222	✓ Baird-Parker Agar, Base (U/P)(I/P) (I)	100 Gms	13.16	66013	✓ Bile Esculin Agar w/o azide (I)	100 Gms	46.06
		500 Gms	55.27			500 Gms	173.71
24562	✓ Baird-Parker Agar, Base (B/S)	100 Gms	13.16	66572	✓ Bile Esculin Agar, Base	100 Gms	30.27
		500 Gms	55.27			500 Gms	134.23
21748	✓ Baird-Parker Agar Base w/Sulpha	100 Gms	19.74	34963	✓ Bile Esculin Azide Agar	100 Gms	31.58
		500 Gms	69.75			500 Gms	118.44
26267	✓ B.C. Motility Medium	100 Gms	14.48	79630	✓ B.D.G.Broth, Hajna	100 Gms	15.79
		500 Gms	50.01			500 Gms	52.64
				64104	✓ Bile Salts Agar	100 Gms	15.79
						500 Gms	68.43



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
50362	✓ Bile Salts BactoBio for bacteriology	100 Gms	71.06	55369	✓ Bismuth Sulphite Agar (I) (Bismuth Sulfite Agar (I))	100 Gms	11.84
		500 Gms	260.57			500 Gms	48.69
	Used in microbiological culture media as a selectively inhibitory agent.				For the selective isolation and identification of Salmonella typhi and other enteric bacilli.		
18276	✓ Bile Salts No. 3 BactoBio for bacteriology	100 Gms	106.60	48794	✓ Blood Agar Base (Infusion Agar)	100 Gms	11.84
		500 Gms	325.05			500 Gms	48.69
	Bile salts No. 3 is a refined bile salt for use as a selective inhibitory agent in bacteriological culture media. It consist of a specially modified fraction of bile acid salts (comprising mainly of sodium cholate and sodium deoxycholate).				For the preparation of blood agar by the addition of sheep blood.		
69577	✓ Bile Salts Brilliant Green Starch Agar	100 Gms	28.95	90935	✓ Blood Agar Base (w/o sheep blood)	100 Gms	11.84
		500 Gms	76.33			500 Gms	48.69
					5 Kg	454.02	
					For the isolation, cultivation and detection of haemolytic activity of streptococci and other fastidious microorganisms.		
56175	✓ Bile Salts Mixture BactoBio for bacteriology	100 Gms	102.65	67644	✓ Blood Agar Base No.2 (w/ 1.2% Agar)	100 Gms	13.16
		500 Gms	296.10			500 Gms	48.69
	Used as an inhibitory agent for gram positive organisms in microbiological media.				For the isolation, cultivation and detection of haemolytic activity of streptococci, pneumococci and other particularly fastidious microorganisms.		
18037	✓ Bile Salts Technical for bacteriology	100 Gms	18.42	74999	✓ Blood Agar Base w/ Low pH (w/o sheep blood)	100 Gms	13.16
		500 Gms	71.06			500 Gms	50.01
	It is used in bacteriological culture media as an inhibitory agent for gram positive bacteria, making it selective for isolation and identification of pathogens.				For the isolation and growth of a wide variety of microorganisms. The slightly acid pH of this medium enhances distinct hemolytic reactions.		
79665	✓ Bile Tolerant Gram negative bacteria Test Kit (Pre-Weighed Media)	1 Kit	15.79	81083	✓ Blood Free Campylobacter Selectivity Agar Base	100 Gms	19.74
	Used for isolation, identification and cultivation of Bile tolerant gram negative bacteria.				Used for the selective isolation and differentiation of Campylobacter species from food and animal feeding stuffs. This medium is recommended by ISO 10272-1&2:2017.	500 Gms	71.06
92875	✓ Biochemical Test Kit - I (Pre-Weighed Media)	1 Kit	34.22	71476	✓ BG-11 Broth (Blue-Green Medium)	100 Gms	19.74
	Used for biochemical identification of gram negative enteric bacteria based on tests like Carbohydrate utilization, H2S production, Phenylalanine deaminase and Urease production.				For culture and maintenance of cyanobacteria.	500 Gms	65.80
65896	✓ Biochemical Test Kit - II (Pre-Weighed Media)	1 Kit	31.58	85308	✓ Bordet - Gengou Agar, Base (w/o rabbit blood)	100 Gms	17.11
	Used for biochemical identification of microorganisms based on tests - Nitrate reduction, Malonate utilisation, Gelatin liquefaction and Starch hydrolysis.				For the detection and isolation of Bordetella species from clinical specimens.	500 Gms	65.80
55785	✓ Bio Peptone (Mixture of Casein & Meat Peptone) BactoBio for bacteriology	500 Gms	38.16	15097	⚡ B.P. Sulpha Supplement (50mg/vl)	5 vl	15.79
		5 Kg	304.00		Used for suppressing the growth of Proteus species on Baird Parker Agar Base.		
		10 Kg	580.36				
	Biopeptone is a mixture of enzymic digest of casein and meat peptone. It is recommended for the cultivation of fastidious microorganisms in Columbia Broth Base, Dextrose Agar and Casman Agar Base.			91661	✓ BPL Agar (Brilliant Green Phenol Red Agar)	100 Gms	17.11
					500 Gms	59.22	
					For isolation and identification of Salmonellae except S.typhi in faeces, urine, milk and other materials.		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
46530	✓ Brain Heart CC Agar (BHI CC Agar)	100 Gms	28.95	65774	✓ Brilliant Green Agar	100 Gms	11.84
		500 Gms	125.02			500 Gms	46.06
	Recommended for isolation and cultivation of fastidious pathogenic fungi and saprophytic fungi from specimens heavily contaminated with bacteria.				For the selective isolation of Salmonella other than S.typhi from faeces, food and dairy products.		
64944	✓ Brain Heart Infusion Powder (BHI Powder) BactoBio for bacteriology	500 Gms	39.48	14980	✓ Brilliant Green Agar, Modified (I) (Brilliant Green Agar Base w/ Phosphates)	100 Gms	11.84
		5 Kg	371.11			500 Gms	46.06
	Used for cultivation of highly fastidious microorganisms like Streptococci, Pneumococci, Meningococci, Haemophilus, Neisseria sp. and pathogenic fungi. A highly nutritious mixture of calf brain infusion and beef heart infusion.				For the selective isolation of Salmonellae from faeces, water, food and dairy products.		
94124	✓ Brain Heart Infusion Agar (BHI Agar)	100 Gms	11.84	18545	✓ Lactose Bile Brilliant Green Broth 2% (I)(B/S)	100 Gms	14.48
		500 Gms	46.06			500 Gms	64.48
		5 Kg	427.70				
	For the cultivation of wide variety of fastidious bacteria, yeasts and molds from clinical and non-clinical specimens.				Recommended medium for detection and confirmation of coliforms from water, wastewater, foods, milk and dairy products.		
87864	✓ Brain Heart Infusion Broth (BHI Broth)	100 Gms	11.84	98383	✓ Brilliant Green Bile Agar	100 Gms	13.16
		500 Gms	42.11			500 Gms	55.27
		5 Kg	388.22				
	For the cultivation of variety of fastidious and non-fastidious aerobic and anaerobic microorganisms.				For the detection & enumeration of coliform bacteria in materials of sanitary importance such as water, sewage & foods.		
82856	✓ Brain Heart Infusion Agar, Modified (BHI Agar, Modified)	100 Gms	13.16	39284	✓ Brilliant Green Sulfa Agar (B.G. Sulpha Agar)	100 Gms	13.16
		500 Gms	51.32			500 Gms	59.22
		5 Kg	461.92				
	For the cultivation of wide variety of fastidious bacteria, yeast and molds from clinical and non-clinical specimens.				For the selective isolation of Salmonella species, other than Salmonella typhi from food, dairy products, eggs, egg products and feed.		
84560	✓ Brain Heart Infusion w/ 0.1% Agar (BHI w/ 0.1% Agar)	100 Gms	14.48	32445	✓ Bolton Broth Base	100 Gms	14.48
		500 Gms	51.32			500 Gms	64.48
	For the cultivation of fastidious pathogenic microorganisms.				A medium for the selective pre-enrichment of Campylobacter species in food samples.		
26671	✓ Brain Heart Infusion w/ PABA and Agar (BHI Agar w/PABA)	100 Gms	15.79	55582	⚠ Bolton Selective Supplement	5 vl	23.69
		500 Gms	63.17			5 x5 vl	102.65
	For the detection of fastidious microorganisms from blood containing sulfonamides.				Used for the selective enrichment of Campylobacter species from food samples.		
25357	✓ Brain Heart Infusion Broth w/6.5% NaCl (BHI Broth w/6.5% NaCl)	100 Gms	13.16	66006	⚠ Bordetella Selective Supplement (20mg/vl)	5 vl	18.42
		500 Gms	50.01				
	Nutritive medium used for cultivation of salt tolerant microorganisms.				Used for the selective isolation of Bordetella species.		
33355	✓ Brewer Thioglycollate Medium	100 Gms	9.21	26384	⚠ Bromocresol Purple Supplement (15mg/vl)	5 vl	11.84
		500 Gms	36.85				
	For sterility testing of biological products and other materials.				Used for isolation and identification of faecal streptococci.		
				49977	✓ Bromocresol Purple Azide Broth	100 Gms	14.48
						500 Gms	53.96
					For the confirmation tests for presence of faecal streptococci in water and waste water.		
				19202	✓ Bromocresol Purple Lactose Broth (BCP Lactose Broth, Yeast Fermentation Broth Base)	100 Gms	13.16
						500 Gms	50.01
					Used as presumptive medium for the detection of coliform bacteria in water.		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
53213	✓ Bromocresol Purple Lactose Broth w/o Sodium Chloride	100 Gms	13.16	22197	✓ Buffered Peptone Water BioVeg	100 Gms	10.53
		500 Gms	47.38			500 Gms	38.16
46172	⚠ Bromothymol Blue Supplement (20mg/vl) Used for differentiating microflora from urine sample.	5 vl	7.90		A pre-enrichment medium, manufactured from animal free bases for the isolation of Salmonella, especially injured microorganisms from various food sources.		
68035	✓ Bryant and Burkey Agar	100 Gms	15.79	93439	✓ Buffered Peptone Water w/ Casein	100 Gms	11.84
		500 Gms	59.22			500 Gms	46.06
	For the detection of lactate fermenting Clostridial species in milk and dairy products.				A pre-enrichment medium, for the isolation of Salmonella, especially from cocoa (chocolates and confectionary).		
61882	✓ Bryant and Burkey Medium	100 Gms	14.48	85268	✓ Buffered Tryptone Glucose Yeast Extract Broth	100 Gms	14.48
		500 Gms	55.27			500 Gms	51.32
	For the detection of lactate fermenting Clostridial species in milk and dairy products.				Used for the isolation of Clostridium perfringens from food samples.		
19814	✓ B.T.B. Lactose Agar (Bromothymol Blue Lactose Agar)	100 Gms	15.79	70054	✓ Buffered Yeast Agar	100 Gms	13.16
		500 Gms	57.90			500 Gms	51.32
	For the isolation and cultivation of pathogenic Staphylococci.				For the cultivation of yeast and molds and for controlling bottle washing operations in the soft drinks and related industries.		
28540	⚠ B12 Culture Agar, (U/P) For the cultivation and maintenance of Lactobacillus leichmannii ATCC 7830 to be used as the test organism in the vitamin B12 assay.	100 Gms	23.69	89637	✓ Buffered Sodium Chloride-Peptone Solution pH 7.0, Harmonized Used as diluent in pharmaceutical testing according to harmonized methods.	100 Gms 500 Gms	10.53 38.16
79328	⚠ B12 Inoculum Broth, (U/P) For the preparation of inoculum cultures of Lactobacillus leichmannii ATCC 7830, which is used as the test organism in the vitamin B12 assay.	100 Gms	22.37	73461	✓ Burk's Medium Used for isolation and cultivation of nitrogen fixing bacteria such as Azotobacter species from soil.	100 Gms	17.11
		500 Gms	94.75			500 Gms	53.96
21700	✓ Buffered Glycerol Saline Base	100 Gms	11.84	32639	✓ Bushnell - Haas Agar For examining fuels for microbial contamination and for studying hydrocarbon utilization by microorganisms.	100 Gms 500 Gms	13.16 55.27
72993	✓ Buffered Peptone Water A pre-enrichment medium for the isolation of Salmonella species, especially injured microorganisms from food sources.	100 Gms	9.21	14509	✓ Bushnell - Haas Broth For examining fuels for microbial contamination and for studying hydrocarbon utilization by microorganisms.	100 Gms	10.53
		500 Gms	38.16			500 Gms	47.38
88680	✓ Buffered Peptone Water (I/O) (B/S) Recommended medium for pre-enrichment of injured Salmonella species from foods, before selective enrichment and isolation.	100 Gms	10.53	16574	✓ CAE Agar Base (Citrate Azide Enterococcus) Used for identification of Enterococci in meat, dairy and other food products.	100 Gms	14.48
		500 Gms	38.16			500 Gms	55.27
12995	✓ Buffered Peptone Water w/ NaCl An isotonic agent recommended for use as a diluent in performing microbial examination of non-sterile products.	100 Gms	13.16	35512	✓ CAL Agar (Cellobiose Arginine Lysine Agar) Used for the isolation and characterization of Yersinia enterocolitica from faecal specimens	100 Gms	97.38
		500 Gms	38.16				
				95845	✓ Calcium Caseinate Agar For the detection and enumeration of proteolytic microorganism in foodstuff and other materials.	100 Gms 500 Gms	19.74 64.48



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
25867	✓ Campylobacter Agar Base	100 Gms	17.11	61796	✓ Casein Peptone BactoBio for bacteriology	500 Gms	31.58
		500 Gms	65.80			5 Kg	296.10
	Used with addition of blood and antibiotics in isolation and cultivation of Campylobacter species.				An enzymatic digest of casein, rich in amino acids and peptides. Used as a nitrogen source in microbiological media.		
36198	✓ Candida BCG Agar, Base	100 Gms	17.11	72689	✓ Casitone (Casitose) BactoBio for bacteriology	500 Gms	31.58
		500 Gms	63.17				
	For use with added Neomycin for isolation and differentiation of Candida from primary specimens.						
95160	✓ Candida Isolation Agar (Candida Agar)	100 Gms	17.11	49946	⚠ Casitose Agar w/ 1.5% Agar	500 Gms	53.96
		500 Gms	63.17			5 Kg	498.76
	For the isolation and differentiation of Candida albicans.				Used as a general purpose medium for cultivation of microorganisms.		
45568	✓ Candida Albicans Test Kit (Pre-Weighed Media)	1 Kit	15.79	79033	✓ Casitose Soya Agar, Modified (Casein Soya Agar, Modified)	100 Gms	17.11
						500 Gms	55.27
	Used for isolation, identification and cultivation of Candida albicans.				For the growth of wide variety of organisms.		
92558	✓ Carbohydrate Fermentation Test Kit - I (Pre-Weighed Media)	1 Kit	50.01	13927	✓ Casitose Soya Blood Agar Base (Casein Soya Blood Agar Base) (Trypticase Soya Blood Agar Base)	100 Gms	17.11
						500 Gms	59.22
	For the differentiation of microorganisms on the basis of various carbohydrate fermentation reactions.				Recommended for the cultivation of fastidious microorganisms and detection of their hemolytic activity.		
40071	✓ Carbohydrate Fermentation Test Kit - II (Pre-Weighed Media)	1 Kit	96.07	91254	✓ Casman Agar Base	100 Gms	14.48
						500 Gms	55.27
	For the differentiation of microorganisms on the basis of various carbohydrate fermentation reactions.				Used with addition of blood, for isolation and cultivation of fastidious microorganisms from clinical specimens.		
54951	✓ Carbon Utilisation Agar	500 Gms	30.27	18871	⚠ CBI Supplement	5 vl	19.74
	Used for characterization of Streptomyces on the basis of carbon utilization studies.				Used for selective isolation of Clostridium botulinum.		
24715	✓ Cary - Blair Transport Medium, Base (w/o charcoal)	100 Gms	14.48	90465	✓ Cetrimide Agar Base, Harmonized	100 Gms	11.84
		500 Gms	57.90			500 Gms	47.38
	For maintenance as a holding medium or transport medium of clinical specimens during collection or shipment.				Used for the selective isolation and identification of Pseudomonas aeruginosa in pharmaceutical testing according to harmonized methods.		
68806	✓ Acicase (Casein Acid Hydrolysate, Casamino Acids) BactoBio for bacteriology	500 Gms	85.54	45470	✓ Cetrimide Agar, Base	100 Gms	11.84
		[65072-00-6]	2 Kg			289.52	500 Gms
	Acid digest of casein, a rich source of nitrogen recommended for use in microbiological culture media that require a completely hydrolyzed protein as a nitrogen source.				For the selective isolation, cultivation and identification of Pseudomonas aeruginosa.		
95305	✓ Acicase (Casein Acid Hydrolysate, Casamino Acids) Technical for bacteriology	500 Gms	65.80	93927	✓ Cetrimide Agar BioVeg	100 Gms	11.84
		[65072-00-6]	2 Kg			236.88	500 Gms
	Acid digest of casien; is a rich source of nitrogen.				Made from Veg.based ingredients ; it is used for the selective cultivation and identification of Pseudomonas aeruginosa.		
68211	✓ Casein Magnesium Broth (NZM Broth)	100 Gms	18.42	31199	✓ Cetrimide Broth (U/P)	100 Gms	11.84
		500 Gms	72.38			500 Gms	43.43
	Used in the cultivation of recombinant strains of Escherichia coli.				Used for the cultivation of Pseudomonas aeruginosa.		
				94532	⚠ Cetrinix Supplement	5 vl	25.00
						5 x5 vl	59.22
					Used for the selective isolation of Pseudomonas species.		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
70984	🔑 CFC Supplement	5 vI	22.37	96599	🔑 ChroMed ECC Agar	100 Gms	55.27
		5 x5 vI	65.80			500 Gms	211.88
	Used for selective isolation of Pseudomonas species.				Differential medium recommended for presumptive identification of Escherichia coli and other coliforms in food and environmental samples.		
11507	✔ Chapman Stone Agar	100 Gms	14.48	75955	🔑 ChroMed E.coli Agar	100 Gms	38.16
		500 Gms	51.32			500 Gms	169.76
	For the isolation of staphylococci from a variety of specimens.				Recommended chromogenic medium, used for the detection and enumeration of Escherichia coli and coliforms from food samples.		
58323	✔ Charcoal Agar	100 Gms	15.79	46706	🔑 ChroMed Klebsiella Selective Agar Base	100 Gms	27.64
		500 Gms	55.27			500 Gms	113.18
	For the cultivation and maintenance of fastidious microorganisms, especially Bordetella pertussis, for production of vaccines.				Used for the selective isolation and detection of Klebsiella species from water and other sources. This medium can also be used in membrane filtration procedure.		
53641	✔ Charcoal Agar w/ Niacin	100 Gms	18.42	45615	🔑 ChroMed Listeria Agar (I)	100 Gms	23.69
		500 Gms	65.14			500 Gms	101.33
	Used for cultivation and isolation of Bordetella pertussis and Haemophilus influenzae.				A selective and differential chromogenic medium recommended for rapid and direct identification of listeria species.		
52057	✔ China Blue Lactose Agar	100 Gms	14.48	38284	✔ ChroMed Listeria Agar Base, Modified	100 Gms	23.69
		500 Gms	59.22			500 Gms	97.38
	Used for differentiating lactose fermenters and non fermenters and also in enumeration of bacteria in milk.				For the selective identification and differentiation of Listeria monocytogenes.		
52665	🔑 Chloramphenicol Yeast Glucose Agar BioVeg	100 Gms	10.53	65621	🔑 ChroMed MeReSA Agar	100 Gms	36.85
		500 Gms	47.38			500 Gms	155.29
	Used for the isolation and enumeration of molds in milk and milk products.				A chromogenic media recommended for the isolation and selective identification of Methicillin Resistant Staphylococcus aureus (MRSA) from clinical isolates.		
27880	🔑 ChroMed Aureus Agar	100 Gms	28.95	75213	🔑 Chromed M-Lauryl Sulfate Agar (MLGA) (Membrane Lactose Glucuronide Agar)	100 Gms	68.43
		500 Gms	130.28			500 Gms	275.04
	A chromogenic medium used for the identification of Staphylococcus aureus.				For the differentiation and enumeration of Escherichia coli and other coliforms by membrane filter technique.		
78355	🔑 ChroMed Bacillus Cereus Agar	100 Gms	18.42	90219	🔑 ChroMed OGYE Agar Base (I)	100 Gms	50.01
		500 Gms	72.38			500 Gms	218.46
	A chromogenic medium used for the isolation of Bacillus species from a mixed culture in foods, clinical and non-clinical samples.				Selective and differential medium for isolation of yeasts and moulds from milk and milk products.		
42436	🔑 ChroMed Chromogenic Coliform Agar (CCA) (I)	50 Gms	40.80	92671	🔑 ChroMed Salmonella Agar	100 Gms	135.55
		100 Gms	76.33			500 Gms	636.94
		500 Gms	359.27				
	For detection of Escherichia coli and coliforms in water samples as per ISO standards 9308-1:2014.				A chromogenic medium used for the differentiation of Salmonella species.		
19440	🔑 ChroMed Chromogenic Coliform Agar w/ SLS (CCA w/ SLS)	50 Gms	32.90	52496	🔑 ChroMed TBX Agar (E.coli Agar Modified)	100 Gms	28.95
		100 Gms	59.22			500 Gms	132.92
		500 Gms	230.30				
	For detection of Escherichia coli and coliforms in water samples.				A selective chromogenic medium used for the detection and enumeration of Escherichia coli in food samples, animal feeds and water.		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
42979	🔑 ChroMed UTI Agar	100 Gms	39.48	12655	✓ Clostridium Test Kit (Pre-Weighed Media) Used for isolation, identification and cultivation of Clostridium species.	1 Kit	15.79
		500 Gms	188.19				
80559	✓ CHO Medium, Base (Carbohydrate Medium, Base)	100 Gms	13.16	64078	🔑 CNA Supplement Recommended for the selective isolation of anaerobic gram-positive cocci.	5 vl	23.69
		500 Gms	50.01				
28850	✓ Chocolate Agar, Base	100 Gms	15.79	19156	✓ Coagulase Mannitol Agar Base For the cultivation, differentiation of Staphylococcus aureus from other Staphylococcus species, based on coagulase production and mannitol fermentation.	100 Gms	14.48
		500 Gms	55.27			500 Gms	61.85
14602	🔑 Chloramphenicol Selective Supplement (50mg/vl)	5 vl	15.79	52655	✓ Coliform Medium (CM, Coliform Broth) For the isolation & cultivation of coliform organisms from raw milk, cream, yoghurt.	100 Gms	13.16
		5 x5 vl	46.06			500 Gms	47.38
60822	✓ Chloramphenicol Yeast Glucose Agar (I)	100 Gms	10.53	21493	✓ Columbia Agar Base, Harmonized Used for the isolation of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.	100 Gms	11.84
		500 Gms	48.69			500 Gms	48.69
93306	✓ Christensen Citrate Agar	100 Gms	13.16	45481	✓ Columbia Agar, Base For the isolation and cultivation of fastidious and non-fastidious microorganisms.	100 Gms	11.84
		500 Gms	57.90			500 Gms	48.69
55769	✓ CLED Agar (Brolacin Agar)	100 Gms	13.16	97789	✓ Columbia C.N.A. Agar Base For selective isolation and cultivation of pathogenic Gram-positive cocci from clinical and non-clinical specimens.	100 Gms	32.90
		500 Gms	48.69			500 Gms	132.92
88366	✓ CLED Agar w/ Andrade Indicator	100 Gms	13.16	23588	✓ Conn's Agar Used for the cultivation of fungi.	100 Gms	28.95
		500 Gms	48.69			500 Gms	119.76
40980	✓ Clostridium Botulinum Isolation Agar, Base	100 Gms	14.48	16340	✓ Corn Meal Agar w/ Dextrose Cultivation of phytopathological and other fungi.	100 Gms	13.16
		500 Gms	57.90			500 Gms	56.59
26836	✓ Clostridium Difficile Agar Base	100 Gms	18.42	26998	✓ Corn Meal Agar For the chlamyospore production by Candida albicans and maintenance medium for fungal stock cultures.	100 Gms	13.16
		500 Gms	65.14			500 Gms	56.59
93834	🔑 Clostridium Difficile Supplement	5 vl	17.11	60277	✓ Corn Meal Peptone Yeast Agar	100 Gms	15.79
		5 x5 vl	51.32			500 Gms	55.27
				73398	✓ Cooke Rose Bengal Agar Base Used for the selective cultivation and isolation of fungi.	100 Gms	22.37
						500 Gms	77.64



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
45455	✓ CPC Agar Base For cultivation and differentiation of Vibrio species from food samples.	100 Gms	82.91	61195	⚠ Dairy samples Testing Kit (Pre-Weighed Media) Used for identification and enumeration of microorganisms from dairy products.	1 Kit	27.64
65165	⚠ CPC Supplement For isolation and enumeration of Vibrio species from foods	5 vI	30.27	96640	✓ Decarboxylase Test Medium Base (Falkow) (Decarboxylase Basal Medium, Decarboxylase Media, Falkow) For the differentiation of bacteria based on their ability to decarboxylate the amino acid.	100 Gms 500 Gms	13.16 48.69
48743	✓ Craigs Medium	100 Gms 500 Gms	17.11 51.32	47129	✓ Deoxycholate Agar Differential medium for direct counts of coliforms from dairy products and for the isolation of enteric microorganisms from clinical and non-clinical specimens.	100 Gms 500 Gms	11.84 51.32
70952	✓ CRAMP Agar Base For the cultivation of Yersinia species with plasmids.	100 Gms	69.75	20023	✓ Deoxycholate Citrate Agar (I/P) Used for the selective isolation and cultivation of enteric pathogens, especially Salmonella and Shigella species.	100 Gms 500 Gms	18.42 82.91
27793	✓ Cystine Tryptone Agar (Cystine Tryptic Agar) Used for the maintenance, subculturing and detection of motility of various bacteria.	100 Gms 500 Gms	13.16 48.69	38695	✓ Deoxycholate Lactose Agar For the isolation and differentiation of Gram-negative enteric bacilli and for enumeration of coliforms from water, waste water, milk and dairy products.	100 Gms 500 Gms	15.79 56.59
77853	✓ Crystal Violet Agar (Crystal Violet Lactose Agar) For the differentiation of pathogenic and non- pathogenic staphylococci.	100 Gms 500 Gms	15.79 56.59	18752	✓ Dermatophyte Test Agar Base (D.T.M. Agar Base) For the isolation and cultivation of dermatophytic fungi.	100 Gms 500 Gms	15.79 59.22
57485	✓ Crystal Violet Lactose Broth For the detection of coliforms in water filtration control works.	100 Gms 500 Gms	18.42 50.01	68650	✓ DEV Nutrient Agar To determine total germ count in water acc. To the "Deutschen Einheitsverfahren" regulations of drinking water.	100 Gms 500 Gms	14.48 51.32
91022	✓ Crystal Violet Tetrazolium Agar, Base Used for the detection of gram-negative psychrotrophic bacteria causing food spoilage.	100 Gms 500 Gms	14.48 59.22	22438	✓ DEV Tryptophan Broth Used for sub-cultivation for coliform differentiation and for indole testing in the bacteriological examination of water as per German Standard methods.	100 Gms 500 Gms	10.53 38.16
29212	✓ Czapek - Dox Agar For the cultivation of fungi and bacteria capable of utilizing sodium nitrate as the sole source of nitrogen.	100 Gms 500 Gms	11.84 43.43	15923	✓ Dextrose Agar For the cultivation of a wide variety of microorganisms and used as a base for blood agar and for general laboratory purposes.	100 Gms 500 Gms	11.84 50.01
93812	✓ Czapek - Dox Agar Modified For the cultivation and maintenance of numerous fungal species, also for chlamydospore production by Candida albicans.	100 Gms 500 Gms	15.79 55.27	64098	✓ Dextrose Broth For the isolation and enrichment of fastidious or damaged microorganisms.	100 Gms 500 Gms	10.53 35.53
74367	✓ Czapek - Dox Broth For the cultivation of fungi and bacteria capable of utilizing sodium nitrate as the sole source of nitrogen.	100 Gms 500 Gms	10.53 38.16				
95417	✓ Czapek Malt Agar For the isolation and cultivation of saprophytic fungi.	100 Gms 500 Gms	11.84 48.69				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
83607	✓ Dextrose Mannitol Agar (Gillies Agar No.1)	100 Gms	17.11	52978	✓ Differential Reinforced Clostridial Broth, Base (I)	100 Gms	11.84
		500 Gms	61.85			500 Gms	43.43
	Recommended medium for primary isolation of Salmonella and Shigella species, by detection of urease production, dextrose and mannitol fermentation.				For the cultivation of Clostridia from water samples.		
98009	✓ Dextrose Proteose Peptone Agar Base	100 Gms	14.48	88167	✓ Differential Reinforced Clostridial Broth, Base BioVeg	100 Gms	11.84
		500 Gms	51.32			500 Gms	46.06
	Used in combination with blood and tellurite for the isolation of Corynebacterium diphtheriae.				For the cultivation of Clostridia from water samples.		
11581	✓ Dextrose Salt Agar	100 Gms	14.48	63899	✓ Dihydrolase Broth, Base	100 Gms	17.11
		500 Gms	56.59			500 Gms	53.96
	For the enumeration of yeasts and molds in butter and dairy products.				Used for sterility testing of pharmaceuticals.		
87461	✓ Dextrose Salt Broth	100 Gms	13.16	14912	✓ Diluting Fluid A	100 Gms	10.53
		500 Gms	47.38			500 Gms	39.48
	For the enumeration of yeasts and molds in butter and dairy products.				Used for sterility testing of pharmaceutical products in accordance with USP.		
44486	✓ Dextrose Starch Agar	100 Gms	15.79	23121	✓ Diluting Fluid D	100 Gms	11.84
		500 Gms	55.27			500 Gms	44.74
	For the cultivation and maintenance of Neisseria gonorrhoeae and other fastidious microorganisms.				Used for sterility testing of pharmaceutical products in accordance with USP.		
50223	✓ Dextrose Tryptone Agar (Dextrose Casein Peptone Agar)	100 Gms	14.48	53277	✓ Diluting Fluid K	100 Gms	13.16
		500 Gms	53.96			500 Gms	39.48
	For the isolation and cultivation of mesophilic and thermophilic aerobic microorganisms related to food spoilage.				Used as diluting or rinsing fluid, when performing sterility testing of pharmaceuticals.		
78209	✓ Dey-Engley Neutralizing Broth	100 Gms	15.79	82965	✓ Disinfectant Test Broth, AOAC	100 Gms	13.16
		500 Gms	57.90			500 Gms	50.01
	For the testing and neutralization of antiseptics and disinfectants.				For the determination of phenol coefficient of disinfectants.		
73318	✓ Diamalt Agar	100 Gms	18.42	82359	✓ DNase Test Agar Base	100 Gms	48.69
		500 Gms	68.43			500 Gms	203.98
					Used for differentiation of microorganisms based on their production of deoxyribonuclease.		
29412	✓ Dichloran Glycerol Medium Base	100 Gms	12.50	78317	✓ DNase Test Agar w/Methyl Green	100 Gms	55.27
		500 Gms	59.22			500 Gms	211.88
					Used for differentiation of microorganisms based on deoxyribonuclease activity.		
63110	✓ Dichloran Medium Base w/ Rose Bengal	100 Gms	18.42	88941	✓ Drakes Medium 10	100 Gms	19.74
		500 Gms	78.96			500 Gms	67.12
	Used for isolation and enumeration of yeasts and moulds associated with food spoilage.				Recommended for isolation of Pseudomonas species from water samples.		
66473	✓ Differential Reinforced Clostridial Agar	100 Gms	15.79	53292	✓ DRBC Agar (Dichloran Rose Bengal Chloramphenicol Agar) Base	100 Gms	19.74
		500 Gms	55.27			500 Gms	71.06
	For the cultivation of Clostridia from water samples.				Used for the selective isolation and enumeration of yeasts and moulds of significance in food spoilage.		
27548	✓ Differential Reinforced Clostridial Broth, Base	100 Gms	10.53	84127	✓ Drigalski Lactose Agar	100 Gms	22.37
		500 Gms	36.85			500 Gms	65.80
	For the cultivation of Clostridia from water samples.						
				56107	✓ Drigalski Litmus Lactose Agar	100 Gms	17.11
						500 Gms	57.90



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
76861	🔑 Doyle's Antibiotic Supplement	5 vI	14.48	65512	✓ Emerson Agar	100 Gms	17.11
		5 x5 vI	51.98			500 Gms	56.59
	Used for enrichment of Campylobacter species.				Used for isolation and cultivation of Actinomycetaceae, Streptomycetaceae, fungi and moulds.		
26609	✓ Doyle's Enrichment Broth Base	100 Gms	15.13	85046	✓ Endo Agar	100 Gms	11.84
		500 Gms	61.19			500 Gms	44.74
	Used for enrichment of Campylobacter species				For the selective isolation, cultivation and differentiation of coliforms and other enteric microorganisms based on their ability to ferment lactose.		
80907	✓ Doyle's Enrichment Broth Base BioVeg	100 Gms	18.42	81496	✓ Endo DEV Agar	100 Gms	14.48
		500 Gms	65.14			500 Gms	51.32
	Used for enrichment of Campylobacter species				Used for selection and differentiation of E.coli acc. To the "Deutschen Einheitsverfahren" regulations for drinking water.		
49763	✓ E. Coli Test Kit (Pre-Weighed Media)	1 Kit	18.42	95904	✓ Enriched Thioglycollate Broth (Thioglycollate Medium, Enriched, Thioglycollate Medium, Base)	100 Gms	10.53
	Used for isolation, identification and cultivation of Escherichia coli.					500 Gms	48.69
25549	✓ EC Medium (EC Broth)	100 Gms	11.84		For the isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria.		
		500 Gms	47.38	33945	✓ Enteric Fermentation Media	100 Gms	13.16
	For the differentiation and enumeration of coliforms in water, wastewater, shellfish and foods.					500 Gms	38.16
66389	✓ EC Medium w/MUG	100 Gms	18.42		For the cultivation and differentiation of a variety of bacteria based on their ability to ferment different carbohydrates.		
		500 Gms	73.70	71611	✓ Enterobacteria Enrichment Broth Mossel (EE Broth Mossel), Harmonized	100 Gms	17.11
	Used for the fluorogenic detection of Escherichia coli in water, food and milk samples.					500 Gms	75.01
54723	✓ Elliker Broth (Lactobacilli Broth)	100 Gms	13.16		Used for the selective enrichment of Enterobacteriaceae in pharmaceutical testing according to harmonized methods.		
		500 Gms	50.01	58444	✓ Enterococcus Confirmatory Agar	100 Gms	13.16
	Used for cultivation of streptococci and lactobacilli, especially in dairy procedures.					500 Gms	52.64
11983	✓ Eijkman Lactose Medium (Eijkman Lactose Broth)	100 Gms	14.48		For the identification of enterococci from water supplies and other sources by the confirmatory test.		
		500 Gms	47.38	64819	✓ Enterococcus Confirmatory Broth	100 Gms	11.84
	For the cultivation and differentiation of Escherichia coli from other coliform organisms based on their ability to ferment lactose and produce gas.					500 Gms	48.69
95514	✓ EMB Agar (Eosin Methylene Blue Agar)	100 Gms	10.53	47082	🔑 Enterococcus Selective Supplement	5 vI	22.37
		500 Gms	46.06			5 x5 vI	72.38
	For the isolation, cultivation and differentiation of gram negative enteric bacteria based on lactose fermentation.				Used for the selective isolation and cultivation of Enterococci.		
46675	✓ EMB Agar, Levine (Eosin Methylene Blue Agar, Levine)	100 Gms	10.53	60312	✓ Esculin Iron Agar	100 Gms	53.96
		500 Gms	46.06			500 Gms	235.56
	For the isolation, cultivation and differentiation of Gram-negative enteric bacteria based on lactose fermentation.				For cultivation and identification of Enterococci based on their ability to hydrolyze esculin.		
51207	✓ EMB Broth (Eosin Methylene Blue Broth)	100 Gms	10.53	27131	🔑 Esculin Supplement (0.5gm/vI)	5 vI	36.85
		500 Gms	42.11				
	For the differentiation of gram negative enteric bacteria from clinical and non clinical specimens.				Used for detection of group D streptococci on the basis of esculin hydrolysis.		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
69404	✓ Ethyl Violet Azide Broth (E.V.A. Broth)	100 Gms	14.48	52071	⚠ Fraser Selective Supplement	5 vl	19.74
		500 Gms	46.06			Used for selective isolation and cultivation of <i>Listeria monocytogenes</i> from food and environmental specimens.	
48357	✓ Eugonic Agar (B/S)	100 Gms	15.79	83831	✓ Fuchsin Lactose Broth	100 Gms	13.16
		500 Gms	59.22	500 Gms	51.32		
66070	✓ Eugonic Broth	100 Gms	15.79	37346	✓ Fungal Agar (Mycological Agar)	100 Gms	15.79
		500 Gms	50.01	500 Gms	61.85		
78507	⚠ FGTC Antibiotic Supplement (2.5mg/vl)	5 vl	15.79	93411	✓ Fungal Agar w/ low pH (Mycological Agar with Low pH)	100 Gms	15.79
		Used for the selective isolation and cultivation of Enterococci.		500 Gms	61.85		
93466	✓ Fluid Sabouraud Medium	100 Gms	7.90	68653	✓ Fungal Agar with Low pH (Mycological Agar w/ low pH)	100 Gms	15.79
		500 Gms	28.95	500 Gms	63.17		
93023	✓ Fluid Thioglycollate Medium, Clear (U/P)	100 Gms	7.90	62729	✓ Fungal Broth (Mycological Broth)	500 Gms	56.59
		500 Gms	25.00			For cultivation and maintenance of fungi.	
42917	✓ Fluid Thioglycollate Medium, (U/P) (I/P)	100 Gms	7.90	90195	✓ Fungi Cultivation Kit (Pre-Weighed Media)	1 Kit	18.42
		500 Gms	25.00	500 Gms	57.90		
46990	✓ Fluid Thioglycollate Medium, Harmonized	100 Gms	7.90	94016	✓ Gassner Lactose Agar	100 Gms	14.48
		500 Gms	25.00			500 Gms	57.90
76037	✓ FNA Medium (Fluorescein Denitrification Agar)	100 Gms	14.48	72464	✓ GC Agar Base	100 Gms	11.84
		500 Gms	53.96			500 Gms	44.74
46142	✓ Forget Fredette Agar	100 Gms	15.79	10474	✓ Gelatin Agar DEV	100 Gms	13.16
		500 Gms	59.22			500 Gms	50.01
33696	✓ Formate Ricinoleate Broth	100 Gms	15.79	23942	✓ Gelatin Iron Agar	100 Gms	13.16
		500 Gms	63.17			500 Gms	56.59
37593	✓ Fraser Broth Base	100 Gms	13.16	75750	✓ Gelatin Peptone BactoBio for bacteriology	500 Gms	26.32
		500 Gms	55.27			[91079-43-5]	5 Kg
97539	Fraser Supplement (250mg/vl)	5 vl	15.79				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
43172 [9000-70-8]	✓ Gelatin Powder Special ex. Porcine (Type B), 120g Bloom BactoBio for bacteriology Gelatin is a collagenous protein which finds its application for the solidification of cultural media. It is also used for detection and differentiation of certain proteolytic bacteria. A bacteriological grade, readily soluble in water.	500 Gms	19.74	79127	✓ GN Broth, Hajna (Gram-Negative Broth, Hajna) For the selective cultivation of gram negative microorganisms.	100 Gms 500 Gms	10.53 38.16
24426 [9000-70-8]	✓ Gelatin Powder Special Clear ex. Bovine (Type B), 200-250g Bloom BactoBio for bacteriology Gelatin for bacteriology is a special bacteriological grade product, readily soluble in water to give a clear solution.	500 Gms	28.95	30963	⚡ GTC Supplement (1.25mg/vl) Used for the selective isolation and cultivation of Enterococci.	5 vl	11.84
78334	⚡ Gentamicin Selective Supplement (20mg/vl) Used for the isolation and detection of Clostridium perfringens.	5 vl	13.16	11266	✓ Glutamate Starch Phenol Red Agar Base Used for detection of Pseudomonas and Aeromonas in foodstuffs, wastewater and equipment in food industry.	100 Gms 500 Gms	15.79 52.64
50084	⚡ Genta-Oxy Selective Supplement Used for the selective isolation and enumeration of yeasts and moulds.	5 vl 5 x5 vl	22.37 50.01	61655	✓ Gum Listeria Medium Recommended for the isolation of Listeria monocytogenes from clinical and non-clinical samples.	100 Gms 500 Gms	14.48 56.59
39238	✓ General Purpose Kit - I (Pre-Weighed Media) Nutrient agar cultivates a wide variety of microorganism and MacConkey agar is used in isolation of gram negative enteric bacteria.	1 Kit	14.48	72275	✓ H Broth For the preparation of H agglutination antigen used in the differentiation and identification of Salmonella species types and subtypes.	100 Gms 500 Gms	15.79 52.64
84905	✓ General Purpose Kit - II (Pre-Weighed Media) Nutrient agar cultivates a wide variety of microorganisms, MacConkey agar aids in isolation of gram negative enteric bacteria and Blood Agar Base is used in detecting hemolytic of fastidious microorganisms.	1 Kit	18.42	85012	✓ Hartley's Digest Broth 100 Gms 500 Gms	11.84 47.38	
15628	✓ Giollotti Cantoni Broth Base Used for the cultivation and enrichment of Staphylococcus aureus from foods.	100 Gms 500 Gms	17.11 52.64	41861	⚡ Haemoglobin Powder Haemoglobin powder is used as an enrichment supplement. 2% w/v solution of this supplement is autoclavable. Used with G.C. Agar base, in preparation of Chocolate Agar.	50 Gms	18.42
68382	✓ Gluconate Test Medium 100 Gms 500 Gms	11.84 47.38	47704	✓ Heart Infusion Agar (HI Agar) 100 Gms 500 Gms	14.48 59.22		
35070	✓ Glucose Salt Teepol Broth (Twin Pack) Liquid medium, used for the detection of Vibrio parahaemolyticus in foodstuffs.	100 Gms 500 Gms	13.16 56.59	75134	✓ Heart Infusion Broth (HI Broth) Used for isolation and cultivation of a wide variety of fastidious microorganisms. Also used as a base for preparation of Blood Agar in determining haemolytic reactions.	100 Gms 500 Gms	13.16 53.96
58174	✓ Glucose Yeast Extract Agar For the cultivation of lactobacilli, especially in pharmaceutical preparations.	100 Gms 500 Gms	15.79 57.90	28551	✓ Heart Infusion Powder (HI Powder) BactoBio for bacteriology It is rich in amino acids, peptides and other nutrients required by highly fastidious microorganisms like Streptococci, Pneumococci, Meningococci and Brucella species.	500 Gms 2.5 Kg	32.90 146.08
17991	✓ Glucose Yeast Peptone Agar For the isolation of yeasts from soil specimens.	100 Gms 500 Gms	15.79 57.90	68100	✓ Hektoen Enteric Agar Used for the isolation and cultivation of gram negative enteric microorganisms from a variety of clinical and non clinical specimens.	100 Gms 500 Gms	15.79 72.38



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
20852	✓ Hemmes Medium Base	100 Gms	30.27	91875	✓ ITC Broth	100 Gms	17.11
		500 Gms	94.75			500 Gms	64.48
52740	✓ Hofers Alkaline Medium	100 Gms	19.74	42882	✓ IUT Medium, Base	100 Gms	18.42
67658	✓ Horie Arabinose Ethyl Violet Broth	100 Gms	17.11	70916	✓ Jensen`s Medium (Jensen`s Agar)	100 Gms	13.16
		500 Gms	67.12			500 Gms	51.32
46946	✓ Hoyle Medium, Base	100 Gms	13.16		Used for the cultivation of nitrogen fixing bacteria.		
		500 Gms	52.64				
	For the isolation and differentiation of <i>Corynebacterium diphtheriae</i> .			87806	✓ Jensens Broth	100 Gms	17.11
79035	✓ High Plate Count Agar	100 Gms	15.79		Recommended for the detection and cultivation of nitrogen fixing bacteria.	500 Gms	61.85
64068	✓ High Salt Nutrient Agar (I)	100 Gms	13.16	55686	✓ Jensen Seedling Agar	100 Gms	14.48
		500 Gms	51.32	500 Gms	53.96		
37353	✓ High Salt Nutrient Agar (B/S)	100 Gms	13.16		Used for growing plants for collection of root exudates and to study the nodulating ability of <i>Rhizobium</i> isolates.		
39147	✓ High Salt Peptone Yeast Extract Agar (I)	100 Gms	13.16	44485	✓ Kanamycin Esculin Azide Agar	100 Gms	38.16
		500 Gms	50.01	500 Gms	98.70		
77707	✓ HS Medium (Hydrosulphite of Sodium Medium)	100 Gms	13.16		Used for the isolation of enterococci in foodstuffs.		
		500 Gms	43.43	50136	✓ Kanamycin Esculin Azide Broth Base	100 Gms	48.96
	Used for the cultivation of aerobic and anaerobic bacteria. It is also used for sterility testing.				Recommended for selective isolation and identification of group D <i>Streptococci</i> in foodstuffs		
26221	✓ Hugh Leifson Medium (B/S)	100 Gms	14.48	60649	⚠ Kanamycin Sulphate Selective Supplement (10mg/vl)	5 vl	17.11
		500 Gms	56.59		Used for the selective isolation and cultivation of <i>Enterococci</i> .		
	Used to distinguish between anaerobic and aerobic breakdown of carbohydrate (Dextrose).			96343	✓ Kaper`s Medium	100 Gms	15.79
79544	✓ HYA Agar	100 Gms	22.37			500 Gms	64.48
21128	✓ Hydrolysate BioVeg BactoBio for bacteriology	500 Gms	32.90	33613	✓ Kenknight and Munaier`s Medium	100 Gms	15.79
		5 Kg	260.57	500 Gms	63.17		
	Prepared by enzymatic hydrolysis of vegetable proteins under controlled conditions. Used as a nutritive source for growth of bacteria and fungi.				Used for the isolation of <i>Actinomyces</i> species from soil samples.		
36873	✓ IMViC Test Kit (Pre-Weighed Media)	1 Kit	15.79	75772	✓ Ketogluconate Broth	100 Gms	15.79
	Used for biochemical identification of gram negative enteric bacteria based on Indole production, Methyl Red and Voges Proskauer reactions and Citrate Utilization test.					500 Gms	47.38
68788	✓ IMViC Test Kit (Pre-Weighed Media) w/ Reagents	1 Kit	65.80	64342	✓ KF Streptococcus Agar Base (APHA)	100 Gms	13.16
12139	✓ Indole Nitrate Medium (Tryptone Nitrate Medium)	100 Gms	11.84		For the selective cultivation and enumeration of faecal streptococci.	500 Gms	55.27
		500 Gms	42.11	66947	✓ KG Agar Base	100 Gms	19.74
	For the identification of microorganisms by means of nitrate reduction and indole tests.					500 Gms	69.75
54336	✓ ISP Medium No. 1 (Tryptone Yeast Extract Broth)	100 Gms	17.11		Kim-Goepfert (KG) Agar with added supplements is used for promoting fast and free spore formation which helps in distinguishing <i>Bacillus cereus</i> from <i>Bacillus thuringiensis</i> . Kim-Goepfert (KG) Agar with added supplements is used for promoting fast and free spore formation which helps in distinguishing <i>Bacillus cereus</i> from <i>Bacillus thuringiensis</i> .		
		500 Gms	73.70				
76920	✓ ISP Medium No.4 (Inorganic Salt Starch Agar)	100 Gms	19.74				
		500 Gms	78.96				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
41924	✓ Kimmig Agar Base (Fungi Agar Base Kimmig)	100 Gms	15.79	63026	✓ Lactalbumin Hydrolysate BactoBio for bacteriology [91079-44-6] A hydrolysate obtained by enzymatic digestion of protein, Lactalbumin. It is used primarily in the preparation of tissue culture media, fermentation media, media for the growth of Lactobacilli, Campylobacter sps, etc..	500 Gms	56.59
		500 Gms	63.17			500 Gms	56.59
42820	⚡ Kimmig Selective Supplement Used for selective isolation of fungi.	5 vl	28.95	24806	⚡ L-Lactic Acid 10% Solution (10ml/vl) Used for adjusting pH in acidic range.	5 vl 5 x5 vl	14.48 46.06
11411	✓ King`s Medium A Base For the non selective isolation, cultivation and pigment production of Pseudomonas.	100 Gms	11.84	37985	✓ Lactic Agar Recommended for enumeration and identification of lactic Streptococci and Lactobacilli by pour plate method.	100 Gms	22.37
		500 Gms	51.32			500 Gms	22.37
21694	✓ King`s Medium B Base For the non-selective isolation, cultivation and pigment production of Pseudomonas species.	100 Gms 500 Gms	11.84 51.32	68888	✓ Lactic Bacteria Differential Agar	100 Gms 500 Gms	15.79 59.22
29760	⚡ Klebsiella Selective Supplement (25mg/vl) Used for the selective isolation and detection of Klebsiella species.	5 vl	17.11	84282	⚡ Lactic Supplement	5 vl	18.42
33943	✓ Kligler Iron Agar For the differentiation and identification of gram-negative bacilli based upon the fermentation of dextrose and lactose and production of H2S.	100 Gms	11.84	39785	⚡ Lactobacilli Supplement (50mg/vl) An antibiotic supplement recommended for the selective isolation of Lactobacilli from wine.	5 vl 5 x5 vl	22.37 65.80
		500 Gms	46.06			500 Gms	65.80
61860	✓ Kligler Iron Agar (I) For the differentiation and identification of gram-negative bacilli based upon the fermentation of dextrose and lactose and production of H2S. For identification of Pseudomonas species.	100 Gms	11.84	79562	⚡ Lactobacillus MRS Agar (I) Used for the isolation and enumeration of lactic acid bacteria from meat and meat products.	100 Gms 500 Gms	13.16 48.69
		500 Gms	51.32			500 Gms	48.69
25844	✓ Kligler Iron Agar BioVeg For the differentiation and identification of gram-negative bacilli based upon the fermentation of dextrose and lactose and production of H2S.	100 Gms	11.84	50871	✓ Lactobacillus MRS Agar BioVeg Used for the isolation and enumeration of lactic acid bacteria from meat and meat products.	100 Gms 500 Gms	13.16 56.59
		500 Gms	46.06			500 Gms	56.59
44000	✓ Kohn Two Tube Medium No. 1 Base	100 Gms 500 Gms	32.90 88.17	46812	✓ Lactobacillus MRS Broth w/o Dextrose Used for the selective isolation and enumeration of lactobacilli from various sources including feces and dairy.	100 Gms 500 Gms	11.84 46.06
58578	✓ Kohn Two Tube Medium No. 2 Base	100 Gms 500 Gms	82.91 307.94	47192	✓ Lactobacilli Agar, AOAC For the cultivation and maintenance of stock cultures used in microbiological assays of vitamins and amino acids.	100 Gms 500 Gms	26.32 76.33
65373	✓ Koser Citrate Medium For the differentiation of Escherichia coli and Enterobacter aerogenes based on citrate utilization.	100 Gms	11.84	18659	⚡ Lactobacillus Selection Agar Used for isolation, cultivation and enumeration of lactobacilli.	100 Gms 500 Gms	15.79 61.85
		500 Gms	44.74			500 Gms	61.85
77760	✓ Kundrat Agar	100 Gms 500 Gms	17.11 61.85	66749	✓ Lactobacillus Selection Oxgall Agar Base (LBS Oxgall Agar) Used for the cultivation and enumeration of lactobacilli.	100 Gms 500 Gms	17.11 59.22
70663	⚡ KV Supplement	5 vl	23.69				
52911	✓ Lachica`s Medium Base	100 Gms	53.96				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
49190	Lactobacillus MRS Broth (MRS Broth) For the cultivation of lactobacilli.	100 Gms	11.84	59326	Lethen Agar To determine the phenol coefficient of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus ATCC 6538.	500 Gms	69.75
		500 Gms	46.06			100 Gms	19.74
27750	Lactobacillus MRS Broth BioVeg Used for the cultivation of lactobacilli.	100 Gms	11.84	28685	Listeria Enrichment Medium Base (UVM Medium) Recommended medium for use in qualitative procedures for the isolation of Listeria monocytogenes from food samples.	500 Gms	90.80
		500 Gms	48.69			100 Gms	22.37
97354	Lactose Broth For the detection of lactose fermenting gram-negative coliforms, as pre-enrichment broth for Salmonella species.	100 Gms	7.90	96310	Listeria Identification Agar Base (PALCAM) Used for isolation of Listeria sp. from clinical and non-clinical samples.	500 Gms	98.70
		500 Gms	32.90			100 Gms	14.48
77121	Lactose Gelatin Medium (I) For the cultivation of Clostridium perfringens.	100 Gms	13.16	96155	Listeria Motility Medium (I) 	500 Gms	56.59
		500 Gms	51.32			5 vl	22.37
24171	Lactose Lecithin Agar	100 Gms	18.42	15650	Listeria Moxalactum Supplement	500 Gms	63.17
		500 Gms	63.17			100 Gms	14.48
88539	Lactose Monohydrate sterile (gamma irradiated) [10039-26-6, 64044-51-5] Lactose monohydrate, Sterile (Gamma Irradiated) is used for Media Fill Runs in dry injectable in pharmaceutical industry.	500 Gms	13.16	76366	Listeria Oxford Medium Base (Oxford Agar) Used for isolation of Listeria species from pathological samples.	5 Kg	119.76
		5 Kg	119.76			100 Gms	14.48
62367	Lactose Peptone Broth	100 Gms	13.16	90345	Listeria Selective Supplement (PALCAM) Used for the isolation of Listeria monocytogenes and other species of Listeria from food products.	500 Gms	46.06
		500 Gms	46.06			5 vl	15.79
71135	Lactose Sulphite Broth Base (I)	100 Gms	13.16	51864	Listeria UVM Supplement I	500 Gms	47.38
		500 Gms	47.38			5 vl	14.48
70637	Lactose TTC Agar (w/ Tergitol 7) (I) (Lactose Triphenyltetrazolium Chloride Agar) Selective differential medium for the detection and enumeration of Escherichia coli and coliform bacteria in water using the membrane filtration method.	100 Gms	13.16	72547	Listeria UVM Supplement II	500 Gms	48.69
		500 Gms	48.69			5 vl	14.48
92343	Lauryl Sulfate Broth w/MUG	100 Gms	15.79	59797	Litmus Lactose Agar For the differentiation of lactose fermenting and non-lactose fermenting bacteria.	500 Gms	59.22
		500 Gms	59.22			100 Gms	14.48
44956	Lauryl Sulfate Broth (Lauryl Tryptose Broth) (I)(B/S) For the detection of coliform bacteria in a variety of specimens. Also for the enumeration of coliform bacteria by the multiple tube fermentation technique.	100 Gms	10.53	96658	Litmus Milk (Litmus SM Broth) For the maintenance of Lactobacilli and the differentiation of several bacteria, based on their action on milk.	500 Gms	52.64
		500 Gms	38.16			100 Gms	14.48
94906	Lauryl Tryptose Mannitol Broth w/Tryptophan For the detection of Escherichia coli in water samples.	100 Gms	15.79	50037	Liquoid Broth	500 Gms	53.96
		500 Gms	53.96			100 Gms	15.79
10517	Lead Acetate Agar For the cultivation and differentiation of gram negative coliform bacteria based on H ₂ S production.	100 Gms	14.48	54004	Littman Oxgall Agar Base	500 Gms	56.59
		500 Gms	53.96			100 Gms	15.79
82632	Leptospira Medium Base	100 Gms	13.16	87566	Liver Extract Powder BactoBio for bacteriology Nutritive characteristic are good in Liver extract so used for cultivation of anaerobic bacteria such as Brucellae and Clostridia, also used for cultivation of pathogenic bacteria.	500 Gms	25.00
		500 Gms	52.64			5 Kg	205.30



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
81322	✓ Liver Hydrolysate BactoBio for bacteriology (Peptone from Liver, Liver Peptone) Used as source of nutrients in microbiology culture media. Water soluble; being derived from liver contains relatively high levels of iron.	500 Gms	38.16	40826	✓ Luria Bertani Agar, Miller BioVeg (LB Agar, Miller BioVeg) Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	100 Gms	11.84
						500 Gms	50.01
68861	✓ Liver Infusion Agar (LI Agar)	100 Gms	13.16	17320	✓ Luria Bertani Broth, Miller BioVeg (LB Broth, Miller BioVeg) Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	100 Gms	11.84
		500 Gms	50.01			500 Gms	44.74
96453	✓ Liver Infusion Broth (LI Broth) Used for cultivation of Brucella and other pathogenic anaerobic bacteria.	100 Gms	11.84	97970	✓ Luria Bertani Agar w/o Sodium Chloride	100 Gms	17.11
		500 Gms	42.11			500 Gms	59.22
98858	✓ Liver Meat Glucose Cysteine Broth	100 Gms	15.79	22006	✓ Luria Bertani Broth w/o Sodium Chloride (LB Growth Medium w/o Sodium Chloride) Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	100 Gms	11.84
		500 Gms	61.85			500 Gms	50.01
79612	✓ LM Agar (Meat Liver Agar) Used for the cultivation of anaerobic microorganisms, specially for the sulphite reducing Clostridia and Clostridium perfringens in water and milk.	500 Gms	55.27	90769	✓ Lysine Arginine Iron Agar (LAI Agar) For the cultivation and differentiation of bacteria based on their ability to decarboxylate lysine, arginine and produce H ₂ S. Recommended by APHA for isolation and identification of Yersinia from milk and milk products.	100 Gms	11.84
						500 Gms	44.74
69741	✓ Lowenstein - Jensen Medium, Base (L.J. Medium Base) For the cultivation and differentiation of Mycobacterium species. This medium is also used for cultivation and maintenance of Gordona species, Nocardia species, Rhodococcus species and Tsukamurella paurometabolum.	100 Gms	10.53	16624	✓ Lysine Decarboxylase Broth w/o Peptone (I) For distinguishing Salmonella serotype Arizonae from the Bethesda Ballerup group of Enterobacteriaceae.	100 Gms	10.53
		500 Gms	36.85			500 Gms	42.11
27888	✓ LPM Agar Base Used for isolation and cultivation of Listeria monocytogenes from food and dairy products.	100 Gms	43.43	71125	✓ Lysine Iron Agar For the differentiation of enteric organisms, especially Salmonella, based upon lysine decarboxylation/ deamination and H ₂ S production.	100 Gms	11.84
						500 Gms	42.11
46502	✓ Luria Bertani Agar, Lennox (Luria Agar, LB Agar, Lennox) Used for maintaining and cultivating recombinant strains of Escherichia coli.	100 Gms	13.16	82502	✓ M2 Agar A semisynthetic culture medium, used as a general purpose plate count agar.	100 Gms	14.48
		500 Gms	52.64			500 Gms	55.27
47436	✓ Luria Bertani Agar, Miller Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	100 Gms	11.84	24415	✓ M17 Agar Base For improved growth of lactic streptococci and their bacteriophages.	100 Gms	14.48
		500 Gms	50.01			500 Gms	53.96
14593	✓ Luria Bertani Broth, Lennox (Luria Broth) (Luria Broth, LB Broth, Lennox) Used for maintaining and propagating Escherichia coli in molecular biology procedures.	100 Gms	11.84	13297	✓ M17 Broth Base For improved growth of lactic streptococci and their bacteriophages.	100 Gms	11.84
		500 Gms	44.74			500 Gms	50.01
29817	✓ Luria Bertani Broth, Miller (LB Broth, Miller) Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	100 Gms	11.84				
		500 Gms	44.74				
		2 Kg	143.44				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
76875 ✓	MacConkey Agar	100 Gms	10.53	64030 ✓	MacConkey Agar w/o C.V., NaCl w/ 0.5% Bile Salts	100 Gms	10.53
		500 Gms	43.43			500 Gms	44.74
	For the selective isolation, cultivation and differentiation of coliforms and enteric pathogens based on the ability to ferment lactose.						
96871 ✓	MacConkey Agar BioVeg	100 Gms	10.53	72074 ✓	MacConkey Agar No.3	100 Gms	15.79
		500 Gms	43.43			500 Gms	52.64
	For the selective isolation, cultivation and differentiation between coliforms and non-lactose fermentors.						
37775 ✓	MacConkey Agar, Harmonized	100 Gms	10.53	74726 ✓	MacConkey Broth (MacConkey Broth w/ Neutral Red)	100 Gms	10.53
		500 Gms	43.43			500 Gms	36.85
	For the selective isolation, cultivation and differentiation of coliforms and enteric pathogens based on ability to ferment lactose.						
37775 ✓	MacConkey Agar, Harmonized	100 Gms	10.53	44448 ✓	MacConkey Broth, Harmonized	100 Gms	10.53
		500 Gms	43.43			500 Gms	36.85
	Used for the identification of coliforms in pharmaceutical testing according to harmonized methods.						
80302 ✓	MacConkey Agar w/ MUG	100 Gms	19.74	54056 ✓	MacConkey Broth w/ Neutral Red (B/S)	100 Gms	10.53
		500 Gms	80.28			500 Gms	36.85
71117 ✓	MacConkey Agar (B/S)	100 Gms	10.53	20309 ✓	MacConkey Broth Double Strength w/ Neutral Red	100 Gms	9.21
		500 Gms	43.43			500 Gms	34.22
	For the selective isolation and cultivation of coliforms in milk and water from large samples.						
83870 ✓	MacConkey Agar, Base	100 Gms	10.53	92933 ✓	M-MacConkey Broth	100 Gms	10.53
		500 Gms	43.43			500 Gms	43.43
	For detecting and enumerating lactose fermenting enteric bacteria from milk and water by the membrane filter method.						
26823 ✓	MacConkey Agar Medium	100 Gms	11.84	42944 ✓	MacConkey Broth Purple	100 Gms	10.53
		500 Gms	44.74			500 Gms	38.16
	Selective medium for isolation and cultivation of coliforms in milk and water.						
95199 ✓	MacConkey Agar, Modified	100 Gms	39.48	38989 ✓	MacConkey Broth Purple w/BCP (I)	100 Gms	9.21
						500 Gms	34.22
98384 ✓	MacConkey Agar w/ Bromothymol Blue	100 Gms	13.16	90084 ✓	MacConkey Broth Purple w/BCP (I/P)	100 Gms	9.21
		500 Gms	48.69			500 Gms	34.22
58370 ✓	MacConkey Agar w/ 0.15% Bile salts, C.V. and NaCl (U/P)	100 Gms	10.53	51545 ✓	MacConkey Broth Purple w/BCP (B/S)	100 Gms	9.21
		500 Gms	47.38			500 Gms	34.22
	Selective medium for gram-negative organisms by suppressing the growth of a number of gram positive bacteria.						
33759 ✓	MacConkey Agar w/o C.V., w/ 1.2% Agar	100 Gms	13.16	57608 ✓	MacConkey Broth Purple Double Strength w/ BCP	100 Gms	11.84
		500 Gms	51.32			500 Gms	42.11
	For the primary isolation of coliforms from large water and wastewater samples.						
50372 ✓	MacConkey Agar w/o C.V., NaCl w/ 0.5% Sodium Taurocholate	100 Gms	15.79	98664 ✓	MacConkey Sorbitol Agar (Sorbitol Agar)	100 Gms	17.11
		500 Gms	51.32			500 Gms	56.59
	Differential medium for detection and isolation of enteric organisms by restricting the swarming of Proteus species.						
79447 ✓	MacConkey Agar w/o C.V. w/ 0.15% Bile Salts	100 Gms	10.53	57340 ✓	MacConkey Sorbitol Agar, Base (I)	100 Gms	15.79
		500 Gms	38.16			500 Gms	55.27
	For the isolation and identification of pathogenic Escherichia coli.						
64300 ✓	MacConkey Agar w/o C.V. w/ 0.5% Bile Salts	100 Gms	10.53			100 Gms	15.79
		500 Gms	44.74			500 Gms	55.27
	For the selective isolation and detection of Escherichia coli 0157:H7 from food and animal feeds stuff.						
64024 ✓	MacConkey Agar w/o C.V., NaCl, w/ 0.0075% NR, 1.2% Agar BioVeg	100 Gms	11.84				
		500 Gms	43.43				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price	
99130	✓ Malachite Green Broth	100 Gms	13.16	99505	✓ Malonate Broth	100 Gms	53.96	
		500 Gms	43.43					
	Used for cultivation of Pseudomonas aeruginosa.				Used for differentiating Enterobacter and Escherichia coli based on malonate utilization.			
51517	✓ M-Brilliant Green Broth	100 Gms	15.79	76507	✓ Malt Agar	100 Gms	18.42	
		500 Gms	52.64			500 Gms	72.38	
	For the selective isolation and differentiation of Salmonella from polluted water by the membrane filter method.				For the cultivation of yeasts and molds.			
10054	✓ McBride Listeria Agar Base	100 Gms	15.79	84980	✓ Malt Extract Agar	100 Gms	15.79	
		500 Gms	63.17			500 Gms	61.85	
	Moderately selective medium for isolation of Listeria monocytogenes.				For the isolation, cultivation and enumeration of yeasts and molds.			
70317	⚡ McBride Listeria Supplement	5 vI	18.42	42936	✓ Malt Extract Agar Base, Modified as per Thom and Church	100 Gms	17.11	
						500 Gms	65.80	
					Used for isolation, detection and enumeration of yeast and molds			
50642	✓ McClung Toabe Agar Base	100 Gms	15.79	83358	✓ Malt Extract BactoBio for bacteriology	500 Gms	15.79	
		500 Gms	64.48			5 Kg	150.02	
					Malt extract contain high concentration of carbohydrates particularly maltose. It also provides an acidic environment, carbon, protein and nutrients for the isolation and cultivation of yeasts and molds, restricting the growth of bacteria and also for the cultivation of yeasts and molds.			
87015	✓ M-EC Test Agar	100 Gms	14.48	67973	✓ Malt Extract Broth Base	100 Gms	17.11	
		500 Gms	52.64			500 Gms	68.43	
66805	✓ M-Endo Agar LES	100 Gms	13.16	40828	D-Mannitol Sterile (Gamma Irradiated)	500 Gms	47.38	
		500 Gms	50.01			5 Kg	436.91	
	For the enumeration of coliform in water by the membrane filter method.				For use in microbiological applications using D-Mannitol (gamma irradiated) and in Media Fill Runs in dry injectables.			
57906	✓ M-Endo Broth	100 Gms	13.16	48330	✓ Mannitol Agar w/ Prillion	100 Gms	63.17	
		500 Gms	51.32			500 Gms	246.09	
33919	✓ M-Enrichment Broth	100 Gms	13.16	75485	✓ Mannitol Lysine Agar	100 Gms	14.48	
		500 Gms	51.32			500 Gms	57.90	
52295	✓ M-FC Agar Base	100 Gms	15.79	62331	✓ Mannitol Selenite Broth Base (Selenite Mannitol Broth)	100 Gms	15.79	
		500 Gms	63.17			500 Gms	63.17	
	For the cultivation and enumeration of faecal coliforms by membrane filter technique at elevated temperatures.				92493	✓ Mannitol Motility Test Medium	100 Gms	14.48
76439	✓ M-FC Broth Base	100 Gms	15.79	48939	✓ Mannitol Nitrate Motility Medium	100 Gms	13.16	
		500 Gms	52.64			500 Gms	47.38	
					Used for the determination of motility and mannitol fermentation.			
51072	✓ M-HPC Agar, Base (Heterotrophic Plate Count Agar, Base)	100 Gms	13.16	60062	✓ Mannitol Salt Agar (U/P)	100 Gms	10.53	
		500 Gms	55.27			500 Gms	38.16	
	For the cultivation and enumeration of heterotrophic organisms from potable water sources, swimming pools and other water specimens by the membrane filter method.				Used for the selective isolation, cultivation and enumeration of staphylococci from clinical and non-clinical specimens.			
14750	✓ M-Lauryl Sulfate Broth (I)	100 Gms	15.79					
		500 Gms	52.64					
21051	✓ M-Staphylococcus Broth	100 Gms	13.16					
		500 Gms	46.06					
	Used for detection and isolation of Staphylococci by membrane filter technique.							
51416	✓ MLCB Agar Mannitol Lysine Crystal Violet Brilliant Green Agar (Mannitol Lysine Agar)	100 Gms	15.79					
		500 Gms	61.85					



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
23626	✓ Mannitol Salt Agar, Harmonized	100 Gms	10.53	11828	✓ Meat Peptone Type T BactoBio for bacteriology It is obtained by proteolytic digestion of meat with Trypsin. Suitable for mass scale cultivation of microorganisms for production of antibiotics, vitamins, enzymes etc.	500 Gms	52.64
		500 Gms	38.16			500 Gms	52.64
	Used for the isolation and cultivation of staphylococci in pharmaceutical testing according to harmonized methods.						
55066	✓ Mannitol Salt Broth	100 Gms	11.84	28238	✓ Micro Inoculum Broth (Micro Vitamin Test Inoculum Broth)	100 Gms	14.48
		500 Gms	42.11			500 Gms	68.43
	Used for the selective isolation and cultivation of staphylococci.				For the preparation of inocula in microbiological assay and cultivation of lactobacilli.		
25511	✓ Marine Agar 2216 (Zobell)	100 Gms	15.79	63261	✓ Microbial Content Test Agar	100 Gms	19.74
		500 Gms	63.17			500 Gms	80.28
	Used for cultivation of heterotrophic marine bacteria.						
54174	✓ Marine Broth 2216 (Zobell)	100 Gms	14.48	61200	✓ Milk Agar (Modified Plate Count Agar) For differentiation of Enterobacteriaceae based on their motility, indole production and ornithine decarboxylase activity.	100 Gms	17.11
		500 Gms	59.22			500 Gms	64.48
	Used for cultivation of heterotrophic marine bacteria.						
34832	✓ Maximum Recovery Diluent	100 Gms	13.16	18789	✓ Milk Agar w/Cetrimide (Twin Pack) (Modified Pseudomonas Selective Agar w/Cetrimide) For detection and enumeration of Pseudomonas aeruginosa in water samples.	100 Gms	17.11
		500 Gms	44.74			500 Gms	71.06
	Physiologically isotonic and protective medium for maximum recovery of microorganisms from a variety of sources.						
78784	✓ Meat Extract BactoBio for bacteriology [100085-61-8]	500 Gms	36.85	93957	✓ Milk Medium w/Reducing Agent (Modified Litmus Medium w/Reducing Agent)	100 Gms	13.16
		5 Kg	319.79			500 Gms	57.90
	Meat extract, manufactured from lean meat used to complement nutritive properties of peptone.						
70117	✓ Meat Extract Powder BioVeg BactoBio for bacteriology	500 Gms	32.90	17595	✓ Milk Salt Agar Base (Modified Salt Agar Base for Staphylococci)	100 Gms	17.11
		5 Kg	260.57			500 Gms	61.85
	Meat extract, (animal free) manufactured from vegetable/plant source, is used to complement nutritive properties of peptone. It is equivalent to animal based Meat extract. Its distribution of various peptides meets the requirements for replacing Meat extract (animal based) to yield optimum growth of microorganisms.						
17585	✓ Meat Extract w/ Peptone (Pepted Meat Broth)	100 Gms	14.48	20767	✓ Minimal Agar, Davis	100 Gms	17.11
		500 Gms	53.96			500 Gms	67.12
11980	✓ Meat Peptone BactoBio for bacteriology A highly nutritious, enzymatic digest of lean meat. Used as a ingredient in various general purpose media for cultivation and isolation of wide variety of microorganisms.	500 Gms	38.16	39821	✓ Minimal Broth, Davis For the isolation, cultivation and characterization of nutritional mutants of Escherichia coli.	100 Gms	14.48
						500 Gms	48.69
91980	✓ Meat Peptone Type P BactoBio for bacteriology It is obtained by proteolytic digestion of meat with pepsin to retain nutritive properties of peptone. Suitable for growth of fastidious microorganisms.	500 Gms	51.32	24911	✓ Minimal Broth, Davis w/o Dextrose Used for isolation and characterization of nutritional mutants of Escherichia coli and Bacillus subtilis.	100 Gms	14.48
						500 Gms	48.69
				88736	✓ MIO Medium (Motility Indole Ornithine Medium) For differentiation of Enterobacteriaceae based on their motility, indole production and ornithine decarboxylase activity.	100 Gms	13.16
			500 Gms			52.64	
				46584	✓ Mitis Salivaris Agar Base Selective medium for the isolation of streptococci and enterococci from clinical specimens.	500 Gms	59.22
				16309	✓ MIU Medium Base (Motility Indole Urea Medium) Used for detection of motility, urease and indole production.	100 Gms	15.79
			500 Gms			57.90	



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
79667	✓ M-TEC Agar	100 Gms	15.79	90174	✓ Motility Medium S, Base (Motility Nitrate Medium)	100 Gms	11.84
		500 Gms	55.27			500 Gms	47.38
	Recommended medium for isolation, differentiation and enumeration of Escherichia coli from water by membrane filtration.				For the determination of bacterial motility by means of TTC reduction.		
62811	✓ M-Nutrient Broth	100 Gms	15.79	21740	✓ Motility Sulphide Medium	100 Gms	13.16
		500 Gms	50.01			500 Gms	52.64
	For enumerating bacteria by membrane filter technique.						
85769	✓ Modified Rappaport Vassiliadis Medium	100 Gms	17.11	64421	✓ Motility Test Medium	100 Gms	13.16
		500 Gms	61.85			500 Gms	50.01
	Used as a selective enrichment medium for the isolation of Salmonella species from food and environmental specimens.				For the determination of bacterial motility.		
82453	✓ Modified Skim Milk Agar (Modified SM Agar)	100 Gms	23.69	17624	✓ MPH Agar (Milk Protein Hydrolysate Agar)	100 Gms	18.42
		500 Gms	69.75			500 Gms	75.01
	For cultivation and enumeration of microorganisms encountered in dairy industries.				For the enumeration of bacteria in water and dairy products.		
89414	✓ Modified Tergitol-7 Agar, Base (I) (Tergitol-7 Agar, Base, Modified)	100 Gms	17.11	14833	✓ MR-VP Medium (Glucose Phosphate Broth, Buffered Glucose Broth) (MRVP Broth)	100 Gms	9.21
		500 Gms	64.48			500 Gms	36.85
					For the differentiation of bacteria based on acid production (Methyl Red test) and acetoin production (Voges-Proskauer reaction).		
30066	✓ Moeller Decarboxylase Broth Base (Decarboxylase Broth Base, Moeller)	100 Gms	27.64	14443	✓ Multipurpose Test Kit (Pre-Weighed Media)	1 Kit	52.64
		500 Gms	110.54				
	With the addition of L-Lysine/ L-Arginine/ L-Ornithine used for the differentiation of bacteria on the basis of their ability to decarboxylate the amino acid.				Used for isolation, identification and cultivation of a wide variety of microorganism.		
18124	✓ Moeller Decarboxylase Broth w/ Lysine Hydrochloride	100 Gms	38.16	24756	✓ Mueller Hinton Agar (MH Agar)	100 Gms	11.84
		500 Gms	184.24			500 Gms	47.38
	Used for differentiation of bacteria on the basis of their ability to decarboxylate L-lysine hydrochloride.				2 Kg	155.29	
27510	✓ Moeller Decarboxylase Broth w/ Ornithine Hydrochloride	100 Gms	39.48		For antimicrobial susceptibility testing of a variety of microorganisms. For the cultivation and maintenance of Moraxella osloensis and Neisseria meningitidis.		
		500 Gms	189.50	26351	✓ Mueller Kauffman Tetrathionate Broth Base	100 Gms	11.84
					500 Gms	36.85	
69483	✓ Moeller Decarboxylase Broth w/ Arginine Hydrochloride	100 Gms	38.16		An improved enrichment medium for the isolation of Salmonellae and the suppression of Proteus species.		
		500 Gms	184.24	76135	✓ Mueller Kauffman Tetrathionate Novobiocin Broth Base (MKTTn)	100 Gms	14.48
	Used for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride.				500 Gms	52.64	
34452	✓ Monsur Medium Base	100 Gms	13.16		Used for selective enrichment for the isolation of Salmonella, when used with MKTT Novobiocin supplement.		
		500 Gms	53.96	29465	✓ Mucate Broth	100 Gms	86.86
68957	✓ M9CA Medium	100 Gms	35.53			500 Gms	404.01
		500 Gms	143.44	38800	✓ Mucate Control Broth	500 Gms	47.38
23184	✓ M9 Minimal Salts 5X	100 Gms	25.00		Used for identification of enteropathogenic Escherichia coli and Salmonella species from milk and milk products.		
		500 Gms	82.91				
42853	✓ Motility GI Medium	100 Gms	31.58				
		500 Gms	125.02				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
49550	✓ Mueller Hinton Broth (MH Broth)	100 Gms	11.84	44388	✓ Nitrofurantoin Broth Base	100 Gms	14.48
		500 Gms	43.43			500 Gms	57.90
		2 Kg	130.28			Used for the enrichment and isolation of Pseudomonas species.	
	For the cultivation of a wide variety of organisms and for antimicrobial susceptibility testing.						
24698	⚠ MUG EC Broth	100 Gms	31.58	34350	⚠ Non-Spore Anaerobic Supplement	5 vl	19.74
		500 Gms	89.49			Used for selective isolation of non-sporing anaerobic bacteria.	
26834	⚠ MUG Supplement (50mg/vl)	5 vl	27.64	31601	⚠ Novobiocin MKTT Supplement(40mg/vl)	5 vl	25.00
26706	✓ Mycological Peptone BactoBio for bacteriology	500 Gms	38.16			Recommended for selective enrichment and isolation of Salmonellae.	
		5 Kg	277.68	18352	⚠ Novobiocin Supplement(5mg/vl)	5 vl	17.11
Used as a nutritive source for the isolation, cultivation and identification of saprophytic, dermatophytic fungi-yeast and moulds.						Used to enhance inhibition of Gram-positive organisms.	
66739	✓ MYP Agar, Base (B/S) (Phenol Red Egg Yolk Polymyxin Agar, Base)	100 Gms	14.48	63971	✓ Nutrient Agar	100 Gms	10.53
		500 Gms	55.27			500 Gms	43.43
For the isolation and identification of pathogenic staphylococci and bacilli.				For the cultivation and maintenance of a wide variety of microorganisms.			
74997	✓ MYP Agar, Base (I) (Phenol Red Egg Yolk Polymyxin Agar, Base)	100 Gms	14.48	18953	✓ Nutrient Agar (I)	100 Gms	11.84
		500 Gms	55.27			500 Gms	46.06
For isolation and identification of pathogenic staphylococci and bacilli.				For the cultivation and maintenance of a wide variety of microorganisms.			
67124	⚠ Nalidixic Selective Supplement (15mg/vl)	5 vl	15.79	73478	✓ Nutrient Agar BioVeg	100 Gms	10.53
Used for the selective isolation of Pseudomonas aeruginosa.						500 Gms	43.43
77316	⚠ Neomycin Supplement (30mg/vl)	5 vl	15.79	General purpose (animal origin free) medium for the cultivation of microorganisms.			
		Used for selective isolation of various microorganisms.				18876	✓ Nutrient Agar 1.5% (I)
44697	✓ Neopeptone BactoBio for bacteriology (Peptone Special)	500 Gms	31.58	Neopeptone, an enzymatic digest of protein is well suited for the growth of many delicate and fastidious bacteria like Group A Streptococci. It also facilitates the development of mucoid colonies of the hemolytic Streptococci.			
		79989	✓ Neutral Red Chalk Lactose Agar	100 Gms	13.16	84955	✓ Nutrient Agar 1.5%
500 Gms	59.22			500 Gms	50.01		
65466	✓ NIH Agar	100 Gms	11.84	48275	✓ Nutrient Agar for Oxidase (I)	100 Gms	14.48
23527	✓ Nitrate Agar	500 Gms	52.64			500 Gms	52.64
		For the differentiation of aerobic and facultative Gram-negative organisms based on their ability to reduce nitrate.				75435	✓ Nutrient Agar w/ Manganese
48541	✓ Nitrate Broth (I) (B/S)	100 Gms	13.16	500 Gms	51.32		
		500 Gms	52.64	73153	✓ Nutrient Agar w/MUG	100 Gms	27.64
For the differentiation of aerobic and facultative gram negative organisms based on their ability to reduce nitrate.						500 Gms	110.54
				Used for the detection of Escherichia coli by fluorogenic procedure especially from water and food samples.			
				50427	✓ Nutrient Agar w/ 1% Peptone	100 Gms	11.84
						500 Gms	43.43
				A general purpose medium used for the cultivation of a wide variety of microorganisms, by addition of blood or other biological fluids.			
				70955	✓ Nutrient Agar No. 2 (B/S)	100 Gms	11.84
						500 Gms	48.69
				Used for the cultivation and maintenance of a wide variety of bacteria.			



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
17137	✓ Nutrient Agar No. 2	100 Gms	11.84	73438	✓ Oatmeal Agar	100 Gms	15.79
		500 Gms	48.69			500 Gms	63.17
	For the cultivation and maintenance of a wide variety of bacteria.				Used for the cultivation of fungi, particularly for macrospore formation.		
58561	✓ Nutrient Agar, pH 6.8	100 Gms	13.16	25916	✓ Oatmeal Powder BactoBio for bacteriology	100 Gms	14.48
		500 Gms	48.69			500 Gms	57.90
	For the cultivation and enumeration of organisms in water, sewage, faeces and other materials.				Oatmeal powder is obtained from oat grains and manufactured under controlled conditions. It is highly nutritious source for growth of fungi in media.		
96434	✓ Nutrient Agar, pH 7.0 (I)	100 Gms	13.16	83951	✓ OF Basal Medium	100 Gms	11.84
		500 Gms	51.32			500 Gms	47.38
	For the cultivation of a wide variety of microorganisms, including Salmonella species				For use with added carbohydrate for differentiation of gram negative microorganisms based on oxidation-fermentation patterns.		
38009	✓ Nutrient Agar, pH 7.0 (B/S)	100 Gms	13.16	13566	✓ OGYE Agar Base (Oxytetracycline Glucose Yeast Extract Agar Base)	100 Gms	18.42
		500 Gms	51.32			500 Gms	52.64
67948	✓ Nutrient Agar pH 6 w/ 0.8 % NaCl	100 Gms	13.16				
					With added Oxytetracycline used for selective isolation of yeast and molds in foods.		
55427	✓ Nutrient Broth	100 Gms	9.21	14427	✓ Orange Serum Agar	100 Gms	15.79
		500 Gms	34.22			500 Gms	57.90
	For the cultivation and maintenance of a wide variety of microorganisms.				Used for the isolation and enumeration of spoilage organisms of citrus products and for examining fruit beverages.		
39905	✓ Nutrient Broth BioVeg	100 Gms	9.21	57925	✓ Orchid Agar	100 Gms	15.79
		500 Gms	34.22			500 Gms	64.48
	An animal origin free media, for the cultivation and maintenance of a wide variety of microorganisms .						
97327	✓ Nutrient Broth No. 2	100 Gms	9.21	34235	✓ Ornithine Decarboxylase Broth	100 Gms	43.43
		500 Gms	36.85				
	For the cultivation and maintenance of less fastidious bacteria.				14792 ✓ L-Ornithine Decarboxylase Broth (I) 100 Gms 44.74		
63679	✓ Nutrient Broth w/ 1% Peptone (B/S)	100 Gms	9.21	57253	⚠ Oxacillin Resistant Selective Supplement	5 vl	18.42
		500 Gms	36.85				
	Used as a general purpose culture medium.				Recommended for screening of oxacillin resistant microorganisms.		
93063	✓ Nutrient Broth w/ 1% Peptone (I/P) (B/P)	100 Gms	9.21	99455	✓ Ox Bile (Ox Gall) Powder BactoBio for bacteriology	100 Gms	55.27
		500 Gms	36.85			500 Gms	265.83
	For microbial limit test and sterility testing.				Dehydrated ox bile, used in preparation of microbiological culture media as a selectively inhibitory agent. It inhibits bacteria not growing in enteric environment and favours growth of enteric microorganisms.		
66363	✓ Nutrient Broth, pH 6.9 w/o NaCl	100 Gms	9.21	42116	⚠ Oxford Listeria Supplement	5 vl	23.69
		500 Gms	36.85				
	A general purpose medium for cultivation of a wide variety of microorganisms.				Used for selective isolation of Listeria species.		
94007	✓ Nutrient Broth w/ 1% Yeast Extract	100 Gms	13.16	51521	⚠ Oxytetra Selective Supplement (50mg/vl)	5 vl	13.16
		500 Gms	50.01			5 x5 vl	42.11
	For the cultivation and maintenance of a wide variety of microorganisms.				Used for the selective isolation of yeasts and moulds.		
22583	✓ Nutrient Gelatin	100 Gms	11.84	35973	✓ Pagano Levin Base (Pagano Levin Candida Test Medium)	100 Gms	11.84
		500 Gms	42.11			500 Gms	44.74
	For detection of gelatin liquefaction by proteolytic microorganisms						
50540	✓ N Z Broth	100 Gms	75.01				
		500 Gms	127.65				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
39992	✓ Pantothenate Culture Agar	100 Gms	22.37	11522	✓ Peptone Water BioVeg General purpose growth medium and as the base of carbohydrate fermentation media.	100 Gms	11.84
		500 Gms	98.70			500 Gms	43.43
50769	✓ PE 2 Medium	100 Gms	15.79	56562	✓ Peptone Water w/ Phenol Red For cultivation of non-fastidious microorganisms and as a base for carbohydrate fermentation tests.	100 Gms	10.53
		500 Gms	55.27			500 Gms	43.43
89858	📌 PEMBA Supplement (10KU/vl)	5 vl	13.16	70376	✓ Peptonized Milk (Peptonized SM Powder) BactoBio for microbiology Peptonized milk is an enzymatic digest of fat free milk solids. It contains peptones, polypeptides and amino acids derived from milk protein as well as other nutritive components of skim milk. Used for isolation and cultivation of Lactobacilli and Streptococci, especially in dairy products.	100 Gms	13.16
95292 [73049-73-7]	✓ Peptone BactoBio for bacteriology Used in various general and diagnostic media, also for large-scale production of enzymes, vaccines, antibiotics, etc. Peptic digest of animal tissue also used in microbiological culture media.	500 Gms	23.69			500 Gms	43.43
		5 Kg	205.30	17511	✓ Peptonized Milk Agar (Peptonized SM Agar)	100 Gms	17.11
		25 Kg	900.14			500 Gms	68.43
51960	✓ Peptone BioVeg BactoBio for bacteriology Peptone derived from vegetable/plant source; is alternative to traditional animal based peptones. It contains polypeptides and amino acids which provides readily available source of nitrogen and minerals for the growth of bacteria and fungi.	500 Gms	28.95	66916	✓ Perfringens Agar Base (O.P.S.P.) For presumptive identification of Clostridium perfringens in foods.	100 Gms	17.11
		5 Kg	235.56			500 Gms	64.48
		10 Kg	454.02			11976	📌 Perfringens Supplement-I (50mg/vl) Used for selective isolation of Clostridium perfringens
29002	✓ Peptone BioVeg Sterile for bacteriology (Gamma Irradiated) Sterile (gamma irradiated) vegetable source of peptone, recommended for use in manufacturing of vaccines, enzymes, antibiotics, etc.	100 Gms	11.19	5 x5 vl	34.22		
		500 Gms	42.24	62598	📌 Perfringens Supplement-II Used for selective isolation of Clostridium perfringens.	5 vl	17.11
		23136	✓ Peptone Granulated BactoBio for bacteriology A peptic digest of animal tissue used in various general and diagnostic media also for large scale production of enzyme, vaccines, antibiotics, etc.			500 Gms	36.85
5 Kg	352.69			92096	📌 Perfringens S.F.P. Supplement (S.F.P. Supplement) Used for the selective isolation of clostridium perfringens.	5 vl	15.79
95672	✓ Peptone Special BactoBio for bacteriology Peptic digest of animal tissue used in microbiological culture media.					500 Gms	32.90
		5 Kg	304.00	55688	📌 Perfringens T.S.C. Supplement (T.S.C Supplement) (200mg/vl) Used for selective isolation of Clostridium perfringens.	5 vl	17.11
		10 Kg	563.25			4 x5 vl	48.69
65059	✓ Peptone Iron Agar For the cultivation and differentiation of microorganisms based on their ability to produce H ₂ S.	100 Gms	30.27	23504	✓ Pikovskaya` s Agar Used for the detection of phosphate solubilizing soil microorganism.	100 Gms	14.48
		500 Gms	82.91			500 Gms	57.90
21025	✓ Peptone Sorbitol Bile Broth	100 Gms	17.11	52133	✓ Pikovskaya` s Broth Used for detection of phosphate solubilizing microorganisms.	100 Gms	13.16
		500 Gms	57.90			500 Gms	56.59
55010	✓ Peptone Water For the cultivation of non-fastidious microorganisms, for carbohydrate fermentation tests and also for performing the indole tests.	100 Gms	10.53	59048	✓ Phenol Red Agar, Base For the determination of fermentation reaction.	100 Gms	14.48
		500 Gms	36.85			500 Gms	53.96



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
14517	✓ Phenol Red Broth Base For the study of carbohydrate fermentations.	100 Gms	15.79	21699	✓ Plate Count Agar (I) (Standard Methods Agar) APHA, FDA recommended medium for detecting plate counts of microorganisms in food, water and waste water.	100 Gms	14.48
		500 Gms	46.06			500 Gms	61.85
79054	✓ Phenol Red Dextrose Broth	100 Gms	13.16	88393	✓ Plate Count Agar (B/S) Used for determination of plate counts of microorganisms in milk and dairy products by pour plate technique or spread plate technique.	100 Gms	14.48
		500 Gms	52.64			500 Gms	57.90
35850	✓ Phenol Red Lactose Broth Used for determination of fermentation of lactose in the differentiation of microorganisms.	100 Gms	14.48	78609	✓ Plate Count Agar, Special	100 Gms	23.69
		500 Gms	52.64			500 Gms	92.12
15572	✓ Phenol Red Tartrate Agar (Jordan Tartrate Agar)	100 Gms	44.74	45218	✓ Plate Count Agar w/ BCP	100 Gms	15.79
		500 Gms	207.93			500 Gms	57.90
12168	✓ Phenolphthalein Phosphate Agar	100 Gms	15.79	25496	✓ PM Indicator Agar (Penicillin in Milk Indicator Agar) (Penicillin in Milk Indicator Agar)	100 Gms	17.11
		500 Gms	63.17			500 Gms	59.22
92335	✓ Phenylalanine Agar (Phenylalanine Deaminase Medium) For the differentiation of enteric gram-negative bacilli on the basis of their ability to produce phenyl pruvic acid from phenylalanine.	100 Gms	14.48	35980	ⓘ Polymyxin B Selective Supplement (50KU/vl) Used for the selective isolation of various microorganisms.	5 vl	13.16
		500 Gms	59.22			5 x5 vl	44.74
63532	✓ Phenylalanine Malonate Broth (Shaw and Clarke) Used as a test medium to detect the utilization of malonate and phenylalanine deamination.	100 Gms	63.17	81798	✓ Polysorbate 80 Agar (Twin Pack)	100 Gms	13.16
		500 Gms	144.76			500 Gms	51.32
34115	✓ P.E.A. (Phenylethyl Alcohol) Agar For the selective isolation of gram-positive organisms like Staphylococci and Streptococci.	100 Gms	32.90	14644	ⓘ Potassium Lactate 50% (10ml/vl) Used for isolation and enumeration of yeasts	5 vl	19.74
		500 Gms	148.71			5 vl	17.11
21418	✓ Phosphate Buffer pH 7.2 (APHA) Used for preparation of dilutions and blanks in the examination of specimens like water, dairy products, foods, etc.	100 Gms	10.53	91488	ⓘ Potassium Tellurite 1% Supplement (1ml/vl) Used for Selective Isolation for Corynebacteria and Staphylococci.	5 vl	11.84
		500 Gms	30.27			5 x5 vl	38.16
69049	✓ Phosphate Buffer, pH 8.0 Recommended for preparation of dilutions and blanks as per methods specified in pharmacopoeia.	100 Gms	11.84	99482	ⓘ Potassium Tellurite 3.5% Supplement (1ml/vl) Used for selective isolation of corynebacteria and staphylococci	5 vl	11.84
		500 Gms	50.01			5 vl	11.84
10453	✓ Plate Count Agar For the enumeration of viable bacteria in milk and dairy products, heterotrophic bacteria in water by pour plate technique.	100 Gms	13.16	15344	✓ Potato Carrot Agar Used to enhance sporulation of a variety of fungi. Also recommended for sporangial production of Phytophthora species.	100 Gms	15.79
		500 Gms	55.27			500 Gms	67.12
52192	✓ Plate Count Agar BioVeg For the enumeration of viable bacteria in milk and dairy products, heterotrophic bacteria in water by pour plate technique.	100 Gms	13.16	17235	✓ Potato Carrot Broth Recommended Broth media for the reproduction of Pyronema domesticum.	100 Gms	14.48
		500 Gms	55.27			500 Gms	64.48
36879	✓ Plate Count Agar w/MUG	100 Gms	27.64				
		500 Gms	114.49				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
71788	✓ Potato Dextrose Agar (PDA)	100 Gms	10.53	74426	✓ Presence - Absence Broth (PA Broth)	100 Gms	13.16
		500 Gms	42.11			500 Gms	47.38
		2 Kg	155.29			For the detection of coliform bacteria in water from treatment plants or distribution systems using the presence-absence coliform test.	
		5 Kg	371.11				
	For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products. Used to induce sporulation in many fungi.						
94111	✓ Potato Dextrose Agar (PDA), Harmonized	100 Gms	11.84	41406	✓ Proteose Peptone BactoBio for bacteriology [91079-38-8]	500 Gms	32.90
		500 Gms	43.43			2 Kg	102.65
	Used for the cultivation of yeasts and molds in pharmaceutical testing according to harmonized methods.	Enzymatic digest of protein, high in proteoses. Used in microbiological culture media and in bacterial toxin production and also in microbiological media for bacteria requiring varying nutritional properties.					
91338	✓ Potato Dextrose Agar (PDA) BioVeg	100 Gms	10.53	93788	✓ Protose BactoBio for bacteriology	100 Gms	13.16
		500 Gms	42.11			500 Gms	39.48
	For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products. Used to induce sporulation in many fungi.	A specially manufactured biological ingredient, very high in proteoses. It's composition of various amino acids, along with proteoses and peptones, make it suitable ingredient for fermentation and vaccine manufacturing process.					
63506	✓ Potato Dextrose Agar w/ Chloramphenicol (0.1g/lit) (PDA w/ 0.01% Chloramphenicol)	100 Gms	14.48	90912	✓ Pseudomonas Agar Base (I)	100 Gms	11.84
		500 Gms	56.59			500 Gms	52.64
	Recommended as a general purpose medium for cultivation and isolation of yeasts and molds from foods, dairy and cosmetics.	Used for the selective isolation of Pseudomonas species.					
72704	✓ Potato Dextrose Agar w/2% Glucose and 60% Sucrose (PDA w/2% Glucose and 60% Sucrose)	100 Gms	15.79	49698	✓ Pseudomonas Agar for Fluorescein	100 Gms	13.16
		500 Gms	63.17			500 Gms	48.69
	For the isolation of Zygosaccharomyces rouxii from chocolate syrup.	For the cultivation and observation of fluorescein production in Pseudomonas species.					
35208	✓ Potato Dextrose Broth (PDB)	100 Gms	10.53	80358	✓ Pseudomonas Agar for Pyocyanin (Pseudomonas Agar-P)	100 Gms	11.84
		500 Gms	38.16			500 Gms	44.74
	For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products.	For the isolation, cultivation and differentiation of Pseudomonas species on the basis of pyocyanin production.					
74474	✓ Potato Dextrose Broth (PDB) BioVeg	100 Gms	13.16	40976	✓ Pseudomonas Asparagine Broth (APHA)	100 Gms	46.06
		500 Gms	43.43			500 Gms	148.71
	For the cultivation and enumeration of yeasts and molds.	55523 ✓ Pseudomonas Isolation Agar, Base					
69190	✓ Potato Dextrose Rose Bengal Agar	100 Gms	11.84			100 Gms	13.16
		500 Gms	53.96			500 Gms	55.27
	Used for promoting ascospore production.	For the isolation and cultivation of Pseudomonas species.					
60040	✓ Potato Infusion Powder (PI Powder) BactoBio for bacteriology	100 Gms	11.84	36124	✓ Pseudomonas Isolation Agar BioVeg	100 Gms	13.16
		500 Gms	35.53			500 Gms	55.27
	Potato infusion, is a high quality infusion powder for use as an ingredient in microbiological culture media, for enhanced sporulation and growth of fungal microorganisms.	For the isolation and cultivation of Pseudomonas species.					
43921	✓ Potato Malt Agar	100 Gms	14.48	47758	✓ Pseudomonas Test Kit (Pre-Weighed Media)	1 Kit	46.06
		500 Gms	52.64			Used for isolation, identification and cultivation of Pseudomonas species.	
		69827 ✓ Purple Agar Base					
		100 Gms 17.11					
		500 Gms 71.06					
		98775 ✓ Purple Broth Base					
		100 Gms 13.16					
		500 Gms 55.27					



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
10666	✓ Pyridoxine Assay Medium	100 Gms	48.69	63380	✓ Ringer Salt Solution Powder	100 Gms	22.37
	For the microbiological assay of pyridoxine using Neurospora sitophila as the test organism.				Used as an isotonic diluent during food, milk and dairy products microbiological examination.	500 Gms	93.44
29051	✓ PYR Agar	100 Gms	18.42	57672	⚠ Rosolic Acid Supplement (0.1gm/vl)	5 vl	17.11
	Used for the isolation and identification of Streptococcus pyogenes.	500 Gms	68.43		Used for the selective isolation of coliforms.		
50846	✓ R2A Agar	100 Gms	17.11	76126	✓ SA Agar Base	100 Gms	25.00
	Used for enumerating heterotrophic bacteria from drinking water.	500 Gms	61.85		Used for isolation and differentiation of Aeromonas hydrophila from foods based on starch hydrolysis (as per APHA).	500 Gms	76.33
34629	✓ R2A Agar BioVeg	100 Gms	15.13	99752	✓ S. Aureus Test Kit (Pre-Weighed Media)	1 Kit	52.64
	Used for enumeration of heterotrophic bacteria from drinking water	500 Gms	65.14		Used for isolation, identification and cultivation of Staphylococcus aureus.		
16437	✓ R3A Agar	100 Gms	19.74	67506	✓ SABHI Agar Base	100 Gms	18.42
	For the cultivation and maintenance of heterotrophic bacteria from potable waters.	500 Gms	64.48			500 Gms	59.22
39167	✓ Rappaport Vassiliadis R 10 Broth	100 Gms	13.16	44970	✓ Sabouraud Chloramphenicol Agar	100 Gms	14.48
	Used for the selective enrichment of Salmonella from meat and dairy products, faeces and sewage polluted water.	500 Gms	52.64		For the cultivation of yeasts and molds.	500 Gms	55.27
59912	✓ Rappaport Vassiliadis Salmonella Enrichment Broth, Harmonized	100 Gms	11.84	55941	✓ Sabouraud Chloramphenicol Agar BioVeg	100 Gms	14.48
	Used for selective enrichment of Salmonella species in pharmaceutical testing according to harmonized methods.	500 Gms	47.38		For the cultivation of yeasts and molds.	500 Gms	55.27
22140	✓ Rappaport Vassiliadis Soyabean Meal Broth (RVSM Broth)	100 Gms	15.79	19427	✓ Sabouraud Dextrose Agar (U/P) (I/P)	100 Gms	10.53
	Used for enrichment and isolation of Salmonella species.	500 Gms	53.96		(Sabouraud Glucose Agar) For the cultivation of dermatophytes, yeasts and filamentous fungi.	500 Gms	43.43
18530	✓ Razi`s Medium	100 Gms	15.79	28055	✓ Sabouraud Dextrose Agar	100 Gms	10.53
		500 Gms	63.17		Used for the cultivation of dermatophytes, yeasts & filamentous fungi.	500 Gms	42.11
78777	✓ Reinforced Clostridial Agar	100 Gms	11.84	95430	⚠ Sabouraud Dextrose Agar Cycloheximide and Chloramphenicol (Mycobiotic Agar)	50 Gms	55.27
	Used for the cultivation and enumeration of Clostridium species and other anaerobes from clinical specimens and foods.	500 Gms	47.38		For the selective isolation and cultivation of fungi.	100 Gms	102.65
11999	✓ Reinforced Medium for Clostridia, Harmonized	100 Gms	10.53	24613	✓ Sabouraud Dextrose Agar, Harmonized	100 Gms	10.53
	Used for the cultivation and enumeration of Clostridia in pharmaceutical testing according to harmonized methods.	500 Gms	38.16		For the cultivation and isolation of yeasts, molds and aciduric microorganisms in pharmaceutical testing according to harmonized methods.	500 Gms	43.43
71467	✓ Rhizobium Medium	100 Gms	18.42	88999	✓ Sabouraud Dextrose Agar BioVeg	100 Gms	10.53
	Used for the cultivation of Rhizobium species.	500 Gms	56.59		Used for the cultivation of dermatophytes, yeasts and filamentous fungi.	500 Gms	43.43



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
24835	✓ Sabouraud Dextrose Broth, Harmonized	100 Gms	7.90	87213	✓ Selenite Broth w/ Dulcitol (Twin Pack) Used for enrichment of Salmonella species.	500 Gms	94.75
		500 Gms	26.32				
	For the cultivation and isolation of yeasts, molds and aciduric microorganisms in pharmaceutical testing according to harmonized methods.						
64402	✓ Sabouraud Dextrose Maltose Broth	100 Gms	15.79	38926	✓ Selenite F Broth, Base w/ Selenite (Twin Pack)	100 Gms	14.48
		500 Gms	61.85			500 Gms	57.90
	Used for the cultivation of moulds, yeasts and aciduric organisms as well as testing of antimycotic substances.						
14506	✓ Sabouraud Glucose Broth (Sabouraud Dextrose Broth)	100 Gms	6.58	83179	✓ Selenite F Broth, Base w/o Selenite With addition of selenite, used for isolation and cultivation of Salmonella species from faeces, dairy products and other specimens.	100 Gms	10.53
		500 Gms	19.74			500 Gms	43.43
	For the cultivation of dermatophytes, yeasts and filamentous fungi.						
57791	✓ Sabouraud Maltose Agar	100 Gms	15.79	17458	✓ Semi-Solid Nutrient Agar (I)	100 Gms	14.48
		500 Gms	59.22			500 Gms	57.90
	For the cultivation and maintenance of yeasts, molds and a variety of fungi.						
33387	✓ Sabouraud Maltose Broth	100 Gms	13.16	75917	✓ Semi-Solid Nutrient Agar (B/S)	100 Gms	14.48
		500 Gms	53.96			500 Gms	57.90
36370	✓ Saline Agar	100 Gms	15.79	37963	✓ Semi-solid Rappaport Vassiliadis (MSRV) Medium Base	100 Gms	15.79
		500 Gms	55.27			500 Gms	56.59
	Used for detection of alpha -toxin in Clostridium perfringens						
39930	✓ SS Agar (Salmonella Shigella Agar)	100 Gms	11.84	84809	✓ Sensitest Agar For the performance of antibiotic sensitivity test.	100 Gms	27.64
		500 Gms	47.38			500 Gms	111.86
	For the selective isolation and differentiation of pathogenic enteric bacilli especially Salmonella and Shigella species.						
36856	✓ SS Agar, Modified (Salmonella-Shigella Agar, Modified) (Salmonella Shigella Agar) A modified medium, which provides better growth of Salmonella and Shigella species.	100 Gms	14.48	11580	✓ S.F.P Agar Base (Shahidi Ferguson Perfringens Agar Base) Used for the isolation and enumeration of Clostridium perfringens from foods.	100 Gms	14.48
		500 Gms	55.27			500 Gms	67.12
55521	✓ Salmonella Test Kit (Pre-Weighed Media) Used for isolation, identification and cultivation of Salmonella species.	1 Kit	28.95	94074	✓ Shigella Broth Base Used for the isolation and cultivation of Shigella species from food.	100 Gms	14.48
						500 Gms	52.64
48589	✓ Salt Polymyxin Broth, Base (I) (Polymyxin Salt Broth)	100 Gms	13.16	45290	⚠ Shigella Selective Supplement (0.55mg/vl) Used for the selective isolation and cultivation of Shigella species.	5 vl	15.79
		500 Gms	51.32				
22887	✓ Salt Polymyxin Broth, Base (B/S)	100 Gms	13.16	91694	✓ Slanetz and Bartley Medium For the detection and enumeration of enterococci by membrane filtration method.	100 Gms	14.48
		500 Gms	51.32			500 Gms	56.59
58249	✓ Schaedler Agar w/o Thioglycollate (Schaedler Anaerobic Agar w/o Thioglycollate)	100 Gms	22.37	49810	✓ SIM Medium (Sulfite Indole Motility Medium) For the differentiation of members of the Enterobacteriaceae, based on H2S production, indole production and motility.	100 Gms	11.84
		500 Gms	63.17			500 Gms	46.06
16164	✓ Schaedler Agar (Schaedler Anaerobic Agar) Used for the enumeration of various aerobic and anaerobic bacterial species present in the gastrointestinal tract.	100 Gms	14.48	57309	✓ SIM Medium BioVeg Used for the differentiation of members of the Enterobacteriaceae, based on H2S production, indole production and motility.	100 Gms	11.84
		500 Gms	56.59			500 Gms	46.06



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
59437	✓ Simmon`s Citrate Agar For the differentiation of gram-negative bacteria on the basis of citrate utilization.	100 Gms	11.84	28501	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB) A nutritious general purpose medium used for the growth of a wide variety of bacteria and fungi.	100 Gms	7.90
		500 Gms	51.32			500 Gms	23.69
						2 Kg	77.64
28582	✓ Skim Milk Powder (SM Powder) BactoBio for bacteriology Specially made from Fat free milk,high in protein.Suitable as ingredient in microbiology media.	500 Gms	15.79	89320	✓ Soya Lecithin (30%) BactoBio for bacteriology [8002-43-5] A natural phospholipid made from non-GMO soya beans.	100 Gms	25.00
69372	✓ Skim Milk Plate Count Agar (SM Plate Count Agar) For the enumeration of bacteria in milk and dairy products.	100 Gms	31.58	20626	✓ Soyatone BactoBio for bacteriology [91079-46-8] (Soya peptone)	500 Gms	18.42
		500 Gms	76.33			5 Kg	157.92
41023	✓ Sorbitol Iron Agar	100 Gms	18.42				
		500 Gms	67.12				
77892	✓ Soyabean Casein Digest Agar (SCDA) (Tryptone Soya Agar, TSA), Harmonized For isolation and cultivation of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.	100 Gms	10.53	24205	✓ Special YM Medium	100 Gms	14.48
		500 Gms	43.43			500 Gms	53.96
		2 Kg	157.92				
33291	✓ Soyabean Casein Digest Agar (SCDA) (Tryptone Soya Agar, TSA) Used for the isolation and cultivation of fastidious & non fastidious microorganisms.	100 Gms	10.53	39778	✓ Spirit Blue Agar For the detection, enumeration and study of lipolytic microorganisms.	100 Gms	17.11
		500 Gms	43.43			500 Gms	69.75
		2 Kg	157.92				
10935	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), Harmonized Used for cultivation of a wide variety of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.	100 Gms	7.90	54880	✓ Sporulation Broth	100 Gms	13.16
		500 Gms	23.69			500 Gms	50.01
		2 Kg	77.64				
47404	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), Sterile (Gamma Irradiated) Gamma irradiated sterile powder used for the growth of wide variety of bacteria and fungi.	500 Gms	28.95	31363	✓ SPS Agar For the detection and enumeration of Clostridium perfringens in foods.	100 Gms	15.79
						500 Gms	55.27
51993	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB) BioVeg (Soyabean Medium BioVeg) For the cultivation of a wide variety of microorganisms.	100 Gms	7.90	14041	✓ Standard Methods Agar w /Tween 80 and Lecithin For the determination of sterility of surfaces	100 Gms	34.22
		500 Gms	26.32			500 Gms	136.86
44520	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), BioVeg Sterile (Gamma Irradiated) A nutritious general purpose medium, prepared by replacing animal based peptones with vegetable based peptones. It is gamma irradiated sterile powder, used in evaluation of sterility in manufacturing process.	500 Gms	35.53	92654	✓ Standard Nutrient Agar No.1	100 Gms	14.48
						500 Gms	57.90
				72899	✓ Standard Nutrient Agar No.2	100 Gms	17.11
						500 Gms	72.38
				68818	✓ Standard Nutrient Broth (H.S. Vaccine Medium) Recommended nutritive medium for mass cultivation of bacteria for vaccine production.	100 Gms	11.84
						500 Gms	34.22
				18247	⚠ Staph-Strepto Selective Supplement Used for the selective isolation of Staphylococcus and Streptococcus.	5 vI	22.37
						5 x5 vI	52.64



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
39726 ✓	Staphylococcus Medium 110 (Stone Gelatin Agar, Gelatin Mannitol Salt Agar) For the isolation & enumeration of Staphylococci based on mannitol fermentation, pigment formation & gelatinase activity.	100 Gms	13.16	49778 ✓	Sulphite Agar (Sulfite Agar)	100 Gms	19.74
		500 Gms	46.06			500 Gms	61.85
37547 ✓	Starch Agar For detection of starch hydrolyzing microorganisms.	100 Gms	14.48	84524 ✓	Iron Sulphite Agar (Sulfite Iron Agar) Used for the detection of Clostridia in the examination of meat and meat products.	100 Gms	13.16
		500 Gms	57.90			500 Gms	55.27
78486 ✓	Starch Soluble Special (Cold Water Soluble) BactoBio for microbiology [9005-84-9] A special grade of Starch, suitable for media preparations in microbiology since it is cold water soluble due to its special preparation method. The solution characteristics being clear, make it especially suitable for such use in labs.	100 Gms	23.69	34050 ⚠	Sulpha Supplement Used for the selective isolation of Salmonella species.	5 vI	23.69
		500 Gms	51.32				
76043 ✓	Sterility Test Kit (Pre-Weighed Media) Used for sterility testing of products as per pharmacopoeial standards.	1 Kit	14.48	68041 ✓	Syncase Broth	100 Gms	15.79
						500 Gms	63.17
11475 ⚠	Strepto Supplement Used for the selection of Streptococcus species.	5 vI	17.11	23635 ✓	T1N1 Agar (Tryptone Salt Agar) (Tryptone Salt Agar)	100 Gms	15.79
		5 x5 vI	53.96			500 Gms	59.22
35140 ⚠	Streptococcus Selective Supplement Used for the selective isolation and cultivation of Streptococcus species.	5 vI	23.69	65235 ✓	T1N1 Broth (Tryptone Salt Broth)	100 Gms	9.21
		5 x5 vI	55.27			500 Gms	38.16
31025 ✓	Streptococcus Thermophilus Isolation Agar For determining the ratio of Streptococcus thermophilus and Lactobacillus bulgaricus in yoghurt.	100 Gms	17.11	15600 ✓	T.A.T. Broth Base (Tryptone-Azolectin-Tween Broth Base)	100 Gms	11.84
		500 Gms	59.22			500 Gms	53.96
77304 ✓	Streptomyces Agar For the cultivation and maintenance of Streptomyces.	100 Gms	14.48	86626 ✓	TCBS Agar (Thiosulphate Citrate Bile Salts Sucrose Agar) For the selective isolation of Vibrio cholerae and Vibrio parahaemolyticus from a variety of clinical specimens.	100 Gms	13.16
		500 Gms	56.59			500 Gms	53.96
43048 ✓	Stuart Transport Medium For the preservation of Neisseria species and other fastidious organisms during their transport from clinic to laboratory.	100 Gms	18.42	50165 ✓	TCBS Agar (B/S) (Thiosulfate Citrate Bile Salts Sucrose Agar) Used for selective isolation of Enteropathogenic Vibrio species.	100 Gms	13.16
		500 Gms	76.33			500 Gms	53.96
14840 ✓	Sucrose Salicin Agar (Gillies Agar No.2)	100 Gms	77.64	68331 ✓	TCBS Agar BioVeg For the selective isolation of Vibrio cholerae and Vibrio parahaemolyticus from clinical specimens.	100 Gms	14.48
						500 Gms	59.22
69237 ✓	Sugar Free Agar (Count Agar Sugar-free) For the enumeration of psychotropic and mesophilic gram- negative rods in butter and other dairy products as per formula described by the International Dairy Federation.	100 Gms	15.79	15297 ⚠	Tellurite Cefixime Supplement Used for the selective isolation and cultivation of Escherichia coli 0157:H7	5 vI	18.42
		500 Gms	55.27				
30431 ✓	Tellurite Glycine Agar Base	100 Gms	13.16	97630 ✓	Tergitol- 7 Agar, Base (B/S) (T7 Agar) Used for selective enumeration and identification of coilform organisms	100 Gms	14.48
		500 Gms	64.48			500 Gms	67.12
67662 ✓	Tergitol-7 Agar H, Base (T7 Agar, H)	100 Gms	18.42	99371 ✓	Tergitol-7 Broth (T7 Broth)	100 Gms	13.16
		500 Gms	75.01			500 Gms	53.96
30086 ✓	Terrific Broth (Tartoff-Hobbs Broth) For the cultivation of recombinant strains of Escherichia coli.	100 Gms	11.84			100 Gms	11.84
		500 Gms	43.43			500 Gms	43.43



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
40873	⚡ Tetracycline Selective Supplement	5 vI	19.74	74398	✓ Tomato Juice Agar	100 Gms 500 Gms	23.69 65.80
	Used for the selective isolation and cultivation of yeasts and moulds.				Used for the cultivation of lactobacilli.		
13112	✓ Tetrathionate Broth Base w/o Iodine & BG (TT Broth Base)	100 Gms 500 Gms	9.21 32.90	33544	✓ Transport Charcoal Medium	100 Gms 500 Gms	15.79 65.80
	For the enrichment of Salmonella species.				For transportation of clinical specimens.		
81902	✓ Tetrathionate Broth Base (I) (TT Broth Base)	100 Gms 500 Gms	10.53 32.90	87704	⚡ Tributyrin Supplement (10ml/vI)	5 vI 5 x5 vI	23.69 90.80
	Recommended for enrichment of Salmonellae from samples suspected to be contaminated with Salmonellae in accordance with IP.				Used for the detection of lipolytic microorganisms.		
13727	✓ TGB Agar (Tryptone Glucose Beef Extract Agar)	100 Gms 500 Gms	13.16 56.59	30842	✓ Tributyrin Agar Base w/o Tributyrin	100 Gms 500 Gms	15.79 64.48
					For the cultivation and enumeration of lipolytic microorganisms.		
44521	✓ Thayer-Martin Medium, Base (Thayer-Martin Agar, Modified)	100 Gms 500 Gms	11.84 48.69	12081	✓ Triple Sugar Iron Agar (I) (TSI Agar)	100 Gms 500 Gms	10.53 46.06
	For the isolation of Neisseria species from specimens containing mixed flora of bacteria and fungi.				Used for the differentiation of members of Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose and H ₂ S production.		
86908	✓ Thiobacillus Agar	100 Gms 500 Gms	25.00 77.64	55720	✓ Triple Sugar Iron Agar (B/S)	100 Gms 500 Gms	10.53 46.06
					Used for the differentiation of Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose and H ₂ S production.		
65489	✓ Thioglycollate Agar	100 Gms 500 Gms	14.48 56.59	69309	✓ Triple Sugar Iron Agar BioVeg	100 Gms 500 Gms	10.53 46.06
	Used for the growth and cultivation of anaerobic microorganisms.				Used for the differentiation of members of Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose and H ₂ S production.		
38136	✓ Thioglycollate Broth w/ Liver Extract (B.Q. Vaccine Medium)	100 Gms 500 Gms	11.84 31.58	80175	✓ Tryptone Agar BioVeg	100 Gms 500 Gms	18.42 65.14
	Recommended medium for cultivation of anaerobes on large scale, especially for vaccine manufacturing.				Used for the detection and enumeration of Escherichia coli in foods using a modified direct plating method		
91690	✓ Thioglycollate Medium w/o Indicator (Diagnostic Thioglycollate Medium)	100 Gms 500 Gms	11.84 36.85	32007	✓ Tryptone BactoBio for bacteriology [91079-40-2] (Casitose)	500 Gms 5 Kg	27.64 247.41
	For the cultivation of anaerobic, microaerophilic and aerobic microorganisms. For use in sterility testing of a variety of specimens.				Pancreatic Digest Of Casein used for cultivation of fastidious and non-fastidious bacteria and fungi.		
63270	✓ Thiol Broth	100 Gms 500 Gms	17.11 50.01	10396	✓ Tryptone Bile Agar (I)	100 Gms 500 Gms	14.48 59.22
					Used for rapid detection and enumeration of Escherichia coli in foods.		
67819	⚡ Ticarcillin Supplement (1mg/vI)	5 vI	17.11	62600	✓ Tryptone Broth (Tryptone Water)	100 Gms 500 Gms	9.21 38.16
	Used for enrichment of Yersinia enterocolitica.				For the cultivation of production of Indole by microorganisms.		
29536	✓ TN Agar	100 Gms 500 Gms	15.79 59.22	11947	✓ Tryptone Broth BioVeg (Tryptone Water BioVeg)	100 Gms 500 Gms	10.53 38.16
					For the cultivation of production of indole by microorganisms.		
11483	✓ Todd Hewitt Broth	100 Gms 500 Gms	11.84 48.69				
	For the cultivation of Group A Streptococci used in serological typing and for the cultivation of variety of pathogenic microorganisms.						
95197	✓ Toluidine Blue DNA Agar (Dnase Test Agar with Toluidine Blue)	100 Gms 500 Gms	98.70 471.13				



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
62087	✓ Tryptone Glucose Yeast Extract Broth	100 Gms	14.48	24392	✓ Tryptone Soya Broth (TSB) (Soyabean Casein Digest Medium, SCDM)	100 Gms	7.90
		500 Gms	48.69			500 Gms	23.69
45227	✓ Tryptone Phosphate Broth	100 Gms	9.21		For the cultivation of a variety of microorganisms.	2 Kg	77.64
		500 Gms	36.85				
	For the cultivation of enteropathogenic Escherichia coli.			32347	✓ Tryptone Soya Broth (TSB) /SPS (Soyabean Casein Digest Medium w/SPS, SCDM w/SPS)	100 Gms	11.84
73825	✓ Tryptone Salt Broth	100 Gms	9.21		For the cultivation of fastidious and non-fastidious microorganism such as H. influenzae, N. meningitidis, S. pneumonia.	500 Gms	46.06
		500 Gms	38.16				
	Used as diluents to prepare stock solutions of dairy products and other food products, cosmetics products for microbiological analysis.			16684	✓ Tryptone Soya Broth (TSB) (Soyabean Casein Digest Medium, SCDM) BioVeg	100 Gms	7.90
53226	✓ Tryptone Soya Agar (TSA) w/Lecithin and Polysorbate 80 (SCDA Lecithin & Tween 80)	100 Gms	14.48		For the cultivation of a variety of microorganisms.	500 Gms	26.32
		500 Gms	61.85				
	(Soyabean Casein Digest Agar w/Lecithin & Tween 80, SCDA Lecithin & Tween 80)			45511	✓ Tryptone Soya Yeast Extract Broth	100 Gms	13.16
	Tryptone Soya Agar w/ Lecithin and Polysorbate 80 is used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.					500 Gms	46.06
18039	✓ Tryptone Soya Broth (TSB) w/ 6.5% Sodium Chloride (Soyabean Casein Digest Medium (SCDM) w/ NaCl)	100 Gms	17.11	83009	✓ Tryptone Tellurite Agar Base	100 Gms	14.48
		500 Gms	35.53			500 Gms	63.17
	Used for differentiation between Salt tolerant and salt -intolerant species.			18528	✓ Tryptone Type I (Casitose) BactoBio for bacteriology	500 Gms	38.16
21091	✓ Tryptone Sucrose Tetrazolium Agar, Base (I)	100 Gms	14.48	[91079-40-2]	(Casein Enzymatic Hydrolysate (Type I))		
		500 Gms	57.90				
	Recommended medium with added TTC for isolation of Vibrio species.				Tryptone Type I is an enzymatic digest of milk protein, rich in amino nitrogen source; used in microbiological and fermentation media.		
20407	✓ Tryptone Soya Agar (TSA) (Soyabean Casein Digest Agar, SCDA)	100 Gms	10.53	20483	✓ Tryptone Type II (Casitose) BactoBio for bacteriology	500 Gms	38.16
		500 Gms	43.43			(Casein Enzymatic Hydrolysate (Type II))	Tryptone Type II is an enzymatic digest of lactose free milk protein, rich in amino nitrogen source used especially in Antibiotic assay medium.
		2 Kg	157.92				
	For the cultivation and maintenance of a wide variety of microorganisms.						
32068	✓ Tryptone Soya Agar (TSA) (Soyabean Casein Digest Agar, SCDA) BioVeg	100 Gms	13.16	69165	✓ Tryptone Water Broth w/BCP	100 Gms	13.16
		500 Gms	48.69			500 Gms	43.43
	For isolation and cultivation of fastidious and non-fastidious microorganisms with or without addition of blood. Semisolid medium recommended for testing of motility of Listeria monocytogenes, as recommended by ISO committee.				Recommended for the cultivation of Salmonella species from food samples.		
21794	✓ Tryptone Soya Agar (TSA) w/MUG (Soyabean Casein Digest Agar w/MUG, SCDA MUG)	100 Gms	18.42	79223	✓ Tryptone Yeast Extract Agar w/BCP (I)(B/S)	100 Gms	15.79
		500 Gms	80.28			500 Gms	65.80
	Used for the cultivation of fastidious and non fastidious microorganisms by fluorogenic procedure.				Recommended medium for isolation and enumeration of Enterobacteriaceae and Bacillus cereus.		
				15965	✓ Tryptophan Broth (I) (Tryptophan Medium (I))	100 Gms	10.53
					Used for differentiation of bacteria on the basis of indole production.	500 Gms	36.85
				40626	✓ Tryptophan Broth (Tryptophan Medium) BioVeg	100 Gms	11.84
					Used for the differentiation of bacteria on the basis of indole production.	500 Gms	42.11



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
47253 ✓	Tryptose Blood Agar Base	100 Gms	17.11	80192 ⚠	40% Urea Solution (5ml/vl)	5 vl	7.90
		500 Gms	67.12			5 x5 vl	28.95
	For the cultivation and maintenance of a wide variety of fastidious microorganisms.				Used for the detection of urease activity.		
12514 ✓	Tryptose BactoBio for bacteriology [84843-69-6]	500 Gms	28.95	26117 ⚠	Vancomycin Supplement (3mg/vl)	5 vl	23.69
					Used for the selective isolation of Enterococci.		
82302 ✓	Tryptose Cycloserine Dextrose Agar Base	100 Gms	16.45	34123 ⚠	VCN Supplement	5 vl	32.90
		500 Gms	67.12			5 x5 vl	114.49
	Used for isolation of mesophilic spore forming anaerobes in food spoilage.				Used for selective isolation of Neisseria species.		
48200 ✓	Tryptose Phosphate Broth	100 Gms	10.53	32249 ⚠	VCNT Supplement	5 vl	32.90
		500 Gms	42.11			5 x5 vl	114.49
	For the cultivation of variety of fastidious bacteria.				Used for selective isolation of Neisseria species.		
45989 ✓	Tryptose Phosphate Broth BioVeg	100 Gms	11.84	78604 ✓	V Infusion Agar (Veal Infusion Agar)	100 Gms	18.42
		500 Gms	43.43			500 Gms	55.27
	For the cultivation of a variety of fastidious bacteria.			86771 ✓	V Infusion Broth (Veal Infusion Broth)	100 Gms	14.48
			500 Gms			51.32	
					Recommended for cultivation of fastidious pathogenic bacteria.		
55052 ⚠	TTC Solution 1% (10ml/vl)	5 vl	15.79	67389 ✓	Veg Extract Agar BioVeg	500 Gms	57.90
		5 x5 vl	47.38				
	Used for detecting microorganisms on the basis of TTC reduction.			55605 ✓	Veg Extract Broth BioVeg	500 Gms	57.90
18339 ✓	Urea Agar, Base (I) (B/S)	100 Gms	15.79	53818 ✓	Violet Red Bile Agar (B/S)	100 Gms	11.84
		500 Gms	55.27			500 Gms	47.38
	Used for the detection of urease production by Proteus species and for identification of other members of Enterobacteriaceae.				Recommended medium for selective isolation, detection and enumeration of coliforms in water, milk and other dairy products.		
88708 ✓	Urea Agar Base	100 Gms	13.16	57081 ✓	Violet Red Bile Agar (1.2%) (I)	100 Gms	14.48
		500 Gms	48.69			500 Gms	48.69
	Used for the detection of urease production by Proteus species and for identification of other members of Enterobacteriaceae				Recommended medium for selective isolation, detection and enumeration of coliforms in water, milk and other dairy products.		
42465 ✓	Urea Agar Base (Christensen) BioVeg	100 Gms	13.16	33690 ✓	Violet Red Bile Agar w/ MUG	100 Gms	22.37
		500 Gms	50.01			500 Gms	94.75
	Used for the detection of urease production by Proteus species and for identification of other members of Enterobacteriaceae.				For the differentiation of Escherichia coli from dairy products and other foods by fluorogenic procedure.		
97438 ✓	Urea Broth, Base	100 Gms	11.84	88966 ✓	Violet Red Bile Broth	100 Gms	11.84
		500 Gms	48.69			500 Gms	43.43
	For identifying bacteria on the basis of urea utilization, for the differentiation of Proteus species from Salmonella and Shigella species.				For detection and enumeration of coliforms from water and foods.		
58028 ✓	Urea Indole Medium	100 Gms	14.48	43459 ✓	Violet Red Bile Dextrose Agar BioVeg	100 Gms	15.79
		500 Gms	56.59			500 Gms	48.69
	Used for the differentiation of Enterobacteria on the basis of urease and indole production and the transdeamination of tryptophan.				Used for detection and enumeration of Enterobacteriaceae from foods.		
				55373 ✓	Violet Red Bile Glucose Agar (I) (Violet Red Bile Glucose Agar w/o Lactose)	100 Gms	11.84
			500 Gms			46.06	
					Used for detection and enumeration of Enterobacteriaceae from foods.		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
89912	✓ Violet Red Bile Glucose Agar, Harmonized	100 Gms	11.84	26434	✓ Wurtz Medium	100 Gms	14.48
		500 Gms	44.74			500 Gms	55.27
	Used for cultivation and isolation of Enterobacteriaceae in pharmaceutical testing according to harmonized methods.				Used for isolation and differentiation of lactose fermenting bacteria.		
34326	🧪 Vitamin K1 Supplement (10mg/vl)	5 vl	15.79	53556	✓ Xylose Lysine Deoxycholate Agar (XLD Agar)(U/P) (I/P)	100 Gms	11.84
	A vitamin growth supplement used for the isolation of anaerobic organisms.				Used for the isolation and differentiation of enteric pathogens, especially Shigella and Providencia.	500 Gms	50.01
38907	✓ Vogel and Johnson Agar, Base (U/P)(I/P) (V.J. Agar, Base)	100 Gms	10.53	70791	✓ Xylose Lysine Deoxycholate Agar (XLD Agar)	100 Gms	11.84
		500 Gms	42.11			500 Gms	50.01
	For the detection of coagulase positive Staphylococcus aureus.				Used for the isolation and identification of Salmonellae and Shigellae.		
56055	✓ Water Agar	100 Gms	15.79	89660	✓ XLT 4 Agar Base	100 Gms	17.11
		500 Gms	52.64			500 Gms	72.38
	Used for cultivation and observation of sporulation of some fungi and also for the enumeration of fungi according to MPN method.				Used for isolation and identification of Salmonellae from various samples.		
23892	✓ Water (Faecal coliforms) Testing Kit (Pre-Weighed Media)	1 Kit	25.00	73111	✓ Xylose Lysine Deoxycholate Agar (XLD Agar), Harmonized	100 Gms	14.48
	For the enumeration and identification of faecal coliforms from water and waste water samples.				For cultivation and isolation of Salmonella species in pharmaceutical testing according to harmonized methods.	500 Gms	56.59
55014	✓ Wilkins-Chalgren Agar (Anaerobic Agar)	100 Gms	15.79	67146	✓ Yeast Autolysate (Yeast Peptone) [84604-16-0] BactoBio for microbiology	100 Gms	10.53
		500 Gms	57.90			500 Gms	36.85
	For cultivation and maintenance of anaerobic bacteria. In susceptibility testing to determine minimum inhibitory concentrations (MICs) of antibiotics for anaerobic bacteria.				Water soluble portion of autolysed yeast especially rich in B-complex vitamins, used in microbiological and fermentation media.		
91753	✓ Willis and Hobbs Medium Base	100 Gms	15.79	22176	🧪 Yeast Autolysate Supplement	5 vl	15.79
		500 Gms	63.17			5 x5 vl	51.32
	Used for isolation and identification of Clostridium from food.				used for enrichment of Neisseria species.		
31560	✓ WL Differential Agar	100 Gms	14.48	51089	✓ Yeast and Mould Agar	100 Gms	15.79
		500 Gms	52.64			500 Gms	61.85
	Used in isolating bacteria encountered in industrial fermentation processes.				Used for isolation of yeasts, molds & other aciduric microorganisms.		
45086	✓ WL Nutrient Agar (Wallerstein Laboratory Medium)	100 Gms	15.79	34266	✓ Yeast Extract BactoBio for bacteriology [8013-01-02]	100 Gms	11.84
		500 Gms	53.96			500 Gms	32.90
	For the detection of bacteria & yeasts in industrial fermentation processes, particularly from beer processing				5 Kg	319.79	
78176	✓ WL Nutrient Broth (Wallerstein Laboratory Nutrient Broth)	100 Gms	15.79			10 Kg	613.26
		500 Gms	47.38				
	For cultivation of bacteria and yeasts in industrial fermentation processes, particularly from beer processing.				Water soluble portion of autolysed yeast especially rich in B-complex vitamins used in microbiological and fermentation media.		
47617	✓ Wort Agar	100 Gms	13.16	89463	✓ Yeast Extract for bacteriology [8013-01-02]	100 Gms	9.21
		500 Gms	57.90			500 Gms	15.79
	For the cultivation and enumeration of yeasts. Its low pH inhibits bacterial growth.				5 Kg	151.34	
					Low pH, slightly turbid, extract of autolysed yeast cells used generally for technical purposes.		



Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
52184	✓ Yeast Extract for cell culture	100 Gms	15.79	83385	✓ Yeast Glucose Chloramphenicol Agar (YGC Agar, Chloramphenicol Agar) Used for the isolation and enumeration of molds in milk and dairy products.	100 Gms	10.53
		500 Gms	42.11			500 Gms	48.69
36504	✓ Yeast Extract Agar For the enumeration of microorganisms in potable and fresh water samples.	100 Gms	22.37	66995	✓ YPD Broth (Yeast Peptone Dextrose Broth, YEPD Broth) For maintenance and propagation of yeasts in molecular microbiology procedures.	100 Gms	15.79
		500 Gms	73.70			500 Gms	65.80
62332	✓ Yeast Lactose Agar For cultivation of soil microorganisms like Rhizobium species.	100 Gms	28.95	98271	✓ YT Broth (2X YT Broth) Used for the cultivating of recombinant strains of Escherichia coli.	100 Gms	13.16
		500 Gms	118.44			500 Gms	48.69
49723	✓ Yeast Malt Agar (YM Agar) For the cultivation of fungi including yeasts and other aciduric organisms.	100 Gms	14.48	19510	✓ YXT Agar Base Used for detection of yeasts and molds, with or without added Tetracycline.	100 Gms	14.48
		500 Gms	59.22			500 Gms	56.59
63973	✓ Yeast Malt Extract Broth (YM Broth) For the cultivation of fungi, yeasts and other aciduric microorganisms.	100 Gms	11.84				
		500 Gms	47.38				
40965	✓ Yeast Mannitol Agar For the isolation and enumeration of soil microorganisms like Rhizobium species.	100 Gms	15.79				
		500 Gms	72.38				
56342	✓ Yeast Mannitol Broth For the cultivation of soil microorganisms like Rhizobium species.	100 Gms	11.84				
		500 Gms	50.01				
54250	✓ YPD Agar (Yeast Peptone Dextrose Agar, YEPD Agar) For maintaining and propagating yeasts in molecular biology studies.	100 Gms	13.16				
		500 Gms	53.96				
51830	✓ Yersinia Isolation Agar For the isolation of Yersinia species from foods.	100 Gms	17.11				
		500 Gms	61.85				
27810	✓ Yersinia Selective Agar Base For the isolation of Yersinia enterocolitica from clinical specimens and food samples.	100 Gms	17.11				
		500 Gms	61.85				
15061	⚠ Yersinia Selective (C.I.N.) Supplement Used for isolation of Yersinia enterocolitica.	5 vI	19.74				
		5 x5 vI	57.90				

Pharmacopoeial Products

(IP/BP/USP/NF)

We take pride in introducing a select range of pharmacopoeial grade products according to IP/BP/USP/NF to meet the critical requirements of the pharmaceutical and biotech industries for drug manufacture and diagnostics use.

These products have stringent limits of purity and impurities, often more critical than specified in the pharmacopoeial standards. This will enable the niche pharmaceutical manufacturers to obtain very high quality raw material ingredients indigenously.

IP, BP, USP & NF Product List

85996	Aminocaproic Acid IP
99093	Aminocaproic Acid BP
50445	Aminocaproic Acid USP
40682	Glycine IP
74072	Glycine BP
37449	Glycine USP
61988	Proline BP
68128	L-Proline USP
47638	Propyl Gallate IP
14086	Propyl Gallate BP
16067	Propyl Gallate NF
50090	Sodium Caprylate BP
81340	Sodium Caprylate NF
34378	Sodium Lauryl Sulphate BP
82958	Sucrose IP (Non-Parenteral Use)
38142	Sucrose BP (Non-Parenteral Use)
56799	Sucrose NF (USP) (Non-Parenteral Use)
16622	Tris Buffer USP, 99-101% (Non Injectable Use)



Part E

BioLit[®]

(DNA & Protein Tools and Kits)





code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------

BioLit® PCR Products (Taq Polymerase, Buffers & Kits)

BioLit® TAQ Polymerases

Taq DNA Polymerases (offered in different concentrations) are enzymes used in Routine PCR. They are thermostable recombinant DNA polymerases derived from thermophilic bacterium *Thermus aquaticus*. They can amplify DNA target up to 5 kb (simple template) and have a 5' to 3' polymerase activity but lack 3' to 5' exonuclease activity that result in a 3'-dA overhang PCR product.

BioLit® Routine PCR

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

61524	TAQ DNA Polymerase (1U/μl)	Includes Taq DNA Polymerase (1U/μl) 10X PCR Buffer (MgCl ₂ free), 25mM MgCl ₂	500 units	30.00
			1000 units	56.85
			5000 units	276.49
32976	TAQ DNA Polymerase (3U/μl)	Includes Taq DNA Polymerase (3U/μl) 10X PCR Buffer (MgCl ₂ free), 25mM MgCl ₂	500 units	30.00
			1000 units	56.85
			5000 units	276.49
82487	TAQ DNA Polymerase (5U/μl)	Includes Taq DNA Polymerase (5U/μl) 10X PCR Buffer (MgCl ₂ free), 25mM MgCl ₂	500 units	30.00
			1000 units	56.85
			5000 units	276.49
12816	TAQ DNA Polymerase (5U/μl) (w/6X Buffer)	Includes Taq DNA Polymerase (5U/μl) 10X PCR Buffer (Mg ²⁺ Plus) 6X Loading Buffer	500 units	37.37
			1000 units	64.35
			5000 units	291.49
51613	TAQ DNA Polymerase (5U/μl) (w/6X Buffer, w/dNTP)	Includes Taq DNA Polymerase (5U/μl) 10X PCR Buffer (Mg ²⁺ Plus) 6X Loading Buffer dNTP mix (each 2.5 mM)	500 units	40.40
			1000 units	67.38
			5000 units	306.36

A Thermostable recombinant DNA polymerase, useful in amplification of DNA fragments upto 6 kb from genomic DNA with high purity and specificity. Sources of template - plant genomic DNA, mouse cDNA, bacterial colony DNA, bacterial plasmid DNA, viral DNA and zygosity PCR templates. No loading buffers or tracking dyes required. Samples may be added directly to an agarose gel after PCR and visualized.

57694	Red TAQ DNA Polymerase (1U/μl)	Includes Red Taq DNA Polymerase (1U/μl) 10X Red Taq Buffer, 25 mM MgCl ₂	500 units	52.38
			1000 units	91.20
12192	Roseate Taq DNA		500 units	39.87
			1000 units	65.54

Roseate Taq DNA Polymerase is a thermostable recombinant DNA polymerase derived from thermophilic bacterium *Thermus aquaticus*. Its molecular weight is 94 kDa. Taq DNA Polymerase can amplify DNA targets up to 5 kb (simple template). The elongation velocity is 0.9~1.2kb/min (70~75°C). It has 5' to 3' polymerase activity but lacks of 3' to 5' exonuclease activity that result in a 3'-dA overhangs PCR product.

The buffer given is 10X Rosette PCR Buffer with Mg²⁺. This buffer has a roseate coloured dye enabling the researcher to load the sample directly after PCR into an agarose gel for electrophoresis.

Other different polymerases described below are useful when there is a need for higher specificity for primer incorporation, high fidelity with proof reading capability, amplifying long and complex templates & need for efficient and fast elongation, and DNA Polymerase which is suitable for Hot Start PCR. The polymerases here each have one of these features and can be chosen to suit the needs of the researcher.

BioLit® Hot Start PCR

This product is a DNA Polymerase coated with antibody, which is suitable for Hot Start PCR. There is no activity of this enzyme at room temperature, and the antibody can be inactivated rapidly at 70°C or above. This ensures that the enzyme is active only during PCR and prolonged heating or denaturation steps can be avoided.

81646	Hot Start Taq Polymerase (5U/μl)	Includes Includes HotStart Taq Polymerase (5U/μl) 10X HotStart buffer with Mg ²⁺ , 2.5mM dNTP Mix	250 units	101.73
			1000 units	388.61



code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------

BioLit® High Specificity PCR

Can amplify DNA target up to 5 kb. The elongation velocity is 0.9~1.2kb/min. It has 5' to 3' polymerase activity but lacks 3' to 5' exonuclease activity that results in a 3'-dA overhang PCR product.

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

46033	HSP TAQ DNA	Includes HSP Taq DNA Polymerase (5U/μl)	500 units	62.90
	Polymerase (5U/μl)	10X HSP PCR Buffer (with Mg ²⁺) 6×Loading Buffer	1000 units	116.60

BioLit® High Fidelity PCR

Pfu DNA polymerase, derived from the hyperthermophilic archae *Pyrococcus furiosus*, has superior thermostability and proofreading properties. It can amplify DNA target up to 2 kb (simple template), possesses 3' to 5' exonuclease proofreading activity, generates PCR fragments will have fewer errors, results in blunt-ended PCR products, which are ideal for cloning into blunt-ended vectors

Applications - High-fidelity PCR and primer-extension reactions, High fidelity PCR for cloning into blunt-ended vectors, Site-directed mutagenesis.

22774	Pfu DNA	Includes Pfu DNA Polymerase (5U/μl)	250 units	85.28
	Polymerase (5U/μl)	10X Pfu Buffer (Mg ²⁺) 6X Loading Buffer	1000 units	299.00

49069	Pfu DNA	Includes Pfu DNA Polymerase (5U/μl)	250 units	88.30
	Polymerase (5U/μl) (w/dNTP)	10X Pfu Buffer (Mg ²⁺) 6X Loading Buffer dNTP mix (each 2.5mM)	1000 units	313.87

Taq Plus DNA Polymerase is a mixture of Taq and Pfu DNA polymerase that allows amplification of higher fidelity and longer templates Ideal for amplifying complex template, such as GC-rich template.

Applications - Amplification of long template up to 20kb, Amplification of complex template, High fidelity PCR

85737	TAQ Plus DNA	Includes Taq plus DNA Polymerase (2.5U/μl)	250 units	53.82
	Polymerase (2.5U/μl)	10X PCR Buffer (Mg ²⁺ Plus) 6X Loading Buffer	1000 units	194.37

93561	TAQ Plus DNA	Includes Taq plus DNA Polymerase (2.5U/μl)	250 units	56.85
	Polymerase (2.5U/μl) (w/dNTP)	10X PCR Buffer (Mg ²⁺) 6X Loading Buffer dNTP mix (each 2.5mM)	1000 units	200.30

BioLit® Long PCR

Long Taq DNA Polymerase, a combination of two thermostable DNA polymerases, Taq and Pfu, is a special formulation designed for amplifying large fragments. This specially formulated Long Taq was shown to amplify long templates from λ phage genome of up to 40 kb. It is also a better choice for amplifying complex template, such as GC-rich template. Long Taq is suitable as a direct replacement for ordinary Taq Polymerase in most applications. Using Long Taq in your PCR results in PCR products with 3'-dA overhangs which can be used in TA clone.

15367	Long TAQ DNA	Includes Long Taq DNA Polymerase (5U/μl)	250 units	43.43
	Polymerase (5U/μl)	10X Long Taq Buffers I & II (Mg ²⁺) 6X Loading Buffer PCR Enhancer	1000 units	157.92

94126	Long TAQ DNA	Includes Long Taq DNA Polymerase (5U/μl)	250 units	65.80
	Polymerase (5U/μl) (w/dNTP)	10X Long Taq Buffers I & II (Mg ²⁺) 6X Loading Buffer PCR Enhancer dNTP mix (each 2.5mM)	1000 units	197.40



code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------

BioLit® Fast PCR

FSP Taq DNA polymerase is the latest generation Taq-based DNA polymerase. It possesses high amplification efficiency as Taq polymerase and with fast elongation ability, it can be used in a variety of PCR. The FSP PCR Buffer, designed for FSP Taq DNA polymerase, can be used in fast amplification reactions.

The elongation rate of FSP Taq DNA polymerase is 2-fold higher than the one of regular Taq DNA polymerase, which shortens the amplification time by half.

58235	FSP TAQ DNA Polymerase (5U/μl)	Includes FSP Taq DNA Polymerase (5U/μl)	250 units	47.90
		10X FSP Taq Buffer (with Mg ²⁺) 6X Loading Buffer	1000 units	149.50
70073	FSP TAQ DNA Polymerase (5U/μl) (w/dNTP)	Includes FSP Taq DNA Polymerase (5U/μl)	250 units	50.93
		10X FSP Taq Buffer (with Mg ²⁺) 6X Loading Buffer dNTP mix (each 2.5 mM)	1000 units	155.55

BioLit® PCR Mixes

Routine PCR Master Mixes

Ready-to-use solutions containing the specific DNA Polymerase, dNTP, Mg²⁺ and Reaction Buffer at optimal concentrations for efficient amplification of DNA templates by PCR. This pre-mixed formulation saves time and reduces contamination due to the fewer pipetting steps. Includes Specific DNA Polymerase Mix, Water Nuclease Free.

50900	Taq Mix (2X) (PCR Master Mix (2X))	1ml (40 rxns)	32.90
		5×1ml (200 rxns)	98.70
		5×2.5ml (500 rxns)	197.40
46503	Roseate PCR Master Mix (2X) (Taq Mix (2X))	1ml (40 rxns)	35.53
		5×1ml (200 rxns)	107.91
		5×2.5ml (500 rxns)	223.72
94531	Pfu Mix (2X)	1ml (40 rxns)	96.46
		5×1ml (200 rxns)	380.32
23782	Plus Mix (2X)	1ml (40 rxns)	98.17
		5×1ml (200 rxns)	380.32
66677	HSP Mix (2X)	1ml (40 rxns)	48.30
		5×1ml (200 rxns)	199.51
36250	Long Taq Mix (2X)	1ml (40 rxns)	96.46
		5×1ml (200 rxns)	238.46
11307	FSP Taq Mix (2X)	1ml (40 rxns)	64.35
		5×1ml (200 rxns)	288.07
84729	FSP Taq Mix Direct for blood (2X)	1ml (40 rxns)	97.25
		5×1ml (200 rxns)	403.49
20220	FSP Taq Mix Direct for tissue (2X)	1ml (40 rxns)	97.25
		5×1ml (200 rxns)	403.49

Realtime PCR Master Mix (qPCR)

2X Master Mix for Real-Time PCR, contains all components, except the primer & template. This reagent is applicable for intercalation assay with FluroGreen dye which is similar to SYBR Green I. Reagent can be used in various detection devices. Also available with passive reference dye of low or high concentrations.

Includes FluroGreen qPCR Mix(2X)w/wt passive reference dye, Nuclease Free Water .

60159	BioLit FluroGreen qPCR Master Mix (2X)	0.5ml (20 amps)	32.90
		1ml (40 amps)	59.22
		5×1ml (200 amps)	236.88



code	product name	application/description	unit	\$ price
78797	BioLit FluroGreen qPCR Master Mix (Low CAR) (2X)		0.5ml (20 amps)	39.48
			1ml (40 amps)	65.80
			5 × 1ml (200 amps)	250.04
38151	BioLit FluroGreen qPCR Master Mix (High CAR) (2X)		0.5ml (20 amps)	39.48
			1ml (40 amps)	65.80
			5 × 1ml (200 amps)	250.04

BioLit® PCR Accessory Reagents

Ready-to-use reagents for PCR for the user's convenience.

61318	10X PCR Buffer with KCl (Mg ²⁺ free)		4 × 1.25ml	19.21
41212	10X PCR Buffer with 15mM Mg ²⁺		4 × 1.25ml	19.21
43386	10X PCR Buffer with Mg ²⁺ set		6 × 1.25ml	23.69
90508	10X Roseate PCR Buffer with Mg ²⁺	Ready-to-use reagent having two tracking dyes along with the buffer & MgCl ₂ . After PCR, samples can be loaded directly onto the agarose gel for electrophoresis.	4 × 1.25ml	18.56
86687	25mM MgCl ₂		4 × 1.25ml	21.71
66886	DEPC-Treated Water	Suitable in any application where RNA is involved and all molecular biology applications.	100 ml	7.24
			500 ml	22.50
96370	Water, nuclease-free	Suitable for use in all molecular biology applications.	5 × 1ml	3.82
			100ml	7.24
			500 ml	22.50
20870	PCR Enhancer	Useful to optimize PCR of problematic and/or GC-rich templates. Offers higher primer specificity, and improved the stability of DNA polymerases.	0.5ml	10.53
			4 × 1ml	36.85
52531	PCR Sample Preparation Solution	Simple, all-inclusive sample preparation solutions for varied samples suitable for direct PCR techniques.	50 preps	22.50
			200 preps	86.72
48044	Glycogen (20mg/ml) Aq. Solution Ultrapure		2 × 0.25 ml	59.22
			1 ml	111.86
79326	Shrimp Alkaline Phosphatase (rSAP) (1U/ul)		500 units	113.97
			1000 units	213.59

Shrimp Alkaline Phosphatase (r-SAP) is a heat labile alkaline phosphatase purified from a recombinant source. rSAP is identical to the native enzyme and contains no affinity tags or other modifications. rSAP nonspecifically catalyzes the dephosphorylation of 5' and 3' ends of DNA and RNA phosphomonoesters.

BioLit® NTP and dNTP Sets, Mixes & Solutions

NTP Set & Solutions (100mM each)

The set and individual solutions consist of 100mM aqueous solutions of ATP, TTP, CTP and GTP each supplied in separate vials. These ready-to-use solutions offer maximum flexibility for various molecular biology applications *viz.* *in vitro* transcription, RNA amplification. Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

65240	NTP Set Ultrapure (1040mM each)		4x0.25ml	72.38
89889	ATP Solution Ultrapure (100mM)		0.25ml	23.95
71636	CTP Solution Ultrapure (100mM)		0.25ml	23.95
88705	GTP Solution Ultrapure (100mM)		0.25ml	23.95
93633	UTP Solution Ultrapure (100mM)		0.25ml	23.95



code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------

dNTP Sets (100mM, 10mM)

The sets consists of 10mM/100mM aqueous solutions of dATP, dTTP, dCTP and dGTP, pH 7.0, each supplied in a separate vial. The dNTP Set offers maximum flexibility in preparation of reaction mixes for different molecular biology applications.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

94903	dNTP Set Ultrapure (100mM each)		4×0.25ml	103.17
			4×1ml	358.74
69478	dNTP Set Ultrapure(10mM each)		4×0.1ml	22.50
			4×0.5ml	59.88
			5x(4x0.2ml)	119.62

dNTP Mixes

dNTP Mix is an aqueous solution at pH 7.0 containing dATP, dCTP, dGTP and dTTP, each at a final concentration of 2.5 mM/10mM/25mM. They are ready-to-use solutions designed to save time, provide higher reproducibility in PCR and other applications, reduce the number of pipetting steps and the risk of reaction set-up errors.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

70596	dNTP Mix Ultrapure (2.5mM each)		1ml	31.45
			5×1ml	112.12
18821	dNTP Mix Ultrapure (10mM each)		1ml	41.98
			5×1ml	127.13
14464	dNTP Mix Ultrapure (25mM each)		1ml	49.35
			5×1ml	194.37

dNTP Solutions

Each individual dNTP is supplied as a 100mM solution in sterile, deionized water at pH 7.0 and is prepared from monosodium salts of the free nucleotides.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

72009	dATP (100mM Solution)		0.2 ml	32.90
			0.5 ml	59.88
19809	dCTP (100mM Solution)		0.2 ml	32.90
			0.5 ml	59.88
47435	dGTP (100mM Solution)		0.2 ml	32.90
			0.5 ml	59.88
91474	dTTP (100mM Solution)		0.2 ml	32.90
			0.5 ml	59.88
71411	dUTP (100mM Solution)		0.25ml	148.05

BioLit® RNA Accessory Reagents

75044	Oligo (dT) 15 primer (50µM)	A synthetic single-stranded 15-mer oligonucleotide with 5'- and 3'-hydroxyl ends. Supplied as an aqueous solution. Used for first strand cDNA synthesis synthesis in presence of reverse transcriptase	50 mcl	26.98
53704	Random Hexamer Primer 6-mer (50µM)	A mixture of single-stranded random hexanucleotides with 5'- and 3'-hydroxyl ends. Used during cDNA synthesis to produce cDNAs randomly scattered through mRNA resulting in short strands of cDNA.	50 mcl	26.98
96710	Ribonuclease A Solution ex. Bovine Pancreas (RNase A Soln) (10mg/ml) (DNase, Protease Free)	RNase A is an endoribonuclease extracted from bovine pancreas that specifically degrades single-stranded RNA.	3 x1 ml	47.90
			10 ml	149.50
38080	Ribonuclease H (RNase H) (5U/ul)	RNase H is a recombinant endoribonuclease that hydrolyses specifically the phosphodiester bonds of RNA hybridized to DNA and produces 5' phosphate-terminated oligoribonucleotides and single-stranded DNA.	50 units	99.75
			250 units	299.00
92030	RNasin (RNase inhibitor) (40U/µl)	Ribonuclease inhibitor purified from human placenta. It inhibits ribonuclease (RNase) activity of common eukaryotic enzymes such as RNaseA, RNase B, RNase C. Inhibits RNA degradation in the following procedures: in vitro transcription, cDNA synthesis, in vitro translation, isolation of mammalian cell fractions that contain mRNA-protein complex etc.	1000 units	53.82



code	product name	application/description	unit	\$ price
71969	RNA Stabilizing Solution	An aqueous tissue storage reagent that stabilizes and protects cellular RNA in intact, unfrozen tissue samples. It eliminates the need to immediately process tissue samples or to freeze samples in liquid nitrogen. It does not jeopardize the quality or quantity of RNA in the sample.	5 x1 ml	33.16
			100 ml	44.22
			500 ml	103.70
20310	RNA Loading Buffer (5X)	It is used to load RNA sample on a formaldehyde agarose gel. It consists of two tracking dyes, Bromophenol blue and Xylene cyanol.	1 ml	15.79
			5x1ml	72.38
98343	T7 RNA Polymerase (50U/ul) (w/10X IVT Buffer)	T7 RNA polymerase is a monomeric bacteriophage encoded DNA directed RNA polymerase which catalyzes the formation of RNA in the 5'-3' direction.	1000 units	105.28
			5000 units	513.24
76516	M-MLV (Recombinant) (200U/μl)	A Reverse Transcriptase enzyme that generates first strand cDNA for use in PCR, real-time. Includes 10X Reaction Buffer	5000 units	118.44
			10000 units	210.56
94837	RT-PCR Kit (First Strand cDNA Synthesis Kit)	Reverse Transcriptase -PCR Kit is optimized to synthesize first-strand cDNA from purified poly (A)+ or total RNA. Includes - M-MLV (200U/μl), RNasin (40U/μl), Oligo(dT)15 (50μM), 100 preps Random hexamer primer (50μM), 5X First-strand Buffer, RNase-free Water, dNTP mix (10mM each)	20 preps	93.44
			40 preps	157.00
			100 preps	373.61
41066	TRizol-C Reagent	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. As it is differently buffered from TRizol-T reagent, the isolated RNA may interact with these metal ions if involved in downstream processes.	20 ml	23.95
			100 ml	83.70
99359	TRizol-T Reagent	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. Differs in the buffer of TRizol-T reagent, and is innocuous to all downstream processes.	20 ml	21.06
			100 ml	80.80

BioLit® Tracking dyes & Buffers

6x Gel Loading Dyes are pre-mixed loading buffers with tracking dye/s to be added to the nucleic acid samples for agarose and non-denaturing polyacrylamide gel electrophoresis.

78591	6X Blue Loading Dye	Contains Bromophenol blue as tracking dye.	5 × 1 ml	36.45
83184	6X DNA Loading Dye	Contains Bromophenol blue and Xylene Cyanol FF as tracking dyes.	5 × 1 ml	36.45
56885	6X DNA Loading Dye & SDS solution	Contains Bromophenol blue and Xylene Cyanol FF as tracking dyes. The buffer also contains SDS which results in sharper bands as some restriction enzymes remain bound to DNA following cleavage	5 × 1 ml	41.06
46200	6X Orange Loading Dye	Contains Orange G and Xylene Cyanol FF as tracking dyes	5 × 1 ml	36.45
55895	6X TriColor Loading Dye	Contains Orange G, Bromophenol Blue and Xylene Cyanol FF as tracking dyes	5 × 1 ml	36.45
73530	20X DoubleQuick DNA Electrophoresis Buffer	An exceptionally 'swift' agarose gel tank buffer that electrophoreses the DNA samples in less than 10 minutes. Three times more effective as compared to TAE or TBE buffer.	250 ml	54.75
			500 ml	99.09

BioLit® Staining Dyes for Nucleic Acids

Nucleic acid & protein staining dyes.

50358	BioLit FluroBronze Stain	A non-carcinogenic nucleic acid stain that is eco-friendly and replaces the use of ethidium bromide. Used for viewing nucleic acids on agarose gel.	50 mcl	15.00
			250 mcl	47.90
			1 ml	149.50
Advantage: The stain is not added to the gel matrix or the running buffers, but is mixed as a 6X loading buffer with the nucleic acid samples prior to loading onto the gel.				
21156	SafeDye Green Stain (20000X in Water)		100 mcl	91.20
			500 mcl	373.09
			1 ml	663.26



code	product name	application/description	unit	\$ price
25834	BioLit SafeDye Stain	SafeDye is a new, safe nucleic acid stain for the detection of double-stranded DNA, single-stranded DNA and RNA in Agarose gels. This dye replaces Ethidium Bromide (toxic, potential mutagen) commonly used in Agarose gel electrophoresis and assists in determining the size of PCR product, insert and restriction analysis. SafeDye emits green fluorescence when bound to dsDNA, ssDNA and RNA. This stain has a fluorescence excitation maxima when bound to nucleic acid at approx. 290-320nm and emits at 490nm.	50 mcl	15.79
			250 mcl	65.80
			1 ml	210.56

BioLit® Reference Digests/Markers

87978	ProxiB Lambda HindIII Digest Marker Size range: 2.0 to 23kb	Lambda DNA is used routinely for measurement of restriction enzyme activities. Lambda-Hind III digestion is a useful demonstration experiment for restriction analysis and it is a substrate for checking DNA ligase. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye. (bands at 0.1 & 0.5kb although present, are very faint.)	50 mcg	23.69
			100 mcg	44.74
90023	ProxiB Lambda-EcoRI Digest Marker Size range: 3.5 to 21kb	Lambda-EcoRI digest is a popular teaching tool to demonstrate the activity of restriction enzymes. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 mcg 100 mcg	23.69 44.74
53625	ProxiB Lambda Double Digest Marker Size range: 0.5 to 23kb	Lambda DNA double digest of Hind III/EcoRI is a popular teaching tool to demonstrate double-digests (i.e., the simultaneous use of two restriction enzymes). This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 mcg 100 mcg	27.64 47.38
46658	ProxiB Lambda BstEII Digest Marker Size range: 0.1-8.4 kb		50 mcg	31.58
93663	Lambda PstI Digest Marker Size range: 0.25-11.5 kb		50 mcg	31.58

BioLit® Nucleic Acid

64438	DH5α Competent Cells for Subcloning		2x0.1 ml 4x0.5 ml	34.61 248.72
67291	Lambda DNA	Lambda DNA is a double stranded linear DNA of 48,502 base pairs in length. It is isolated from bacteriophage Lambda. The Lambda Phage is a bacterial virus (bacteriophage), that infects the bacterial species <i>E. coli</i> . The phage is isolated from the heat inducible lysogen <i>E. coli</i> strain. This NA is useful as size markers, in restriction enzyme assays and cloning. Concentration — 250ng/μl	100 mcg 250 mcg	55.27 131.60
12658 new	Autoinduction Medium (AIM) Solution	AIM-LB medium w/o Trace elements is used to grow IPTG-inducible expression in bacterial strains	500 ml	21.06



code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------

BioLit® Cloning Vectors

A cloning vector is a small piece of DNA into which a foreign DNA fragment can be inserted. The insertion of the fragment into the cloning vector is carried out by treating the vehicle and the foreign DNA with the same restriction vector, then ligating the fragments together. There are many types of cloning vectors. Genetically engineered plasmids are most commonly used for this purpose.

55912	pBR322 pBR322 was the first artificial plasmid. It is a 4361 bp long plasmid and was originally developed for cloning. This low copy number plasmid contains tetracycline and ampicillin resistance-conferring genes. pBR322 remains a popular teaching aid for demonstration of plasmid isolation, restriction digestion and cloning.	50 mcg	63.17
		100 mcg	119.49
93116	pUC18 pUC18 vector is a circular double stranded DNA and is 2686 base pairs long. This plasmid possesses – i) ampicillin resistance gene ii) the origin of replication derived from pBR322 and iii) the lac Z gene derived from <i>E. coli</i> . Within the lac region is also found a polylinker sequence having unique restriction sites. It is a popular teaching aid for demonstrating plasmid DNA isolation, restriction digestion and cloning.	50 mcg	63.17
		100 mcg	119.49
48402	pUC19 pUC19 vector is also a circular double stranded DNA and is 2686 base pairs long. It is similar to pUC18, but possesses different restriction sites. This plasmid possesses – i) ampicillin resistance gene ii) the origin of replication derived from pBR322 and iii) the lac Z gene derived from <i>E. coli</i> . Within the lac region is also found a polylinker sequence having unique restriction sites. It is a popular teaching aid for demonstrating plasmid DNA isolation, restriction digestion and cloning.	50 µg	63.17
		100 µg	119.49




code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------

BioLit® Ready-to-use DNA Molecular Weight Standards

BioLit DNA markers come in many useful ranges to cover most of the requirements of researchers and students. The markers are provided in a ready-to-use format for convenience and high reproducibility. We recommend a volume of 10 µL (~1 µg total DNA) per load to ensure that distinct, prominent DNA bands are observed even with a less sensitive UV transilluminator or in a less than optimal dark chamber. Users might be able to load a volume less than that recommended (without compromising results) if a high-sensitivity gel documentation system is available.

The markers have been carefully prepared under sterile conditions and stored in 10 mM Tris-HCl, pH 7.5, 1 mM EDTA and 1 mg/ml sodium azide and are unstained markers. Stocks will be stable for several months if properly stored frozen or even refrigerated.

10344	Low-Range DNA Marker: 0.1 – 1kb	This marker range has been designed to assist in determining the size of PCR product, insert and restriction analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 103 to 1074bp	15 mcg	26.98
			50 mcg	76.33
			100 mcg	143.58
12447	Mid-Range DNA Marker: 0.5 – 5kb	This marker range should facilitate the analysis of inserts cloned into commonly used plasmids and restriction digests. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 448 to 5024bp	15 mcg	26.98
			50 mcg	76.33
			100 mcg	143.58
45587	Hi-Range DNA Marker: 2.0 – 25kb	This marker range is useful for experiments involving mega plasmids or genomic analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 2.0 to 25kb	15 mcg	26.98
			50 mcg	41.98
			100 mcg	76.33




These DNA markers are packaged in ready-to-use convenient quantities, 150, 500 & 1000µL, containing 15, 50 & 100 µg respectively, recommended for 15, 50 & 100 loadings respectively.




code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------


BLM013




BLM014



BLM015



BLM016



54882	ProxiO DNA Marker 1 : 0.1-0.6kb	Size range: 100 to 600bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	96.33
48234	ProxiO DNA Marker 2 : 0.1-1.2kb	Size range: 100 to 1200bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 3x50 mcg	119.23 312.55
30219	ProxiO DNA Marker 3 : 0.2-4.5kb	Size range: 200 to 4500bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	96.33
20082	ProxiO DNA Marker 4 : 0.5-10kb	Size range: 500 to 15000bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 3x50 mcg	75.14 201.87

BioLit® FluroBronze™ DNA Marker Packs

The varying range of specially prepared DNA marker packs (ready-to-load) contain in addition to the tracking dyes, a non-carcinogenic nucleic acid stain (BioLit® FluroBronze™ Stain) for detection of the marker bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus simplifying the preparation of agarose gel sans a potentially mutagenic dye.

57939	FluroBronze™ DNA Marker 1	Size range: 100 to 600bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain.	50 mcg	166.21
35412	FluroBronze™ DNA Marker 4	Size range: 500 to 15000bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain.	50 mcg	166.21



code	product name	application/description	unit	\$ price
32462	FluroBronze™ Mid Range DNA Marker	Size range: 448 to 5,024bp These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain	50 mcg	141.47
99331	FluroBronze™ Hi-Range DNA Marker	Size range: 2.0 to 25kb These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain	50 mcg	189.11

BioLit® SafeDye DNA Marker Packs

The varying range of DNA marker packs (ready-to-load) are accompanied by a vial of SafeDye Stain, a non-carcinogenic nucleic acid stain mixed in a 6X loading buffer, for detection of the marker bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus eliminating a potentially mutagenic dye.


57493	SafeDye™ DNA Marker 1	Size range: 100 to 600bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 mcg	147.52
21054	SafeDye™ DNA Marker 4	Size range: 500 to 15000bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 mcg	147.52
81685	SafeDye™ Mid range DNA Marker	Size range: 448 to 5,024 bp These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 mcg	170.55
56678	SafeDye™ Hi-range DNA Marker	Size range: 2.0 to 25kb These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 mcg	170.55




code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------

BioLit® DNA Ladders


These ready-to-load ladders are designed with precise DNA fragments for accurate quantification by agarose gel electrophoresis. The concentration of each band is kept uniform to give sharp bands. A single or multiple bands in the ladders are made intense to orient the user to the other bands in the ladder. Recommended Loading volume 3-5µl. The products are unstained DNA Ladders.




ProxiO 10bp DNA Ladder




ProxiO 20bp DNA Ladder




ProxiO Low DNA Ladder



ProxiO 50bp DNA Ladder




ProxiO 50bp DNA Ladder Plus






code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------


ProxiO 100bp DNA Ladder




ProxiO 100bp DNA Ladder Plus




ProxiO 200bp DNA Ladder




ProxiO 500bp DNA Ladder




ProxiO 1kb DNA Ladder




ProxiO 1kb DNA Ladder Plus




D2000 Ladder




D5000 Ladder



D10000 Ladder



D15000 Ladder



code old/new	product name	application/description	unit	
--------------	--------------	-------------------------	------	--

44897	ProxiO 10bp DNA Ladder	Size range: 80 to 300 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	130.68
98628	ProxiO 20bp DNA Ladder	Size range: 60 to 300 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	117.26
68905	ProxiO Low DNA Ladder	Size range: 25 to 700 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	98.70 483.89
82208	ProxiO 50bp DNA Ladder	Size range: 50 to 500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	93.04 305.84
88417	ProxiO 50bp DNA Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	89.09 311.76
92972	ProxiO 100bp DNA Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	74.75 289.39



code	product name	application/description	unit	\$ price
84628	ProxiB 100bp DNA Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes.	50 mcg 5X 50 mcg	74.75 289.39
52075	ProxiO 100bp DNA Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	74.75 289.39
50255	ProxiB 100bp DNA Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes.	50 mcg 5X 50 mcg	74.75 289.39
37217	ProxiO 200bp DNA Ladder	Size range: 200 to 4,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	114.23
93121	ProxiO 500bp DNA Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	120.15
48290	ProxiO 1kb DNA Ladder	Size range: 500 to 10,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	73.17 313.08
93406	ProxiO 1kb DNA Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	73.17 313.08
77305	PCR Ladder	This size marker covers the most common range encountered in PCR and shows an aesthetically pleasing ladder of five bands (50, 150, 300, 500, and 800 bp) that separate uniformly as shown. Contains Bromophenol Blue as the tracking dye.	10 mcg 50 mcg	24.48 77.78

BioLit® FluroBronze™ DNA Ladder Packs

The varying range of specially prepared DNA ladder packs (ready-to-load) contain in addition to the tracking dyes, a non-carcinogenic nucleic acid stain (BioLit FluroBronze Stain) for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus simplifying the preparation of agarose gel sans a potentially mutagenic dye.

76195	FluroBronze™ PCR Ladder	Size range: 50 to 800 bp Contains Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	145.68
39563	FluroBronze™ 50bp Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	158.58
97958	FluroBronze™ 100bp Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	142.00



code	product name	application/description	unit	\$ price
72601	FluroBronze™ 100bp Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	141.08
54896	FluroBronze™ 500bp Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	188.06
23416	FluroBronze™ 1kb Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	134.63

BioLit® SafeDye™ DNA Ladder Packs

The varying range of DNA ladder packs (ready-to-load) contain DNA ladders accompanied by the BioLit SafeDye Stain, a non-carcinogenic nucleic acid stain mixed in a 6X loading buffer, for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus eliminating a potentially mutagenic dye.

64935	SafeDye™ PCR Ladder	Size range: 50 to 800 bp Contains Bromophenol Blue as the tracking dye. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	136.47
19262	SafeDye™ 50bp Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	140.15
33902	SafeDye™ 100bp Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	142.00
53261	SafeDye™ 100bp Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	119.89
27107	SafeDye™ 500bp Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	169.63
29877	SafeDye™ 1kb Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	134.63



code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------

Surface Decontamination Spray

69341	DNA Decontam Surface Decontamination Spray	Eliminate unwanted DNA and DNase from glassware and plastic ware without affecting subsequent DNA samples and plastic ware without affecting subsequent DNA samples. Supplied in a spray bottle	250ml	46.06
27248	RNase Decontam Surface Decontamination Spray	A surface decontamination solution that destroys RNases on contact. Spray the Solution onto surfaces to be decontaminated and rinse off with RNase-free-water. Supplied in a spray bottle format.	250ml	52.64

BioLit® Restriction Enzymes

BioLit® Restriction Enzymes are highly purified and ensure that the integrity of your DNA is not compromised, making them the enzymes of choice for even the most demanding applications. All the Restriction Enzymes are accompanied with their specific reaction buffer to enable 100% enzyme activity.

85844	AluI (10U/μl)		100 unit	72.38
51914	BamHI (10U/μl)		2500 unit 10000 unit	43.43 144.76
32338	BglII (10U/μl)		1500 unit	84.49
24848	BglIII (10U/μl)		250 unit 500 unit	28.95 52.64
78895	BspTI (MspCI,AfIII) (10U/μl)		250 unit	36.85
23203	Eco91I (BstEII) (10U/μl)		500 unit	43.43
99402	DraI (10U/μl)		1000 unit	111.86
91290	EcoRI (10U/μl)		4000 unit 10000 unit	46.06 110.54
90279	EcoRV (Eco321) (10U/μl)		1500 unit	56.32
61338	HaeIII (BsuRI, BshFI) (10U/μl)		3000 unit 10000 units	82.91 263.20
44261	HincII (HindII) (10U/μl)		250 units 1000 units	46.06 164.50
77976	HindIII (10U/μl)		2500 units 5000 units	50.01 98.70
36322	Hinfl (10U/μl)		750 unit	47.38
15100	KspAI (HpaI) (10U/μl)		200 unit 500 unit	64.48 151.34
47167	KpnI (10U/μl)		1000 unit 2000 unit	28.95 131.60
65301	MboI (10U/μl)		300 unit 1100 unit	157.92 526.40
79971	NcoI (10U/μl)		125 unit 300 unit	38.16 82.25
75760	NdeI (10U/μl)		500 unit 2500 unit	28.95 118.44
97361	NotI (10U/μl)		100 unit 250 unit	63.17 144.76



code	product name	application/description	unit	\$ price
94651	PstI (10U/μl)		1500 unit	39.48
72649	PvuII (10U/μl)		4500 unit	105.28
			500 unit	24.35
			2000 unit	76.33
97505	RsaI (10U/μl)		250 unit	43.43
			1000 unit	157.92
27301	SacI (10U/μl)		750 unit	78.96
			1250 unit	118.44
10190	SalI (10U/μl)		500 unit	47.38
			750 unit	68.43
74952	Sau3AI (Bsp143I) (10U/μl)		300 unit	47.38
			1500 unit	223.72
15231	SmaI (10U/μl)		500 unit	78.96
49365	SpeI (BcuI) (10U/μl)		200 unit	48.69
			400 unit	89.49
40653	SspI (10U/μl)		250 unit	48.69
			500 unit	92.12
96600	XbaI (10U/μl)		750 unit	40.80
			1250 unit	60.54
			4000 unit	177.66
71245	XhoI (SlaI) (10U/μl)		1000 unit	39.48
			5000 unit	157.92
46448	Universal Restriction Enzyme Buffer (10X)		5 x1 ml	15.79

BioLit® QuickRxn Restriction Enzymes

These restriction enzymes reduce digestion time and speed up the downstream processes.

81536	QuickRxn BamHI (20U/mcl)		250 units	7.90
			1000 units	22.37
15918	QuickRxn EcoRI (20U/mcl)		250 units	6.58
			1000 units	15.79
15723	QuickRxn HindIII (20U/mcl)		250 units	6.58
			1000 units	23.69
38616	QuickRxn KpnI (20U/mcl)		250 units	12.50
			1000 units	31.58
54781	QuickRxn NcoI (20U/mcl)		100 units	39.48
			250 units	44.74
57426	QuickRxn NdeI (20U/mcl)		250 units	19.74
			1000 units	55.27
60399	QuickRxn NotI (20U/mcl)		100 units	67.12
			250 units	155.29
64479	QuickRxn PstI (20U/mcl)		250 units	9.21
			1000 units	28.95
37862	QuickRxn SalI		250 units	28.95
49604	QuickRxn SmaI (20U/mcl)		250 units	42.11
25887	QuickRxn XhoI (20u/mcl)		250 units	18.42
			1000 units	47.38



code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------

BioLit® Ligases


This DNA ligase, an ATP-dependent recombinant enzyme, isolated from Escherichia coli, is used for DNA cloning

85315	T4 DNA Ligase VLC (20CEU/μl or 0.1 Weiss Unit/μl)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiester bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	10000 Units (CEU)	32.90
			40000 Units (CEU)	74.75
41686	T4 DNA Ligase LC (200CEU/μl or 1 Weiss Unit/μl)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiester bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	200 Units (Weiss)	37.37
			1000 Units (Weiss)	67.38
			5000 Units (Weiss)	112.12
67428	T4 DNA Ligase RC (1000CEU/μl or 5 Weiss Unit/μl)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiester bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	250 Units (Weiss)	74.75
			1000 Units (Weiss)	127.13
32581	Tth DNA Ligase Swift (5U/μl) Thermostable	An enzyme isolated from Escherichia Coli strain containing plasmid carrying the Thermus thermophilus DNA ligase, ligates DNA fragments within 15 minutes. Works on sticky ends only.	100 Units (Weiss)	144.76
			200 Units (Weiss)	289.52



code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------

BioLit® Ready-to-use Unstained Protein Molecular Weight Standards




BioLit protein molecular weight standards cover the useful range of protein sizes that a researcher or student requires for routine experiments. The recommended loading volume is 20 µl, giving approximately 5 µg of each protein sufficient for detection by Coomassie blue staining. The products are unstained markers. The proteins have been dissolved and denatured in the standard SDS-PAGE sample-loading buffer. Prepared under sterile conditions, these markers have appropriate additives to ensure long-term stability when they are stored in a refrigerator or freezer and even with brief exposure to room temperature. Although boiling is not required prior to loading, doing so will not affect results.

33203

Mid-Range 1 Protein Marker: 14-80kDa

This ready-to-use marker covers the useful range of protein sizes of 14 - 80 kDa and contains Bromophenol Blue as the tracking dye. It has nine bands of varying molecular sizes that a researcher or student requires for routine experiments.

0.5 ml	32.11
1 ml	57.90
2.5 ml	121.86




Profile in SDS-12% PAGE (20 µl in a mini gel)

58511

Mid-Range 3 Protein Marker: 14-95kDa

This ready-to-use marker covers a slightly higher range of protein sizes of 14 - 95 kDa and contains Bromophenol Blue as the tracking dye. It has eight bands of varying molecular sizes that a researcher or student requires for routine experiments.

0.5 ml	32.11
1 ml	57.90
2.5 ml	121.86



Profile in SDS-12% PAGE (20 µl in a mini gel)

78084

Popular-Range Protein Marker: 14-66kDa

This molecular weight marker covers a general range of protein sizes 14-66 kDa that is typically used by a researcher. It contains Bromophenol Blue as the tracking dye.

0.5 ml	32.11
1 ml	57.90




Profile in SDS-12% PAGE (20 µl in a mini gel)



code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------

59893

Low-Range Protein Marker: 3-40kDa




Profile in Tricine SDS-18% PAGE (20 µl in a mini gel)

This protein molecular weight standard includes proteins in the range of 2.5 - 40 kDa and contains Bromophenol Blue as the tracking dye. With the advent of proteomics and identification of many low molecular weight proteins and domains being involved in important functions, there is an emerging interest in polypeptides in this range. This is also a useful range for electrophoresis based peptide mapping, especially using Tricine SDS - PAGE.

0.5 ml 32.11
1 ml 57.90
2.5 ml 121.86

12986

High-Range 1 Protein Marker: 20-220kDa




Profile in SDS-10% PAGE (20 µl in a mini gel)

This molecular range marker covers a larger range of molecular sizes - 20 to 220kDa and is helpful to researchers working on higher molecular weight proteins. It contains Bromophenol Blue as the tracking dye.

0.5 ml 36.58
1 ml 68.56

99625

High-Range 2 Protein Marker: 14-220kDa



Profile in SDS-10% PAGE (20 µl in a mini gel)

This molecular range marker covers a larger range of molecular sizes - 14 to 220kDa and is helpful to researchers working on higher molecular weight proteins. It contains Bromophenol Blue as the tracking dye.

0.5 ml 36.58
1 ml 68.56

Ready-to-use Prestained Protein Molecular Weight Standards

68894

PreStained Blue Protein Marker: 14 - 66kDa

Blue Prestained Protein Molecular Weight Standard, contains a mix of proteins, coupled with a blue chromophore. This marker has 6 bands in range of 14 to 66kDa.

0.5 ml 33.56

93675

PreStained Dual Coloured Protein Marker: 14 - 66kDa

This Protein Molecular Weight Standard, contains a mix of proteins, coupled with blue and red chromophore. This marker has 6 bands in range of 14 to 66kDa.

0.25 ml 33.16
0.5 ml 55.27

27839

PreStained High Range 1 Tri-Coloured Protein Ladder: 10-180kDa

This Protein Ladder is a three-color protein standard with 10 bands in the range of 10 to 180 kDa. Proteins are covalently coupled with a blue chromophore except for two reference bands (one green and one red band at 25 kDa and 75 kDa respectively) when separated on SDS-PAGE (Tris-glycine buffer).

0.25 ml 159.89
1 ml 461.26



code	product name	application/description	unit	\$ price
67792	PreStained High Range 2 Tri-Coloured Protein Ladder: 10-245kDa	This Protein Ladder is a three-color protein standard with 12 bands in the range of 10 to 245 kDa. Proteins are covalently coupled with a blue chromophore except for two reference bands (one green and one red band at 25 kDa and 75 kDa respectively) when separated on SDS-PAGE (Tris-glycine buffer).	0.25 ml	131.60
			1 ml	500.08
49772	PreStained High Range 3 Tri-Coloured Protein Marker: 10-315kDa	A ready-to-use Prestained protein marker giving 12 discrete fragments (in kDa): 315 (orange), 250, 180, 130, 95 (Blue) , 72 (orange), 52 (green), 43, 34, 26, 17 (blue), and 10 (green).	0.25 ml	552.72

BioLit® Staining Dyes for Proteins

25437	BioLit SpryBlue Stain for SDS PAGE	A snappy stain for Polyacrylamide gels that accelerates the staining of proteins and eliminates the need for destains.	250 ml	9.21
			500 ml	15.79

Buffers

85074	Borate Buffer (20X) (Amine-free)	Ideal buffer solution that is used in protein modification procedures requiring amine-free buffer at alkaline pH.	100 ml	28.95
			500 ml	98.70
88480	SDS PAGE Sample Buffer (2X) (Reducing) (Laemmli Buffer 2X)	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 2X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	5.13
			20 ml	19.74
99573	SDS PAGE Sample Buffer (5X) (Reducing) (Laemmli Buffer 5X)	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	6.32
			20 ml	23.69
98786	SDS PAGE Sample Buffer (5X) (Reducing) w/ DTT w/ BPB	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	32.90
35974	SDS PAGE Sample Buffer (5X) (Non-Reducing) w/o DTT w/ BPB	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	32.90

BioLit® SDS PAGE Accessory Reagents

Ready-to-use Separating gel mix in a various percentage ranges and Stacking gel mix to simplify the process of SDS PAGE preparation and eliminate pipetting errors.

91574	Ready-To-Use Stacking Gel mix - 4%		250 ml	28.56
86325	Ready-To-Use Stacking Gel mix - 4% (Coloured)		100 ml	13.69
24723	Ready-To-Use Separating Gel mix - 10%		100 ml	32.11
80306	Ready-To-Use Separating Gel mix - 12%		100 ml	32.11
88394	Ready-To-Use Separating Gel mix - 15%		100 ml	32.11

BioLit® Protease for Recombinant Protein Fusion Tag Cleavage

86851	TEV Protease (1U/μl)	A highly sequence-specific cysteine protease from Tobacco Etch Virus (TEV). Removes affinity tags from purified recombinant fusion proteins and its specificity gives controlled cleavage. Effective over a broad range of temperature	1000 Units	134.63
			5000 Units	523.11



code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------

Antibodies

41262	Express Coating Buffer (1X, pH 6.4) for Antigen & Antibodies	A special coating buffer for rapid adsorptive immobilization of proteins, enzymes, antigens or antibodies on any plastic surface including ELISA plates. It coats the surface within 10-15mins.	100 ml	32.90
			500 ml	105.28
91754	Express Coating Buffer (1X, pH 8.5) for Antigen & Antibodies	A special coating buffer for rapid adsorptive immobilization of proteins, enzymes, antigens or antibodies on any plastic surface including ELISA plates. It coats the surface within 10-15mins.	100 ml	46.06
			500 ml	118.44
37971	Goat anti-Human IgG (affinity purified) (2mg/ml)	Antiserum is produced in Goat using highly purified human IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml	63.43
77924	Goat anti-Human IgG-HRP (1mg/ml)	Purified IgG conjugated to Horseradish Peroxidase (HRP). Pooled antisera from goats hyperimmunized with human IgG	1 ml	168.97
57404	Goat anti-Mouse IgG-HRP (1mg/ml)	Polyclonal Goat antibodies conjugated with HRP. Pooled antisera from goats hyperimmunized with Mouse IgG	1 ml	168.97
54537	Goat anti-Rabbit IgG (whole serum) (3mg/ml)	Antiserum is produced in Rabbit using highly purified bovine IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml	42.24
			5 ml	168.97
88495	Goat anti-Rabbit IgG-HRP (1mg/ml)	Polyclonal Goat antibodies conjugated with HRP. Pooled antisera from goats hyperimmunized with Rabbit IgG.	1 ml	168.97
68977	Rabbit anti-Bovine IgG (whole serum) (2mg/ml)	Antiserum is produced in Rabbit using highly purified bovine IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml	33.82
21105	Rabbit anti-Bovine IgG-HRP (whole serum) (1mg/ml)	Anti-Bovine secondary antibodies conjugated with HRP. Pooled antisera from cows hyperimmunized with rabbit IgG	1 ml	168.97
57919	Rabbit anti-Chicken IgY (whole serum)		1 ml	98.57
			5 ml	309.79
26249	Rabbit Anti-Human IgG (whole serum)		1 ml	56.32
			5 ml	253.46



code	product name	application/description	unit	\$ price
------	--------------	-------------------------	------	----------

BioLit® Research Kits

A column based quick and easy method for DNA Extraction from bacteria/ tissue/whole blood yielding pure DNA useful for down-stream processes.

51826	BioLit Genomic DNA Extraction Mini Kit (Research)	Isolation of high quality genomic DNA using the silica spin columns from various sources - plasma, serum, body fluids, cultured cells, sputum and other body fluids. Kit contents : ● Spin Columns ● Buffers ● Proteinase K	25 Extractions	93.17
			50 Extractions	180.03
56860	BioLit Plant DNA Extraction Mini Kit (Research)	Kit works to efficiently extract genomic DNA from various plant and tissue samples rapidly. Mini silica columns deliver high quality genomic DNA without use of expensive reagents and time consuming processes. Kit contents : ● Spin Columns ● Buffers	25 Extractions	65.80
			50 Extractions	118.44
75718	BioLit Tissue DNA Extraction Mini Kit (Research)	Isolation of high quality tissue DNA using the silica spin columns from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc Kit contents : ● Spin Columns ● Buffers ● Proteinase K	25 Extractions	118.97
			50 Extractions	203.45
94733	BioLit Whole Blood DNA Extraction Mini Kit (Research)	Isolation of high quality DNA using the silica spin columns from human whole blood. Kit contents : ● Spin Columns ● Buffers	25 Extractions	111.86
			50 Extractions	210.56
33981	BioLit Tissue RNA Extraction Mini Kit (Research)	Tissue RNA can be purified from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc Kit contents : ● Spin Columns ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	25 Extractions	134.89
			50 Extractions	256.62
87883	BioLit Viral RNA Extraction Mini Kit (Research)	Viral RNA can be purified from plasma, serum and other cell body fluids. Kit contents : ● Spin Columns ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	25 Extractions	75.54
			50 Extractions	130.55
			1000 Extractions	239.38
76108	BioLit Whole Blood RNA Extraction Mini Kit (Research)	A fast, easy method for the preparation of total cellular RNA from human whole blood. Multiple blood samples can be processed simultaneously in less than 1 hour. Kit contents : ● Spin Columns ● Collection Tubes ● Buffers ● β-mercaptoethanol	25 Extractions	140.81
			50 Extractions	273.86
91210	BioLit Animal Tissue Direct PCR Kit (Research)	Amplifies DNA directly from a wide variety of animal tissues including mice, fish, birds and insects. Kit contents : ● 2X Taq mix ● Buffers ● Sterile Water	50 Preps	342.03
74578	BioLit Gel Extraction Kit (Research)	Kit for quick and easy extraction of DNA fragment from Low melting agarose. Useful for various downstream processes. Kit contents : ● Silica Spin Columns ● Buffers	50 Preps	138.18



code	product name	application/description	no. of experiments	unit	\$ price
23512	BioLit PCR and DNA Fragment Purification Kit (Research)		50 Preps		144.76
			100 Preps		282.41
66865	BioLit Plasmid DNA Extraction Miniprep Kit (Research)		50 Preps		98.70
62606	BioLit Total RNA Extraction Kit from Plant (Research)	Quick Total RNA extraction kit using silica gel columns. Purifies RNA from Plants and Fungi.	50 Preps		302.68
	Kit contents : ● Spin Columns ● Buffers				
86792	BioLit Total RNA extraction Kit From Various Sources (Research)	Isolates RNA from various sources - whole blood, animal and plant tissue, cultured cells and bacteria.	50 Preps		302.68
	Kit contents : ● Spin Columns ● Buffers				

BioLit® Teaching Kits

66602	Agarose Gel Electrophoresis Kit (Teaching)	The overall goal is to view different plasmid DNAs by their movement through a matrix viz agarose gel.	15	1 Kit	118.44
	Kit contents : ● DNA Samples ● Loading Dye ● Agarose ● Ethidium Bromide ● Tank Buffer ● DNA Size Marker				
64279	Bacterial Transformation Kit - 1 (Teaching)	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparation by CaCl ₂ treatment and transformation within a day. Overnight incubation will reveal transformed colonies. Competent cells are provided as internal control.	15	1 Kit	105.28
			30	1 Kit	197.40
	Kit contents : ● Host Cells ● Sterile LB Media ● LB agar mix ● Ampicillin ● CaCl ₂ ● Plasmid DNA				
28660	Bacterial Transformation Kit – 2 (with blue white screening) (Teaching)	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparation by CaCl ₂ treatment and transformation within a day. Overnight incubation will reveal transformed colonies. Competent cells are provided as internal control. Blue white screening is also seen with the use of the X-Gal	5	1 Kit	78.96
			15	1 Kit	223.72
			30	1 Kit	394.80
	Kit contents : ● Host Cells ● Sterile LB Media ● LB agar mix ● Ampicillin ● X-gal ● IPTG ● CaCl ₂ ● Plasmid DNA				
95043	DNA Ligation Kit (Teaching)	This DNA ligation Kit contains reagents for ligation of two Lambda digests using T4 DNA ligase These experiments constitute essential learning experiences for a student interested in cloning and recombinant DNA strategies.	10	1 Kit	57.90
	Kit contents : ● Lambda DNA Digested with Appropriate Restriction Enzymes ● T4 DNA Ligase ● Ligase Buffer ● Agarose ● TAE buffer ● Gel Loading Dye ● Ethidium Bromide ● DNA Molecular Size Marker				



code	product name	application/description	no. of experiments	unit	\$ price
76941	FITC Conjugation Kit (Teaching)	Fluorescein isothiocyanate (FITC) is a fluorescent dye used in labeling antibodies and proteins. FITC is a derivative of fluorescein and reacts with the amines and sulphhydryl groups on proteins. This kit provides components for conjugation of fluorescein isothiocyanate with antibodies or other proteins in a quick and easy manner. Kit contents : ● FITC isomer I ● Buffers	5	1 Kit	72.38
19317	BioLit Gene Amplification Kit - PCR (Teaching)	PCR or Polymerase Chain Reaction has become a mainstay in modern recombinant DNA technology. BioLit's PCR kit has been specifically designed and standardized to eliminate the initial pitfalls so that even a beginner can be successful in the first try itself. The kit allows students to vary cycle conditions and find their effects on yield of the amplified product, an E.coli gene Kit contents : ● Template ● Reaction Mix: containing dNTP mix, Buffer, primers and MgCl ₂ ● TAQ DNA Polymerase ● Enzyme Diluent Buffer ● Dye ● Agarose ● TAE buffer ● Ethidium Bromide ● Marker	10 25	1 Kit 1 Kit	160.29 227.54
83462	BioLit Genomic DNA Extraction (from bacteria) Kit (Teaching)	This genomic DNA extraction kit uses a rapid and simple technique. Kit contents : ● Bacterial Cell Pellets ● Lysis Buffer ● Saturated Phenol ● Chloroform ● DNA Precipitation Solution ● TE Buffer ● Ethidium Bromide ● Agarose ● Gel Loading Dye ● Marker	15	1 Kit	98.44
61498	BioLit Genomic DNA Extraction (from leaves) Kit (Teaching)	This genomic DNA extraction kit uses a rapid and simple technique ideal for school and college students. Kit contents : ● Bacterial Cell Pellets ● Lysis Buffer ● Saturated Phenol ● Chloroform ● DNA Precipitation Solution ● TE Buffer ● Ethidium Bromide ● Agarose ● Gel Loading Dye ● Marker	15	1 Kit	137.39
87377	Onion Root Tip Mitosis Kit (Teaching)	Demonstrates the different stages of mitosis present in the meristematic cells located in the onion root tips. Mitosis is the process in which a eukaryotic cell nucleus splits in two, followed by division of the parent cell into two daughter cells.	10 50	1 Kit 1 Kit	39.48 118.44
27725	Plasmid Isolation Kit from Bacterial cells (Teaching)	This plasmid mini-prep kit facilitates the rapid (~ 2 h) isolation of plasmid DNA from bacterial cells already transformed with a plasmid. The detailed instructions which accompany the kit will allow typical school and college students to use the kit with no additional assistance. Kit contents : ● Bacterial Cell Pellets ● Alkaline lysis Reagents ● DNA Precipitation Solution ● Wash Solution ● TE Buffer, Gel Loading Dye ● Agarose ● TAE Buffer ● Ethidium Bromide ● Plasmid Control	15 25	1 Kit 1 Kit	89.22 121.07
31377	Protoplast Fusion Kit from Plants (Teaching)	Protoplast fusion kit is used as a means to generate hybrids with useful characteristics in plants. The method requires careful manipulations of plant parts like leaves, petals etc. to be digested with cell wall breaking enzymes. The separated and digested cells round up and in presence of polyethylene glycol fuse together which can be viewed under a microscope Kit contents : ● Osmotic Buffer ● Macrozyme ● PEG	15	1 Kit	123.31



code	product name	application/description	no. of experiments	unit	\$ price
18450	Restriction Digestion Kit (Teaching)	This kit contains materials to teach the use of restriction enzymes HindIII and EcoRI & demonstrate restriction mapping of lambda DNA mapping. These experiments constitute essential learning experiences for a student interested in cloning and genetic mapping.	10	1 Kit	52.64
			50	1 Kit	184.24
Kit contents : ● Lambda DNA ● Agarose ● Restriction Enzymes ● Reaction Buffer ● Ethidium Bromide ● Gel Loading Dye ● TAE buffer ● DNA Molecular Size Marker					
83775	SDS PAGE Kit (Teaching)	This kit teaches the technique of separation of proteins based on their size under denaturing conditions using sodium dodecyl sulphate (SDS) and beta mercaptoethanol (BME). SDS cleaves non ionic interactions while BME cleaves disulphide bonds. SDS also imparts a strong negative charge to the polypeptides thereby their charge to mass ratio is rendered uniform. This allows the polypeptides to be separated on the basis of only their size, which is read by comparison with a standard marker	5	1 Kit	65.80
			15	1 Kit	111.86
Kit contents : ● Bis Acrylamide Solution ● Separating and Stacking Buffer Solutions ● APS ● TEMED ● Protein Marker ● Protein Samples ● Stain and Destain Solutions					
31105	Silver Staining Kit (Teaching)	Silver staining is a rapid, easy and sensitive method used for staining proteins, DNA and RNA after polyacrylamide gel electrophoresis. Silver staining is a far more sensitive method of staining than Coomassie Brilliant blue and can detect protein & even polypeptides as low as 0.05 ng in concentration. Reagents sufficient for 15 reactions are enclosed.	5	1 Kit	65.80
			15	1 Kit	131.60
Kit contents : ● Fixing solution ● Silver nitrate ● Developing solution ● Stop solution					
46037	Southern Blotting Kit (Teaching)	E. M. Southern invented a technique to transfer separated DNA molecules to a membrane, which is capable of binding the DNA, and immobilizing it for further analysis. The technique named as Southern blotting, after its inventor, involves placing either a nitrocellulose or nylon membrane in contact with the agarose gel and facilitating the transfer process by capillary action. By drawing buffer from the gel to the membrane, the DNA fragments are forced to move with the buffer and deposit on the membrane. (Hybridization not included)	5	1 Kit	111.86
Kit contents : ● NC Membranes ● SSPE Buffer ● Filter Paper Wicks and Strips ● DNA Samples ● Marker ● Agarose ● Ethidium Bromide					
52166	SpinCol Plasmid Miniprep kit from Bacterial cells (Teaching)	A new teaching kit for isolation of plasmid DNA from E.coli cultures based on silica - membrane technology on a mini spin columns. This is a fast and efficient method and yields high quality plasmid DNA.	20	1 Kit	65.80
			50	1 Kit	93.30
Kit contents : ● Spin column ● Lysis buffer ● precipitating buffer ● wash buffer ● elution buffer					


Microcentrifuge Tube and Screw Cap

Our gamma irradiated microcentrifuge tubes are highly recommended in the areas of Life Science, Industry or Chemistry for use in research and critical reagent packaging requirements.

Our tubes are designed with conical bottoms allowing for complete sample retrieval. Screw caps with O-rings guard against leakage by forming a positive seal against the rim of the tube. External ribs on the free standing microcentrifuge tubes allow for single-handed opening and closing when placed in racks with serrated holes. Screw Cap Microcentrifuge Tubes work with many automated systems. The O-ring is manufactured from durable ethylene polypropylene dimonomere compound.

Product Features:

- Capacity: 0.5 ml & 1.5ml sizes
- Plastic (Polypropylene) clear colorless tube
- Self Standing Tubes with Screw Cap & O-Ring
- Sterile
- Operating range: -196°C to +121°C
- Autoclavable at 121°C
- Withstands maximum RCF of 20000× G
- No Graduations
- DNase & RNase Free



Prdt. Code	Product Name	Packing Unit
31635	Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade	500 Nos.
60838	Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade	500 Nos.

* Bulk packs available on request

Nucleic Acid Purification Aids:

Spin Column Set

A purification aide utilizing silica membrane in a column form which is used for purifying/extracting nucleic acids (DNA or RNA) of high quality. These columns are compatible with in-house buffers as well as store-brought ones.

Applications:

- Purification of Gel / PCR products
- Extraction of Genomic DNA
- Extraction of Plasmid DNA



Prdt. Code	Product Name	Packing Unit
39738	Mini Silica Spin Column Set A (2ml SC w/CT each)	50 Nos, 100 Nos
89887	Mini Silica Spin Column Set B (2ml SC w/CT each)	50 Nos, 100 Nos
69516	Mini Silica Spin Column Set C (2ml SC w/CT each)	50 Nos, 100 Nos
37351	RNA Mini Spin Column Set (2ml SC w/CT each)	50 Nos, 100 Nos

Collection Tubes

Collection tube of 2ml capacity to be used in purification of DNA / RNA samples. They are used along with mini silica spin column sets A/B/C & RNA spin column sets.

Prdt. Code	Product Name	Packing Unit
41425	Collection Tubes (CT) for DNA, RNA purification (2ml)	50 Nos, 500 Nos

* Bulk packs available on request

Part L

Laboratory Accessories





code	product name	unit	\$ price
------	--------------	------	----------

Buffer capsules

87767	Buffer capsules pH 4	10 caps	3.16
95323	Buffer capsules pH 6	10 caps	3.16
18533	Buffer capsules pH 7	10 caps	3.16
74399	Buffer capsules pH 9.2	10 caps	3.16



Indicator Papers

74183	Brilliant Yellow Indicator Papers	10 Books	4.74
11902	Bromothymol Blue Indicator Papers	10 Books	4.47
84795	Chlorine Test Indicator Papers	10 Books	5.13
54494	Congo Red Indicator Papers	10 Books	4.34
72874	Indicator Papers pH 1.0 - 14.0	10 Books	5.26
12794	Indicator Papers pH 1.0 - 10.0	4 Books	10.40
47603	Indicator Papers pH 2.0 - 4.5	10 Books	5.66
27671	Indicator Papers pH 2.0 - 10.5	10 Books	5.00
84794	Indicator Papers pH 3.5 - 6.0	10 Books	5.00
82811	Indicator Papers pH 3.8 - 5.3	10 Books	5.26
98044	Indicator Papers pH 3.8 - 5.4	10 Books	5.26
36120	Indicator Papers pH 5.0 - 7.5	10 Books	5.00
61169	Indicator Papers pH 6.5 - 9.0	10 Books	5.00
94744	Indicator Papers pH 8.0 - 10.5	10 Books	5.40
76345	Litmus Blue Indicator Papers	10 Books	4.08
67562	Litmus Red Indicator Papers	10 Books	4.08
48758	Phenolphthalein Indicator Papers	10 Books	4.74
27893	Starch Indicator Papers	10 Books	6.45
75672	Starch Iodide Indicator Papers	10 Books	5.40
45438	Turmeric Indicator Papers	10 Books	5.92



Barrier Pen

93071	PAP Pen Mini (Hydrophobic Barrier Pen, 1mm, Blue)	1 nos	94.75
59164	PAP Pen Regular (Hydrophobic Barrier Pen, 3mm, Blue)	1 nos	157.92

Petri Plates

High quality disposable Petri Dishes, suitable for all microbiological applications manufactured as per ISO 24998. Dimensional accuracy of 90 mm ensures compatibility with most automated systems. Extremely high optical clarity for easy viewing on a microscope. Petri Dishes have elevated lids (vented) that allows for superior gas exchange and evaporation. Convenient & easy to stack.

90226 Petri Plates (90mm)



100 nos	17.77
500 nos	87.51



code	product name	unit	\$ price
------	--------------	------	----------

Spin Columns

A purification aid set comprising of Silica membrane spin column and a collection tube. Silica membrane in a column form is used for purifying/ extracting nucleic acids (DNA or RNA) of high quality. These columns are compatible with in-house buffers as well as Store-bought ones.

39738	Mini Silica Spin Column Set A (2ml SC w/ CT each) Binding capacity — 45µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of 65bp to 10kb size from PCR amplifications and agarose gel extractions.	50 nos	68.96
		100 nos	128.44
89887	Mini Silica Spin Column Set B (2ml SC w/ CT each) Binding capacity — 50µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.	50 nos	68.96
		100 nos	128.44
69516	Mini Silica Spin Column Set C (2ml SC w/ CT each) Binding capacity — 55µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.	50 nos	73.70
		100 nos	137.79
37351	RNA Mini Spin Column Set (2ml SC w/ CT each) Binding capacity — 40µg Supplied with 2ml Collection Tube (CT) Used in purifying RNA from agarose gel extractions.	50 nos	92.78
		100 nos	157.00

Tubes and Screw Caps

31635	Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade • Capacity - 0.5 ml • Self Standing Tube With Screw Cap & O-Ring • Sterile - Gamma Irradiated. • Operating range: -196 °C to +121°C. • Autoclavable at 121 °C • Withstands Maximum RCF of 20000X G • No Graduation	500 Nos	96.73
60838	Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade • Capacity - 1.5 ml • Self Standing Tubes With Screw Cap & O-Ring • Sterile - Gamma Irradiated. • Operating range: -196°C to +121°C • Autoclavable at 121°C • Withstands maximum of 20000X G • No Graduations	500 Nos	103.70
41425	Collection Tubes (CT) for DNA, RNA purification (2ml)	50 nos	5.79
		500 nos	54.09
11876	Centrifuge Tube and Screw Cap (15ml)	50 nos	11.19
		250 nos	52.64
		500 nos	94.75
11048	Centrifuge Tube and Screw Cap (50ml)	50 nos	13.16
		250 nos	64.48
		500 nos	126.34



code	product name	unit	\$ price
------	--------------	------	----------

Crucible Tall Form

These crucibles are made of high quality Porcelain for basic laboratory use to heat chemical compounds. Each product is well tested for its strength, thermal performance, and enhanced chemical resistance with low water absorbance. Widely suitable for burning solid matter, evaporation, concentration or crystallization of solutions.

45866	Crucible Porcelain, 5 ml, Tall with Lid	6 Nos	9.48
14903	Crucible Porcelain, 10 ml, Tall with Lid	6 Nos	9.87
61275	Crucible Porcelain, 15 ml, Tall with Lid	4 Nos	8.55
55162	Crucible Porcelain, 30 ml, Tall with Lid	4 Nos	9.87
94977	Crucible Porcelain, 40 ml, Tall with Lid	1 Nos	2.90



Capacity	Top OD	Height	Wall Thickness	Weight	Lid Dia
5 ml	24 mm	20 mm	1.7 mm	8 gm	26 mm
10 ml	31 mm	26 mm	1.8 mm	12 gm	34 mm
15 ml	35 mm	29 mm	1.8 mm	13 gm	38 mm
30 ml	45 mm	36 mm	1.8 mm	18.5 gm	47 mm
40 ml	50 mm	40 mm	1.8 mm	23 gm	53 mm

Crucible Wide Form

These crucibles are made of high quality Porcelain for basic laboratory use to heat chemical compounds. Each product is well tested for its strength, thermal performance, and enhanced chemical resistance with low water absorbance. Widely suitable for burning solid matter, evaporation, concentration or crystallization of solutions.

16024	Crucible Porcelain, 2 ml, Wide with Lid	6 Nos	9.67
97090	Crucible Porcelain, 8 ml, Wide with Lid	6 Nos	10.79
97897	Crucible Porcelain, 17 ml, Wide with Lid	4 Nos	8.95
71099	Crucible Porcelain, 30 ml, Wide with Lid	4 Nos	10.13
13057	Crucible Porcelain, 50 ml, Wide with Lid	1 Nos 4 Nos	3.29 11.84



Capacity	Top OD	Height	Wall Thickness	Weight	Lid Dia
2 ml	18 mm	12 mm	1.3 mm	3 gm	26 mm
8 ml	32 mm	20 mm	1.6 mm	10 gm	34 mm
17 ml	41 mm	26 mm	1.6 mm	18 gm	47 mm
30 ml	50 mm	31 mm	1.8 mm	25 gm	53 mm
50 ml	61 mm	37 mm	1.8 mm	35 gm	69 mm



code	product name	unit	\$ price
------	--------------	------	----------

Mortar & Pestle

Mortar & Pestle are made from high quality Porcelain for basic laboratory application such as crushing, grinding, etc. They are designed with a spout which enables easy pouring.

44249	Mortar & Pestle Set, Porcelain, 60 ml	1 Nos	3.42
41278	Mortar & Pestle Set, Porcelain, 100 ml	1 Nos	3.95
13968	Mortar & Pestle Set, Porcelain, 150 ml	1 Nos	6.58
51686	Mortar & Pestle Set, Porcelain, 275 ml	1 Nos	7.90



Mortar						Pestle		
Capacity	Top OD	Top ID	Outer Height	Wall Thickness	Weight	Length	Head OD	Weight
60 ml	80 mm	60 mm	44 mm	7.5 mm	200 gm	98 mm	27 mm	50 gm
100 ml	90 mm	75 mm	48 mm	10 mm	280 gm	98 mm	27 mm	50 gm
150 ml	105 mm	85 mm	72 mm	9 mm	490 gm	114 mm	30 mm	90 gm
275 ml	125 mm	100 mm	70 mm	11.5 mm	650 gm	130 mm	36 mm	130-140 gm

Evaporating Dish

These evaporating dishes are made from high quality Porcelain with spout for easy pouring of liquids. These have wide applications in scientific laboratories such as evaporating, drying & crystallizing. They are highly suitable for critical laboratory use.

11443	Dish Evaporating Porcelain, 20 ml	6 Nos	10.53
42418	Dish Evaporating Porcelain, 40 ml	6 Nos	10.92
96704	Dish Evaporating Porcelain, 100 ml	6 Nos	13.16



Capacity	Top OD	Height	Wall Thickness	Weight
20 ml	50 mm	22 mm	1.3 mm	19 gm
40 ml	60 mm	27 mm	1.3 mm	25 gm
100 ml	75 mm	35 mm	2 mm	51 gm



code	product name	unit	\$ price
------	--------------	------	----------

Buchner Funnel

Each Buchner funnel is autoclavable, made from high quality Porcelain with fixed perforated plate & a thick stem. It is commonly used in chemistry labs for filtration purposes to eliminate unwanted particles.

53092	Funnel Buchner, Porcelain, 6 ml	1 Nos	3.68
64702	Funnel Buchner, Porcelain, 30 ml	1 Nos	3.95
38635	Funnel Buchner, Porcelain, 87 ml	1 Nos	4.21
59425	Funnel Buchner, Porcelain, 186 ml	1 Nos	5.79



Capacity	Top OD	FP Dia	Height	Perforated Dia	Wall Thickness	Weight
6 ml	35 mm	20 mm	72 mm	23 mm	3 mm	32 gm
30 ml	50 mm	35-40 mm	89 mm	23 mm	3 mm	48 gm
87 ml	60 mm	50-55 mm	110 mm	38 mm	3 mm	110 gm
186 ml	84 mm	70 mm	143 mm	62 mm	3.5 mm	180 gm



Prices	The prices shall be quoted in USD/EURO on either Ex-works/FOB/C&F basis as requested by the Buyer.
Insurance	Insurance coverage shall be the responsibility of the Buyer.
Payment	<p>Payment terms are 100% advance, to be remitted through Bank Transfers only to our Bank account or Irrevocable & Confirmed Letter of Credit in our favour - Sisco Research Laboratories Pvt Ltd. 608, B Wing, Satellite Gazebo, Andheri Ghatkopar Link Road, Chakala, Andheri (E), Mumbai - 400 099, Maharashtra, India.</p> <p>International bank charges should be to the Buyer's account.</p>
Delivery	Goods shall be dispatched from Mumbai/Mumbai Airport/Nhava-Sheva or as per the terms of the quotations.
Packaging	If the Buyer has any special shipping or handling requirements, Buyer shall notify SRL in a timely manner regarding any such special requirements. Buyer shall be responsible for any increase in cost for such special packaging.
Damage or Loss	<p>Any losses incurred by the Buyer on account of Leakage, Breakage, Damage, etc to be claimed by the Buyer from his/her Insurance Company.</p> <p>Any demurrage/detention charges shall be to Buyer's account.</p>
Liability	Quality complaint will be entertained only if they are communicated to SRL within 30 days from the receipt of goods. The quality of the products shall be strictly as per the specifications offered by SRL. We shall not be responsible for any accident or loss arising due to mishandling of our products. It is presumed that Buyers are well aware about the properties and handling of the goods purchased.

Goods once sold shall not be taken back.


It is the Buyer's responsibility to verify and check the products ordered/bought by them are not banned / restricted in their country.

All the products are sold for Laboratory Use only.

All our Terms and Conditions are subject to Mumbai (India) Jurisdiction.

The Electrophoresis Leaders of India

We are India's best company in the field of molecular biology since the last 40 years. Our expertise lies in the manufacture of reagents and buffers used in gel electrophoresis for nucleic acid, DNA/RNA and protein separation. Having the most extensive range of protein and nucleic acid electrophoresis applications, we are 100% sure that our products will be very important for you to conduct most critical molecular biology techniques such as electrophoresis of DNA and RNA, PFGE for large fragment analysis, PCR fragment analysis, cloning and recovery of DNA and RNA and various blotting techniques such as Northern & Southern blotting.



SRL is manufacturing few products in bulk scale to meet the following applications in molecular biology for critical applications:

- Gel Electrophoresis
- SDS Page Electrophoresis
- Pulse Field Gel Electrophoresis
- Immunoelectrophoresis
- Counter Current Electrophoresis
- Tissue Culture & Cell Culture Studies
- Forensic & Diagnostic Analysis
- Antigen Antibody Reaction Studies
- Molecular Weight Screening

SRL Special


Agarose Low-6 & Agarose Low-8 have been specially developed for molecular screening applications and improves resolution of small DNA fragments & PCR products

Product code	Agarose	Sulphate %	Gel strength (1.5% gel) gm/cm ²	Gelling temperature (1.5% soln)	Melting temperature (1.5% gel)	Electro-endosmosis (EEO)
60645	High EEO for MB	<0.3	>800	36°C (±1.5)	85 - 90°C	0.25 - 0.30
10423	Medium EEO for MB	<0.2	>1500	36°C (±1.5)	85 - 90°C	0.16 - 0.19
91466	Low EEO Regular grade (100bp-25kb)	<0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
36601	Low EEO for MB (100bp-25kb)	<0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
23287	Low EEO Superior grade for MB (100bp-25kb)	<0.15	>1500	36°C (±1.5)	85 - 90°C	0.09 - 0.13
Product code	Agarose (for Low Base Pairs)	Sulphate %	Gel strength (3% gel) gm/cm ²	Gelling temperature (3% soln)	Melting temperature (3% gel)	Electro-endosmosis (EEO)
32417	Low Melting for MB (10-1200bp)	<0.2	min 300	35°C (±1.5)	~ 65°C	max 0.1
27813	Metaphor (10-1200bp)	—	min 300	<35°C	<75°C	max 0.1
78711	Low-6 (10-1200bp)	<0.1	min 800	< 35°C	< 75°C	max 0.12
52734	Low-8 (10-1200bp)	<0.11	min 1500	<35.5°C	<80°C	max 0.12

Product code	Acrylamide	Solubility	Assay (Nitrogen)	pH (5% aq. soln)	A1% aq. 290nm
89314	1× Cryst. extrapure	30% aq. Clear & colourless	99.5%	min. 5.0	—
15657	3×Cryst. extrapure AR	60% aq. Clear & colourless	99.9%	min. 5.0	max. 0.5
61346	3× Cryst. for MB	30% aq. Clear & colourless	99.5%	min. 5.0	max. 0.5

Product code	Acrylamide/ Bis-acrylamide Premix	Solubility	pH (5% aq. soln)	Specific conductance (5% aq. soln)
24263	19:1	10% aq. Clear & colourless	5 - 8	min. 10μ mho/cm
10762	29:1	10% aq. Clear & colourless	5 - 8	min. 10μ mho/cm
74379	37.5:1	10% aq. Clear & colourless	5 - 8	min. 10μ mho/cm

Product code	N,N'-Methylene Bis Acrylamide	Solubility	Assay (CG)	pH (2.5% aq. soln)	A1% aq. 290nm
38516	3× Cryst. extrapure AR	2.5% aq.	99.5%	min. 5.0	max. 0.2
67320	3× Cryst. for MB	2.5% aq.	99.5%	min. 5.0	max. 0.1



SISCO RESEARCH LABORATORIES PVT. LTD.

Administrative Office:

608-B, Satellite Gazebo, Near Solitaire Corporate Park, Andheri Ghatkopar Link Road, Chakala, Andheri (East), Mumbai 400 099. India
Tel.: +91-22-4268 5800 • E-mail: export@srchem.com

Website: www.srlchem.com