

# **Safety Data Sheet**

Review Date : 4-Oct-2023

www.srlchem.com

## Section 1 - Chemical Product and Company Identification

Product Name	tert-Butyl Alcohol extrapure AR, 99.5%
Product Code	70816
CAS No	75-65-0
Use for	Laboratory Chemicals.
Company Name	Sisco Research Laboratories Pvt. Ltd.
Address	608, B Wing, Satellite Gazebo, Andheri Ghatkopar Link Road, Andheri (E), Mumbai - 400 099, India

## Section 2 - Composition/Information on Ingredients

CAS#	Chemical Name:	%	E INECS#
75-65-0	tert-Butanol	<=100	200-889-7

## Section 3 - Hazards Identification

Highly flammable. Harmful by inhalation.

### **Potential Health Effects**

**Eye: :** Causes eye irritation.

Skin: May cause skin irritation. May be harmful if absorbed through the skin. **Ingestion:** May cause irritation of the digestive tract. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May be harmful if swallowed. **Inhelation:** Harmful if inheled. May cause drowsiness unconsciousness and central nervous system.

**Inhalation:** Harmful if inhaled. May cause drowsiness, unconsciousness, and central nervous system depression. May cause irritation of the mucous membranes.

## Section 4 - First Aid Measures

**Eyes:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

**Ingestion:** If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid. **Inhalation:** Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

## Section 5 - Fire Fighting Measures

**General Information:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors can travel to a source of ignition and flash back. Will burn if involved in a fire. Flammable liquid and vapor.

**Extinguishing Media:** Use water spray to cool fire-exposed containers. Water may be ineffective. Use water fog, dry chemical, carbon dioxide, or regular foam.



www.srlchem.com

Product Code 70816

## Section 6 - Accidental Release Measures

**General Information:** Use proper personal protective equipment as indicated in Section 8. **Spills/Leaks:** Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Remove all sources of ignition. Do not let this chemical enter the environment.

#### Section 7 - Handling and Storage

**Handling:** Use spark-proof tools and explosion proof equipment. Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes. Avoid ingestion and inhalation. Use only in a chemical fume hood. **Storage:** Keep away from sources of ignition. Store in a cool, dry place. Store in a tightly closed container. Flammables-area.

#### Section 8 - Exposure Control / Personal Protection

**Engineering Controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local explosion-proof ventilation to keep airborne levels to acceptable levels.

**Exposure Limits :** CAS# 75-65-0:

#### **Personal Protective Equipment**

Eyes: Wear chemical splash goggles.
Skin: Wear appropriate protective gloves to prevent skin exposure.
Clothing: Wear appropriate protective clothing to prevent skin exposure.
Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

## **Section 9 - Physical and Chemical Properties**

Physical State:	Liquid
Color:	after melting, clear colorless
Odor:	camphor
<b>Boiling Point:</b>	83 deg C @760mmHg ( 181.40°F)
Freezing/Melting Point:	25 - 25.5 deg C
Flash Point:	11 deg C ( 51.80 deg F)
Molecular Formula:	C4H10O
Molecular Weight:	74.12

## Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures. Conditions to Avoid: Incompatible materials, excess heat. Incompatibilities with Other Materials :Excess heat, acids, acid chlorides, acid anhydrides. Hazardous Decomposition Products : Carbon monoxide, carbon dioxide. Hazardous Polymerization : Will not occur.



# Safety Data Sheet

www.srlchem.com

Product Code 70816

# Section 11 - Toxicological Information

**RTECS#:** CAS# 75-65-0: EO1925000 **LD50/LC50:** RTECS: **CAS# 75-65-0:** Dermal, guinea pig: LD50 = >10 mL/kg; Draize test, rabbit, eye: 100 uL/24H Severe; Draize test, rabbit, skin: 500 uL/24H Mild; Inhalation, rat: LC50 = >10000 ppm/4H; Oral, rabbit: LD50 = 3559 mg/kg; Oral, rabbit: LD50 = 3600 mg/kg; Oral, rat: LD50 = 3600 mg/kg; Oral, rat: LD50 = 3500 mg/kg; Skin, rabbit: LD50 = >2 gm/kg;. **Carcinogenicity:** tert-Butanol - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65. **Other:** See actual entry in RTECS for complete information.

## Section 12 - Ecological Information

## **Ecotoxicity:**

Fish: Pimephals prome: 6410 mg/L; 96H; LC50 Fish: Zebrafish: >856 mg/L; 96H; LC50 Fish: Leuciscus idus: >1000 mg/L; 48H; LC50 Daphnia: Daphnia: 5504 mg/L; 48H; EC50 Daphnia: Daphnia: 2915 mg/L; 48H; EC0 Daphnia: Daphnia: 180 mg/L; 48H; EC100 Daphnia: Daphnia: 933 mg/L; 48H; EC50 Daphnia: Daphnia: 9900 mg/L; 48H; EC100

## Other:

Avoid entering into waters or underground water. Log Pow = 0.30BCF = 1.09BOD5/COD = 0.008 - 0.73

## Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

## Section 14 - Transport Information



#### www.srlchem.com

Product Code IATA	70816 IMO	RID/ADR	
Shipping Name:	BUTANOLS	BUTANOLS	BUTANOLS
Hazard Class:	3	3	3
UN Number:	1120	1120	1120
Packing Group:	II	II	II

## **Section 15 - Regulatory Information**

**European/International Regulations** European Labeling in Accordance with EC Directives Hazard Symbols: XN F **Risk Phrases:** R 11 Highly flammable. R 20 Harmful by inhalation. Safety Phrases: S 9 Keep container in a well-ventilated place. S 16 Keep away from sources of ignition - No smoking. WGK (Water Danger/Protection) CAS# 75-65-0: Not available Canada CAS# 75-65-0 is listed on Canada's DSL List **US Federal** TSCA CAS# 75-65-0 is listed on the TSCA Inventory.

## **Section 16 - Other Information**

Sisco Research Laboratories Pvt. Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.