

Review Date: 4-Oct-2023

Section 1 - Chemical Product and Company Identification

Product Name Hydrochloric Acid 4M Solution in Dioxane

Product Code 72775 **CAS No** 7647-01-0

Use for Laboratory Chemicals.

Company Name Sisco Research Laboratories Pvt. Ltd.

Address 608, B Wing, Satellite Gazebo, Andheri Ghatkopar Link Road,

Andheri (E), Mumbai - 400 099, India

Section 2 - Composition/Information on Ingredients

CAS# Chemical Name: % EINECS# 7647-01-0 Hydrochloric Acid 231-595-7

No components need to be disclosed according to the applicable regulations.

Section 3 - Hazards Identification

Risk advice to man and the environment

Toxic if swallowed. Very toxic in contact with skin. Irritating to eyes, respiratory system and skin.

Section 4 - First Aid Measures

Eyes: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin: Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a

physician.

Inhalation: If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a

physician.

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance.

Notes to Physician:

Section 5 - Fire Fighting Measures

Extinguishing Media

Suitable: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special Protective

Equipment For Firefighters: Wear self contained breathing apparatus for fire fighting if

necessary.

Section 6 - Accidental Release Measures



www.srlchem.com

Product Code 72775

Personal precautions: Use personal protective equipment. Avoid dust formation. Avoid breathing dust.

Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not

let product enter drains.

Methods for cleaning up: Pick up and arrange disposal without creating dust. Keep in suitable, closed

containers for disposal.

Section 7 - Handling and Storage

Handling: Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate

exhaust ventilation at places where dust is formed. Normal measures for

preventive fire protection.

Storage: Room temperature. Keep container tightly closed in a dry and well-ventilated place.

Section 8 - Exposure Control / Personal Protection



www.srlchem.com

Product Code

72775

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Chloroprene

Minimum layer thickness: 0,6 mm Break through time: 30 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to



www.srlchem.com

Product Code 72775

the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

Section 9 - Physical and Chemical Properties

Physical State: LIQUID
Molecular Formula: HCl
Molecular Weight: 36.46

Melting Point: -35 °C / -31 °F

Boiling Point: 57 °C / 134.6 °F

Flash Point: 17 °C - closed cup

Section 10 - Stability and Reactivity

Storage stability: Stable under recommended storage conditions.

Materials to avoid: Strong oxidizing agents

Hazardous decomposition

Products formed under fire

conditions. - Hydrogen Chloride

Section 11 - Toxicological Information

Acute toxicity: No data available

Irritation and corrosion: No data available

Sensitisation: No data available

Chronic exposure: IARC: No component of this product present at levels greater than or equal to 0.1%

is identified as probable, possible or confirmed human carcinogen by IARC.

Signs And Symptoms

Of Exposure: No data available

Route Of Exposure

Inhalation: No data available

Skin: No data available

Eyes: No data available
Ingestion: No data available
Section 12 - Ecological Information

section 12 Leological inioi ma

No data available.



www.srlchem.com

Product Code 72775

Section 13 - Disposal Considerations

Product: Observe all federal, state, and local environmental regulations. Contact a licensed professional

waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator

equipped with an afterburner and scrubber.

Contaminated packaging: Dispose of as unused product.

Section 14 - Transport Information

IMO RID/ADR **Shipping Name:** FLAMMABLE LIQUID CORROSIVE, N.O.S. (1,4-Dioxane, Hydrochloric Acid) **Hazard Class:** 3(8) 3(8) 3(8)**UN Number:** 2924 2924 2924 **Packing Group:** II II Π

Section 15 - Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Section 16 - Other Information

Sisco Research Laboratories Pvt. Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.